

Nestor Perea-Lopez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3926693/publications.pdf>

Version: 2024-02-01

77
papers

7,732
citations

126708

33
h-index

79541

73
g-index

78
all docs

78
docs citations

78
times ranked

12320
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolution of spectroscopy features in layered $\text{MoS}_x\text{Se}_{(2-x)}$ solid solutions. <i>Materials Research Express</i> , 2022, 9, 046301.	0.8	1
2	Interaction of gases with monolayer WS_2 : an <i>in situ</i> spectroscopy study. <i>Nanoscale</i> , 2021, 13, 11470-11477.	2.8	10
3	Confined Crack Propagation in MoS_2 Monolayers by Creating Atomic Vacancies. <i>ACS Nano</i> , 2021, 15, 1210-1216.	7.3	19
4	Quantification and Healing of Defects in Atomically Thin Molybdenum Disulfide: Beyond the Controlled Creation of Atomic Defects. <i>ACS Nano</i> , 2021, 15, 9658-9669.	7.3	37
5	Defect creation in WSe_2 with a microsecond photoluminescence lifetime by focused ion beam irradiation. <i>Nanoscale</i> , 2020, 12, 2047-2056.	2.8	30
6	Temperature- and power-dependent phonon properties of suspended few layers of tungsten diselenide. <i>Vibrational Spectroscopy</i> , 2020, 111, 103169.	1.2	10
7	Second harmonic generation in two-dimensional transition metal dichalcogenides with growth and post-synthesis defects. <i>2D Materials</i> , 2020, 7, 045020.	2.0	10
8	Hollow "graphene" microtubes using polyacrylonitrile nanofiber template and potential applications of field emission. <i>Carbon</i> , 2020, 167, 439-445.	5.4	3
9	Clean Transfer of 2D Transition Metal Dichalcogenides Using Cellulose Acetate for Atomic Resolution Characterizations. <i>ACS Applied Nano Materials</i> , 2019, 2, 5320-5328.	2.4	33
10	Dynamics of cleaning, passivating and doping monolayer MoS_2 by controlled laser irradiation. <i>2D Materials</i> , 2019, 6, 045031.	2.0	40
11	Angstrom-Size Defect Creation and Ionic Transport through Pores in Single-Layer MoS_2 . <i>Nano Letters</i> , 2018, 18, 1651-1659.	4.5	129
12	Carbon-rich shungite as a natural resource for efficient Li-ion battery electrodes. <i>Carbon</i> , 2018, 130, 105-111.	5.4	31
13	Probing the interaction of noble gases with pristine and nitrogen-doped graphene through Raman spectroscopy. <i>Physical Review B</i> , 2018, 97, .	1.1	7
14	Optical identification of sulfur vacancies: Bound excitons at the edges of monolayer tungsten disulfide. <i>Science Advances</i> , 2017, 3, e1602813.	4.7	213
15	Aligned carbon nanotube/zinc oxide nanowire hybrids as high performance electrodes for supercapacitor applications. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	35
16	Atomically Thin Layers of Graphene and Hexagonal Boron Nitride Made by Solvent Exfoliation of Their Phosphoric Acid Intercalation Compounds. <i>ACS Nano</i> , 2017, 11, 6746-6754.	7.3	35
17	Photoluminescence Enhancement of Titanate Nanotubes by Insertion of Rare Earth Ions in Their Interlayer Spaces. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-9.	1.5	19
18	Distinct photoluminescence and Raman spectroscopy signatures for identifying highly crystalline WS_2 monolayers produced by different growth methods. <i>Journal of Materials Research</i> , 2016, 31, 931-944.	1.2	95

#	ARTICLE	IF	CITATIONS
19	Fabrication and characterization of ultraviolet photosensors from ZnO nanowires prepared using chemical bath deposition method. <i>Journal of Applied Physics</i> , 2016, 119, 084306.	1.1	33
20	Electric-Field-Assisted Directed Assembly of Transition Metal Dichalcogenide Monolayer Sheets. <i>ACS Nano</i> , 2016, 10, 5006-5014.	7.3	9
21	Temperature- and power-dependent phonon properties of suspended continuous WS ₂ monolayer films. <i>Vibrational Spectroscopy</i> , 2016, 86, 270-276.	1.2	15
22	Tunable and label-free virus enrichment for ultrasensitive virus detection using carbon nanotube arrays. <i>Science Advances</i> , 2016, 2, e1601026.	4.7	73
23	Ultrasensitive molecular sensor using N-doped graphene through enhanced Raman scattering. <i>Science Advances</i> , 2016, 2, e1600322.	4.7	174
24	Third order nonlinear optical response exhibited by mono- and few-layers of WS ₂ . <i>2D Materials</i> , 2016, 3, 021005.	2.0	46
25	Hall and field-effect mobilities in few layered p-WSe ₂ field-effect transistors. <i>Scientific Reports</i> , 2015, 5, 8979.	1.6	107
26	3D Nanocomposites of Covalently Interconnected Multiwalled Carbon Nanotubes with SiC with Enhanced Thermal and Electrical Properties. <i>Advanced Functional Materials</i> , 2015, 25, 4985-4993.	7.8	18
27	Covalent Networks: 3D Nanocomposites of Covalently Interconnected Multiwalled Carbon Nanotubes with SiC with Enhanced Thermal and Electrical Properties (<i>Adv. Funct. Mater.</i> 31/2015). <i>Advanced Functional Materials</i> , 2015, 25, 4922-4922.	7.8	2
28	Electronic, magnetic, optical, and edge-reactivity properties of semiconducting and metallic WS ₂ nanoribbons. <i>2D Materials</i> , 2015, 2, 015002.	2.0	24
29	Three-dimensionally bonded spongy graphene material with super compressive elasticity and near-zero Poisson's ratio. <i>Nature Communications</i> , 2015, 6, 6141.	5.8	458
30	Ultrasensitive gas detection of large-area boron-doped graphene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14527-14532.	3.3	177
31	Tellurium-Assisted Low-Temperature Synthesis of MoS ₂ and WS ₂ Monolayers. <i>ACS Nano</i> , 2015, 9, 11658-11666.	7.3	123
32	(Ga,In)P nanowires grown without intentional catalyst. <i>Journal of Crystal Growth</i> , 2015, 431, 72-78.	0.7	5
33	Two-dimensional transition metal dichalcogenides: Clusters, ribbons, sheets and more. <i>Nano Today</i> , 2015, 10, 559-592.	6.2	107
34	Graphene: Large-Area Si-Doped Graphene: Controllable Synthesis and Enhanced Molecular Sensing (<i>Adv. Mater.</i> 45/2014). <i>Advanced Materials</i> , 2014, 26, 7676-7676.	11.1	0
35	Ultrashort optical pulse characterization using WS ₂ monolayers. <i>Optics Letters</i> , 2014, 39, 383.	1.7	33
36	Facile synthesis of MoS ₂ and Mo _x W _{1-x} S ₂ triangular monolayers. <i>APL Materials</i> , 2014, 2, .	2.2	93

#	ARTICLE	IF	CITATIONS
37	Pine-tree-like morphologies of nitrogen-doped carbon nanotubes: Electron field emission enhancement. <i>Journal of Materials Research</i> , 2014, 29, 2441-2450.	1.2	4
38	Harmonic generation in 2D layered materials. , 2014, , .		0
39	Three-dimensional Nanotube Networks and a New Horizon of Applications. , 2014, , 457-493.		2
40	Direct Synthesis of van der Waals Solids. <i>ACS Nano</i> , 2014, 8, 3715-3723.	7.3	253
41	Large Area Si-Doped Graphene: Controllable Synthesis and Enhanced Molecular Sensing. <i>Advanced Materials</i> , 2014, 26, 7593-7599.	11.1	116
42	Discovery of Wall-Selective Carbon Nanotube Growth Conditions <i>via</i> Automated Experimentation. <i>ACS Nano</i> , 2014, 8, 10214-10222.	7.3	70
43	Dislocation motion and grain boundary migration in two-dimensional tungsten disulphide. <i>Nature Communications</i> , 2014, 5, 4867.	5.8	192
44	Super-stretchable Graphene Oxide Macroscopic Fibers with Outstanding Knotability Fabricated by Dry Film Scrolling. <i>ACS Nano</i> , 2014, 8, 5959-5967.	7.3	170
45	Synthesis, Characterization and Magnetic Properties of Defective Nitrogen-Doped Multiwall Carbon Nanotubes Encapsulating Ferromagnetic Nanoparticles. <i>Journal of Nano Research</i> , 2014, 28, 39-49.	0.8	2
46	CVD-grown monolayered MoS ₂ as an effective photosensor operating at low-voltage. <i>2D Materials</i> , 2014, 1, 011004.	2.0	195
47	Synthesis, characterization and magnetic properties of Co@Au core-shell nanoparticles encapsulated by nitrogen-doped multiwall carbon nanotubes. <i>Carbon</i> , 2014, 77, 722-737.	5.4	23
48	Atomic-scale Observation of Grains and Grain Boundaries in Monolayers of WS ₂ . <i>Microscopy and Microanalysis</i> , 2014, 20, 1084-1085.	0.2	3
49	Extraordinary Second Harmonic Generation in Tungsten Disulfide Monolayers. <i>Scientific Reports</i> , 2014, 4, 5530.	1.6	262
50	Large Area Films of Alternating Graphene-Carbon Nanotube Layers Processed in Water. <i>ACS Nano</i> , 2013, 7, 10788-10798.	7.3	85
51	Microfluidic device with carbon nanotube channel walls for blood plasma extraction. , 2013, , .		2
52	Optoelectronic modulation by multi-wall carbon nanotubes. <i>Nanotechnology</i> , 2013, 24, 045201.	1.3	14
53	Extraordinary Room-Temperature Photoluminescence in Triangular WS ₂ Monolayers. <i>Nano Letters</i> , 2013, 13, 3447-3454.	4.5	1,375
54	Formation of Nitrogen-Doped Graphene Nanoribbons <i>via</i> Chemical Unzipping. <i>ACS Nano</i> , 2013, 7, 2192-2204.	7.3	80

#	ARTICLE	IF	CITATIONS
55	Photosensor Device Based on Few-Layered WS ₂ Films. <i>Advanced Functional Materials</i> , 2013, 23, 5511-5517.	7.8	546
56	Identification of individual and few layers of WS ₂ using Raman Spectroscopy. <i>Scientific Reports</i> , 2013, 3, .	1.6	1,185
57	Controlled Synthesis and Transfer of Large-Area WS ₂ Sheets: From Single Layer to Few Layers. <i>ACS Nano</i> , 2013, 7, 5235-5242.	7.3	534
58	Sensors: Photosensor Device Based on Few-Layered WS ₂ Films (<i>Adv. Funct. Mater.</i> 44/2013). <i>Advanced Functional Materials</i> , 2013, 23, 5510-5510.	7.8	7
59	Photoluminescence Properties of Eu-Doped LaSr ₂ AlO ₅ . <i>Science of Advanced Materials</i> , 2012, 4, 563-567.	0.1	9
60	Millimeter-Long Carbon Nanotubes: Outstanding Electron-Emitting Sources. <i>ACS Nano</i> , 2011, 5, 5072-5077.	7.3	50
61	Near UV-Blue Excitable Green-Emitting Nanocrystalline Oxide. <i>Advances in Materials Science and Engineering</i> , 2011, 2011, 1-7.	1.0	3
62	Ablation and optical third-order nonlinearities in Ag nanoparticles. <i>International Journal of Nanomedicine</i> , 2010, 5, 925.	3.3	24
63	Contribution of the Two-Photon Absorption to the Third Order Nonlinearity of Au Nanoparticles Embedded in TiO ₂ Films and in Ethanol Suspension. <i>Journal of Physical Chemistry C</i> , 2010, 114, 10108-10113.	1.5	43
64	Study of Luminescence from GaN:Tb ³⁺ Powders and Thin Films Deposited by MOVPE and PLD Methods. <i>Journal of the Electrochemical Society</i> , 2009, 156, J158.	1.3	9
65	Eu ³⁺ activated GaN thin films grown on sapphire by pulsed laser deposition. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 1756-1758.	0.8	3
66	Synthesis of rare-earth activated AlN and GaN powders via a three-step conversion process. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 1889-1891.	0.8	6
67	Red-emitting SrIn ₂ O ₄ ·xH ₂ O:Eu ³⁺ phosphor powders for applications in solid state white lamps. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 092005.	1.3	18
68	A Study of Oxygen Content in GaN, AlN, and GaAlN Powders. <i>Journal of the Electrochemical Society</i> , 2008, 155, J137.	1.3	1
69	A novel hybrid pulsed laser deposition/metalorganic vapour deposition method to form rare-earth activated GaN. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 122001.	1.3	2
70	Electroluminescence from Eu ³⁺ doped Sr ₂ CeO ₄ nanocrystalline thin films. <i>Optical Materials</i> , 2006, 29, 43-46.	1.7	28
71	White light emission from Y ₂ SiO ₅ :Ce, Tb films excited by electroluminescence. <i>Optical Materials</i> , 2006, 29, 47-50.	1.7	16
72	Nanocrystalline Sr ₂ CeO ₄ thin films grown on silicon by laser ablation. <i>Thin Solid Films</i> , 2006, 497, 177-181.	0.8	8

#	ARTICLE	IF	CITATIONS
73	Luminescent and crystalline properties of blueâ€“white-emitting nanocrystalline Sr ₂ CeO ₄ thin films produced by laser ablation. <i>Optical Materials</i> , 2005, 27, 1212-1216.	1.7	16
74	White light emission from rare earth activated yttrium silicate nanocrystalline powders and thin films. <i>Optical Materials</i> , 2005, 27, 1221-1227.	1.7	43
75	Luminescence study in Eu-doped aluminum oxide phosphors. <i>Optical Materials</i> , 2005, 27, 1311-1315.	1.7	62
76	Current-heating formation of small holes in thin gold or silver films. <i>Review of Scientific Instruments</i> , 2002, 73, 4399-4401.	0.6	13
77	Identification of individual and few layers of WS ₂ using Raman Spectroscopy. , 0, .		1