

Dirk De Bacquer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3929111/publications.pdf>

Version: 2024-02-01

132
papers

9,788
citations

81743

39
h-index

40881

93
g-index

134
all docs

134
docs citations

134
times ranked

10463
citing authors

#	ARTICLE	IF	CITATIONS
1	2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. <i>European Heart Journal</i> , 2021, 42, 3227-3337.	1.0	2,517
2	EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 636-648.	0.8	772
3	Lifestyle and impact on cardiovascular risk factor control in coronary patients across 27 countries: Results from the European Society of Cardiology ESC-EORP EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 824-835.	0.8	558
4	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019, 7, e1332-e1345.	2.9	554
5	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603â€ˆ838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
6	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	1.0	491
7	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. <i>Atherosclerosis</i> , 2019, 285, 135-146.	0.4	227
8	SCORE2-OP risk prediction algorithms: estimating incident cardiovascular event risk in older persons in four geographical risk regions. <i>European Heart Journal</i> , 2021, 42, 2455-2467.	1.0	210
9	Lifestyle and risk factor management in people at high risk of cardiovascular disease. A report from the European Society of Cardiology European Action on Secondary and Primary Prevention by Intervention to Reduce Events (EUROASPIRE) IV cross-sectional survey in 14 European regions. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 2007-2018.	0.8	153
10	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	3.0	152
11	Determinants of participation and risk factor control according to attendance in cardiac rehabilitation programmes in coronary patients in Europe: EUROASPIRE IV survey. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1242-1251.	0.8	140
12	Cardiovascular risk estimation in older persons: SCORE O.P.. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1093-1103.	0.8	138
13	Prevalence and management of familial hypercholesterolaemia in coronary patients: An analysis of EUROASPIRE IV, a study of the European Society of Cardiology. <i>Atherosclerosis</i> , 2015, 241, 169-175.	0.4	133
14	Dose-Finding Study of Rivaroxaban in Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2015, 66, 91-98.	2.1	119
15	Seasonality of cardiovascular risk factors: an analysis including over 230â€ˆ...000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	1.2	113
16	Patients with coronary artery disease and diabetes need improved management: a report from the EUROASPIRE IV survey: a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2015, 14, 133.	2.7	101
17	Incidence, Characteristics, and Outcome of COVID-19 in Adults on Kidney Replacement Therapy: A Regionwide Registry Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 385-396.	3.0	101
18	Perceived Job Stress and Incidence of Coronary Events: 3-Year Follow-up of the Belgian Job Stress Project Cohort. <i>American Journal of Epidemiology</i> , 2005, 161, 434-441.	1.6	96

#	ARTICLE	IF	CITATIONS
19	Safety and Efficacy of Vitamin K Antagonists versus Rivaroxaban in Hemodialysis Patients with Atrial Fibrillation: A Multicenter Randomized Controlled Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1474-1483.	3.0	87
20	Acceptability and feasibility of potential intervention strategies for influencing sedentary time at work: focus group interviews in executives and employees. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 22.	2.0	86
21	The Prognostic Value of Fasting Plasma Glucose, Two-Hour Postload Glucose, and HbA1c in Patients With Coronary Artery Disease: A Report From EUROASPIRE IV. <i>Diabetes Care</i> , 2017, 40, 1233-1240.	4.3	83
22	Primary prevention efforts are poorly developed in people at high cardiovascular risk: A report from the European Society of Cardiology EURObservational Research Programme EUROASPIRE V survey in 16 European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 370-379.	0.8	83
23	Screening for dysglycaemia in patients with coronary artery disease as reflected by fasting glucose, oral glucose tolerance test, and HbA1c: a report from EUROASPIRE IV—a survey from the European Society of Cardiology. <i>European Heart Journal</i> , 2015, 36, 1171-1177.	1.0	81
24	Vitamin K antagonists for stroke prevention in hemodialysis patients with atrial fibrillation: A systematic review and meta-analysis. <i>American Heart Journal</i> , 2017, 184, 37-46.	1.2	81
25	Time Trends in Lifestyle, Risk Factor Control, and Use of Evidence-Based Medications in Patients With Coronary Heart Disease in Europe: Results From 3 EUROASPIRE Surveys, 1999–2013. <i>Global Heart</i> , 2017, 12, 315.	0.9	81
26	The gender gap in risk factor control: Effects of age and education on the control of cardiovascular risk factors in male and female coronary patients. The EUROASPIRE IV study by the European Society of Cardiology. <i>International Journal of Cardiology</i> , 2016, 209, 284-290.	0.8	77
27	Predictors and Dynamics of the Humoral and Cellular Immune Response to SARS-CoV-2 mRNA Vaccines in Hemodialysis Patients: A Multicenter Observational Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3208-3220.	3.0	74
28	Epidemiological evidence for an association between habitual tea consumption and markers of chronic inflammation. <i>Atherosclerosis</i> , 2006, 189, 428-435.	0.4	68
29	Component separation technique for giant incisional hernia: A systematic review. <i>American Journal of Surgery</i> , 2018, 215, 719-726.	0.9	62
30	The relation between psychosocial risk factors and cause-specific long-term sickness absence. <i>European Journal of Public Health</i> , 2014, 24, 428-433.	0.1	60
31	Long-Term Prognostic Value of P-Wave Characteristics for the Development of Atrial Fibrillation in Subjects Aged 55 to 74 Years at Baseline. <i>American Journal of Cardiology</i> , 2007, 100, 850-854.	0.7	58
32	Clinical impact of direct HDLc and LDLc method bias in hypertriglyceridemia. A simulation study of the EAS-EFLM Collaborative Project Group. <i>Atherosclerosis</i> , 2014, 233, 83-90.	0.4	52
33	Hemodialysis Catheter Design and Catheter Performance: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2014, 64, 902-908.	2.1	48
34	Effectiveness of a preventive cardiology programme for high CVD risk persistent smokers: the EUROACTION PLUS varenicline trial. <i>European Heart Journal</i> , 2014, 35, 1411-1420.	1.0	46
35	Validity and reliability of the HeartQoL questionnaire in a large sample of stable coronary patients: The EUROASPIRE IV Study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 714-721.	0.8	46
36	Screening for Glucose Perturbations and Risk Factor Management in Dysglycemic Patients With Coronary Artery Disease—A Persistent Challenge in Need of Substantial Improvement: A Report From ESC EORP EUROASPIRE V. <i>Diabetes Care</i> , 2020, 43, 726-733.	4.3	46

#	ARTICLE	IF	CITATIONS
37	Association between psychosocial characteristics of work and presenteeism: A cross-sectional study. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015, 29, 331-344.	0.6	45
38	Simplifying the audit of risk factor recording and control: A report from an international study in 11 countries. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1202-1210.	0.8	42
39	Factors associated with health-related quality of life in stable ambulatory congestive heart failure patients: Systematic review. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 472-481.	0.8	42
40	The reliability of two observation methods of nonblanchable erythema, Grade 1 pressure ulcer. <i>Applied Nursing Research</i> , 2006, 19, 156-162.	1.0	41
41	Poor adherence to lifestyle recommendations in patients with coronary heart disease: results from the EUROASPIRE surveys. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 383-395.	0.8	40
42	Estimation of recurrent atherosclerotic cardiovascular event risk in patients with established cardiovascular disease: the updated SMART2 algorithm. <i>European Heart Journal</i> , 2022, 43, 1715-1727.	1.0	40
43	Overweight and obesity in patients with established coronary heart disease: Are we meeting the challenge?. <i>European Heart Journal</i> , 2004, 25, 121-128.	1.0	39
44	EQ-5D Versus SF-12 in Coronary Patients: Are They Interchangeable?. <i>Value in Health</i> , 2014, 17, 84-89.	0.1	37
45	Management of overweight and obese patients with coronary heart disease across Europe. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 447-454.	3.1	36
46	The effect of exposure to long working hours on alcohol consumption, risky drinking and alcohol use disorder: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 146, 106205.	4.8	36
47	Self-operated endovaginal telemonitoring versus traditional monitoring of ovarian stimulation in assisted reproduction: an RCT. <i>Human Reproduction</i> , 2014, 29, 1941-1948.	0.4	33
48	Readiness for smoking cessation in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1212-1219.	0.8	33
49	Educational level and risk profile and risk control in patients with coronary heart disease. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 881-890.	0.8	33
50	Predictive ability of the SCORE Belgium risk chart for cardiovascular mortality. <i>International Journal of Cardiology</i> , 2010, 143, 385-390.	0.8	32
51	Free <i>cresyl sulfate</i> shows the highest association with cardiovascular outcome in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 998-1005.	0.4	32
52	Return to work and associations with psychosocial well-being and health-related quality of life in coronary heart disease patients: Results from EUROASPIRE IV. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1386-1395.	0.8	29
53	Residual risk of cardiovascular mortality in patients with coronary heart disease: The EUROASPIRE Risk Categories. <i>International Journal of Cardiology</i> , 2013, 168, 910-914.	0.8	28
54	Prediction of recurrent event in patients with coronary heart disease: the EUROASPIRE Risk Model. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 328-339.	0.8	27

#	ARTICLE	IF	CITATIONS
55	The urinary proteomics classifier chronic kidney disease 273 predicts cardiovascular outcome in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 811-818.	0.4	26
56	Does pharmacologic treatment in patients with established coronary artery disease and diabetes fulfil guideline recommended targets? A report from the EUROASPIRE III cross-sectional study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 753-761.	0.8	25
57	Self-reported health status in coronary heart disease patients: A comparison with the general population. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 117-125.	0.4	24
58	Cost-effectiveness of optimized adherence to prevention guidelines in European patients with coronary heart disease: Results from the EUROASPIRE IV survey. <i>International Journal of Cardiology</i> , 2018, 272, 20-25.	0.8	24
59	The prevalence of concomitant hypertension and hypercholesterolaemia in the general population. <i>International Journal of Cardiology</i> , 2006, 110, 217-223.	0.8	23
60	The Relation of Ambulatory Heart Rate with All-Cause Mortality among Middle-Aged Men: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0121729.	1.1	23
61	Percentage low-density lipoprotein-cholesterol response to a given statin dose is not fixed across the pre-treatment range: Real world evidence from clinical practice: Data from the ESC-EORP EUROASPIRE V Study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1630-1636.	0.8	23
62	Incidence of cardiovascular events in patients with stabilized coronary heart disease: the EUROASPIRE IV follow-up study. <i>European Journal of Epidemiology</i> , 2019, 34, 247-258.	2.5	22
63	Gender gap in risk factor control of coronary patients far from closing: results from the European Society of Cardiology EUROASPIRE V registry. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 344-351.	0.8	22
64	Activity limitations predict health care expenditures in the general population in Belgium. <i>BMC Public Health</i> , 2015, 15, 267.	1.2	20
65	Do psychosocial job resources buffer the relation between physical work demands and coronary heart disease? A prospective study among men. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1299-1307.	1.1	20
66	Regular exercise behaviour and intention and symptoms of anxiety and depression in coronary heart disease patients across Europe: Results from the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 84-91.	0.8	20
67	Lifestyle and risk factor management in people at high cardiovascular risk from Bulgaria, Croatia, Poland, Romania and the United Kingdom who participated in both the EUROASPIRE III and IV primary care surveys. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1618-1627.	0.8	19
68	The indirect association of job strain with long-term sickness absence through bullying: a mediation analysis using structural equation modeling. <i>BMC Public Health</i> , 2016, 16, 851.	1.2	19
69	On Cross-Sectional Associations of Leukocyte Telomere Length with Cardiac Systolic, Diastolic and Vascular Function: The Asklepios Study. <i>PLoS ONE</i> , 2014, 9, e115071.	1.1	19
70	Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. <i>Cardiology Journal</i> , 2020, 27, 533-540.	0.5	18
71	Work environment risk factors causing day-to-day stress in occupational settings: a systematic review. <i>BMC Public Health</i> , 2022, 22, 240.	1.2	18
72	Reliability and validity of a global question on self-reported chronic morbidity. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014, 22, 371-380.	0.8	17

#	ARTICLE	IF	CITATIONS
73	Gender differences in screening for glucose perturbations, cardiovascular risk factor management and prognosis in patients with dysglycaemia and coronary artery disease: results from the ESC-EORP EUROASPIRE surveys. <i>Cardiovascular Diabetology</i> , 2021, 20, 38.	2.7	17
74	Protocol of the STress at Work (STRAW) Project: How to Disentangle Day-to-Day Occupational Stress among Academics Based on EMA, Physiological Data, and Smartphone Sensor and Usage Data. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8835.	1.2	16
75	Is Low Serum Chloride Level a Risk Factor for Cardiovascular Mortality?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1998, 5, 177-184.	3.1	15
76	Undetected dysglycaemia common in primary care patients treated for hypertension and/or dyslipidaemia: on the need for a screening strategy in clinical practice. A report from EUROASPIRE IV a registry from the EuroObservational Research Programme of the European Society of Cardiology. <i>Cardiovascular Diabetology</i> , 2018, 17, 21.	2.7	15
77	Predictive value of classical risk factors and their control in coronary patients: a follow-up of the EUROASPIRE I cohort. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 289-95.	3.1	15
78	The use of HeartQoL in patients with coronary heart disease: Association with risk factors and European reference values. The EUROASPIRE IV study of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1174-1186.	0.8	14
79	Is Type 1 Diabetes Mellitus More Prevalent Than Expected in Transgender Persons? A Local Observation. <i>Sexual Medicine</i> , 2017, 5, e215-e218.	0.9	14
80	The Relation between Domain-Specific Physical Behaviour and Cardiorespiratory Fitness: A Cross-Sectional Compositional Data Analysis on the Physical Activity Health Paradox Using Accelerometer-Assessed Data. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7929.	1.2	14
81	Measuring health-related quality of life in cardiac patients: Table A1. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016, 2, 149-150.	1.8	13
82	Prevalence of chronic kidney disease and its determinants in coronary heart disease patients in 24 European countries: Insights from the EUROASPIRE IV survey of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1168-1180.	0.8	13
83	The Impact of a Group-Based Multidisciplinary Rehabilitation Program on the Quality of Life in Patients With Fibromyalgia. <i>Journal of Clinical Rheumatology</i> , 2020, 26, 313-319.	0.5	13
84	Assessing physiological response mechanisms and the role of psychosocial job resources in the physical activity health paradox: study protocol for the Flemish Employees' Physical Activity (FEPA) study. <i>BMC Public Health</i> , 2019, 19, 765.	1.2	12
85	Sexual Activity in Heart Failure Patients: Information Needs and Association with Health-Related Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1570.	1.2	12
86	Euthanasia in adults with psychiatric conditions: A descriptive study of the experiences of Belgian psychiatrists. <i>Science Progress</i> , 2021, 104, 003685042110297.	1.0	10
87	The impact of multimorbidity patterns on health-related quality of life in the general population: results of the Belgian Health Interview Survey. <i>Quality of Life Research</i> , 2022, 31, 551-565.	1.5	10
88	Chronic medication intake in patients with stable coronary heart disease across Europe: Evidence from the daily clinical practice. Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. <i>International Journal of Cardiology</i> , 2020, 300, 7-13.	0.8	9
89	The engagement of psychiatrists in the assessment of euthanasia requests from psychiatric patients in Belgium: a survey study. <i>BMC Psychiatry</i> , 2020, 20, 400.	1.1	9
90	Medical Treatment in Coronary Patients: Is there Still a Gender Gap? Results from European Society of Cardiology EUROASPIRE V Registry. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 801-808.	1.3	9

#	ARTICLE	IF	CITATIONS
91	Peripheral arterial disease and intermittent claudication in coronary heart disease patients. <i>International Journal of Cardiology</i> , 2021, 322, 227-232.	0.8	9
92	Socioeconomic characteristics of patients with coronary heart disease in relation to their cardiovascular risk profile. <i>Heart</i> , 2021, 107, 799-806.	1.2	9
93	Factors Associated with Anxiety and Depressive Symptoms in 2775 Patients with Arterial Hypertension and Coronary Heart Disease: Results from the COMETA Multicenter Study. <i>Global Heart</i> , 2021, 16, 73.	0.9	9
94	Assessing the probability of risk factor control in patients with coronary heart disease: results from the ESC-EORP EUROASPIRE V survey. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1465-1475.	0.8	9
95	The cross-sectional study of the health effects of occupational exposure to carbon disulfide in a Chinese viscose plant. <i>Environmental Toxicology</i> , 2001, 16, 377-382.	2.1	8
96	Health Behaviours As a Mechanism in the Prospective Relation between Workplace Reciprocity and Absenteeism: A Bridge too Far ?. <i>PLoS ONE</i> , 2015, 10, e0141608.	1.1	8
97	EQ-5D in coronary patients: what are they suffering from? Results from the ESC EORP European Survey of Cardiovascular Disease Prevention and Diabetes (EUROASPIRE IV) Registry. <i>Quality of Life Research</i> , 2020, 29, 1037-1046.	1.5	8
98	Antihypertensive treatment in a general uncontrolled hypertensive population in Belgium and Luxembourg in primary care: Therapeutic inertia and treatment simplification. The SIMPLIFY study. <i>PLoS ONE</i> , 2021, 16, e0248471.	1.1	8
99	Dyslipidemia Management in Patients with Coronary Artery Disease. Data from the POLASPIRE Survey. <i>Journal of Clinical Medicine</i> , 2021, 10, 3711.	1.0	8
100	Sources of Occupational Stress among Office Workersâ€™A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1075.	1.2	8
101	Longevity and Clinical Effectiveness of the Humoral and Cellular Responses to SARS-CoV-2 Vaccination in Hemodialysis Patients. <i>Kidney International Reports</i> , 2022, 7, 1103-1107.	0.4	8
102	Gender Differences in the Management and Outcome of Atrial Fibrillation Complicating Acute Heart Failure. <i>Journal of Cardiac Failure</i> , 2014, 20, 431-437.	0.7	7
103	Additional weighting for education affects estimates from a National Health Interview Survey. <i>European Journal of Public Health</i> , 2017, 27, 892-897.	0.1	7
104	Blood pressure distribution and control in coronary patients from 24 European countries in the European Society of Cardiology EURObservational Research Programme European survey of cardiovascular disease prevention and diabetes. EUROASPIRE IV Registry. <i>Journal of Hypertension</i> , 2019, 37, 2015-2023.	0.3	7
105	Gender differences in cardiovascular risk factor awareness: Results from the ESC EORP EUROASPIRE V Registry. <i>International Journal of Cardiology</i> , 2022, 352, 152-157.	0.8	7
106	Time-saving screening for diabetes in patients with coronary artery disease: a report from EUROASPIRE IV. <i>BMJ Open</i> , 2016, 6, e013835.	0.8	6
107	The relation between indicators of low employment quality and attendance behavior in countries of the European Union. <i>Journal of Public Health</i> , 2016, 39, e127-e133.	1.0	6
108	Dietary measures among patients with coronary heart disease in Europe. ESC EORP Euroaspire V. <i>International Journal of Cardiology</i> , 2020, 302, 5-14.	0.8	6

#	ARTICLE	IF	CITATIONS
109	Obesity in patients with established coronary artery disease over a 20-year period (1997â€“2017). Polish Archives of Internal Medicine, 2021, 131, 26-32.	0.3	6
110	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. European Journal of Preventive Cardiology, 2021, 28, 1590-1598.	0.8	6
111	Treatment goal attainment for secondary prevention in coronary patients with or without diabetes mellitus â€“ Polish multicenter study POLASPIRE. Archives of Medical Science, 2023, 19, 305-312.	0.4	5
112	Potential for optimizing management of obesity in the secondary prevention of coronary heart disease. European Heart Journal Quality of Care & Clinical Outcomes, 2021, , .	1.8	5
113	Longevity and correlation with disease severity of the humoral and cellular response to SARS-CoV-2 infection in haemodialysis patients. CKJ: Clinical Kidney Journal, 2021, 14, 2446-2448.	1.4	5
114	INTERASPIRE: an International Survey of Coronary Patients; Their Cardiometabolic, Renal and Biomarker Status; and the Quality of Preventive Care Delivered in All WHO Regions. Current Cardiology Reports, 2021, 23, 136.	1.3	5
115	High awareness of diabetes as a key cardiovascular risk factor among healthcare professionals but suboptimal treatment: Results from a survey of the European Association of Preventive Cardiology. European Journal of Preventive Cardiology, 2020, , 2047487320911845.	0.8	4
116	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrients, 2021, 13, 1843.	1.7	4
117	Measures of Insulin Resistance as a Screening Tool for Dysglycemia in Patients With Coronary Artery Disease: A Report From the EUROASPIRE V Population. Diabetes Care, 2022, 45, 2111-2117.	4.3	4
118	A happy valve in a happy patient? Serotonergic antidepressants and the risk of valvular heart disease (SERVAL). A case-control study. Acta Clinica Belgica, 2016, 71, 57-62.	0.5	3
119	Lifestyle behaviour and risk factor control in coronary patients: Belgian results from the cross-sectional EUROASPIRE surveys. Acta Cardiologica, 2019, 74, 21-27.	0.3	3
120	Alcohol consumption patterns across Europe and adherence to the European guidelines in coronary patients: Findings from the ESC-EORP EUROASPIRE V survey. Atherosclerosis, 2020, 313, 35-42.	0.4	3
121	Smoking cessation in patients with established coronary artery disease: data from the POLASPIRE survey. Kardiologia Polska, 2021, 79, 418-425.	0.3	3
122	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2021, 2021, CD010117.	1.5	3
123	Haptoglobin polymorphism and the risk of actinic keratoses and cutaneous squamous cell carcinoma: A caseâ€“control study. Journal of Dermatology, 2019, 46, 274-275.	0.6	2
124	Analysis of ergonomic occupational accidents and near misses in a large Belgian university hospital. Acta Clinica Belgica, 2021, , 1-7.	0.5	2
125	1344 Time trends in smoking in coronary patients the EUROASPIRE surveys I, II and III in 8 countries. European Journal of Cardiovascular Nursing, 2008, 7, 25-26.	0.4	1
126	Propionyl-L-carnitine for intermittent claudication. The Cochrane Library, 2012, , .	1.5	1

#	ARTICLE	IF	CITATIONS
127	Sexual counselling in patients with heart failure: Perceptions and current practice by healthcare providers in Flanders. <i>International Journal of Clinical Practice</i> , 2021, 75, e14063.	0.8	1
128	Saving time by replacing the standardised two-hour oral glucose tolerance test with a one-hour test. <i>Diabetes Research and Clinical Practice</i> , 2022, 183, 109156.	1.1	1
129	Gender differences in lifestyle management among coronary patients and the association with education and age: results from the ESC EORP EUROASPIRE V registry. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 717-723.	0.4	1
130	The Effect of Age and Lifestyle Factors on Plasma Levels of Apolipoprotein E. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1998, 5, 155-159.	3.1	0
131	Comment to: Prediction of recurrent event in patients with coronary heart disease: the EUROASPIRE risk model – authors' reply. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e138-e138.	0.8	0
132	TELE-PHARMACY CARE OF GUIDELINE-DIRECTED MEDICAL THERAPY IN HEART FAILURE PATIENTS IS FEASIBLE DURING THE COVID-19 PANDEMIC. <i>Journal of the American College of Cardiology</i> , 2021, 77, 3046.	1.2	0