

BÃ©nÃ©dicte Michel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3929386/publications.pdf>

Version: 2024-02-01

33
papers

2,873
citations

257450

24
h-index

395702

33
g-index

33
all docs

33
docs citations

33
times ranked

1910
citing authors

#	ARTICLE	IF	CITATIONS
1	Replication Fork Breakage and Restart in Escherichia coli. Microbiology and Molecular Biology Reviews, 2018, 82, .	6.6	89
2	Broken replication forks trigger heritable DNA breaks in the terminus of a circular chromosome. PLoS Genetics, 2018, 14, e1007256.	3.5	36
3	The inactivation of <i>rfaP</i> , <i>rarA</i> or <i>sspA</i> gene improves the viability of the <i>Escherichia coli</i> DNA polymerase III <i>hoLD</i> mutant. Molecular Microbiology, 2017, 104, 1008-1026.	2.5	9
4	Replication Restart in Bacteria. Journal of Bacteriology, 2017, 199, .	2.2	53
5	Division-induced DNA double strand breaks in the chromosome terminus region of Escherichia coli lacking RecBCD DNA repair enzyme. PLoS Genetics, 2017, 13, e1006895.	3.5	23
6	Mutations Affecting Potassium Import Restore the Viability of the Escherichia coli DNA Polymerase III <i>hoLD</i> Mutant. PLoS Genetics, 2016, 12, e1006114.	3.5	13
7	Are the SSB-Interacting Proteins RecO, RecG, PriA and the DnaB-Interacting Protein Rep Bound to Progressing Replication Forks in Escherichia coli?. PLoS ONE, 2015, 10, e0134892.	2.5	15
8	<i>ssb</i> Gene Duplication Restores the Viability of $\hat{\tau}$ <i>hoLC</i> and $\hat{\tau}$ <i>hoLD</i> Escherichia coli Mutants. PLoS Genetics, 2014, 10, e1004719.	3.5	10
9	Replication Fork Reversal after Replication-Transcription Collision. PLoS Genetics, 2012, 8, e1002622.	3.5	102
10	Homologous Recombination-Enzymes and Pathways. EcoSal Plus, 2012, 5, .	5.4	48
11	Formation of a Stable RuvA Protein Double Tetramer Is Required for Efficient Branch Migration in Vitro and for Replication Fork Reversal in Vivo. Journal of Biological Chemistry, 2011, 286, 22372-22383.	3.4	16
12	RNA polymerase mutations that facilitate replication progression in the <i>rep uvrD recF</i> mutant lacking two accessory replicative helicases. Molecular Microbiology, 2010, 77, 324-336.	2.5	54
13	The helicases DinG, Rep and UvrD cooperate to promote replication across transcription units in vivo. EMBO Journal, 2010, 29, 145-157.	7.8	230
14	<i>ruvA</i> and <i>ruvB</i> mutants specifically impaired for replication fork reversal. Molecular Microbiology, 2008, 70, 537-548.	2.5	20
15	<i>ruvA</i> Mutants That Resolve Holliday Junctions but Do Not Reverse Replication Forks. PLoS Genetics, 2008, 4, e1000012.	3.5	25
16	UvrD controls the access of recombination proteins to blocked replication forks. EMBO Journal, 2007, 26, 3804-3814.	7.8	87
17	Recombination proteins and rescue of arrested replication forks. DNA Repair, 2007, 6, 967-980.	2.8	177
18	The Escherichia coli UvrD helicase is essential for Tus removal during recombination-dependent replication restart from Tersites. Molecular Microbiology, 2006, 62, 382-396.	2.5	57

#	ARTICLE	IF	CITATIONS
19	RuvAB is essential for replication forks reversal in certain replication mutants. EMBO Journal, 2006, 25, 596-604.	7.8	60
20	A fork-clearing role for UvrD. Molecular Microbiology, 2005, 57, 1664-1675.	2.5	125
21	After 30 Years of Study, the Bacterial SOS Response Still Surprises Us. PLoS Biology, 2005, 3, e255.	5.6	251
22	PriA Is Essential for Viability of the Escherichia coli Topoisomerase IV parE10 (Ts) Mutant. Journal of Bacteriology, 2004, 186, 1197-1199.	2.2	16
23	Multiple pathways process stalled replication forks. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12783-12788.	7.1	305
24	Cells defective for replication restart undergo replication fork reversal. EMBO Reports, 2004, 5, 607-612.	4.5	29
25	Lethality of bypass polymerases in Escherichia coli cells with a defective clamp loader complex of DNA polymerase III. Molecular Microbiology, 2003, 50, 193-204.	2.5	31
26	Replication restart in gyrB Escherichia coli mutants. Molecular Microbiology, 2003, 48, 845-854.	2.5	51
27	Primosome assembly requirement for replication restart in the Escherichia coli holDG10 replication mutant. Molecular Microbiology, 2002, 44, 783-792.	2.5	43
28	Replication fork reversal in DNA polymerase III mutants of Escherichia coli: a role for the $\hat{\iota}^2$ clamp. Molecular Microbiology, 2002, 44, 1331-1339.	2.5	61
29	Replication fork collapse at replication terminator sequences. EMBO Journal, 2002, 21, 3898-3907.	7.8	98
30	RuvABC-dependent double-strand breaks in dnaBts mutants require RecA. Molecular Microbiology, 2000, 38, 565-574.	2.5	110
31	sbcB sbcC null mutations allow RecF-mediated repair of arrested replication forks in rep recBC mutants. Molecular Microbiology, 1999, 33, 846-857.	2.5	40
32	RuvAB Acts at Arrested Replication Forks. Cell, 1998, 95, 419-430.	28.9	523
33	Transcription-induced deletions in Escherichia coli plasmids. Molecular Microbiology, 1995, 17, 493-504.	2.5	66