

Michael H Kogut

List of Publications by Citations

Source: <https://exaly.com/author-pdf/393119/michael-h-kogut-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189 papers	5,764 citations	45 h-index	64 g-index
199 ext. papers	6,702 ext. citations	3.5 avg, IF	6.17 L-index

#	Paper	IF	Citations
189	The chicken gastrointestinal microbiome. <i>FEMS Microbiology Letters</i> , 2014 , 360, 100-12	2.9	328
188	Expression and function of Toll-like receptors in chicken heterophils. <i>Developmental and Comparative Immunology</i> , 2005 , 29, 791-807	3.2	193
187	Purified beta-glucan as an abiotic feed additive up-regulates the innate immune response in immature chickens against <i>Salmonella enterica</i> serovar Enteritidis. <i>International Journal of Food Microbiology</i> , 2005 , 98, 309-18	5.8	123
186	Differential cytokine mRNA expression in heterophils isolated from <i>Salmonella</i> -resistant and -susceptible chickens. <i>Immunology</i> , 2004 , 113, 139-48	7.8	118
185	In vivo activation of heterophil function in chickens following injection with <i>Salmonella enteritidis</i> -immune lymphokines. <i>Journal of Leukocyte Biology</i> , 1995 , 57, 56-62	6.5	99
184	Spatial and Temporal Changes in the Broiler Chicken Cecal and Fecal Microbiomes and Correlations of Bacterial Taxa with Cytokine Gene Expression. <i>Frontiers in Veterinary Science</i> , 2016 , 3, 11	3.1	98
183	Profile of Toll-like receptor expressions and induction of nitric oxide synthesis by Toll-like receptor agonists in chicken monocytes. <i>Molecular Immunology</i> , 2006 , 43, 783-9	4.3	96
182	Differential regulation of cytokine gene expression by avian heterophils during receptor-mediated phagocytosis of opsonized and nonopsonized <i>Salmonella enteritidis</i> . <i>Journal of Interferon and Cytokine Research</i> , 2003 , 23, 319-27	3.5	93
181	Heterophils are decisive components in the early responses of chickens to <i>Salmonella enteritidis</i> infections. <i>Microbial Pathogenesis</i> , 1994 , 16, 141-51	3.8	93
180	Identification of CpG oligodeoxynucleotide motifs that stimulate nitric oxide and cytokine production in avian macrophage and peripheral blood mononuclear cells. <i>Developmental and Comparative Immunology</i> , 2003 , 27, 621-7	3.2	90
179	Toll-like receptor agonists stimulate differential functional activation and cytokine and chemokine gene expression in heterophils isolated from chickens with differential innate responses. <i>Microbes and Infection</i> , 2006 , 8, 1866-74	9.3	88
178	The avian heterophil. <i>Developmental and Comparative Immunology</i> , 2013 , 41, 334-40	3.2	85
177	Avian heterophils and monocytes: phagocytic and bactericidal activities against <i>Salmonella enteritidis</i> . <i>Veterinary Microbiology</i> , 1994 , 38, 293-305	3.3	79
176	The effect of microbiome modulation on the intestinal health of poultry. <i>Animal Feed Science and Technology</i> , 2019 , 250, 32-40	3	79
175	Synergy of CpG oligodeoxynucleotide and double-stranded RNA (poly I:C) on nitric oxide induction in chicken peripheral blood monocytes. <i>Molecular Immunology</i> , 2007 , 44, 3234-42	4.3	75
174	Oxidative burst mediated by toll like receptors (TLR) and CD14 on avian heterophils stimulated with bacterial toll agonists. <i>Developmental and Comparative Immunology</i> , 2003 , 27, 423-9	3.2	74
173	Lipopolysaccharide binding protein/CD14/TLR4-dependent recognition of salmonella LPS induces the functional activation of chicken heterophils and up-regulation of pro-inflammatory cytokine and chemokine gene expression in these cells. <i>Animal Biotechnology</i> , 2005 , 16, 165-81	1.4	69

172	CpG-ODN-induced nitric oxide production is mediated through clathrin-dependent endocytosis, endosomal maturation, and activation of PKC, MEK1/2 and p38 MAPK, and NF-kappaB pathways in avian macrophage cells (HD11). <i>Cellular Signalling</i> , 2003 , 15, 911-7	4.9	67
171	Modulation of chicken macrophage effector function by T(H)1/T(H)2 cytokines. <i>Cytokine</i> , 2011 , 53, 363-94	4	64
170	Heterophils isolated from chickens resistant to extra-intestinal Salmonella enteritidis infection express higher levels of pro-inflammatory cytokine mRNA following infection than heterophils from susceptible chickens. <i>Epidemiology and Infection</i> , 2004 , 132, 1029-37	4.3	64
169	Age-dependent phagocytosis and bactericidal activities of the chicken heterophil. <i>Developmental and Comparative Immunology</i> , 1998 , 22, 103-9	3.2	60
168	Gene expression profiling in chicken heterophils with Salmonella enteritidis stimulation using a chicken 44 K Agilent microarray. <i>BMC Genomics</i> , 2008 , 9, 526	4.5	60
167	Utilization of rye as energy source affects bacterial translocation, intestinal viscosity, microbiota composition, and bone mineralization in broiler chickens. <i>Frontiers in Genetics</i> , 2014 , 5, 339	4.5	56
166	Gene expression profiling of the local cecal response of genetic chicken lines that differ in their susceptibility to Campylobacter jejuni colonization. <i>PLoS ONE</i> , 2010 , 5, e11827	3.7	56
165	In vitro activation of chicken leukocytes and in vivo protection against Salmonella enteritidis organ invasion and peritoneal S. enteritidis infection-induced mortality in neonatal chickens by immunostimulatory CpG oligodeoxynucleotide. <i>FEMS Immunology and Medical Microbiology</i> , 2005 , 43, 149-54		56
164	IFN-gamma priming of chicken heterophils upregulates the expression of proinflammatory and Th1 cytokine mRNA following receptor-mediated phagocytosis of Salmonella enterica serovar enteritidis. <i>Journal of Interferon and Cytokine Research</i> , 2005 , 25, 73-81	3.5	56
163	Differential activation of signal transduction pathways mediating phagocytosis, oxidative burst, and degranulation by chicken heterophils in response to stimulation with opsonized Salmonella enteritidis. <i>Inflammation</i> , 2001 , 25, 7-15	5.1	56
162	In vivo priming heterophil innate immune functions and increasing resistance to Salmonella enteritidis infection in neonatal chickens by immune stimulatory CpG oligodeoxynucleotides. <i>Veterinary Immunology and Immunopathology</i> , 2007 , 117, 275-83	2	55
161	Expression of the avian-specific toll-like receptor 15 in chicken heterophils is mediated by gram-negative and gram-positive bacteria, but not TLR agonists. <i>Veterinary Immunology and Immunopathology</i> , 2010 , 136, 151-6	2	53
160	Expression profile of toll-like receptors within the gastrointestinal tract of 2-day-old Salmonella enteritidis-infected broiler chickens. <i>Veterinary Microbiology</i> , 2009 , 137, 313-9	3.3	53
159	Heterophils are associated with resistance to systemic Salmonella enteritidis infections in genetically distinct chicken lines. <i>FEMS Immunology and Medical Microbiology</i> , 2005 , 43, 149-54		51
158	Dynamics of avian inflammatory response to Salmonella-immune lymphokines. Changes in avian blood leukocyte populations. <i>Inflammation</i> , 1994 , 18, 373-88	5.1	51
157	Functional comparison of heterophils isolated from commercial broiler chickens. <i>Avian Pathology</i> , 2003 , 32, 95-102	2.4	50
156	Co-stimulation with TLR3 and TLR21 ligands synergistically up-regulates Th1-cytokine IFN- γ and regulatory cytokine IL-10 expression in chicken monocytes. <i>Developmental and Comparative Immunology</i> , 2012 , 36, 756-60	3.2	49
155	Selection of broilers with improved innate immune responsiveness to reduce on-farm infection by foodborne pathogens. <i>Foodborne Pathogens and Disease</i> , 2009 , 6, 777-83	3.8	49

154	Characterization of the pattern of inflammatory cell influx in chicks following the intraperitoneal administration of live <i>Salmonella enteritidis</i> and <i>Salmonella enteritidis</i> -immune lymphokines. <i>Poultry Science</i> , 1995 , 74, 8-17	3.9	49
153	In vitro interleukin-1 and tumor necrosis factor-alpha production by macrophages from chickens infected with either <i>Eimeria maxima</i> or <i>Eimeria tenella</i> . <i>International Journal for Parasitology</i> , 1993 , 23, 639-45	4.3	48
152	Recombinant interferon-gamma inhibits cell invasion by <i>Eimeria tenella</i> . <i>Journal of Interferon Research</i> , 1989 , 9, 67-77		48
151	A comparative study on invasion, survival, modulation of oxidative burst, and nitric oxide responses of macrophages (HD11), and systemic infection in chickens by prevalent poultry <i>Salmonella</i> serovars. <i>Foodborne Pathogens and Disease</i> , 2012 , 9, 1104-10	3.8	46
150	Differential mRNA expression of the avian-specific toll-like receptor 15 between heterophils from <i>Salmonella</i> -susceptible and -resistant chickens. <i>Immunogenetics</i> , 2009 , 61, 71-7	3.2	46
149	The role of the gut microbiome in shaping the immune system of chickens. <i>Veterinary Immunology and Immunopathology</i> , 2018 , 204, 44-51	2	46
148	Inflammation: friend or foe for animal production?. <i>Poultry Science</i> , 2018 , 97, 510-514	3.9	45
147	Gene Expression Analysis of Toll-Like Receptor Pathways in Heterophils from Genetic Chicken Lines that Differ in Their Susceptibility to <i>Salmonella enteritidis</i> . <i>Frontiers in Genetics</i> , 2012 , 3, 121	4.5	45
146	Dynamics of a protective avian inflammatory response: the role of an IL-8-like cytokine in the recruitment of heterophils to the site of organ invasion by <i>Salmonella enteritidis</i> . <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2002 , 25, 159-72	2.6	45
145	<i>Salmonella enterica</i> Typhimurium infection causes metabolic changes in chicken muscle involving AMPK, fatty acid and insulin/mTOR signaling. <i>Veterinary Research</i> , 2013 , 44, 35	3.8	44
144	Combined CpG and poly I:C stimulation of monocytes results in unique signaling activation not observed with the individual ligands. <i>Cellular Signalling</i> , 2013 , 25, 2246-54	4.9	44
143	Profiling pro-inflammatory cytokine and chemokine mRNA expression levels as a novel method for selection of increased innate immune responsiveness. <i>Veterinary Immunology and Immunopathology</i> , 2008 , 126, 35-42	2	44
142	Flagellin and lipopolysaccharide up-regulation of IL-6 and CXCLi2 gene expression in chicken heterophils is mediated by ERK1/2-dependent activation of AP-1 and NF-kappaB signaling pathways. <i>Innate Immunity</i> , 2008 , 14, 213-22	2.7	44
141	The gut microbiota and host innate immunity: Regulators of host metabolism and metabolic diseases in poultry?. <i>Journal of Applied Poultry Research</i> , 2013 , 22, 637-646	2	43
140	In ovo treatment with CpG oligodeoxynucleotides decreases colonization of <i>Salmonella enteritidis</i> in broiler chickens. <i>Veterinary Immunology and Immunopathology</i> , 2009 , 127, 371-5	2	43
139	Differential effects of age on chicken heterophil functional activation by recombinant chicken interleukin-2. <i>Developmental and Comparative Immunology</i> , 2002 , 26, 817-30	3.2	43
138	Heterophil cytokine mRNA profiles from genetically distinct lines of chickens with differential heterophil-mediated innate immune responses. <i>Avian Pathology</i> , 2006 , 35, 102-8	2.4	41
137	An immunologist's perspective on nutrition, immunity, and infectious diseases: Introduction and overview. <i>Journal of Applied Poultry Research</i> , 2009 , 18, 103-110	2	40

136	The paternal effect of <i>Campylobacter jejuni</i> colonization in ceca in broilers. <i>Poultry Science</i> , 2008 , 87, 1742-7	3.9	39
135	Inflammatory agonist stimulation and signal pathway of oxidative burst in neonatal chicken heterophils. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2003 , 135, 177-84	2.6	38
134	Changes in immune and metabolic gut response in broilers fed β -mannanase in β -mannan-containing diets. <i>Poultry Science</i> , 2017 , 96, 4307-4316	3.9	37
133	Inflammatory phenotypes in the intestine of poultry: not all inflammation is created equal. <i>Poultry Science</i> , 2018 , 97, 2339-2346	3.9	37
132	CpG oligodeoxynucleotide and double-stranded RNA synergize to enhance nitric oxide production and mRNA expression of inducible nitric oxide synthase, pro-inflammatory cytokines and chemokines in chicken monocytes. <i>Innate Immunity</i> , 2011 , 17, 137-44	2.7	37
131	Priming by recombinant chicken interleukin-2 induces selective expression of IL-8 and IL-18 mRNA in chicken heterophils during receptor-mediated phagocytosis of opsonized and nonopsonized <i>Salmonella enterica</i> serovar enteritidis. <i>Molecular Immunology</i> , 2003 , 40, 603-10	4.3	37
130	Impact of nutrition on the innate immune response to infection in poultry. <i>Journal of Applied Poultry Research</i> , 2009 , 18, 111-124	2	35
129	Effect of a Commercial Competitive Exclusion Culture (Preempt [Trademark]) on Mortality and Horizontal Transmission of <i>Salmonella gallinarum</i> in Broiler Chickens. <i>Avian Diseases</i> , 1998 , 42, 651	1.6	35
128	Flagellin and lipopolysaccharide stimulate the MEK-ERK signaling pathway in chicken heterophils through differential activation of the small GTPases, Ras and Rap1. <i>Molecular Immunology</i> , 2007 , 44, 1729-36	4.3	33
127	Immunoprophylaxis of <i>Salmonella enteritidis</i> Infection by Lymphokines in Leghorn Chicks. <i>Avian Diseases</i> , 1993 , 37, 1062	1.6	32
126	The effect of 5-fluorouracil treatment of chicks: a cell depletion model for the study of avian polymorphonuclear leukocytes and natural host defenses. <i>Poultry Science</i> , 1993 , 72, 1873-80	3.9	31
125	Interferon- γ -Mediated Inhibition of the Development of <i>Eimeria tenella</i> in Cultured Cells. <i>Journal of Parasitology</i> , 1989 , 75, 313	0.9	31
124	A Historical Review on Antibiotic Resistance of Foodborne. <i>Frontiers in Microbiology</i> , 2019 , 10, 1509	5.7	30
123	Chicken-Specific Kinome Array Reveals that <i>Salmonella enterica</i> Serovar Enteritidis Modulates Host Immune Signaling Pathways in the Cecum to Establish a Persistence Infection. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	30
122	Microbiome and pathogen interaction with the immune system. <i>Poultry Science</i> , 2020 , 99, 1906-1913	3.9	29
121	Immunometabolic Phenotype Alterations Associated with the Induction of Disease Tolerance and Persistent Asymptomatic Infection of in the Chicken Intestine. <i>Frontiers in Immunology</i> , 2017 , 8, 372	8.4	29
120	The selective Dectin-1 agonist, curdlan, induces an oxidative burst response in chicken heterophils and peripheral blood mononuclear cells. <i>Veterinary Immunology and Immunopathology</i> , 2009 , 127, 162-6 ²		29
119	Effect of Induced Molting on Heterophil Function in White Leghorn Hens. <i>Avian Diseases</i> , 1999 , 43, 538	1.6	29

118	Salmonella enteritidis immune leukocyte-stimulated soluble factors: effects on increased resistance to Salmonella organ invasion in day-old Leghorn chicks. <i>Poultry Science</i> , 1993 , 72, 2264-71	3.9	29
117	Influential factors on the composition of the conventionally raised broiler gastrointestinal microbiomes. <i>Poultry Science</i> , 2020 , 99, 653-659	3.9	28
116	Differential nitric oxide production by chicken immune cells. <i>Developmental and Comparative Immunology</i> , 2003 , 27, 603-10	3.2	28
115	Effect of Salmonella infection on cecal tonsil regulatory T cell properties in chickens. <i>Poultry Science</i> , 2015 , 94, 1828-35	3.9	27
114	Modulation of chicken intestinal immune gene expression by small cationic peptides as feed additives during the first week posthatch. <i>Vaccine Journal</i> , 2013 , 20, 1440-8		27
113	AMPK and mTOR: sensors and regulators of immunometabolic changes during Salmonella infection in the chicken. <i>Poultry Science</i> , 2016 , 95, 345-53	3.9	26
112	Selection for pro-inflammatory mediators yields chickens with increased resistance against Salmonella enterica serovar Enteritidis. <i>Poultry Science</i> , 2014 , 93, 535-44	3.9	26
111	Differential activation of signal transduction pathways mediating oxidative burst by chicken heterophils in response to stimulation with lipopolysaccharide and lipoteichoic acid. <i>Inflammation</i> , 2003 , 27, 225-31	5.1	26
110	Broiler breeders with an efficient innate immune response are more resistant to Eimeria tenella. <i>Poultry Science</i> , 2011 , 90, 1014-9	3.9	25
109	Ontogeny of the phagocytic and bactericidal activities of turkey heterophils and their potentiation by Salmonella enteritidis-immune lymphokines. <i>FEMS Immunology and Medical Microbiology</i> , 1997 , 19, 95-100		25
108	CpG-oligodeoxynucleotide-stimulated chicken heterophil degranulation is serum cofactor and cell surface receptor dependent. <i>Developmental and Comparative Immunology</i> , 2005 , 29, 255-64	3.2	25
107	Lymphokine-augmented activation of avian heterophils. <i>Poultry Science</i> , 1998 , 77, 964-71	3.9	25
106	Administration of a Postbiotic Causes Immunomodulatory Responses in Broiler Gut and Reduces Disease Pathogenesis Following Challenge. <i>Microorganisms</i> , 2019 , 7,	4.9	24
105	Gut immunity: its development and reasons and opportunities for modulation in monogastric production animals. <i>Animal Health Research Reviews</i> , 2018 , 19, 46-52	2.1	24
104	Caecal transcriptome analysis of colonized and non-colonized chickens within two genetic lines that differ in caecal colonization by Campylobacter jejuni. <i>Animal Genetics</i> , 2011 , 42, 491-500	2.5	24
103	Systemic response to Campylobacter jejuni infection by profiling gene transcription in the spleens of two genetic lines of chickens. <i>Immunogenetics</i> , 2012 , 64, 59-69	3.2	23
102	Neutrophil function of neonatal foals is enhanced in vitro by CpG oligodeoxynucleotide stimulation. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 145, 290-7	2	23
101	Cytokines and prevention of infectious diseases in poultry: a review. <i>Avian Pathology</i> , 2000 , 29, 395-404	2.4	23

100	Modulation of the Immune Response to Improve Health and Reduce Foodborne Pathogens in Poultry. <i>Microorganisms</i> , 2019 , 7,	4.9	22
99	Fate of Salmonella Senftenberg in broiler chickens evaluated by challenge experiments. <i>Avian Pathology</i> , 2014 , 43, 305-9	2.4	22
98	Differential induction of nitric oxide, degranulation, and oxidative burst activities in response to microbial agonist stimulations in monocytes and heterophils from young commercial turkeys. <i>Veterinary Immunology and Immunopathology</i> , 2008 , 123, 177-85	2	22
97	Association between in vitro heterophil function and the feathering gene in commercial broiler chickens. <i>Avian Pathology</i> , 2003 , 32, 483-8	2.4	22
96	Selection for pro-inflammatory mediators produces chickens more resistant to Eimeria tenella. <i>Poultry Science</i> , 2015 , 94, 37-42	3.9	21
95	Pharmacological analysis of signal transduction pathways required for oxidative burst in chicken heterophils stimulated by a Toll-like receptor 2 agonist. <i>International Immunopharmacology</i> , 2003 , 3, 1677-84	5.8	21
94	In ovo administration of Salmonella enteritidis-immune lymphokines confers protection to neonatal chicks against Salmonella enteritidis organ infectivity. <i>Poultry Science</i> , 1995 , 74, 18-25	3.9	21
93	Issues and consequences of using nutrition to modulate the avian immune response. <i>Journal of Applied Poultry Research</i> , 2017 , 26, 605-612	2	20
92	Dynamics of the avian inflammatory response to Salmonella following administration of the Toll-like receptor 5 agonist flagellin. <i>FEMS Immunology and Medical Microbiology</i> , 2007 , 51, 112-7		20
91	Recombinant chicken IL-6 does not activate heterophils isolated from day-old chickens in vitro. <i>Developmental and Comparative Immunology</i> , 2005 , 29, 375-83	3.2	20
90	Response of nitric oxide production to CpG oligodeoxynucleotides in turkey and chicken peripheral blood monocytes. <i>FEMS Immunology and Medical Microbiology</i> , 2006 , 48, 99-106		20
89	Selective pharmacological inhibitors reveal the role of Syk tyrosine kinase, phospholipase C, phosphatidylinositol-3 kinase, and p38 mitogen-activated protein kinase in Fc receptor-mediated signaling of chicken heterophil degranulation. <i>International Immunopharmacology</i> , 2002 , 2, 963-73	5.8	20
88	Role of a Bacillus subtilis Direct-Fed Microbial on Digesta Viscosity, Bacterial Translocation, and Bone Mineralization in Turkey Poults Fed with a Rye-Based Diet. <i>Frontiers in Veterinary Science</i> , 2014 , 1, 26	3.1	19
87	Involvement of phosphatidylinositol-phospholipase C in immune response to Salmonella lipopolysaccharide in chicken macrophage cells (HD11). <i>International Immunopharmacology</i> , 2006 , 6, 1780-7	5.8	19
86	Dynamics of cytokine production during coccidial infections in chickens: colony-stimulating factors and interferon. <i>FEMS Immunology and Medical Microbiology</i> , 1993 , 6, 45-52		19
85	Dietary Factors as Triggers of Low-Grade Chronic Intestinal Inflammation in Poultry. <i>Microorganisms</i> , 2020 , 8,	4.9	18
84	A Role for the Non-Canonical Wnt- β -Catenin and TGF- β Signaling Pathways in the Induction of Tolerance during the Establishment of a Salmonella enterica Seroovar Enteritidis Persistent Cecal Infection in Chickens. <i>Frontiers in Veterinary Science</i> , 2015 , 2, 33	3.1	18
83	Yeast-surface expressed BVDV E2 protein induces a Th1/Th2 response in naïve T cells. <i>Developmental and Comparative Immunology</i> , 2012 , 37, 107-14	3.2	17

82	Comparison of Prophylactic and Therapeutic Efficacy of Salmonella enteritidis-immune Lymphokines against Salmonella enteritidis Organ Invasion in Neonatal Leghorn Chicks. <i>Avian Diseases</i> , 1995 , 39, 21	1.6	17
81	Deciphering desirable immune responses from disease models with resistant and susceptible chickens. <i>Poultry Science</i> , 2019 , 98, 1634-1642	3.9	17
80	A Comparison of the Chicken and Turkey Proteomes and Phosphoproteomes in the Development of Poultry-Specific Immuno-Metabolism Kinome Peptide Arrays. <i>Frontiers in Veterinary Science</i> , 2014 , 1, 22	3.1	16
79	Loxoribine pretreatment reduces Salmonella Enteritidis organ invasion in 1-day-old chickens. <i>Poultry Science</i> , 2012 , 91, 1038-42	3.9	16
78	The use of selective pharmacological inhibitors to delineate signal transduction pathways activated during complement receptor-mediated degranulation in chicken heterophils. <i>International Immunopharmacology</i> , 2003 , 3, 693-706	5.8	16
77	Electron-Beam-Inactivated Vaccine Against Salmonella Enteritidis Colonization in Molting Hens. <i>Avian Diseases</i> , 2015 , 59, 165-70	1.6	15
76	Antibiotics and Host-Tailored Probiotics Similarly Modulate Effects on the Developing Avian Microbiome, Mycobiome, and Host Gene Expression. <i>MBio</i> , 2019 , 10,	7.8	15
75	Intramuscular administration of a synthetic CpG-oligodeoxynucleotide modulates functional responses of neutrophils of neonatal foals. <i>PLoS ONE</i> , 2014 , 9, e109865	3.7	15
74	Chicken scavenger receptors and their ligand-induced cellular immune responses. <i>Molecular Immunology</i> , 2009 , 46, 2218-25	4.3	15
73	Neutralization of G-CSF inhibits ILK-induced heterophil influx: granulocyte-colony stimulating factor mediates the Salmonella enteritidis-immune lymphokine potentiation of the acute avian inflammatory response. <i>Inflammation</i> , 1997 , 21, 9-25	5.1	15
72	Evaluation of Salmonella enteritidis-immune lymphokines on host resistance to Salmonella enterica ser. gallinarum infection in broiler chicks. <i>Avian Pathology</i> , 1996 , 25, 737-49	2.4	15
71	Poultry processing and the application of microbiome mapping. <i>Poultry Science</i> , 2020 , 99, 678-688	3.9	14
70	What's so special about chicken immunology? Preface. <i>Developmental and Comparative Immunology</i> , 2013 , 41, 307-9	3.2	14
69	BT cationic peptides: small peptides that modulate innate immune responses of chicken heterophils and monocytes. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 145, 151-8	2	13
68	Feeding the BT cationic peptides to chickens at hatch reduces cecal colonization by Salmonella enterica serovar Enteritidis and primes innate immune cell functional activity. <i>Foodborne Pathogens and Disease</i> , 2010 , 7, 23-30	3.8	13
67	Efficacy of Salmonella enteritidis-immune lymphokines on horizontal transmission of S. arizonae in turkeys and S. gallinarum in chickens. <i>International Journal of Food Microbiology</i> , 1999 , 48, 139-48	5.8	13
66	Influence of different yeast cell wall preparations and their components on performance and immune and metabolic pathways in Clostridium perfringens-challenged broiler chicks. <i>Poultry Science</i> , 2018 , 97, 203-210	3.9	12
65	Selection for pro-inflammatory mediators produces chickens more resistant to Clostridium perfringens-induced necrotic enteritis. <i>Poultry Science</i> , 2016 , 95, 370-4	3.9	12

64	Efficacy of Salmonella enteritidis (SE)-Immune Lymphokines from Chickens and Turkeys on SE Liver Invasion in One-Day-Old Chicks and Turkey Poults. <i>Avian Diseases</i> , 1996 , 40, 186	1.6	12
63	Signal transduction pathways activated by engaging immunoglobulin Fc receptors on chicken heterophils. <i>Developmental and Comparative Immunology</i> , 2001 , 25, 639-46	3.2	12
62	Selection for pro-inflammatory mediators produces chickens more resistant to Campylobacter jejuni. <i>Poultry Science</i> , 2017 , 96, 1623-1627	3.9	11
61	Comparison of heterophil functions of modern commercial and wild-type Rio Grande turkeys. <i>Avian Pathology</i> , 2006 , 35, 217-23	2.4	11
60	Enhancement of phagocytosis and bacterial killing by heterophils from neonatal chicks after administration of Salmonella enteritidis-immune lymphokines. <i>Veterinary Microbiology</i> , 1999 , 65, 133-43	3.3	11
59	Interaction of dexamethasone and Salmonella enteritidis immune lymphokines on Salmonella enteritidis organ invasion and in vitro polymorphonuclear leukocyte function. <i>FEMS Immunology and Medical Microbiology</i> , 1995 , 11, 25-34		11
58	A microencapsulated feed additive containing organic acids, thymol, and vanillin increases in vitro functional activity of peripheral blood leukocytes from broiler chicks. <i>Poultry Science</i> , 2020 , 99, 3428-3436	3.9	11
57	Gut health in poultry.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 2017 , 12,	3.2	11
56	The Preliminary Development of an Poultry Cecal Culture Model to Evaluate the Effects of Original XPC for the Reduction of and Its Potential Effects on the Microbiota. <i>Frontiers in Microbiology</i> , 2019 , 10, 3062	5.7	10
55	Bacterial toll-like receptor agonists induce sequential NF-B-mediated leukotriene B4 and prostaglandin E2 production in chicken heterophils. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 145, 159-70	2	10
54	Comparison of MAP and tyrosine kinase signaling in heterophils from commercial and wild-type turkeys. <i>Developmental and Comparative Immunology</i> , 2007 , 31, 927-33	3.2	10
53	Nitric oxide as a biomarker of intracellular Salmonella viability and identification of the bacteriostatic activity of protein kinase A inhibitor H-89. <i>PLoS ONE</i> , 2013 , 8, e58873	3.7	10
52	Heat Stress and Feed Restriction Distinctly Affect Performance, Carcass and Meat Yield, Intestinal Integrity, and Inflammatory (Chemo)Cytokines in Broiler Chickens. <i>Frontiers in Physiology</i> , 2021 , 12, 707757	4.6	10
51	Characterization of cytokine expression induced by avian influenza virus infection with real-time RT-PCR. <i>Methods in Molecular Biology</i> , 2014 , 1161, 217-33	1.4	9
50	Immunometabolism and the Kinome Peptide Array: A New Perspective and Tool for the Study of Gut Health. <i>Frontiers in Veterinary Science</i> , 2015 , 2, 44	3.1	9
49	Effects of avian triggering receptor expressed on myeloid cells (TREM-A1) activation on heterophil functional activities. <i>Developmental and Comparative Immunology</i> , 2012 , 36, 157-65	3.2	9
48	The effect of cyclosporin A on the development of Eimeria in non-specific hosts. <i>International Journal for Parasitology</i> , 1991 , 21, 979-83	4.3	9
47	Altered expression of lactate dehydrogenase and monocarboxylate transporter involved in lactate metabolism in broiler wooden breast. <i>Poultry Science</i> , 2020 , 99, 11-20	3.9	9

46	Chicken macrophages infected with Salmonella (S.) Enteritidis or S. Heidelberg produce differential responses in immune and metabolic signaling pathways. <i>Veterinary Immunology and Immunopathology</i> , 2018 , 195, 46-55	2	9
45	Differential expression of adhesion molecules by chicken heterophils activated in vivo with Salmonella enteritidis-immune lymphokines. <i>Veterinary Immunology and Immunopathology</i> , 1998 , 62, 83-95	2	8
44	The feathering gene is linked to degranulation and oxidative burst not cytokine/chemokine mRNA expression levels or Salmonella enteritidis organ invasion in broilers. <i>Avian Pathology</i> , 2006 , 35, 465-70	2.4	8
43	rP33 activates bacterial killing by chicken peripheral blood heterophils. <i>Journal of Food Protection</i> , 2003 , 66, 787-92	2.5	8
42	Efficacy of Two Avian Salmonella-Immune Lymphokines against Liver Invasion in Chickens by Salmonella Serovars with Different O-Group Antigens. <i>Avian Diseases</i> , 1997 , 41, 181	1.6	7
41	Phospholipase C, phosphatidylinositol 3-kinase, and intracellular [Ca(2+)] mediate the activation of chicken HD11 macrophage cells by CpG oligodeoxynucleotide. <i>Developmental and Comparative Immunology</i> , 2008 , 32, 1111-8	3.2	7
40	Effects of Prebiotics and Probiotics on the Host Immune Response 2012 , 61-72		7
39	Wild-type and mutant AvrA- Salmonella induce broadly similar immune pathways in the chicken ceca with key differences in signaling intermediates and inflammation. <i>Poultry Science</i> , 2016 , 95, 354-63	3.9	6
38	Differential Levels of Cecal Colonization by Enteritidis in Chickens Triggers Distinct Immune Kinome Profiles. <i>Frontiers in Veterinary Science</i> , 2017 , 4, 214	3.1	6
37	Protein tyrosine kinase and mitogen-activated protein kinase signalling pathways contribute to differences in heterophil-mediated innate immune responsiveness between two lines of broilers. <i>Avian Pathology</i> , 2011 , 40, 289-97	2.4	6
36	Electron-beam Irradiation Inactivation of Salmonella: Effects on Innate Immunity and Induction of Protection Against Salmonella enterica serovar Typhimurium Challenge of Chickens. <i>Procedia in Vaccinology</i> , 2012 , 6, 47-63		5
35	The Effect of Silica Injections on the Rejection of Eimeria from Nonspecific Hosts. <i>Journal of Parasitology</i> , 1981 , 67, 960	0.9	5
34	Supplementing chestnut tannins in the broiler diet mediates a metabolic phenotype of the ceca. <i>Poultry Science</i> , 2021 , 100, 47-54	3.9	5
33	Cross-protective Salmonella vaccine reduces cecal and splenic colonization of multidrug-resistant Salmonella enterica serovar Heidelberg. <i>Vaccine</i> , 2019 , 37, 1255-1259	4.1	4
32	The biological effects of microencapsulated organic acids and botanicals induces tissue-specific and dose-dependent changes to the Gallus gallus microbiota. <i>BMC Microbiology</i> , 2020 , 20, 332	4.5	4
31	Feeding of yeast cell wall extracts during a necrotic enteritis challenge enhances cell growth, survival and immune signaling in the jejunum of broiler chickens. <i>Poultry Science</i> , 2020 , 99, 2955-2966	3.9	4
30	Obligate Brood Parasites Show More Functionally Effective Innate Immune Responses: An Eco-immunological Hypothesis. <i>Evolutionary Biology</i> , 2013 , 40, 554-561	3	3
29	Role of diet-microbiota interactions in precision nutrition of the chicken: facts, gaps, and new concepts.. <i>Poultry Science</i> , 2022 , 101, 101673	3.9	3

28	Immunoprophylaxis of Salmonella gallinarum infection by Salmonella enteritidis-immune lymphokines in broiler chicks. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 412, 413-20	3.6	3
27	Measurement of avian cytokines with real-time RT-PCR following infection with the avian influenza virus. <i>Methods in Molecular Biology</i> , 2008 , 436, 127-34	1.4	3
26	Oral Treatment With Ileal Spores Triggers Immunometabolic Shifts in Chicken Gut. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 629	3.1	3
25	Novel Models for Chronic Intestinal Inflammation in Chickens: Intestinal Inflammation Pattern and Biomarkers. <i>Frontiers in Immunology</i> , 2021 , 12, 676628	8.4	3
24	Dietary l-arginine supplementation influences growth performance and B-cell secretion of immunoglobulin in broiler chickens. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019 , 103, 1125-1134	3.6	2
23	The Effect of Acid Sanitizers on the Microbiome of Re-use Water. <i>Frontiers in Sustainable Food Systems</i> , 2020 , 4,	4.8	2
22	Critical Role of Glycogen Synthase Kinase-3 β in Regulating the Avian Heterophil Response to Salmonella enterica Serovar Enteritidis. <i>Frontiers in Veterinary Science</i> , 2014 , 1, 10	3.1	2
21	Perspectives and Research Challenges in Veterinary Infectious Diseases. <i>Frontiers in Veterinary Science</i> , 2014 , 1, 21	3.1	2
20	Resistance to velogenic Newcastle disease virus in leghorn chickens by use of prophylactic lymphokines. <i>Avian Diseases</i> , 2002 , 46, 525-34	1.6	2
19	A blend of microencapsulated organic acids and botanicals reduces necrotic enteritis via specific signaling pathways in broilers.. <i>Poultry Science</i> , 2022 , 101, 101753	3.9	2
18	Potential Replacements for Antibiotic Growth Promoters in Poultry: Interactions at the Gut Level and Their Impact on Host Immunity. <i>Advances in Experimental Medicine and Biology</i> , 2022 , 1354, 145-159	3.6	2
17	Prophylactic administration of immune lymphokine derived from T cells of Salmonella enteritidis-immune pigs. Protection against Salmonella choleraesuis organ invasion and cecal colonization in weaned pigs. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 473, 299-307	3.6	2
16	Inhibition of calmodulin increases intracellular survival of Salmonella in chicken macrophage cells. <i>Veterinary Microbiology</i> , 2019 , 232, 156-161	3.3	1
15	Short Communication: Preliminary Differences Identified in Genes Responsible for Biofilm Formation in Poultry Isolates of Heidelberg, Enteritidis, and Kentucky. <i>Microorganisms</i> , 2019 , 7,	4.9	1
14	Enhanced innate immune responses in a brood parasitic cowbird species: Degranulation and oxidative burst. <i>Avian Diseases</i> , 2013 , 57, 285-9	1.6	1
13	Impact of the gut microbiota on the immune system 2022 , 353-364		1
12	A Role for the Microbiota in the Immune Phenotype Alteration Associated with the Induction of Disease Tolerance and Persistent Asymptomatic Infection of in the Chicken. <i>Microorganisms</i> , 2020 , 8,	4.9	1
11	Controlling the Colonization of in Broiler Chickens by an Electron-Beam-Killed Vaccine. <i>Animals</i> , 2021 , 11,	3.1	1

10	Avian granulocytes 2022 , 197-203		o
9	Enzymes and Gut Health in Monogastric Animals: Effects Beyond Digestibility. <i>The Microbiomes of Humans, Animals, Plants, and the Environment</i> , 2022 , 33-55		o
8	Immunophysiology of the avian immune system 2022 , 571-590		o
7	Effects of <i>Salmonella enterica</i> ser. Enteritidis and Heidelberg on host CD4+CD25+ regulatory T cell suppressive immune responses in chickens. <i>PLoS ONE</i> , 2021 , 16, e0260280	3.7	o
6	From crypts to enteroids: establishment and characterization of avian intestinal organoids.. <i>Poultry Science</i> , 2021 , 101, 101642	3.9	o
5	Reserpine improves Enterobacteriaceae resistance in chicken intestine via neuro-immunometabolic signaling and MEK1/2 activation. <i>Communications Biology</i> , 2021 , 4, 1359	6.7	o
4	Presence of Interferon-Gamma and IL-2 in Supernatants of <i>Salmonella enteritidis</i> -Immune Lymphokines. <i>International Journal of Poultry Science</i> , 2009 , 8, 820-823	0.3	o
3	Advances in Vaccines for Controlling Foodborne <i>Salmonella</i> spp. in Poultry 2019 , 161-189		
2	The Relationship Between the Immune Response and Susceptibility to <i>Salmonella enterica</i> Serovar Enteritidis Infection in the Laying Hen 2017 , 209-234		
1	Factors modulating the avian immune system 2022 , 419-435		