

Sophia Frangou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3932901/publications.pdf>

Version: 2024-02-01

322
papers

19,945
citations

10979

71
h-index

14736

127
g-index

346
all docs

346
docs citations

346
times ranked

18466
citing authors

#	ARTICLE	IF	CITATIONS
1	The neurodevelopmental model of schizophrenia: update 2005. <i>Molecular Psychiatry</i> , 2005, 10, 434-449.	4.1	864
2	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
3	Structural Neuroimaging Studies in Major Depressive Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 675.	13.8	692
4	Subcortical and ventral prefrontal cortical neural responses to facial expressions distinguish patients with bipolar disorder and major depression. <i>Biological Psychiatry</i> , 2004, 55, 578-587.	0.7	512
5	Meta-analysis of the P300 and P50 waveforms in schizophrenia. <i>Schizophrenia Research</i> , 2004, 70, 315-329.	1.1	509
6	Neuropsychology of bipolar disorder: a review. <i>Journal of Affective Disorders</i> , 2002, 72, 209-226.	2.0	483
7	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
8	The functional neuroanatomy of bipolar disorder: a consensus model. <i>Bipolar Disorders</i> , 2012, 14, 313-325.	1.1	437
9	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 1710-1716.	4.1	400
10	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	2.4	365
11	Adolescents who were born very preterm have decreased brain volumes. <i>Brain</i> , 2002, 125, 1616-1623.	3.7	354
12	Empirical evidence for discrete neurocognitive subgroups in bipolar disorder: clinical implications. <i>Psychological Medicine</i> , 2014, 44, 3083-3096.	2.7	282
13	Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: Randomised double-blind placebo-controlled study. <i>British Journal of Psychiatry</i> , 2006, 188, 46-50.	1.7	278
14	The dysplastic net hypothesis: an integration of developmental and dysconnectivity theories of schizophrenia. <i>Schizophrenia Research</i> , 1997, 28, 143-156.	1.1	253
15	Autism Spectrum Disorders and Schizophrenia: Meta-Analysis of the Neural Correlates of Social Cognition. <i>PLoS ONE</i> , 2011, 6, e25322.	1.1	230
16	Mapping IQ and gray matter density in healthy young people. <i>NeuroImage</i> , 2004, 23, 800-805.	2.1	226
17	A Diffusion Tensor Imaging Study of Fasciculi in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 467-473.	4.0	223
18	The International Society for Bipolar Disorders's "Battery for Assessment of Neurocognition (ISBD-BANC). <i>Bipolar Disorders</i> , 2010, 12, 351-363.	1.1	218

#	ARTICLE	IF	CITATIONS
19	Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: A voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012, 22, 100-113.	0.3	206
20	Is the P300 wave an endophenotype for schizophrenia? A meta-analysis and a family study. <i>NeuroImage</i> , 2005, 27, 960-968.	2.1	197
21	Biomarkers in bipolar disorder: A positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 321-332.	1.3	193
22	Cognitive remediation therapy (CRT) for young early onset patients with schizophrenia: An exploratory randomized controlled trial. <i>Schizophrenia Research</i> , 2007, 94, 221-230.	1.1	179
23	Staging systems in bipolar disorder: an international society for bipolar disorders task force report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	2.2	175
24	ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. <i>NeuroImage</i> , 2017, 145, 389-408.	2.1	173
25	Evidence for oxidative stress in the frontal cortex in patients with recurrent depressive disorder—a postmortem study. <i>Psychiatry Research</i> , 2007, 151, 145-150.	1.7	166
26	Structural brain correlates of response inhibition in Bipolar Disorder I. <i>Journal of Psychopharmacology</i> , 2008, 22, 138-143.	2.0	161
27	Effects of nicotine and amphetamine on latent inhibition in human subjects. <i>Psychopharmacology</i> , 1996, 127, 164-173.	1.5	155
28	The Maudsley Bipolar Disorder Project: Executive Dysfunction in Bipolar Disorder I and Its Clinical Correlates. <i>Biological Psychiatry</i> , 2005, 58, 859-864.	0.7	151
29	The Maudsley Family Study, II: Endogenous event-related potentials in familial schizophrenia. <i>Schizophrenia Research</i> , 1997, 23, 45-53.	1.1	143
30	Stroop performance in bipolar disorder: further evidence for abnormalities in the ventral prefrontal cortex. <i>Bipolar Disorders</i> , 2006, 8, 28-39.	1.1	143
31	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3–90 years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	1.9	143
32	A Diffusion Tensor Imaging Study of White Matter in Early-Onset Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 519-523.	0.7	141
33	Increased developmental deviance and premorbid dysfunction in early onset schizophrenia. <i>Schizophrenia Research</i> , 2003, 62, 13-22.	1.1	139
34	Diffusion tensor imaging in schizophrenia. <i>European Psychiatry</i> , 2008, 23, 255-273.	0.1	139
35	New insights help define the pathophysiology of bipolar affective disorder: neuroimaging and neuropathology findings. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 943-960.	2.5	130
36	Cognitive functioning in patients with affective disorders and schizophrenia: A meta-analysis. <i>International Review of Psychiatry</i> , 2009, 21, 336-356.	1.4	124

#	ARTICLE	IF	CITATIONS
37	Hippocampal volume reduction in schizophrenia: effects of genetic risk and pregnancy and birth complications. <i>Biological Psychiatry</i> , 1999, 46, 697-702.	0.7	121
38	What is the optimal serum lithium level in the long-term treatment of bipolar disorder – a review?. <i>Bipolar Disorders</i> , 2008, 10, 231-237.	1.1	120
39	Superior Temporal Gyrus Abnormalities in Early-Onset Schizophrenia: Similarities and Differences With Adult-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1299-1304.	4.0	119
40	Evidence for Deficit in Tasks of Ventral, but not Dorsal, Prefrontal Executive Function as an Endophenotypic Marker for Bipolar Disorder. <i>Biological Psychiatry</i> , 2005, 58, 838-839.	0.7	117
41	Evidence of diagnostic specificity in the neural correlates of facial affect processing in bipolar disorder and schizophrenia: a meta-analysis of functional imaging studies. <i>Psychological Medicine</i> , 2013, 43, 553-569.	2.7	117
42	The Role of Intrinsic Brain Functional Connectivity in Vulnerability and Resilience to Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017, 174, 1214-1222.	4.0	114
43	Risk and protective factors for childhood suicidality: a US population-based study. <i>Lancet Psychiatry</i> , 2020, 7, 317-326.	3.7	112
44	The Maudsley Bipolar Disorder Project. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 86-93.	1.1	111
45	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015, 45, 1765-1778.	2.7	108
46	Shared Neural Phenotypes for Mood and Anxiety Disorders. <i>JAMA Psychiatry</i> , 2020, 77, 172.	6.0	106
47	Towards a clinical staging for bipolar disorder: Defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013, 144, 65-71.	2.0	105
48	The relationship of impulsivity to response inhibition and decision-making in remitted patients with bipolar disorder. <i>European Psychiatry</i> , 2006, 21, 270-273.	0.1	103
49	A comprehensive testing protocol for MRI neuroanatomical segmentation techniques: Evaluation of a novel lateral ventricle segmentation method. <i>NeuroImage</i> , 2011, 58, 1051-1059.	2.1	102
50	The effects of lithium and anticonvulsants on brain structure in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 481-487.	2.2	100
51	Addressing reverse inference in psychiatric neuroimaging: Meta-analyses of task-related brain activation in common mental disorders. <i>Human Brain Mapping</i> , 2017, 38, 1846-1864.	1.9	100
52	Initial evidence for the role of CACNA1C on subcortical brain morphology in patients with bipolar disorder. <i>European Psychiatry</i> , 2011, 26, 135-137.	0.1	99
53	Molecular and Genetic Evidence for Abnormalities in the Nodes of Ranvier in Schizophrenia. <i>Archives of General Psychiatry</i> , 2012, 69, 7.	13.8	97
54	The Maudsley Family Study 4. Normal planum temporale asymmetry in familial schizophrenia. <i>British Journal of Psychiatry</i> , 1997, 170, 328-333.	1.7	96

#	ARTICLE	IF	CITATIONS
55	Brain Volumes in Adult Survivors of Very Low Birth Weight: A Sibling-Controlled Study. <i>Pediatrics</i> , 2004, 114, 367-371.	1.0	96
56	Dissociable Brain Structural Changes Associated with Predisposition, Resilience, and Disease Expression in Bipolar Disorder. <i>Journal of Neuroscience</i> , 2009, 29, 10863-10868.	1.7	95
57	Efficacy of non-invasive brain stimulation on the symptom dimensions of schizophrenia: A meta-analysis of randomized controlled trials. <i>European Psychiatry</i> , 2018, 49, 69-77.	0.1	94
58	Dissociable functional connectivity changes during the Stroop task relating to risk, resilience and disease expression in bipolar disorder. <i>NeuroImage</i> , 2011, 57, 576-582.	2.1	93
59	Recent diffusion tensor imaging findings in early stages of schizophrenia. <i>Current Opinion in Psychiatry</i> , 2009, 22, 168-176.	3.1	92
60	Mismatch negativity in schizophrenia: a family study. <i>Schizophrenia Research</i> , 2004, 67, 1-10.	1.1	86
61	Preliminary in vivo evidence of increased N-acetyl-aspartate following eicosapentanoic acid treatment in patients with bipolar disorder. <i>Journal of Psychopharmacology</i> , 2007, 21, 435-439.	2.0	86
62	The impact of the CACNA1C gene polymorphism on frontolimbic function in bipolar disorder. <i>Molecular Psychiatry</i> , 2011, 16, 1070-1071.	4.1	86
63	Increased prepulse inhibition of the acoustic startle response is associated with better strategy formation and execution times in healthy males. <i>Neuropsychologia</i> , 2006, 44, 2494-2499.	0.7	85
64	Effective Connectivity during Processing of Facial Affect: Evidence for Multiple Parallel Pathways. <i>Journal of Neuroscience</i> , 2011, 31, 14378-14385.	1.7	84
65	Which Executive Skills Should We Target to Affect Social Functioning and Symptom Change? A Study of a Cognitive Remediation Therapy Program. <i>Schizophrenia Bulletin</i> , 2004, 30, 87-100.	2.3	82
66	Multivariate Associations Among Behavioral, Clinical, and Multimodal Imaging Phenotypes in Patients With Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 386.	6.0	80
67	No gender differences in brain activation during the N-back task: An fMRI study in healthy individuals. <i>Human Brain Mapping</i> , 2009, 30, 3609-3615.	1.9	79
68	The Maudsley early onset schizophrenia study: cognitive function in adolescents with recent onset schizophrenia. <i>Schizophrenia Research</i> , 2003, 61, 137-148.	1.1	78
69	Independent Modulation of Engagement and Connectivity of the Facial Network During Affect Processing by CACNA1C and ANK3 Risk Genes for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2013, 70, 1303.	6.0	78
70	Prepulse inhibition of the startle reflex depends on the catechol-O-methyltransferase Val158Met gene polymorphism. <i>Psychological Medicine</i> , 2008, 38, 1651-1658.	2.7	77
71	The effects of gender and COMT Val158Met polymorphism on fearful facial affect recognition: a fMRI study. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 371.	1.0	77
72	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	1.9	76

#	ARTICLE	IF	CITATIONS
73	Systematic review of the efficacy and tolerability of Clozapine in the treatment of youth with early onset schizophrenia. <i>European Psychiatry</i> , 2014, 29, 1-10.	0.1	74
74	Hippocampal volume in familial and nonfamilial schizophrenic probands and their unaffected relatives. <i>Biological Psychiatry</i> , 2003, 53, 562-570.	0.7	72
75	Examining ventral and dorsal prefrontal function in bipolar disorder: A functional magnetic resonance imaging study. <i>European Psychiatry</i> , 2008, 23, 300-308.	0.1	72
76	Increased xanthine oxidase in the thalamus and putamen in depression. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 314-320.	1.3	72
77	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2022, 43, 452-469.	1.9	72
78	Brain structural changes in schizophrenia patients with persistent hallucinations. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 15-21.	0.9	71
79	The Maudsley Early-Onset Schizophrenia Study: cognitive function in adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2003, 65, 95-103.	1.1	69
80	Effect of age at onset of schizophrenia on white matter abnormalities. <i>British Journal of Psychiatry</i> , 2009, 195, 346-353.	1.7	69
81	Evaluation of the spatial variability in the major resting-state networks across human brain functional atlases. <i>Human Brain Mapping</i> , 2019, 40, 4577-4587.	1.9	69
82	Altered glial cell line-derived neurotrophic factor (GDNF) concentrations in the brain of patients with depressive disorder: A comparative post-mortem study. <i>European Psychiatry</i> , 2008, 23, 413-420.	0.1	68
83	Pilot investigation of the changes in cortical activation during facial affect recognition with lamotrigine monotherapy in bipolar disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 197-201.	1.7	68
84	Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 84, 162-170.	2.9	68
85	Evidence of Disrupted Prepulse Inhibition in Unaffected Siblings of Bipolar Disorder Patients. <i>Biological Psychiatry</i> , 2007, 62, 1418-1422.	0.7	67
86	Neural correlates of liraglutide effects in persons at risk for Alzheimer's disease. <i>Behavioural Brain Research</i> , 2019, 356, 271-278.	1.2	67
87	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	0.7	67
88	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 56-82.	1.9	67
89	Corpus callosum size and shape alterations in individuals with bipolar disorder and their first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1050-1057.	2.5	66
90	The level of prepulse inhibition in healthy individuals may index cortical modulation of early information processing. <i>Brain Research</i> , 2006, 1078, 168-170.	1.1	65

#	ARTICLE	IF	CITATIONS
91	Telomere Length and Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2018, 43, 445-453.	2.8	65
92	The Maudsley early onset schizophrenia study. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 465-470.	2.8	64
93	Changes in brain activation during working memory and facial recognition tasks in patients with bipolar disorder with Lamotrigine monotherapy. <i>European Neuropsychopharmacology</i> , 2008, 18, 48-54.	0.3	64
94	Effects of the CACNA1C Risk Allele for Bipolar Disorder on Cerebral Gray Matter Volume in Healthy Individuals. <i>American Journal of Psychiatry</i> , 2009, 166, 1413-1414.	4.0	64
95	Familial and disease specific abnormalities in the neural correlates of the Stroop Task in Bipolar Disorder. <i>NeuroImage</i> , 2011, 56, 1677-1684.	2.1	64
96	The effects of dopamine agonists on prepulse inhibition in healthy men depend on baseline PPI values. <i>Psychopharmacology</i> , 2005, 182, 144-152.	1.5	63
97	Connectomic markers of disease expression, genetic risk and resilience in bipolar disorder. <i>Translational Psychiatry</i> , 2016, 6, e706-e706.	2.4	63
98	Structural magnetic imaging of the hippocampus in early onset schizophrenia. <i>Biological Psychiatry</i> , 2001, 49, 824-831.	0.7	62
99	Trait impulsivity as an endophenotype for bipolar I disorder. <i>Bipolar Disorders</i> , 2012, 14, 565-570.	1.1	62
100	The Maudsley Early Onset Schizophrenia Study: Cognitive Function Over a 4-Year Follow-Up Period. <i>Schizophrenia Bulletin</i> , 2007, 34, 52-59.	2.3	60
101	A Systems Neuroscience Perspective of Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2014, 40, 523-531.	2.3	60
102	Emotional decision-making and its dissociable components in schizophrenia and schizoaffective disorder: A behavioural and MRI investigation. <i>Neuropsychologia</i> , 2008, 46, 2002-2012.	0.7	59
103	Abnormal intrinsic and extrinsic connectivity within the magnetic mismatch negativity brain network in schizophrenia: A preliminary study. <i>Schizophrenia Research</i> , 2012, 135, 23-27.	1.1	59
104	Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. <i>European Neuropsychopharmacology</i> , 2009, 19, 835-840.	0.3	58
105	The impact of the Val ¹⁵⁸ Met catechol-O-methyltransferase genotype on neural correlates of sad facial affect processing in patients with bipolar disorder and their relatives. <i>Psychological Medicine</i> , 2011, 41, 779-788.	2.7	58
106	Abnormal Functional Activation and Connectivity in the Working Memory Network in Early-Onset Schizophrenia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 911-920.e2.	0.3	58
107	The Maudsley Bipolar Disorder Project. <i>Epilepsia</i> , 2005, 46, 19-25.	2.6	57
108	Pathophysiology of early onset schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 315-324.	1.4	56

#	ARTICLE	IF	CITATIONS
109	The neurodevelopmental model of schizophrenia: What can very early onset cases tell us?. <i>Current Psychiatry Reports</i> , 2005, 7, 81-82.	2.1	55
110	The Maudsley Early Onset Schizophrenia Study: The effect of age of onset and illness duration on fronto-parietal gray matter. <i>European Psychiatry</i> , 2008, 23, 233-236.	0.1	53
111	Multimodal analyses identify linked functional and white matter abnormalities within the working memory network in schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 136-142.	1.1	53
112	Dynamic causal modeling of load-dependent modulation of effective connectivity within the verbal working memory network. <i>Human Brain Mapping</i> , 2014, 35, 3025-3035.	1.9	53
113	Computerized Brain Tissue Classification of Magnetic Resonance Images: A New Approach to the Problem of Partial Volume Artifact. <i>NeuroImage</i> , 1995, 2, 133-147.	2.1	51
114	Brain structural and functional correlates of resilience to Bipolar Disorder. <i>Frontiers in Human Neuroscience</i> , 2011, 5, 184.	1.0	51
115	Increased salience of gains versus decreased associative learning differentiate bipolar disorder from schizophrenia during incentive decision making. <i>Psychological Medicine</i> , 2013, 43, 571-580.	2.7	51
116	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. <i>PLoS ONE</i> , 2016, 11, e0148045.	1.1	51
117	Resting-state network connectivity and metastability predict clinical symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 208-216.	1.1	51
118	Transdiagnostic and disease-specific abnormalities in the default-mode network hubs in psychiatric disorders: A meta-analysis of resting-state functional imaging studies. <i>European Psychiatry</i> , 2020, 63, e57.	0.1	51
119	The Maudsley bipolar disorder project. A survey of psychotropic prescribing patterns in bipolar I disorder. <i>Bipolar Disorders</i> , 2002, 4, 378-385.	1.1	50
120	Fronto-temporal function may distinguish bipolar disorder from schizophrenia. <i>Bipolar Disorders</i> , 2006, 8, 47-55.	1.1	50
121	Hyperactivity in adolescents born very preterm is associated with decreased caudate volume. <i>Biological Psychiatry</i> , 2005, 57, 661-666.	0.7	49
122	Examination of the predictive value of structural magnetic resonance scans in bipolar disorder: a pattern classification approach. <i>Psychological Medicine</i> , 2014, 44, 519-532.	2.7	49
123	Gender Trends in Authorship in Psychiatry Journals From 2008 to 2018. <i>Biological Psychiatry</i> , 2019, 86, 639-646.	0.7	49
124	Aripiprazole in schizophrenia: consensus guidelines. <i>International Journal of Clinical Practice</i> , 2005, 59, 485-495.	0.8	48
125	Multivariate Patterns of Brain-Behavior-Environment Associations in the Adolescent Brain and Cognitive Development Study. <i>Biological Psychiatry</i> , 2021, 89, 510-520.	0.7	47
126	Impulsivity, personality and bipolar disorder. <i>European Psychiatry</i> , 2009, 24, 464-469.	0.1	46

#	ARTICLE	IF	CITATIONS
127	Neural correlates of affective and non-affective cognition in obsessive compulsive disorder: A meta-analysis of functional imaging studies. <i>European Psychiatry</i> , 2017, 46, 25-32.	0.1	46
128	The effect of <i>ANKK1</i> bipolar risk polymorphisms on the working memory circuitry differs between loci and according to risk status for bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 188-196.	1.1	45
129	Elevated Body Mass Index is Associated with Increased Integration and Reduced Cohesion of Sensory-Driven and Internally Guided Resting-State Functional Brain Networks. <i>Cerebral Cortex</i> , 2018, 28, 988-997.	1.6	45
130	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010, 124, 256-261.	2.0	44
131	Associations between ω -3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 420-427.	2.2	42
132	Cognitive function in early onset schizophrenia: a selective review. <i>Frontiers in Human Neuroscience</i> , 2009, 3, 79.	1.0	41
133	Frontopolar cortical inefficiency may underpin reward and working memory dysfunction in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 605-615.	1.3	41
134	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 485-496.	1.0	41
135	Towards person-centered neuroimaging markers for resilience and vulnerability in Bipolar Disorder. <i>NeuroImage</i> , 2017, 145, 230-237.	2.1	41
136	Baseline brain structural and functional predictors of clinical outcome in the early course of schizophrenia. <i>Molecular Psychiatry</i> , 2020, 25, 863-872.	4.1	41
137	Is there an association between the COMT gene and P300 endophenotypes?. <i>European Psychiatry</i> , 2006, 21, 70-73.	0.1	40
138	Neuregulin-1 and the P300 waveform: A preliminary association study using a psychosis endophenotype. <i>Schizophrenia Research</i> , 2008, 103, 178-185.	1.1	40
139	Fronto-temporal dysregulation in remitted bipolar patients: an fMRI delayed non-match sample (DNMS) study. <i>Bipolar Disorders</i> , 2009, 11, 351-360.	1.1	40
140	Sex differences in bipolar disorder: a review of neuroimaging findings and new evidence. <i>Bipolar Disorders</i> , 2012, 14, 461-471.	1.1	40
141	Clozapine use in childhood and adolescent schizophrenia: A nationwide population-based study. <i>European Neuropsychopharmacology</i> , 2015, 25, 857-863.	0.3	40
142	Linking functional connectivity and dynamic properties of resting-state networks. <i>Scientific Reports</i> , 2017, 7, 16610.	1.6	40
143	The Cognitive Impact of the ANK3 Risk Variant for Bipolar Disorder: Initial Evidence of Selectivity to Signal Detection during Sustained Attention. <i>PLoS ONE</i> , 2011, 6, e16671.	1.1	40
144	Validation of the Investigator's Assessment Questionnaire, a new clinical tool for relative assessment of response to antipsychotics in patients with schizophrenia and schizoaffective disorder. <i>Psychiatry Research</i> , 2005, 136, 211-221.	1.7	39

#	ARTICLE	IF	CITATIONS
145	Cell density and cortical thickness in Heschl's gyrus in schizophrenia, major depression and bipolar disorder. <i>British Journal of Psychiatry</i> , 2004, 185, 258-259.	1.7	38
146	Global and Temporal Cortical Folding in Patients With Early-Onset Schizophrenia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 1125-1132.	0.3	38
147	White matter alterations in anorexia nervosa: Evidence from a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 100, 285-295.	2.9	38
148	An integrated brain-behavior model for working memory. <i>Molecular Psychiatry</i> , 2018, 23, 1974-1980.	4.1	37
149	Gender differences in immediate memory in bipolar disorder. <i>Psychological Medicine</i> , 2010, 40, 1349-1355.	2.7	36
150	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: Results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012, 143, 125-130.	2.0	36
151	Neuroticism and conscientiousness respectively constrain and facilitate short-term plasticity within the working memory neural network. <i>Human Brain Mapping</i> , 2015, 36, 4158-4163.	1.9	36
152	Early-life metal exposure and schizophrenia: A proof-of-concept study using novel tooth-matrix biomarkers. <i>European Psychiatry</i> , 2016, 36, 1-6.	0.1	36
153	Risk and resilience in bipolar disorder: rationale and design of the Vulnerability to Bipolar Disorders Study (VIBES). <i>Biochemical Society Transactions</i> , 2009, 37, 1085-1089.	1.6	35
154	Deficits in visual sustained attention differentiate genetic liability and disease expression for Schizophrenia from Bipolar Disorder. <i>Schizophrenia Research</i> , 2010, 124, 152-160.	1.1	35
155	Reproducible grey matter patterns index a multivariate, global alteration of brain structure in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2019, 9, 12.	2.4	35
156	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 464-473.	2.3	35
157	The Maudsley bipolar disorder project Clinical characteristics of bipolar disorder I in a Catchment area treatment sample. <i>European Psychiatry</i> , 2003, 18, 13-17.	0.1	34
158	Heritability and Cognitive Relevance of Structural Brain Controllability. <i>Cerebral Cortex</i> , 2020, 30, 3044-3054.	1.6	34
159	Is the polarity of relapse/recurrence in bipolar-I disorder patients related to serum lithium levels? Results from an empirical study. <i>Journal of Affective Disorders</i> , 2009, 115, 466-470.	2.0	33
160	The impact of general intellectual ability and white matter volume on the functional outcome of patients with Bipolar Disorder and their relatives. <i>Journal of Affective Disorders</i> , 2011, 130, 413-420.	2.0	33
161	Childhood abuse is associated with structural impairment in the ventrolateral prefrontal cortex and aggressiveness in patients with borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013, 213, 18-23.	0.9	32
162	Antipsychotics use in children and adolescents: An on-going challenge in clinical practice. <i>Journal of Psychopharmacology</i> , 2014, 28, 615-623.	2.0	32

#	ARTICLE	IF	CITATIONS
163	Determination of psychosis-related clinical profiles in children with autism spectrum disorders using latent class analysis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 301-307.	2.8	32
164	The Integration of Functional Brain Activity from Adolescence to Adulthood. <i>Journal of Neuroscience</i> , 2018, 38, 3559-3570.	1.7	32
165	The Maudsley Bipolar Disorder Project: the effect of medication, family history, and duration of illness on IQ and memory in bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 86-93.	1.1	32
166	Functional neuroimaging studies in mood disorders. <i>Acta Neuropsychiatrica</i> , 2006, 18, 88-99.	1.0	31
167	Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. <i>Journal of Affective Disorders</i> , 2012, 136, 918-925.	2.0	30
168	Clinical implications of cognitive function in bipolar disorder. <i>Therapeutic Advances in Chronic Disease</i> , 2010, 1, 85-93.	1.1	29
169	Neuroticism and psychological distress: To what extent is their association due to person-environment correlation?. <i>European Psychiatry</i> , 2011, 26, 1-5.	0.1	29
170	Atypical antipsychotics in ordinary clinical practice: a pharmaco-epidemiologic survey in a south London service. <i>European Psychiatry</i> , 2000, 15, 220-226.	0.1	28
171	Neurocognition in Early-Onset Schizophrenia. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 715-726.	1.0	28
172	Imaging Habenula Volume in Schizophrenia and Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 456.	1.3	28
173	Depth-dependent intracortical myelin organization in the living human brain determined by in vivo ultra-high field magnetic resonance imaging. <i>NeuroImage</i> , 2019, 185, 27-34.	2.1	28
174	No differential effect of age on brain matter volume and cognition in bipolar patients and healthy individuals. <i>Bipolar Disorders</i> , 2009, 11, 316-322.	1.1	27
175	Child Behavior Checklist™ Mania Scale (CBCL-MS): Development and Evaluation of a Population-Based Screening Scale for Bipolar Disorder. <i>PLoS ONE</i> , 2013, 8, e69459.	1.1	27
176	Person-Based Brain Morphometric Similarity is Heritable and Correlates With Biological Features. <i>Cerebral Cortex</i> , 2019, 29, 852-862.	1.6	27
177	Intracranial and subcortical volumes in adolescents with <scp>early-onset</scp> psychosis: A multisite <scp>mega-analysis</scp> from the <scp>ENIGMA</scp> consortium. <i>Human Brain Mapping</i> , 2022, 43, 373-384.	1.9	27
178	Linked patterns of biological and environmental covariation with brain structure in adolescence: a population-based longitudinal study. <i>Molecular Psychiatry</i> , 2021, 26, 4905-4918.	4.1	26
179	Quantitative evaluation of simulated functional brain networks in graph theoretical analysis. <i>NeuroImage</i> , 2017, 146, 724-733.	2.1	25
180	Neuroimaging Markers of Risk, Disease Expression, and Resilience to Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2019, 21, 52.	2.1	25

#	ARTICLE	IF	CITATIONS
181	Brain age prediction in schizophrenia: Does the choice of machine learning algorithm matter?. <i>Psychiatry Research - Neuroimaging</i> , 2021, 310, 111270.	0.9	25
182	The polygenic risk for bipolar disorder influences brain regional function relating to visual and default state processing of emotional information. <i>NeuroImage: Clinical</i> , 2016, 12, 838-844.	1.4	24
183	Multimodal Neuroimaging of Suicidal Thoughts and Behaviors in a U.S. Population-Based Sample of School-Age Children. <i>American Journal of Psychiatry</i> , 2021, 178, 321-332.	4.0	24
184	Service Use and Costs of Treating Schizophrenia With Atypical Antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 749-756.	1.1	24
185	Attempted suicide rates before and during the COVID-19 pandemic: interrupted time series analysis of a nationally representative sample. <i>Psychological Medicine</i> , 2023, 53, 2485-2491.	2.7	22
186	How to manage the first episode of schizophrenia. <i>BMJ: British Medical Journal</i> , 2000, 321, 522-523.	2.4	21
187	Multimodal Neuroimaging-Informed Clinical Applications in Neuropsychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2016, 7, 63.	1.3	21
188	Atlas55+: Brain Functional Atlas of Resting-State Networks for Late Adulthood. <i>Cerebral Cortex</i> , 2021, 31, 1719-1731.	1.6	21
189	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 117, 110540.	2.5	20
190	Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial. <i>American Journal of Psychiatry</i> , 2022, 179, 500-508.	4.0	20
191	Sex differences in predictors and regional patterns of brain age gap estimates. <i>Human Brain Mapping</i> , 2022, 43, 4689-4698.	1.9	20
192	Normal cerebral volume asymmetries in early onset schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 148-153.	0.7	18
193	A method for u-fiber quantification from 7T diffusion-weighted MRI data tested in patients with nonlesional focal epilepsy. <i>NeuroReport</i> , 2017, 28, 457-461.	0.6	18
194	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i>, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.	1.3	18
195	Treatment of the early stages of bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 283-291.	0.6	17
196	The predictive value of childhood subthreshold manic symptoms for adolescent and adult psychiatric outcomes. <i>Journal of Affective Disorders</i> , 2017, 212, 86-92.	2.0	17
197	Reproducibility of myelin content-based human habenula segmentation at 3 Tesla. <i>Human Brain Mapping</i> , 2018, 39, 3058-3071.	1.9	17
198	Dissociable auditory mismatch response and connectivity patterns in adolescents with schizophrenia and adolescents with bipolar disorder with psychosis: A magnetoencephalography study. <i>Schizophrenia Research</i> , 2018, 193, 313-318.	1.1	17

#	ARTICLE	IF	CITATIONS
199	Expression of dopamine signaling genes in the post-mortem brain of individuals with mental illnesses is moderated by body mass index and mediated by insulin signaling genes. <i>Journal of Psychiatric Research</i> , 2018, 107, 128-135.	1.5	17
200	A Computational Assessment of Target Engagement in the Treatment of Auditory Hallucinations with Transcranial Direct Current Stimulation. <i>Frontiers in Psychiatry</i> , 2018, 9, 48.	1.3	17
201	Behavioral and Health Correlates of Resting-State Metastability in the Human Connectome Project. <i>Brain Topography</i> , 2019, 32, 80-86.	0.8	17
202	Familial liability to schizophrenia and premorbid adjustment. <i>British Journal of Psychiatry</i> , 2007, 191, 260-261.	1.7	16
203	Comparative profile analysis of cognitive function in recent-onset and chronic patients with adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2007, 94, 240-244.	1.1	16
204	Increased Affective Reactivity to Neutral Stimuli and Decreased Maintenance of Affective Responses in Bipolar Disorder. <i>European Psychiatry</i> , 2015, 30, 852-860.	0.1	16
205	Disruption of prepulse inhibition of the startle reflex by the preferential D3 agonist ropinirole in healthy males. <i>Psychopharmacology</i> , 2007, 194, 289-295.	1.5	15
206	Expanding conceptual frameworks: Life course risk modelling for mental disorders. <i>Psychiatry Research</i> , 2013, 206, 140-145.	1.7	15
207	Personalized Estimates of Brain Structural Variability in Individuals With Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 1029-1038.	2.3	15
208	Increased xanthine oxidase in the thalamus and putamen in depression. <i>World Journal of Biological Psychiatry</i> , 0, , 1-7.	1.3	15
209	Is the Prophylactic Antidepressant Efficacy of Lithium in Bipolar I Disorder Dependent on Study Design and Lithium Level?. <i>Journal of Clinical Psychopharmacology</i> , 2005, 25, 457-462.	0.7	14
210	Identifying multimodal signatures associated with symptom clusters: the example of the IMAGEMEND project. <i>World Psychiatry</i> , 2016, 15, 179-180.	4.8	14
211	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
212	Personalized estimates of morphometric similarity in bipolar disorder and schizophrenia. <i>NPJ Schizophrenia</i> , 2020, 6, 39.	2.0	14
213	The impact of familial risk for schizophrenia or bipolar disorder on cognitive control during episodic memory retrieval. <i>Psychiatry Research</i> , 2012, 197, 212-216.	1.7	13
214	Predictors of outcome in a representative population of bipolar disorder. <i>Bipolar Disorders</i> , 2002, 4, 41-42.	1.1	12
215	Acute citalopram administration may disrupt contextual information processing in healthy males. <i>European Psychiatry</i> , 2010, 25, 87-91.	0.1	12
216	Dissociable and common deficits in inhibitory control in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 125-130.	1.8	12

#	ARTICLE	IF	CITATIONS
217	Delineating ADHD and bipolar disorder: A comparison of clinical profiles in adult women. <i>Journal of Affective Disorders</i> , 2016, 192, 125-133.	2.0	12
218	Abnormal auditory tonotopy in patients with schizophrenia. <i>NPJ Schizophrenia</i> , 2019, 5, 16.	2.0	12
219	Person-based similarity in brain structure and functional connectivity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 276, 38-44.	2.0	12
220	Psychiatric neuroimaging: Joining forces with epidemiology. <i>European Psychiatry</i> , 2008, 23, 315-319.	0.1	11
221	Mirroring everyday clinical practice in clinical trial design: a new concept to improve the external validity of randomized double-blind placebo-controlled trials in the pharmacological treatment of major depression. <i>BMC Medicine</i> , 2012, 10, 67.	2.3	11
222	New Research Strategy for Measuring Pre- and Postnatal Metal Dysregulation in Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2017, 43, 1153-1157.	2.3	11
223	Magnetic resonance spectroscopy in psychiatry: basic principles and applications. <i>British Medical Bulletin</i> , 1996, 52, 474-485.	2.7	10
224	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. <i>PLoS ONE</i> , 2013, 8, e58790.	1.1	10
225	Comparative Evaluation of Child Behavior Checklist-Derived Scales in Children Clinically Referred for Emotional and Behavioral Dysregulation. <i>Frontiers in Psychiatry</i> , 2016, 7, 146.	1.3	10
226	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019, 316, 20-26.	2.0	10
227	Sex effects on cortical morphological networks in healthy young adults. <i>NeuroImage</i> , 2021, 233, 117945.	2.1	10
228	Effect of haloperidol on nicotine-induced enhancement of vigilance in human subjects. <i>Journal of Psychopharmacology</i> , 1997, 11, 253-257.	2.0	9
229	Does antipsychotic medication affect white matter in schizophrenia and bipolar disorder? a review of diffusion tensor imaging literature. <i>European Psychiatry</i> , 2011, 26, 1280-1280.	0.1	9
230	Impaired working memory and normal sustained attention in borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2012, 24, 349-355.	1.0	9
231	Probing the clinical and brain structural boundaries of bipolar and major depressive disorder. <i>Translational Psychiatry</i> , 2021, 11, 48.	2.4	9
232	Associations of cannabis use disorder with cognition, brain structure, and brain function in African Americans. <i>Human Brain Mapping</i> , 2021, 42, 1727-1741.	1.9	9
233	Advancing the pharmacological treatment of bipolar depression. <i>Advances in Psychiatric Treatment</i> , 2005, 11, 28-37.	0.6	7
234	A roadmap to disentangle the molecular etiology of schizophrenia. <i>European Psychiatry</i> , 2008, 23, 224-232.	0.1	7

#	ARTICLE	IF	CITATIONS
235	Reappraising suppression: subjective and physiological correlates of experiential suppression in healthy adults. <i>Frontiers in Psychology</i> , 2014, 5, 571.	1.1	7
236	Individualized functional targeting for <scp>rTMS</scp>: A powerful idea whose time has come?. <i>Human Brain Mapping</i> , 2021, 42, 4079-4080.	1.9	7
237	Initial evidence of abnormal brain plasticity in anorexia nervosa: an ultra-high field study. <i>Scientific Reports</i> , 2022, 12, 2589.	1.6	6
238	Increased incident rates of antidepressant use during the COVID-19 pandemic: interrupted time-series analysis of a nationally representative sample. <i>Psychological Medicine</i> , 2023, 53, 4943-4951.	2.7	6
239	Can enzyme kinetics of prooxidants teach us a lesson about the treatment of Alzheimer's disease: A pilot post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 677-681.	1.3	5
240	Neurocognition in young offspring of individuals with bipolar disorder: The role of co-existing familial and clinical high-risk for bipolar disorder. <i>Psychiatry Research</i> , 2019, 281, 112565.	1.7	5
241	Functional neuroimaging in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2006, 5, 176-179.	0.2	4
242	Memory in intellectually matched groups of young participants with 22q11.2 deletion syndrome and those with schizophrenia. <i>Research in Developmental Disabilities</i> , 2010, 31, 864-868.	1.2	4
243	Snipping at the Endophenotypic Space. <i>American Journal of Psychiatry</i> , 2013, 170, 1223-1225.	4.0	4
244	85. Cortical Thickness and Subcortical Volume Trajectories Across the Lifespan: Data From 14,600 Healthy Individuals Aged 6-90 Years. <i>Biological Psychiatry</i> , 2019, 85, S35-S36.	0.7	4
245	Abnormal prefrontal cortex processing of reward prediction errors in recently diagnosed patients with bipolar disorder and their unaffected relatives. <i>Bipolar Disorders</i> , 2020, 22, 849-859.	1.1	4
246	SSâ€Detect: Development and Validation of a New Strategy for Sourceâ€Based Morphometry in Multiscanner Studies. <i>Journal of Neuroimaging</i> , 2021, 31, 261-271.	1.0	4
247	Maudsley Bipolar Disorder Project: insights sobre o papel do cÃ³rtex prÃ©-frontal em pacientes com transtorno de humor bipolar tipo I. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2005, 27, 241-250.	0.3	4
248	Neural signatures of data-driven psychopathology dimensions at the transition to adolescence. <i>European Psychiatry</i> , 2022, 65, 1-27.	0.1	4
249	Brain structural changes in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2009, 8, 105-106.	0.2	3
250	Functional neuroimaging in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2009, 8, 102-104.	0.2	3
251	Cost-effectiveness of ethyl-eicosapentaenoic acid in the treatment of bipolar disorder. <i>Therapeutic Advances in Psychopharmacology</i> , 2013, 3, 73-81.	1.2	3
252	F124. Mapping the Neural Correlates of Mood and Anxiety Disorders Onto Research Domain Criteria: A Meta-Analysis of 226 Task-Related Functional Imaging Studies. <i>Biological Psychiatry</i> , 2019, 85, S261.	0.7	3

#	ARTICLE	IF	CITATIONS
253	Person-Based Similarity Index for Cognition and Its Neural Correlates in Late Adulthood: Implications for Cognitive Reserve. <i>Cerebral Cortex</i> , 2022, 32, 397-407.	1.6	3
254	Reversed planum temporale asymmetry in schizophrenia – Replication study. <i>Biological Psychiatry</i> , 1996, 39, 637-638.	0.7	2
255	The maudsley early onset schizophrenia study: Brain in maturational abnormalities in adolescent onset schizophrenia. <i>Schizophrenia Research</i> , 1998, 29, 111.	1.1	2
256	Pharmacological treatment of bipolar disorder. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 34-37.	0.2	2
257	Emergence of metastable dynamics in functional brain organization via spontaneous fMRI signal and whole-brain computational modeling. , 2017, 2017, 4471-4474.		2
258	Initial Evidence for Brain Plasticity Following a Digital Therapeutic Intervention for Depression. <i>Chronic Stress</i> , 2019, 3, 247054701987788.	1.7	2
259	Commentary on: Objective smartphone data as a potential diagnostic marker of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 170-171.	1.3	2
260	Searching for Imaging Biomarkers of Psychotic Dysconnectivity. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1135-1144.	1.1	2
261	The Enduring Allure of Explanatory Reductionism in Schizophrenia. <i>Biological Psychiatry</i> , 2020, 87, 690-691.	0.7	2
262	Hippocampal volume reduction is associated with direct measure of insulin resistance in adults. <i>Neuroscience Research</i> , 2022, 174, 19-24.	1.0	2
263	Biopsychosocial exposure to the COVID-19 pandemic and the relative risk of schizophrenia: Interrupted time-series analysis of a nationally representative sample. <i>European Psychiatry</i> , 2022, 65, 1-20.	0.1	2
264	Schizophrenia: More data, less debate. <i>Schizophrenia Research</i> , 2022, 242, 25-26.	1.1	2
265	Lower functional hippocampal connectivity in healthy adults is jointly associated with higher levels of leptin and insulin resistance. <i>European Psychiatry</i> , 2022, 65, 1-23.	0.1	2
266	CS02-02 - Risk and resilience markers: Use of whole-brain structural MR scans to predict familial risk and disease expression in Bipolar Disorder. <i>European Psychiatry</i> , 2011, 26, 1772-1772.	0.1	1
267	Bulking up the hippocampus in schizophrenia: a role for 5-HT1A agonists?. <i>BJPsych Open</i> , 2016, 2, e10-e11.	0.3	1
268	30.3 DEPTH-DEPENDENT EXAMINATION OF INTRACORTICAL MYELIN IN SCHIZOPHRENIA USING ULTRA-HIGH FIELD IMAGING. <i>Schizophrenia Bulletin</i> , 2019, 45, S138-S139.	2.3	1
269	Transdiagnostic Abnormalities in the Default-Mode Network in Psychiatric Disorders: A Meta-Analysis of Resting-State Functional Imaging Studies. <i>Biological Psychiatry</i> , 2020, 87, S457.	0.7	1
270	Altered Functional Reorganization of the Executive Central Network Across Cognitive States in Schizophrenia. <i>Biological Psychiatry</i> , 2020, 87, S250-S251.	0.7	1

#	ARTICLE	IF	CITATIONS
271	Resilience Embodied: A Paradigm Shift for Biological Research in Psychiatry. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 139-140.	1.1	1
272	Shared Neural Phenotypes for Mood and Anxiety Disorders A Meta-Analysis of 226 Task-Related Functional Imaging Studies. <i>Focus (American Psychiatric Publishing)</i> , 2021, 19, 256-263.	0.4	1
273	Neural responses during down-regulation of negative emotion in patients with recently diagnosed bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 0, , 1-12.	2.7	1
274	Gray Matter Involvement in Schizophrenia: Evidence from Magnetic Resonance Imaging Studies. , 2020, , 27-53.		1
275	Management commentary. , 0, , 265-268.		0
276	P300: A marker for genetic vulnerability to schizophrenia. <i>European Psychiatry</i> , 1996, 11, 286s-287s.	0.1	0
277	Increase of neurological abnormalities in females with schizotypal personality disorder from families multiply affected with schizophrenia. <i>Schizophrenia Research</i> , 1997, 24, 46.	1.1	0
278	Reversed planum temporale asymmetry in schizophreniaâ€”A replication study. <i>Schizophrenia Research</i> , 1997, 24, 139.	1.1	0
279	The maudsley early onset schizophrenia study: Brain structural and maturational abnormalities in schizophrenic adolescents. <i>Schizophrenia Research</i> , 1997, 24, 177.	1.1	0
280	Are the structural brain abnormalities in schizophrenia mediated by pregnancy and birth complications?. <i>European Psychiatry</i> , 1998, 13, 211s-211s.	0.1	0
281	The maudsley early onset schizophrenia study: The clinical correlates of proton MRS abnormalities. <i>Schizophrenia Research</i> , 2000, 41, 140-141.	1.1	0
282	Which cognitive skills should we target in cognitive remediation therapy?. <i>Schizophrenia Research</i> , 2003, 60, 179.	1.1	0
283	The treatment of cognitive dysfunction in schizophrenia. <i>Psychiatry (Abingdon, England)</i> , 2005, 4, 46-48.	0.2	0
284	Structural neuroimaging in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2006, 5, 174-175.	0.2	0
285	Changes in cortical activation during sad facial affect recognition with lamotrigine monotherapy in patients with bipolar disorder. <i>European Psychiatry</i> , 2007, 22, S251.	0.1	0
286	Differences in brain activation during working memory and facial recognition tasks in patients with bipolar disorder with lamotrigine monotherapy. <i>European Psychiatry</i> , 2007, 22, S252-S253.	0.1	0
287	Novel evidence for the involvement of the mirror neuron system in emotional processing. <i>European Psychiatry</i> , 2007, 22, S315-S316.	0.1	0
288	Cognitive vulnerability indicators in bipolar disorder and schizophrenia. <i>Annals of General Psychiatry</i> , 2008, 7, .	1.2	0

#	ARTICLE	IF	CITATIONS
289	Vulnerability indicators in bipolar disorder. <i>Annals of General Psychiatry</i> , 2008, 7, .	1.2	0
290	EFFECTS OF CHRONICITY AND ANTIPSYCHOTIC MEDICATION ON BRAIN ANATOMY IN A LARGE SAMPLE OF PATIENTS WITH SCHIZOPHRENIA: A VOXEL-BASED MORPHOMETRY STUDY. <i>Schizophrenia Research</i> , 2008, 102, 76.	1.1	0
291	COGNITIVE PROF IL E IN BIPOLAR DISORDER AND SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2008, 102, 132.	1.1	0
292	Evidence for a normally functioning mirror system in schizophrenia. <i>European Psychiatry</i> , 2008, 23, S123-S124.	0.1	0
293	Empathy and the mirror system: Findings from a novel affective startle study. <i>European Psychiatry</i> , 2008, 23, S173-S174.	0.1	0
294	Foreword to the special issue on Forensic Psychiatry. <i>European Psychiatry</i> , 2009, 24, 353-353.	0.1	0
295	NEURAL CORRELATES OF VERBAL WORKING MEMORY DYSFUNCTION IN EARLY-ONSET SCHIZOPHRENIA: A FUNCTIONAL MAGNETIC RESONANCE IMAGING STUDY. <i>Schizophrenia Research</i> , 2010, 117, 438.	1.1	0
296	P01-216-Frontopolar cortical inefficiency underpins both "hot" and "cold" cognitive dysfunction in bipolar disorder. <i>European Psychiatry</i> , 2011, 26, 217-217.	0.1	0
297	Increased visual-ventral prefrontal cortical coupling during facial affect recognition. <i>European Psychiatry</i> , 2011, 26, 920-920.	0.1	0
298	Management commentary. , 0, , 226-227.		0
299	The Structural and Functional Neuroanatomy of Bipolar Disorder. , 2014, , 303-311.		0
300	Project Confidence. , 2016, , 137-139.		0
301	The Pursuit of Happiness. , 2016, , 117-119.		0
302	Neurocognitive findings in bipolar disorder: an update. , 0, , 169-190.		0
303	The Butterfly Effect in the Economic Gender Gap in Academia. <i>JAMA Network Open</i> , 2018, 1, e186053.	2.8	0
304	T234. Parsing Heterogeneity in Schizophrenia Using Inter-Subject Variability in Multimodal Neuroimaging Phenotypes. <i>Biological Psychiatry</i> , 2018, 83, S219-S220.	0.7	0
305	O2. Inter-Subject Variability in Bipolar Disorder Using Multi-Modal Imaging Datasets. <i>Biological Psychiatry</i> , 2018, 83, S108.	0.7	0
306	F52. Cognitive, Psychosocial, and Environmental Correlates of Adolescent Brain Structure. <i>Biological Psychiatry</i> , 2019, 85, S232-S233.	0.7	0

#	ARTICLE	IF	CITATIONS
307	Editorial: Tracing the Neural Origins of Psychopathology in Epidemiological Cohorts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 1054-1056.	0.3	0
308	S85. Individual Functional Abnormalities in the Default-Mode Network Predict Symptom Severity in Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 85, S330.	0.7	0
309	Neuroimaging Defined Psychosis Spectrum Phenotypes in the General Population. <i>Biological Psychiatry</i> , 2020, 87, S424.	0.7	0
310	Research Domains and Brain Network Dysfunction: Towards a New Taxonomy of Neuropsychiatric Illness. , 2021, , 455-474.		0
311	Ultra-High Field Imaging of Intracortical Myelin in Schizophrenia. <i>Biological Psychiatry</i> , 2021, 89, S56-S57.	0.7	0
312	El proyecto de trastorno bipolar de Maudsley: Características clínicas del trastorno bipolar I en una muestra de tratamiento de un Área de captación. <i>European Psychiatry (Ed Española)</i> , 2003, 10, 353-359.	0.0	0
313	Análisis de la función prefrontal ventral y dorsal en el trastorno bipolar: estudio de resonancia magnética funcional. <i>European Psychiatry (Ed Española)</i> , 2008, 15, 382-390.	0.0	0
314	Alteraciones de las concentraciones de factor neurotrófico derivado de la línea de células gliales (GDNF) en el cerebro de pacientes con trastorno depresivo: Estudio comparativo post mortem. <i>European Psychiatry (Ed Española)</i> , 2008, 15, 398-406.	0.0	0
315	Putting Yourself Forward. , 2016, , 133-135.		0
316	Be Memorable. , 2016, , 145-147.		0
317	Be Connected. , 2016, , 149-151.		0
318	External Barriers: Societal Attitudes. , 2016, , 121-123.		0
319	Be Visible. , 2016, , 141-143.		0
320	Internal Barriers. , 2016, , 125-127.		0
321	To cure sometimes, to relieve often, to comfort always. <i>Shanghai Archives of Psychiatry</i> , 2012, 24, 350-1.	0.7	0
322	Evidence of discontinuity between psychosis-risk and non-clinical samples in the neuroanatomical correlates of social function. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100252.	0.7	0