

Sophia Frangou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3932901/sophia-frangou-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

292
papers

15,871
citations

67
h-index

116
g-index

346
ext. papers

18,213
ext. citations

5.3
avg, IF

6.59
L-index

#	Paper	IF	Citations
292	The neurodevelopmental model of schizophrenia: update 2005. <i>Molecular Psychiatry</i> , 2005 , 10, 434-49	15.1	749
291	Structural neuroimaging studies in major depressive disorder. Meta-analysis and comparison with bipolar disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 675-90		591
290	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
289	Subcortical and ventral prefrontal cortical neural responses to facial expressions distinguish patients with bipolar disorder and major depression. <i>Biological Psychiatry</i> , 2004 , 55, 578-87	7.9	462
288	Meta-analysis of the P300 and P50 waveforms in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 70, 315-29	3.6	448
287	Neuropsychology of bipolar disorder: a review. <i>Journal of Affective Disorders</i> , 2002 , 72, 209-26	6.6	427
286	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
285	The functional neuroanatomy of bipolar disorder: a consensus model. <i>Bipolar Disorders</i> , 2012 , 14, 313-25	3.8	338
284	Adolescents who were born very preterm have decreased brain volumes. <i>Brain</i> , 2002 , 125, 1616-23	11.2	300
283	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1710-1716	15.1	283
282	Efficacy of ethyl-eicosapentaenoic acid in bipolar depression: randomised double-blind placebo-controlled study. <i>British Journal of Psychiatry</i> , 2006 , 188, 46-50	5.4	238
281	The dysplastic net hypothesis: an integration of developmental and dysconnectivity theories of schizophrenia. <i>Schizophrenia Research</i> , 1997 , 28, 143-56	3.6	218
280	Empirical evidence for discrete neurocognitive subgroups in bipolar disorder: clinical implications. <i>Psychological Medicine</i> , 2014 , 44, 3083-96	6.9	211
279	A diffusion tensor imaging study of fasciculi in schizophrenia. <i>American Journal of Psychiatry</i> , 2007 , 164, 467-73	11.9	208
278	Autism spectrum disorders and schizophrenia: meta-analysis of the neural correlates of social cognition. <i>PLoS ONE</i> , 2011 , 6, e25322	3.7	186
277	Mapping IQ and gray matter density in healthy young people. <i>NeuroImage</i> , 2004 , 23, 800-5	7.9	186
276	The International Society for Bipolar Disorders-Battery for Assessment of Neurocognition (ISBD-BANC). <i>Bipolar Disorders</i> , 2010 , 12, 351-63	3.8	184

275	Is the P300 wave an endophenotype for schizophrenia? A meta-analysis and a family study. <i>NeuroImage</i> , 2005 , 27, 960-8	7.9	174
274	Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: a voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012 , 22, 100-13	1.2	166
273	Biomarkers in bipolar disorder: a positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 321-32	2.6	158
272	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020 , 10, 100	8.6	154
271	Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 354-63	6.5	152
270	Cognitive remediation therapy (CRT) for young early onset patients with schizophrenia: an exploratory randomized controlled trial. <i>Schizophrenia Research</i> , 2007 , 94, 221-30	3.6	146
269	ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. <i>NeuroImage</i> , 2017 , 145, 389-408	7.9	142
268	Evidence for oxidative stress in the frontal cortex in patients with recurrent depressive disorder--a postmortem study. <i>Psychiatry Research</i> , 2007 , 151, 145-50	9.9	142
267	Effects of nicotine and amphetamine on latent inhibition in human subjects. <i>Psychopharmacology</i> , 1996 , 127, 164-73	4.7	138
266	The Maudsley Bipolar Disorder Project: executive dysfunction in bipolar disorder I and its clinical correlates. <i>Biological Psychiatry</i> , 2005 , 58, 859-64	7.9	136
265	Structural brain correlates of response inhibition in Bipolar Disorder I. <i>Journal of Psychopharmacology</i> , 2008 , 22, 138-43	4.6	134
264	A diffusion tensor imaging study of white matter in early-onset schizophrenia. <i>Biological Psychiatry</i> , 2008 , 63, 519-23	7.9	131
263	The Maudsley Family Study, II: Endogenous event-related potentials in familial schizophrenia. <i>Schizophrenia Research</i> , 1997 , 23, 45-53	3.6	127
262	Stroop performance in bipolar disorder: further evidence for abnormalities in the ventral prefrontal cortex. <i>Bipolar Disorders</i> , 2006 , 8, 28-39	3.8	123
261	New insights help define the pathophysiology of bipolar affective disorder: neuroimaging and neuropathology findings. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 943-55	5.5	118
260	Increased developmental deviance and premorbid dysfunction in early onset schizophrenia. <i>Schizophrenia Research</i> , 2003 , 62, 13-22	3.6	117
259	Diffusion tensor imaging in schizophrenia. <i>European Psychiatry</i> , 2008 , 23, 255-73	6	112
258	Hippocampal volume reduction in schizophrenia: effects of genetic risk and pregnancy and birth complications. <i>Biological Psychiatry</i> , 1999 , 46, 697-702	7.9	112

257	Superior temporal gyrus abnormalities in early-onset schizophrenia: similarities and differences with adult-onset schizophrenia. <i>American Journal of Psychiatry</i> , 2001 , 158, 1299-304	11.9	111
256	Cognitive functioning in patients with affective disorders and schizophrenia: a meta-analysis. <i>International Review of Psychiatry</i> , 2009 , 21, 336-56	3.6	110
255	The Maudsley Bipolar Disorder Project. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 86-93	4.6	103
254	Evidence of diagnostic specificity in the neural correlates of facial affect processing in bipolar disorder and schizophrenia: a meta-analysis of functional imaging studies. <i>Psychological Medicine</i> , 2013 , 43, 553-69	6.9	101
253	Evidence for deficit in tasks of ventral, but not dorsal, prefrontal executive function as an endophenotypic marker for bipolar disorder. <i>Biological Psychiatry</i> , 2005 , 58, 838-9	7.9	100
252	The relationship of impulsivity to response inhibition and decision-making in remitted patients with bipolar disorder. <i>European Psychiatry</i> , 2006 , 21, 270-3	6	97
251	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013 , 144, 65-71	6.6	92
250	What is the optimal serum lithium level in the long-term treatment of bipolar disorder--a review?. <i>Bipolar Disorders</i> , 2008 , 10, 231-7	3.8	89
249	The effects of lithium and anticonvulsants on brain structure in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 481-7	6.5	88
248	Initial evidence for the role of CACNA1C on subcortical brain morphology in patients with bipolar disorder. <i>European Psychiatry</i> , 2011 , 26, 135-7	6	87
247	The Maudsley Family Study. 4. Normal planum temporale asymmetry in familial schizophrenia. A volumetric MRI study. <i>British Journal of Psychiatry</i> , 1997 , 170, 328-33	5.4	86
246	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015 , 45, 1765-78	6.9	84
245	Dissociable brain structural changes associated with predisposition, resilience, and disease expression in bipolar disorder. <i>Journal of Neuroscience</i> , 2009 , 29, 10863-8	6.6	84
244	Recent diffusion tensor imaging findings in early stages of schizophrenia. <i>Current Opinion in Psychiatry</i> , 2009 , 22, 168-76	4.9	84
243	Brain volumes in adult survivors of very low birth weight: a sibling-controlled study. <i>Pediatrics</i> , 2004 , 114, 367-71	7.4	83
242	Dissociable functional connectivity changes during the Stroop task relating to risk, resilience and disease expression in bipolar disorder. <i>NeuroImage</i> , 2011 , 57, 576-82	7.9	81
241	The Role of Intrinsic Brain Functional Connectivity in Vulnerability and Resilience to Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2017 , 174, 1214-1222	11.9	80
240	A comprehensive testing protocol for MRI neuroanatomical segmentation techniques: Evaluation of a novel lateral ventricle segmentation method. <i>NeuroImage</i> , 2011 , 58, 1051-9	7.9	80

239	Effective connectivity during processing of facial affect: evidence for multiple parallel pathways. <i>Journal of Neuroscience</i> , 2011 , 31, 14378-85	6.6	79
238	Addressing reverse inference in psychiatric neuroimaging: Meta-analyses of task-related brain activation in common mental disorders. <i>Human Brain Mapping</i> , 2017 , 38, 1846-1864	5.9	78
237	Preliminary in vivo evidence of increased N-acetyl-aspartate following eicosapentanoic acid treatment in patients with bipolar disorder. <i>Journal of Psychopharmacology</i> , 2007 , 21, 435-9	4.6	77
236	The impact of the CACNA1C gene polymorphism on frontolimbic function in bipolar disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 1070-1	15.1	76
235	Increased prepulse inhibition of the acoustic startle response is associated with better strategy formation and execution times in healthy males. <i>Neuropsychologia</i> , 2006 , 44, 2494-9	3.2	76
234	Which executive skills should we target to affect social functioning and symptom change? A study of a cognitive remediation therapy program. <i>Schizophrenia Bulletin</i> , 2004 , 30, 87-100	1.3	75
233	Mismatch negativity in schizophrenia: a family study. <i>Schizophrenia Research</i> , 2004 , 67, 1-10	3.6	75
232	Molecular and genetic evidence for abnormalities in the nodes of Ranvier in schizophrenia. <i>Archives of General Psychiatry</i> , 2012 , 69, 7-15		74
231	The effects of gender and COMT Val158Met polymorphism on fearful facial affect recognition: a fMRI study. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 371-81	5.8	71
230	Prepulse inhibition of the startle reflex depends on the catechol O-methyltransferase Val158Met gene polymorphism. <i>Psychological Medicine</i> , 2008 , 38, 1651-8	6.9	71
229	No gender differences in brain activation during the N-back task: an fMRI study in healthy individuals. <i>Human Brain Mapping</i> , 2009 , 30, 3609-15	5.9	68
228	The Maudsley early onset schizophrenia study: cognitive function in adolescents with recent onset schizophrenia. <i>Schizophrenia Research</i> , 2003 , 61, 137-48	3.6	68
227	Independent modulation of engagement and connectivity of the facial network during affect processing by CACNA1C and ANK3 risk genes for bipolar disorder. <i>JAMA Psychiatry</i> , 2013 , 70, 1303-11	14.5	67
226	Hippocampal volume in familial and nonfamilial schizophrenic probands and their unaffected relatives. <i>Biological Psychiatry</i> , 2003 , 53, 562-70	7.9	67
225	Brain structural changes in schizophrenia patients with persistent hallucinations. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 15-21	2.9	64
224	Examining ventral and dorsal prefrontal function in bipolar disorder: a functional magnetic resonance imaging study. <i>European Psychiatry</i> , 2008 , 23, 300-8	6	63
223	The level of prepulse inhibition in healthy individuals may index cortical modulation of early information processing. <i>Brain Research</i> , 2006 , 1078, 168-70	3.7	63
222	The Maudsley Early-Onset Schizophrenia Study: cognitive function in adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2003 , 65, 95-103	3.6	61

221	Effects of the CACNA1C risk allele for bipolar disorder on cerebral gray matter volume in healthy individuals. <i>American Journal of Psychiatry</i> , 2009 , 166, 1413-4	11.9	60
220	Effect of age at onset of schizophrenia on white matter abnormalities. <i>British Journal of Psychiatry</i> , 2009 , 195, 346-53	5.4	60
219	The effects of dopamine agonists on prepulse inhibition in healthy men depend on baseline PPI values. <i>Psychopharmacology</i> , 2005 , 182, 144-52	4.7	60
218	Increased xanthine oxidase in the thalamus and putamen in depression. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 314-20	3.8	58
217	Structural magnetic imaging of the hippocampus in early onset schizophrenia. <i>Biological Psychiatry</i> , 2001 , 49, 824-31	7.9	58
216	Corpus callosum size and shape alterations in individuals with bipolar disorder and their first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1050-7	5.5	57
215	Changes in brain activation during working memory and facial recognition tasks in patients with bipolar disorder with Lamotrigine monotherapy. <i>European Neuropsychopharmacology</i> , 2008 , 18, 48-54	1.2	57
214	Altered glial cell line-derived neurotrophic factor (GDNF) concentrations in the brain of patients with depressive disorder: a comparative post-mortem study. <i>European Psychiatry</i> , 2008 , 23, 413-20	6	57
213	Efficacy of non-invasive brain stimulation on the symptom dimensions of schizophrenia: A meta-analysis of randomized controlled trials. <i>European Psychiatry</i> , 2018 , 49, 69-77	6	56
212	Connectomic markers of disease expression, genetic risk and resilience in bipolar disorder. <i>Translational Psychiatry</i> , 2016 , 6, e706	8.6	56
211	A systems neuroscience perspective of schizophrenia and bipolar disorder. <i>Schizophrenia Bulletin</i> , 2014 , 40, 523-31	1.3	56
210	Systematic review of the efficacy and tolerability of clozapine in the treatment of youth with early onset schizophrenia. <i>European Psychiatry</i> , 2014 , 29, 1-10	6	55
209	Familial and disease specific abnormalities in the neural correlates of the Stroop Task in Bipolar Disorder. <i>NeuroImage</i> , 2011 , 56, 1677-84	7.9	55
208	Evidence of disrupted prepulse inhibition in unaffected siblings of bipolar disorder patients. <i>Biological Psychiatry</i> , 2007 , 62, 1418-22	7.9	55
207	Pilot investigation of the changes in cortical activation during facial affect recognition with lamotrigine monotherapy in bipolar disorder. <i>British Journal of Psychiatry</i> , 2008 , 192, 197-201	5.4	54
206	The Maudsley early onset schizophrenia study: cognitive function over a 4-year follow-up period. <i>Schizophrenia Bulletin</i> , 2008 , 34, 52-9	1.3	54
205	Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 162-170	9	54
204	Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. <i>European Neuropsychopharmacology</i> , 2009 , 19, 835-40	1.2	53

203	Emotional decision-making and its dissociable components in schizophrenia and schizoaffective disorder: a behavioural and MRI investigation. <i>Neuropsychologia</i> , 2008 , 46, 2002-12	3.2	52
202	The Maudsley early onset schizophrenia study. Predictors of psychosocial outcome at 4-year follow-up. <i>European Child and Adolescent Psychiatry</i> , 2007 , 16, 465-70	5.5	52
201	Trait impulsivity as an endophenotype for bipolar I disorder. <i>Bipolar Disorders</i> , 2012 , 14, 565-70	3.8	51
200	The neurodevelopmental model of schizophrenia: what can very early onset cases tell us?. <i>Current Psychiatry Reports</i> , 2005 , 7, 81-2	9.1	51
199	Risk and protective factors for childhood suicidality: a US population-based study. <i>Lancet Psychiatry</i> , 2020 , 7, 317-326	23.3	50
198	Shared Neural Phenotypes for Mood and Anxiety Disorders: A Meta-analysis of 226 Task-Related Functional Imaging Studies. <i>JAMA Psychiatry</i> , 2020 , 77, 172-179	14.5	50
197	Multivariate Associations Among Behavioral, Clinical, and Multimodal Imaging Phenotypes in Patients With Psychosis. <i>JAMA Psychiatry</i> , 2018 , 75, 386-395	14.5	49
196	Abnormal functional activation and connectivity in the working memory network in early-onset schizophrenia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 911-20.e2	7.2	49
195	The impact of the Val158Met catechol-O-methyltransferase genotype on neural correlates of sad facial affect processing in patients with bipolar disorder and their relatives. <i>Psychological Medicine</i> , 2011 , 41, 779-88	6.9	49
194	The Maudsley Bipolar Disorder Project. <i>Epilepsia</i> , 2005 , 46 Suppl 4, 19-25	6.4	49
193	Abnormal intrinsic and extrinsic connectivity within the magnetic mismatch negativity brain network in schizophrenia: a preliminary study. <i>Schizophrenia Research</i> , 2012 , 135, 23-7	3.6	48
192	Multimodal analyses identify linked functional and white matter abnormalities within the working memory network in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 136-42	3.6	48
191	Pathophysiology of early onset schizophrenia. <i>International Review of Psychiatry</i> , 2007 , 19, 315-24	3.6	47
190	The Maudsley Early Onset Schizophrenia Study: the effect of age of onset and illness duration on fronto-parietal gray matter. <i>European Psychiatry</i> , 2008 , 23, 233-6	6	46
189	Fronto-temporal function may distinguish bipolar disorder from schizophrenia. <i>Bipolar Disorders</i> , 2006 , 8, 47-55	3.8	46
188	Dynamic causal modeling of load-dependent modulation of effective connectivity within the verbal working memory network. <i>Human Brain Mapping</i> , 2014 , 35, 3025-35	5.9	42
187	Examination of the predictive value of structural magnetic resonance scans in bipolar disorder: a pattern classification approach. <i>Psychological Medicine</i> , 2014 , 44, 519-32	6.9	42
186	Hyperactivity in adolescents born very preterm is associated with decreased caudate volume. <i>Biological Psychiatry</i> , 2005 , 57, 661-6	7.9	42

185	The Maudsley bipolar disorder project. A survey of psychotropic prescribing patterns in bipolar I disorder. <i>Bipolar Disorders</i> , 2002 , 4, 378-85	3.8	42
184	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. <i>PLoS ONE</i> , 2016 , 11, e0148045	3.7	42
183	The effect of ANK3 bipolar-risk polymorphisms on the working memory circuitry differs between loci and according to risk-status for bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 188-96	3.5	41
182	Brain structural and functional correlates of resilience to Bipolar Disorder. <i>Frontiers in Human Neuroscience</i> , 2011 , 5, 184	3.3	40
181	Computerized brain tissue classification of magnetic resonance images: a new approach to the problem of partial volume artifact. <i>NeuroImage</i> , 1995 , 2, 133-47	7.9	40
180	Neural correlates of liraglutide effects in persons at risk for Alzheimer's disease. <i>Behavioural Brain Research</i> , 2019 , 356, 271-278	3.4	39
179	Increased salience of gains versus decreased associative learning differentiate bipolar disorder from schizophrenia during incentive decision making. <i>Psychological Medicine</i> , 2013 , 43, 571-80	6.9	39
178	Aripiprazole in schizophrenia: consensus guidelines. <i>International Journal of Clinical Practice</i> , 2005 , 59, 485-95	2.9	39
177	Telomere Length and Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2018 , 43, 445-453	8.7	38
176	Neuregulin-1 and the P300 waveform--a preliminary association study using a psychosis endophenotype. <i>Schizophrenia Research</i> , 2008 , 103, 178-85	3.6	37
175	Is there an association between the COMT gene and P300 endophenotypes?. <i>European Psychiatry</i> , 2006 , 21, 70-3	6	37
174	Cell density and cortical thickness in Heschl's gyrus in schizophrenia, major depression and bipolar disorder. <i>British Journal of Psychiatry</i> , 2004 , 185, 258-9	5.4	37
173	Impulsivity, personality and bipolar disorder. <i>European Psychiatry</i> , 2009 , 24, 464-9	6	36
172	Risk and resilience in bipolar disorder: rationale and design of the Vulnerability to Bipolar Disorders Study (VIBES). <i>Biochemical Society Transactions</i> , 2009 , 37, 1085-9	5.1	35
171	Elevated Body Mass Index is Associated with Increased Integration and Reduced Cohesion of Sensory-Driven and Internally Guided Resting-State Functional Brain Networks. <i>Cerebral Cortex</i> , 2018 , 28, 988-997	5.1	34
170	Neural correlates of affective and non-affective cognition in obsessive compulsive disorder: A meta-analysis of functional imaging studies. <i>European Psychiatry</i> , 2017 , 46, 25-32	6	34
169	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010 , 124, 256-61	6.6	34
168	The cognitive impact of the ANK3 risk variant for bipolar disorder: initial evidence of selectivity to signal detection during sustained attention. <i>PLoS ONE</i> , 2011 , 6, e16671	3.7	34

167	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
166	Validation of the Investigator's Assessment Questionnaire, a new clinical tool for relative assessment of response to antipsychotics in patients with schizophrenia and schizoaffective disorder. <i>Psychiatry Research</i> , 2005 , 136, 211-21	9.9	33
165	Clozapine use in childhood and adolescent schizophrenia: A nationwide population-based study. <i>European Neuropsychopharmacology</i> , 2015 , 25, 857-63	1.2	32
164	Frontopolar cortical inefficiency may underpin reward and working memory dysfunction in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 605-15	3.8	32
163	Global and temporal cortical folding in patients with early-onset schizophrenia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 1125-32	7.2	32
162	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 485-96	5.8	31
161	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2020 ,	5.9	31
160	Towards person-centered neuroimaging markers for resilience and vulnerability in Bipolar Disorder. <i>NeuroImage</i> , 2017 , 145, 230-237	7.9	30
159	Deficits in visual sustained attention differentiate genetic liability and disease expression for schizophrenia from Bipolar Disorder. <i>Schizophrenia Research</i> , 2010 , 124, 152-60	3.6	30
158	Cognitive function in early onset schizophrenia: a selective review. <i>Frontiers in Human Neuroscience</i> , 2010 , 3, 79	3.3	30
157	Fronto-temporal dysregulation in remitted bipolar patients: an fMRI delayed-non-match-to-sample (DNMS) study. <i>Bipolar Disorders</i> , 2009 , 11, 351-60	3.8	30
156	Evaluation of the spatial variability in the major resting-state networks across human brain functional atlases. <i>Human Brain Mapping</i> , 2019 , 40, 4577-4587	5.9	29
155	Antipsychotics use in children and adolescents: An on-going challenge in clinical practice. <i>Journal of Psychopharmacology</i> , 2014 , 28, 615-23	4.6	29
154	Sex differences in bipolar disorder: a review of neuroimaging findings and new evidence. <i>Bipolar Disorders</i> , 2012 , 14, 461-71	3.8	29
153	The impact of general intellectual ability and white matter volume on the functional outcome of patients with Bipolar Disorder and their relatives. <i>Journal of Affective Disorders</i> , 2011 , 130, 413-20	6.6	29
152	The Maudsley bipolar disorder project. Clinical characteristics of bipolar disorder I in a Catchment area treatment sample. <i>European Psychiatry</i> , 2003 , 18, 13-7	6	29
151	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 464-473	1.3	29
150	Early-life metal exposure and schizophrenia: A proof-of-concept study using novel tooth-matrix biomarkers. <i>European Psychiatry</i> , 2016 , 36, 1-6	6	28

149	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012 , 143, 125-30	6.6	28
148	Gender differences in immediate memory in bipolar disorder. <i>Psychological Medicine</i> , 2010 , 40, 1349-55	6.9	28
147	Functional neuroimaging studies in mood disorders. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 88-99	3.9	28
146	The Maudsley Bipolar Disorder Project: the effect of medication, family history, and duration of illness on IQ and memory in bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 86-93	4.6	28
145	Neuroticism and conscientiousness respectively constrain and facilitate short-term plasticity within the working memory neural network. <i>Human Brain Mapping</i> , 2015 , 36, 4158-63	5.9	27
144	Gender Trends in Authorship in Psychiatry Journals From 2008 to 2018. <i>Biological Psychiatry</i> , 2019 , 86, 639-646	7.9	26
143	Determination of psychosis-related clinical profiles in children with autism spectrum disorders using latent class analysis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 301-7	5.5	26
142	Resting-state network connectivity and metastability predict clinical symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 201, 208-216	3.6	26
141	Associations between n-3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 420-7	7	26
140	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2021 ,	5.9	26
139	An integrated brain-behavior model for working memory. <i>Molecular Psychiatry</i> , 2018 , 23, 1974-1980	15.1	26
138	Childhood abuse is associated with structural impairment in the ventrolateral prefrontal cortex and aggressiveness in patients with borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 213, 18-23	2.9	25
137	Is the polarity of relapse/recurrence in bipolar-I disorder patients related to serum lithium levels? Results from an empirical study. <i>Journal of Affective Disorders</i> , 2009 , 115, 466-70	6.6	25
136	Neuroticism and psychological distress: to what extent is their association due to person-environment correlation?. <i>European Psychiatry</i> , 2011 , 26, 1-5	6	24
135	Clinical implications of cognitive function in bipolar disorder. <i>Therapeutic Advances in Chronic Disease</i> , 2010 , 1, 85-93	4.9	24
134	No differential effect of age on brain matter volume and cognition in bipolar patients and healthy individuals. <i>Bipolar Disorders</i> , 2009 , 11, 316-22	3.8	24
133	Linking functional connectivity and dynamic properties of resting-state networks. <i>Scientific Reports</i> , 2017 , 7, 16610	4.9	23
132	Baseline brain structural and functional predictors of clinical outcome in the early course of schizophrenia. <i>Molecular Psychiatry</i> , 2020 , 25, 863-872	15.1	23

131	Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 918-25	6.6	22
130	Neurocognition in early-onset schizophrenia. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013 , 22, 715-26	3.3	22
129	Atypical antipsychotics in ordinary clinical practice: a pharmaco-epidemiologic survey in a south London service. <i>European Psychiatry</i> , 2000 , 15, 220-6	6	22
128	Service use and costs of treating schizophrenia with atypical antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 749-56	4.6	22
127	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
126	White matter alterations in anorexia nervosa: Evidence from a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 100, 285-295	9	20
125	The Integration of Functional Brain Activity from Adolescence to Adulthood. <i>Journal of Neuroscience</i> , 2018 , 38, 3559-3570	6.6	20
124	Quantitative evaluation of simulated functional brain networks in graph theoretical analysis. <i>NeuroImage</i> , 2017 , 146, 724-733	7.9	20
123	Child Behavior Checklist-Mania Scale (CBCL-MS): development and evaluation of a population-based screening scale for bipolar disorder. <i>PLoS ONE</i> , 2013 , 8, e69459	3.7	20
122	Reproducible grey matter patterns index a multivariate, global alteration of brain structure in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2019 , 9, 12	8.6	19
121	Multimodal Neuroimaging-Informed Clinical Applications in Neuropsychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2016 , 7, 63	5	18
120	Treatment of the early stages of bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2011 , 17, 283-291		17
119	Normal cerebral volume asymmetries in early onset schizophrenia. <i>Biological Psychiatry</i> , 2004 , 55, 148-53	3.9	17
118	Imaging Habenula Volume in Schizophrenia and Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 456	5	17
117	Neuroimaging Markers of Risk, Disease Expression, and Resilience to Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2019 , 21, 52	9.1	16
116	The polygenic risk for bipolar disorder influences brain regional function relating to visual and default state processing of emotional information. <i>NeuroImage: Clinical</i> , 2016 , 12, 838-844	5.3	15
115	Comparative profile analysis of cognitive function in recent-onset and chronic patients with adolescent-onset schizophrenia. <i>Schizophrenia Research</i> , 2007 , 94, 240-4	3.6	15
114	Disruption of prepulse inhibition of the startle reflex by the preferential D(3) agonist ropinirole in healthy males. <i>Psychopharmacology</i> , 2007 , 194, 289-95	4.7	15

113	Familial liability to schizophrenia and premorbid adjustment. <i>British Journal of Psychiatry</i> , 2007 , 191, 260-1	5.4	15
112	Increased xanthine oxidase in the thalamus and putamen in depression. <i>World Journal of Biological Psychiatry</i> , 1-7	3.8	15
111	Multivariate Patterns of Brain-Behavior-Environment Associations in the Adolescent Brain and Cognitive Development Study. <i>Biological Psychiatry</i> , 2021 , 89, 510-520	7.9	15
110	Transdiagnostic and disease-specific abnormalities in the default-mode network hubs in psychiatric disorders: A meta-analysis of resting-state functional imaging studies. <i>European Psychiatry</i> , 2020 , 63, e57	6	14
109	Expanding conceptual frameworks: life course risk modelling for mental disorders. <i>Psychiatry Research</i> , 2013 , 206, 140-5	9.9	13
108	The impact of familial risk for schizophrenia or bipolar disorder on cognitive control during episodic memory retrieval. <i>Psychiatry Research</i> , 2012 , 197, 212-6	9.9	13
107	Heritability and Cognitive Relevance of Structural Brain Controllability. <i>Cerebral Cortex</i> , 2020 , 30, 3044-3054	9.4	13
106	Depth-dependent intracortical myelin organization in the living human brain determined by in vivo ultra-high field magnetic resonance imaging. <i>NeuroImage</i> , 2019 , 185, 27-34	7.9	13
105	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2021 ,	5.9	13
104	The predictive value of childhood subthreshold manic symptoms for adolescent and adult psychiatric outcomes. <i>Journal of Affective Disorders</i> , 2017 , 212, 86-92	6.6	12
103	Increased affective reactivity to neutral stimuli and decreased maintenance of affective responses in bipolar disorder. <i>European Psychiatry</i> , 2015 , 30, 852-60	6	12
102	A Computational Assessment of Target Engagement in the Treatment of Auditory Hallucinations with Transcranial Direct Current Stimulation. <i>Frontiers in Psychiatry</i> , 2018 , 9, 48	5	12
101	Person-Based Brain Morphometric Similarity is Heritable and Correlates With Biological Features. <i>Cerebral Cortex</i> , 2019 , 29, 852-862	5.1	12
100	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
99	A method for u-fiber quantification from 7 T diffusion-weighted MRI data tested in patients with nonlesional focal epilepsy. <i>NeuroReport</i> , 2017 , 28, 457-461	1.7	11
98	Predictors of outcome in a representative population of bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 41-2	3.8	11
97	Is the prophylactic antidepressant efficacy of lithium in bipolar I disorder dependent on study design and lithium level?. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 457-62	1.7	11
96	Intracranial and subcortical volumes in adolescents with early-onset psychosis: A multisite mega-analysis from the ENIGMA consortium. <i>Human Brain Mapping</i> , 2020 ,	5.9	11

95	Dissociable auditory mismatch response and connectivity patterns in adolescents with schizophrenia and adolescents with bipolar disorder with psychosis: A magnetoencephalography study. <i>Schizophrenia Research</i> , 2018 , 193, 313-318	3.6	11
94	Delineating ADHD and bipolar disorder: A comparison of clinical profiles in adult women. <i>Journal of Affective Disorders</i> , 2016 , 192, 125-33	6.6	10
93	Psychiatric neuroimaging: joining forces with epidemiology. <i>European Psychiatry</i> , 2008 , 23, 315-9	6	10
92	Expression of dopamine signaling genes in the post-mortem brain of individuals with mental illnesses is moderated by body mass index and mediated by insulin signaling genes. <i>Journal of Psychiatric Research</i> , 2018 , 107, 128-135	5.2	10
91	Reproducibility of myelin content-based human habenula segmentation at 3 Tesla. <i>Human Brain Mapping</i> , 2018 , 39, 3058-3071	5.9	9
90	Dissociable and common deficits in inhibitory control in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 125-30	5.1	9
89	Mirroring everyday clinical practice in clinical trial design: a new concept to improve the external validity of randomized double-blind placebo-controlled trials in the pharmacological treatment of major depression. <i>BMC Medicine</i> , 2012 , 10, 67	11.4	9
88	Harnessing clinical psychiatric data with an electronic assessment tool (OPCRIT+): the utility of symptom dimensions. <i>PLoS ONE</i> , 2013 , 8, e58790	3.7	9
87	Magnetic resonance spectroscopy in psychiatry: basic principles and applications. <i>British Medical Bulletin</i> , 1996 , 52, 474-85	5.4	9
86	Effect of haloperidol on nicotine-induced enhancement of vigilance in human subjects. <i>Journal of Psychopharmacology</i> , 1997 , 11, 253-7	4.6	9
85	Linked patterns of biological and environmental covariation with brain structure in adolescence: a population-based longitudinal study. <i>Molecular Psychiatry</i> , 2021 , 26, 4905-4918	15.1	9
84	Abnormal auditory tonotopy in patients with schizophrenia. <i>NPJ Schizophrenia</i> , 2019 , 5, 16	5.5	8
83	Identifying multimodal signatures associated with symptom clusters: the example of the IMAGEMEND project. <i>World Psychiatry</i> , 2016 , 15, 179-80	14.4	8
82	Behavioral and Health Correlates of Resting-State Metastability in the Human Connectome Project. <i>Brain Topography</i> , 2019 , 32, 80-86	4.3	8
81	Does antipsychotic medication affect white matter in schizophrenia and bipolar disorder? a review of diffusion tensor imaging literature. <i>European Psychiatry</i> , 2011 , 26, 1280-1280	6	8
80	Acute citalopram administration may disrupt contextual information processing in healthy males. <i>European Psychiatry</i> , 2010 , 25, 87-91	6	8
79	New Research Strategy for Measuring Pre- and Postnatal Metal Dysregulation in Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1153-1157	1.3	7
78	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019 , 316, 20-26	5.7	7

77	Impaired working memory and normal sustained attention in borderline personality disorder. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 349-55	3.9	7
76	A roadmap to disentangle the molecular etiology of schizophrenia. <i>European Psychiatry</i> , 2008 , 23, 224-36		7
75	Attempted suicide rates before and during the COVID-19 pandemic: interrupted time series analysis of a nationally representative sample. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	7
74	Reappraising suppression: subjective and physiological correlates of experiential suppression in healthy adults. <i>Frontiers in Psychology</i> , 2014 , 5, 571	3.4	6
73	Subcortical Volume Trajectories across the Lifespan: Data from 18,605 healthy individuals aged 3-90 years		6
72	Can enzyme kinetics of prooxidants teach us a lesson about the treatment of Alzheimer's disease: a pilot post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 677-81	3.8	5
71	Years of life lost due to the psychosocial consequences of COVID19 mitigation strategies based on Swiss data		5
70	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
69	Multimodal Neuroimaging of Suicidal Thoughts and Behaviors in a U.S. Population-Based Sample of School-Age Children. <i>American Journal of Psychiatry</i> , 2021 , 178, 321-332	11.9	5
68	Brain age prediction in schizophrenia: Does the choice of machine learning algorithm matter?. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 310, 111270	2.9	5
67	Comparative Evaluation of Child Behavior Checklist-Derived Scales in Children Clinically Referred for Emotional and Behavioral Dysregulation. <i>Frontiers in Psychiatry</i> , 2016 , 7, 146	5	5
66	Atlas55+: Brain Functional Atlas of Resting-State Networks for Late Adulthood. <i>Cerebral Cortex</i> , 2021 , 31, 1719-1731	5.1	5
65	Functional neuroimaging in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2006 , 5, 176-179		4
64	Advancing the pharmacological treatment of bipolar depression. <i>Advances in Psychiatric Treatment</i> , 2005 , 11, 28-37		4
63	Cortical Thickness Trajectories across the Lifespan: Data from 17,075 healthy individuals aged 3-90 years		4
62	Associations of cannabis use disorder with cognition, brain structure, and brain function in African Americans. <i>Human Brain Mapping</i> , 2021 , 42, 1727-1741	5.9	4
61	85. Cortical Thickness and Subcortical Volume Trajectories Across the Lifespan: Data From 14,600 Healthy Individuals Aged 6-90 Years. <i>Biological Psychiatry</i> , 2019 , 85, S35-S36	7.9	3
60	Memory in intellectually matched groups of young participants with 22q11.2 deletion syndrome and those with schizophrenia. <i>Research in Developmental Disabilities</i> , 2010 , 31, 864-8	2.7	3

59	Person-based similarity in brain structure and functional connectivity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 276, 38-44	6.6	3
58	Neurocognition in young offspring of individuals with bipolar disorder: The role of co-existing familial and clinical high-risk for bipolar disorder. <i>Psychiatry Research</i> , 2019 , 281, 112565	9.9	2
57	Cost-effectiveness of ethyl-eicosapentaenoic acid in the treatment of bipolar disorder. <i>Therapeutic Advances in Psychopharmacology</i> , 2013 , 3, 73-81	4.9	2
56	Reversed planum temporale asymmetry in schizophrenia [Replication study]. <i>Biological Psychiatry</i> , 1996 , 39, 637-638	7.9	2
55	Maudsley Bipolar Disorder Project: insights sobre o papel do c�rtex pr�frontal em pacientes com transtorno de humor bipolar tipo I. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2005 , 27, 241-250		2
54	Abnormal prefrontal cortex processing of reward prediction errors in recently diagnosed patients with bipolar disorder and their unaffected relatives. <i>Bipolar Disorders</i> , 2020 , 22, 849-859	3.8	2
53	SS-Detect: Development and Validation of a New Strategy for Source-Based Morphometry in Multiscanner Studies. <i>Journal of Neuroimaging</i> , 2021 , 31, 261-271	2.8	2
52	30.3 DEPTH-DEPENDENT EXAMINATION OF INTRACORTICAL MYELIN IN SCHIZOPHRENIA USING ULTRA-HIGH FIELD IMAGING. <i>Schizophrenia Bulletin</i> , 2019 , 45, S138-S139	1.3	1
51	Searching for Imaging Biomarkers of Psychotic Dysconnectivity. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1135-1144	3.4	1
50	The Enduring Allure of Explanatory Reductionism in Schizophrenia. <i>Biological Psychiatry</i> , 2020 , 87, 690-691		1
49	Emergence of metastable dynamics in functional brain organization via spontaneous fMRI signal and whole-brain computational modeling. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 4471-4474	0.9	1
48	CS02-02 - Risk and resilience markers: Use of whole-brain structural MR scans to predict familial risk and disease expression in Bipolar Disorder. <i>European Psychiatry</i> , 2011 , 26, 1772-1772	6	1
47	Functional neuroimaging in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2009 , 8, 102-104		1
46	Pharmacological treatment of bipolar disorder. <i>Psychiatry (Abingdon, England)</i> , 2004 , 3, 34-37		1
45	Personalized estimates of morphometric similarity in bipolar disorder and schizophrenia. <i>NPJ Schizophrenia</i> , 2020 , 6, 39	5.5	1
44	Sex effects on cortical morphological networks in healthy young adults. <i>NeuroImage</i> , 2021 , 233, 117945	7.9	1
43	Probing the clinical and brain structural boundaries of bipolar and major depressive disorder. <i>Translational Psychiatry</i> , 2021 , 11, 48	8.6	1
42	Personalized Estimates of Brain Structural Variability in Individuals With Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1029-1038	1.3	1

41	Initial evidence of abnormal brain plasticity in anorexia nervosa: an ultra-high field study.. <i>Scientific Reports</i> , 2022 , 12, 2589	4.9	1
40	Initial Evidence for Brain Plasticity Following a Digital Therapeutic Intervention for Depression. <i>Chronic Stress</i> , 2019 , 3, 2470547019877880	3	0
39	Brain structural changes in mood disorders. <i>Psychiatry (Abingdon, England)</i> , 2009 , 8, 105-106		0
38	Neural Signatures of Data-Driven Psychopathology Dimensions at the Transition to Adolescence.. <i>European Psychiatry</i> , 2022 , 1-27	6	0
37	Biopsychosocial Exposure to the Covid-19 Pandemic and the Relative Risk of Schizophrenia: Interrupted Time-Series Analysis of a Nationally Representative Sample.. <i>European Psychiatry</i> , 2022 , 1-20 ⁶		0
36	Gray Matter Involvement in Schizophrenia: Evidence from Magnetic Resonance Imaging Studies 2020 , 27-53		0
35	Shared Neural Phenotypes for Mood and Anxiety Disorders A Meta-Analysis of 226 Task-Related Functional Imaging Studies. <i>Focus (American Psychiatric Publishing)</i> , 2021 , 19, 256-263	1.1	0
34	Commentary on: Objective smartphone data as a potential diagnostic marker of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 170-171	2.6	0
33	Resilience Embodied: A Paradigm Shift for Biological Research in Psychiatry. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 139-140	3.4	0
32	Neural responses during down-regulation of negative emotion in patients with recently diagnosed bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 1-12	6.9	0
31	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110540	5.5	0
30	Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial.. <i>American Journal of Psychiatry</i> , 2022 , appiajp21050541	11.9	0
29	Neurocognitive findings in bipolar disorder: an update 169-190		
28	The Structural and Functional Neuroanatomy of Bipolar Disorder 2014 , 303-311		
27	Management commentary 226-227		
26	P01-216-Frontopolar cortical inefficiency underpins both hot and cold cognitive dysfunction in bipolar disorder. <i>European Psychiatry</i> , 2011 , 26, 217-217	6	
25	Increased visual-ventral prefrontal cortical coupling during facial affect recognition. <i>European Psychiatry</i> , 2011 , 26, 920-920	6	
24	EFFECTS OF CHRONICITY AND ANTIPSYCHOTIC MEDICATION ON BRAIN ANATOMY IN A LARGE SAMPLE OF PATIENTS WITH SCHIZOPHRENIA: A Voxel-BASED MORPHOMETRY STUDY. <i>Schizophrenia Research</i> , 2008 , 102, 76	3.6	

- 23 COGNITIVE PROFILE IN BIPOLAR DISORDER AND SCHIZOPHRENIA. *Schizophrenia Research*, **2008**, 102, 132 3.6
- 22 Structural neuroimaging in mood disorders. *Psychiatry (Abingdon, England)*, **2006**, 5, 174-175
- 21 The treatment of cognitive dysfunction in schizophrenia. *Psychiatry (Abingdon, England)*, **2005**, 4, 46-48
- 20 Are the structural brain abnormalities in schizophrenia mediated by pregnancy and birth complications?. *European Psychiatry*, **1998**, 13, 211s-211s 6
- 19 To cure sometimes, to relieve often, to comfort always. *Shanghai Archives of Psychiatry*, **2012**, 24, 350-1
- 18 El proyecto de trastorno bipolar de Maudsley: Características clínicas del trastorno bipolar I en una muestra de tratamiento de un área de captación. *European Psychiatry (Ed Española)*, **2003**, 10, 353-359
- 17 Management commentary 265-268
- 16 Be Persistent **2016**, 153-155
- 15 Putting Yourself Forward **2016**, 133-135
- 14 Be Memorable **2016**, 145-147
- 13 Be Connected **2016**, 149-151
- 12 External Barriers: Societal Attitudes **2016**, 121-123
- 11 Be Visible **2016**, 141-143
- 10 Internal Barriers **2016**, 125-127
- 9 Análisis de la función prefrontal ventral y dorsal en el trastorno bipolar: estudio de resonancia magnética funcional. *European Psychiatry (Ed Española)*, **2008**, 15, 382-390
- 8 Alteraciones de las concentraciones de factor neurotrófico derivado de la línea de células gliales (GDNF) en el cerebro de pacientes con trastorno depresivo: Estudio comparativo post mortem.. *European Psychiatry (Ed Española)*, **2008**, 15, 398-406
- 7 Schizophrenia Spectrum and Other Psychotic Disorders **2016**, 125-137
- 6 Project Confidence **2016**, 137-139

5 The Pursuit of Happiness **2016**, 117-119

4 Research Domains and Brain Network Dysfunction: Towards a New Taxonomy of Neuropsychiatric Illness **2021**, 455-474

3 The Butterfly Effect in the Economic Gender Gap in Academia. *JAMA Network Open*, **2018**, 1, e186053 10.4

2 Evidence of discontinuity between psychosis-risk and non-clinical samples in the neuroanatomical correlates of social function.. *Schizophrenia Research: Cognition*, **2022**, 29, 100252 2.8

1 Lower functional hippocampal connectivity in healthy adults is jointly associated with higher levels of leptin and insulin resistance.. *European Psychiatry*, **2022**, 1-23 6