Lidija Ä**t**rković

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3933689/publications.pdf Version: 2024-02-01



Ι μουλ ΆτμρκονιΆτ

#	Article	IF	CITATIONS
1	Metal ion exchange by natural and modified zeolites. Water Research, 1997, 31, 1379-1382.	11.3	320
2	Enhancement of corrosion protection of AISI 304 stainless steel by nanostructured sol–gel TiO2 films. Corrosion Science, 2013, 77, 176-184.	6.6	129
3	Synthesis, characterization and photocatalytic properties of sol–gel TiO2 films. Ceramics International, 2011, 37, 1153-1160.	4.8	107
4	Assessment of metal risks from different depths of jarosite tailing waste of Trepça Zinc Industry, Kosovo based on BCR procedure. Journal of Geochemical Exploration, 2015, 148, 161-168.	3.2	71
5	Sorption phenomena of modification of clinoptilolite tuffs by surfactant cations. Journal of Colloid and Interface Science, 2009, 331, 295-301.	9.4	66
6	BATCH Pb2+ AND Cu2+ REMOVAL BY ELECTRIC FURNACE SLAG. Water Research, 2001, 35, 3436-3440.	11.3	65
7	Vickers indentation fracture toughness of Y-TZP dental ceramics. International Journal of Refractory Metals and Hard Materials, 2017, 64, 14-19.	3.8	59
8	Corrosion behavior of alumina ceramics in aqueous HCl and H2SO4 solutions. Corrosion Science, 2008, 50, 872-878.	6.6	54
9	Solid particle erosion behaviour of high purity alumina ceramics. Ceramics International, 2011, 37, 29-35.	4.8	53
10	Photocatalytic degradation of Lissamine Green B dye by using nanostructured sol–gel TiO2 films. Journal of Alloys and Compounds, 2014, 604, 309-316.	5.5	49
11	The sorption of sulfamethazine on soil samples: Isotherms and error analysis. Science of the Total Environment, 2014, 497-498, 543-552.	8.0	48
12	Surface density of growth defects in different PVD hard coatings prepared by sputtering. Vacuum, 2012, 86, 794-798.	3.5	47
13	Simple methods for characterization of metals in historical textile threads. Talanta, 2010, 82, 237-244.	5.5	45
14	Isotherm, kinetic, and thermodynamic study of ciprofloxacin sorption on sediments. Environmental Science and Pollution Research, 2017, 24, 10091-10106.	5.3	42
15	TiO2 assisted photocatalytic degradation of macrolide antibiotics. Current Opinion in Green and Sustainable Chemistry, 2017, 6, 34-41.	5.9	42
16	Photolytic and thin TiO2 film assisted photocatalytic degradation of sulfamethazine in aqueous solution. Environmental Science and Pollution Research, 2015, 22, 11372-11386.	5.3	39
17	Hardness and Indentation Fracture Toughness of Slip Cast Alumina and Alumina-Zirconia Ceramics. Materials, 2020, 13, 122.	2.9	38
18	Graphene-Based TiO2 Nanocomposite for Photocatalytic Degradation of Dyes in Aqueous Solution under Solar-Like Radiation. Applied Sciences (Switzerland), 2021, 11, 3966.	2.5	37

#	Article	IF	CITATIONS
19	Indentation size effect of Y-TZP dental ceramics. Dental Materials, 2014, 30, e371-e376.	3.5	34
20	Kinetics and degradation pathways of photolytic and photocatalytic oxidation of the anthelmintic drug praziquantel. Journal of Hazardous Materials, 2017, 323, 500-512.	12.4	32
21	Photocatalytic Degradation of Azithromycin by Nanostructured TiO2 Film: Kinetics, Degradation Products, and Toxicity. Materials, 2019, 12, 873.	2.9	32
22	Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography. Journal of Chromatography A, 2001, 918, 325-334.	3.7	31
23	Measurement of ion elution from dental ceramics. Journal of the European Ceramic Society, 2006, 26, 1695-1700.	5.7	29
24	Ecological Risk Assessment of Jarosite Waste Disposal. Croatica Chemica Acta, 2015, 88, 189-196.	0.4	27
25	Estimation of steel guitar strings corrosion by artificial neural network. Corrosion Science, 2010, 52, 996-1002.	6.6	24
26	Titania-Coated Alumina Foam Photocatalyst for Memantine Degradation Derived by Replica Method and Sol-Gel Reaction. Materials, 2020, 13, 227.	2.9	24
27	Statistical Analysis of Vickers Indentation Fracture Toughness of Y-TZP Ceramics. Transactions of Famena, 2017, 41, 1-16.	0.6	22
28	Metal ion release from electric guitar strings in artificial sweat. Corrosion Science, 2009, 51, 1985-1989.	6.6	21
29	Enhanced Photocatalytic Activity of Hybrid rGO@TiO2/CN Nanocomposite for Organic Pollutant Degradation under Solar Light Irradiation. Catalysts, 2021, 11, 1023.	3.5	20
30	Eggshell as a New Biosorbent for the Removal of Pharmaceuticals From Aqueous Solutions. Clean - Soil, Air, Water, 2017, 45, 1700082.	1.1	19
31	Effect of pH, fluoride and hydrofluoric acid concentration on ion release from NiTi wires with various coatings. Dental Materials Journal, 2017, 36, 149-156.	1.8	18
32	A Review of Microwave-Assisted Sintering Technique. Transactions of Famena, 2021, 45, 1-16.	0.6	17
33	Estimation of chemical resistance of dental ceramics by neural network. Dental Materials, 2008, 24, 18-27.	3.5	16
34	Dissolution of alumina ceramics in HCl aqueous solution. Ceramics International, 2009, 35, 2041-2045.	4.8	16
35	Investigation of jarosite process tailing waste by means of raman and infrared spectroscopy. Materialwissenschaft Und Werkstofftechnik, 2013, 44, 768-773.	0.9	15
36	Fractionation of Heavy Metals in Fly Ash from Wood Biomass Using the BCR Sequential Extraction Procedure. Bulletin of Environmental Contamination and Toxicology, 2017, 99, 524-529.	2.7	15

#	Article	IF	CITATIONS
37	Investigation of thermal decomposition of jarosite tailing waste. Journal of Thermal Analysis and Calorimetry, 2016, 123, 421-430.	3.6	14
38	Rapid Microwave-Assisted Synthesis of Fe3O4/SiO2/TiO2 Core-2-Layer-Shell Nanocomposite for Photocatalytic Degradation of Ciprofloxacin. Catalysts, 2021, 11, 1136.	3.5	13
39	Immobilised rGO/TiO2 Nanocomposite for Multi-Cycle Removal of Methylene Blue Dye from an Aqueous Medium. Applied Sciences (Switzerland), 2022, 12, 385.	2.5	13
40	Comparison of mechanical properties of various PVD hard coatings for forming tools. Surface Engineering, 2007, 23, 177-182.	2.2	12
41	Determination of corrosion rate of orthodontic wires based on nickel-titanium alloy in artificial saliva. Materialwissenschaft Und Werkstofftechnik, 2014, 45, 99-105.	0.9	12
42	Corrosion Protection of AISI 316L Stainless Steel with the Sol-Gel Yttria Stabilized ZrO2 Films: Effects of Sintering Temperature and Doping. International Journal of Electrochemical Science, 2016, 11, 9192-9205.	1.3	11
43	Environmentally acceptable sorbents of chemical warfare agent simulants. Journal of Materials Science, 2017, 52, 2591-2604.	3.7	11
44	Photocatalytic decolorization kinetics of diazo dye Congo Red aqueous solution by UV/TiO2 nanoparticles. Reaction Kinetics, Mechanisms and Catalysis, 2010, 99, 201.	1.7	9
45	Study of microstructure and corrosion kinetic of steel guitar strings in artificial sweat solution. Materials and Corrosion - Werkstoffe Und Korrosion, 2010, 61, 524-529.	1.5	9
46	Optimization of Sintering Process of Alumina Ceramics Using Response Surface Methodology. Sustainability, 2021, 13, 6739.	3.2	9
47	Impact of UV-LED photoreactor design on the degradation of contaminants of emerging concern. Chemical Engineering Research and Design, 2021, 153, 94-106.	5.6	9
48	Influence of Agglomeration and Contamination in the Course of Amorphous Powder Grinding on Structure and Microstructure of Sintered Mullite. Croatica Chemica Acta, 0, , 63-71.	0.4	9
49	From eggshells biowaste to hydroxyapatite biomaterial. Materialwissenschaft Und Werkstofftechnik, 2017, 48, 797-802.	0.9	8
50	Thermal and structural studies of sol–gel-derived yttria-doped ZrO2 nanoparticles. Journal of Thermal Analysis and Calorimetry, 2017, 127, 197-206.	3.6	8
51	Evaluating recycling potential of waste alumina powder for ceramics production using response surface methodology. Journal of Materials Research and Technology, 2021, 11, 866-874.	5.8	8
52	Erosion Resistance of Slip Cast Composite Al2O3-ZrO2 Ceramics. Procedia Engineering, 2015, 100, 1133-1140.	1.2	7
53	Stabilization of Highly Concentrated Alumina Suspensions by Different Dispersants. Transactions of Famena, 2018, 42, 61-70.	0.6	7
54	Microwave-Assisted Synthesis of N/TiO2 Nanoparticles for Photocatalysis under Different Irradiation Spectra. Nanomaterials, 2022, 12, 1473.	4.1	7

#	Article	IF	CITATIONS
55	Acid Corrosion Behavior of Sol–Gelâ€Prepared Mullite Ceramics With and Without Addition of Lanthanum. Journal of the American Ceramic Society, 2013, 96, 923-927.	3.8	6
56	Photocatalytic degradation of azo dyes by sol–gel TiO2 films: effects of polyethylene glycol addition, reaction temperatures and irradiation wavelengths. Reaction Kinetics, Mechanisms and Catalysis, 2015, 116, 563-576.	1.7	6
57	Albendazole Degradation Possibilities by UV-Based Advanced Oxidation Processes. International Journal of Photoenergy, 2018, 2018, 1-6.	2.5	6
58	Analysing the characteristics and application potentials of jarosite waste in Kosovo. Global Nest Journal, 2016, 18, 89-97.	0.1	6
59	Fracture Toughness of Alumina Ceramics Determined by Vickers Indentation Technique. Materialpruefung/Materials Testing, 2012, 54, 228-232.	2.2	6
60	Removal of Pharmaceuticals from Water by Tomato Waste as Novel Promising Biosorbent: Equilibrium, Kinetics, and Thermodynamics. Sustainability, 2021, 13, 11560.	3.2	6
61	Effect of Additives on Stability of Alumina—Waste Alumina Suspension for Slip Casting: Optimization Using Box-Behnken Design. Materials, 2019, 12, 1738.	2.9	5
62	Corrosion Behavior of Amorphous Sol–Gel TiO2–ZrO2 Nano Thickness Film on Stainless Steel. Coatings, 2021, 11, 988.	2.6	5
63	Optimization of Alumina Ceramics Corrosion Resistance in Nitric Acid. Materials, 2022, 15, 2579.	2.9	5
64	Erosion mechanisms of aluminium nitride ceramics at different impact angles. Materialwissenschaft Und Werkstofftechnik, 2011, 42, 712-717.	0.9	4
65	Rheological properties of aqueous alumina suspensions. Materialwissenschaft Und Werkstofftechnik, 2012, 43, 979-983.	0.9	4
66	Removal of Heavy Metals and Pharmaceuticals From Contaminated Water Using Waste Sludge – Kinetics and Mechanisms. Clean - Soil, Air, Water, 2017, 45, 1600509.	1.1	4
67	Spark plasma sintering of dense alumina ceramics from industrial waste scraps. Open Ceramics, 2021, 5, 100076.	2.0	4
68	Reverse indentation size effect of a duplex steel. Metallic Materials, 2016, 52, 299-304.	0.3	4
69	Photolytic and photocatalytic degradation of febantel in aqueous media. , 0, 104, 294-303.		3
70	Monitoring of hydrolysis in natural zeolite-H2O systems by means of pH and electrical conductivity measurements. Studies in Surface Science and Catalysis, 1999, 125, 761-767.	1.5	2
71	Load dependence of the apparent Knoop hardness of SiC ceramics in a wide range of loads. Materialwissenschaft Und Werkstofftechnik, 2011, 42, 234-238.	0.9	2
72	Effects of cold isostatic pressing and granule size distribution on the densification of alumina ceramics. Materialpruefung/Materials Testing, 2015, 57, 495-498.	2.2	2

#	Article	IF	CITATIONS
73	Investigation of metal ion release from violin, viola, and cello strings after dissolution in corrosive solution. Materials and Corrosion - Werkstoffe Und Korrosion, 2014, 65, 931-934.	1.5	1
74	Influence of Surface Roughness of Alumina Ceramics on Indentation Size. Materialpruefung/Materials Testing, 2014, 56, 32-39.	2.2	1
75	Wear Rate Evaluation of Sol-Gel TiO2-ZrO2 Films by Quantitative Depth Profile Analysis. Transactions of Famena, 2021, 44, 1-11.	0.6	1
76	Environmental Hazard Assessment of Jarosite Waste Using Batch Leaching Tests. Chemical and Biochemical Engineering Quarterly, 2018, 31, 403-415.	0.9	1
77	Investigation of Glazed Y-TZP Dental Ceramics Corrosion by Surface Roughness Measurement. Acta Stomatologica Croatica, 2013, 47, 163-168.	1.0	1
78	Woody biomass fly ash as a low-cost sorbent for the removal of ionic dye from aqueous solution: Isotherm, kinetic modelling and thermodynamics. , 0, 89, 171-180.		1
79	Determining the Fracture Toughness of Alumina Ceramics from Vickers Indentations. Materialpruefung/Materials Testing, 2009, 51, 199-202.	2.2	1
80	Removal of heavy metal from wastewaters of paper works by a clinoptilolite-rich tuff. Studies in Surface Science and Catalysis, 2005, 158, 1129-1136.	1.5	0
81	Characterisation and determination of Ni-P coating sputtering rate. International Journal of Microstructure and Materials Properties, 2011, 6, 479.	0.1	0
82	Statistical analysis of fracture toughness of SiC ceramics determined by Vickers indentation method. International Journal of Microstructure and Materials Properties, 2011, 6, 359.	0.1	0
83	Chemical analysis of solid residue from liquid and solid fuel combustion: Method development and validation. Materialwissenschaft Und Werkstofftechnik, 2012, 43, 503-510.	0.9	0
84	AFM characterisation of solâ€gel TiO ₂ films deposited on stainless steel. Materialwissenschaft Und Werkstofftechnik, 2013, 44, 650-654.	0.9	0
85	SEM-EDS Analysis of Composite Al ₂ O ₃ -ZrO ₂ Ceramics Eroded with SiC Particles. Applied Mechanics and Materials, 2015, 729, 27-31.	0.2	0
86	Elution of Foundry Sand and Mould Mixture in Water. Materialpruefung/Materials Testing, 2008, 50, 332-335.	2.2	0
87	Chemical Stability of Alumina Ceramics in Sulphuric Acid. Materialpruefung/Materials Testing, 2008, 50, 336-340.	2.2	0
88	Analysis of Deposited Salts in the Through-Flow Area of a 210 MW Steam Turbine. Materialpruefung/Materials Testing, 2013, 55, 743-747.	2.2	0
89	Optimization Condition for Thin-Layer Identification of Bronzes after Anodic Sampling. Journal of Planar Chromatography - Modern TLC, 2014, 27, 84-87.	1.2	0