

Cheng-Hao Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3934698/cheng-hao-yang-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

8,680
citations

54
h-index

87
g-index

162
ext. papers

10,489
ext. citations

11.2
avg, IF

6.5
L-index

#	Paper	IF	Citations
158	3D porous Fluorine-Doped NaTi ₂ (PO ₄) ₃ @C as High-Performance Sodium-Ion battery anode with broad temperature adaptability. <i>Chemical Engineering Journal</i> , 2022 , 430, 132710	14.7	2
157	Insight of K-deficient layered K MnO ₂ cathode for potassium-ions batteries. <i>Journal of Energy Chemistry</i> , 2022 , 64, 335-343	12	2
156	Rational design of A-CNTs/KxMnO ₂ and Ti ₃ C ₂ T _x /MoO ₃ free-standing hybrid films for flexible asymmetric supercapacitor. <i>Chemical Engineering Journal</i> , 2022 , 428, 131138	14.7	6
155	Enabling high energy lithium metal batteries via single-crystal Ni-rich cathode material co-doping strategy.. <i>Nature Communications</i> , 2022 , 13, 2319	17.4	9
154	Heterostructured Ni ₃ S ₄ /Co ₉ S ₈ Encapsulated in Nitrogen-Doped Carbon Nanocubes for Advanced Potassium Storage. <i>Chemical Engineering Journal</i> , 2022 , 136829	14.7	0
153	O-Doping Configurations Reduce the Adsorption Energy Barrier of K-Ions to Improve the Electrochemical Performance of Biomass-Derived Carbon. <i>Micromachines</i> , 2022 , 13, 806	3.3	
152	Activating Lattice Oxygen in Perovskite Oxide by B-Site Cation Doping for Modulated Stability and Activity at Elevated Temperatures. <i>Advanced Science</i> , 2021 , 8, e2102713	13.6	8
151	Highly Conductive Mn-Co Spinel Powder Prepared by Cu-Doping Used for Interconnect Protection of SOFC. <i>Coatings</i> , 2021 , 11, 1298	2.9	1
150	The Microstructure and Conductivity Evolution of Plasma-Sprayed (Mn, Co) ₃ O ₄ Spinel Coatings during Conductivity Measurements at Elevated Temperature. <i>Coatings</i> , 2021 , 11, 533	2.9	2
149	Nitrogen-doped carbon nanosheet coated multilayer graphite as stabilized anode material of potassium-ion batteries with high performances. <i>Electrochimica Acta</i> , 2021 , 380, 138254	6.7	4
148	Co ₉ S ₈ nanoparticles embedded in nitrogen, sulfur codoped porous carbon nanosheets for efficient oxygen/hydrogen electrocatalysis. <i>Electrochimica Acta</i> , 2021 , 384, 138299	6.7	5
147	Characterization of CeO ₂ microspheres fabricated by an ultrasonic spray pyrolysis method. <i>Rare Metals</i> , 2021 , 40, 31-39	5.5	6
146	Nanoscale surface modification of P2-type Na _{0.65} [Mn _{0.70} Ni _{0.16} Co _{0.14}]O ₂ cathode material for high-performance sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2021 , 404, 126446	14.7	10
145	Construction of 3D porous CeO ₂ ceramic hosts with enhanced lithiophilicity for dendrite-free lithium metal anode. <i>Journal of Power Sources</i> , 2021 , 484, 229253	8.9	5
144	CoSe@N-Doped Carbon Nanotubes as a Potassium-Ion Battery Anode with High Initial Coulombic Efficiency and Superior Capacity Retention. <i>ACS Nano</i> , 2021 , 15, 1121-1132	16.7	39
143	Understanding the Effect of Interplanar Space and Preintercalated Cations of Vanadate Cathode Materials on Potassium-Ion Battery Performance. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7377-7388	9.5	7
142	Metal-Organic Frameworks-Derived Nitrogen-Doped Porous Carbon Nanocubes with Embedded Co Nanoparticles as Efficient Sulfur Immobilizers for Room Temperature Sodium-Sulfur Batteries.. <i>Small Methods</i> , 2021 , 5, e2100455	12.8	9

141	Suppressing the interlayer-gliding of layered P3-type $K_{0.5}Mn_{0.7}Co_{0.2}Fe_{0.1}O_2$ cathode materials on electrochemical potassium-ion storage. <i>Applied Physics Reviews</i> , 2021 , 8, 031412	17.3	3
140	Single Cobalt Atoms Decorated N-doped Carbon Polyhedron Enabled Dendrite-Free Sodium Metal Anode.. <i>Small Methods</i> , 2021 , 5, e2100833	12.8	7
139	Fabrication of CoSe@NC nanocubes for high performance potassium ion batteries. <i>Journal of Colloid and Interface Science</i> , 2021 , 604, 157-167	9.3	0
138	Ru/Nb co-doped perovskite anode: Achieving good coking resistance in hydrocarbon fuels via core-shell nanocatalysts exsolution. <i>Applied Catalysis B: Environmental</i> , 2021 , 299, 120613	21.8	12
137	Fiber-Shape NaV(PO) ₄ F@N-Doped Carbon as a Cathode Material with Enhanced Cycling Stability for Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 25920-25929	9.5	19
136	Potassium-Ion Batteries: Surface Amorphization of Vanadium Dioxide (B) for K-Ion Battery (Adv. Energy Mater. 23/2020). <i>Advanced Energy Materials</i> , 2020 , 10, 2070103	21.8	10
135	N doped carbon coated multi-metals nanoparticles decorated perovskite as electrocatalyst for efficient hydrogen evolution reaction. <i>Chemical Engineering Journal</i> , 2020 , 399, 125779	14.7	13
134	Construction of heterostructured NiFeO-C nanorods by transition metal recycling from simulated electroplating sludge leaching solution for high performance lithium ion batteries. <i>Nanoscale</i> , 2020 , 12, 13398-13406	7.7	7
133	Three-dimensional nitrogen-sulfur codoped layered porous carbon nanosheets with sulfur-regulated nitrogen content as a high-performance anode material for potassium-ion batteries. <i>Dalton Transactions</i> , 2020 , 49, 5108-5120	4.3	6
132	Cobalt single atoms supported on N-doped carbon as an active and resilient sulfur host for lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2020 , 28, 196-204	19.4	61
131	Building Hierarchical Microcubes Composed of One-Dimensional CoSe @Nitrogen-Doped Carbon for Superior Sodium Ion Batteries. <i>Chemistry - A European Journal</i> , 2020 , 26, 13716-13724	4.8	12
130	In-situ exsolved FeRu alloy nanoparticles on Ruddlesden-Popper oxides for direct hydrocarbon fuel solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 21464-21472	6.7	15
129	FeSe ₂ /nitrogen-doped carbon as anode material for Potassium-ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 393, 124590	14.7	58
128	Carbon Nanosheets Encapsulated NiSb Nanoparticles as Advanced Anode Materials for Lithium-Ion Batteries. <i>Energy and Environmental Materials</i> , 2020 , 3, 186-191	13	20
127	Heterointerface Engineering of Hierarchical Bi ₂ S ₃ /MoS ₂ with Self-Generated Rich Phase Boundaries for Superior Sodium Storage Performance. <i>Advanced Functional Materials</i> , 2020 , 30, 1910732	15.6	87
126	Surface Amorphization of Vanadium Dioxide (B) for K-Ion Battery. <i>Advanced Energy Materials</i> , 2020 , 10, 2000717	21.8	67
125	A honeycomb-like nitrogen-doped carbon as high-performance anode for potassium-ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 384, 123328	14.7	44
124	Self-Stabilized and Strongly Adhesive Supramolecular Polymer Protective Layer Enables Ultrahigh-Rate and Large-Capacity Lithium-Metal Anode. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 2055-2060	16.4	113

123	N, S-codoped CNTs supported CoS nanoparticles prepared by using CdS nanorods as sulfur sources and hard templates: An efficient catalyst for reversible oxygen electrocatalysis. <i>Journal of Colloid and Interface Science</i> , 2020 , 560, 186-197	9.3	27
122	In-situ constructing Na ₃ V ₂ (PO ₄) ₂ F ₃ /carbon nanocubes for fast ion diffusion with high-performance Na ⁺ -storage. <i>Chemical Engineering Journal</i> , 2020 , 387, 123952	14.7	26
121	Self-Stabilized and Strongly Adhesive Supramolecular Polymer Protective Layer Enables Ultrahigh-Rate and Large-Capacity Lithium-Metal Anode. <i>Angewandte Chemie</i> , 2020 , 132, 2071-2076	3.6	19
120	P3-type K _{0.5} Mn _{0.72} Ni _{0.15} Co _{0.13} O ₂ microspheres as cathode materials for high performance potassium-ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 392, 123735	14.7	19
119	Synthesis of the electrochemically stable sulfur-doped bamboo charcoal as the anode material of potassium-ion batteries. <i>Journal of Power Sources</i> , 2020 , 448, 227572	8.9	28
118	Na ⁺ -storage properties derived from a high pseudocapacitive behavior for nitrogen-doped porous carbon anode. <i>Materials Letters</i> , 2020 , 261, 127064	3.3	3
117	FeP-decorated N,P Codoped Carbon Synthesized via Direct Biological Recycling for Endurable Sulfur Encapsulation. <i>ACS Central Science</i> , 2020 , 6, 1827-1834	16.8	13
116	Structural Insight into the Abnormal Capacity of a Co-Substituted Tunnel-Type NaMnO Cathode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 47548-47555	9.5	8
115	In-situ exsolved NiFe alloy nanoparticles on Pr _{0.8} Sr _{1.2} (NiFe)O ₄ -F for direct hydrocarbon fuel solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 29407-29416	6.7	11
114	Dual-Strategy of Cation-Doping and Nanoengineering Enables Fast and Stable Sodium-Ion Storage in a Novel Fe/Mn-Based Layered Oxide Cathode. <i>Advanced Science</i> , 2020 , 7, 2002199	13.6	26
113	Tailoring Submicron Cobblestone-Like Carbon-Free CoSe ₂ with High Energy Density for Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020 , 3, 9558-9567	6.1	12
112	Enhancing Li-S redox kinetics by fabrication of a three dimensional Co/CoP@nitrogen-doped carbon electrocatalyst. <i>Chemical Engineering Journal</i> , 2020 , 380, 122595	14.7	45
111	Heterostructured Nanocube-Shaped Binary Sulfide (SnCo)S ₂ Interlaced with S-Doped Graphene as a High-Performance Anode for Advanced Na ⁺ Batteries. <i>Advanced Functional Materials</i> , 2019 , 29, 1807971	15.6	118
110	Rational Design of TiO-TiO Heterostructure/Polypyrrole as a Multifunctional Sulfur Host for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 5055-5063	9.5	69
109	In Situ Fabrication of Carbon-Encapsulated FeX (X = S, Se) for Enhanced Sodium Storage. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 19040-19047	9.5	45
108	Design of TiO ₂ @C hierarchical tubular heterostructures for high performance potassium ion batteries. <i>Nano Energy</i> , 2019 , 59, 582-590	17.1	80
107	Suppressing dendrite growth by a functional electrolyte additive for robust Li metal anodes. <i>Energy Storage Materials</i> , 2019 , 23, 701-706	19.4	67
106	A robust sulfur host with dual lithium polysulfide immobilization mechanism for long cycle life and high capacity Li-S batteries. <i>Energy Storage Materials</i> , 2019 , 16, 344-353	19.4	109

105	A 3D free-standing thin film based on N, P-codoped hollow carbon fibers embedded with MoP quantum dots as high efficient oxygen electrode for Li-O ₂ batteries. <i>Energy Storage Materials</i> , 2019 , 17, 226-233	19.4	39
104	Fe _{1-x} S@S-doped carbon core-shell heterostructured hollow spheres as highly reversible anode materials for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 20229-20238	13	61
103	Lithiated zinc oxide nanorod arrays on copper current collectors for robust Li metal anodes. <i>Chemical Engineering Journal</i> , 2019 , 378, 122243	14.7	43
102	Cu(II) Ions Induced Structural Transformation of Cobalt Selenides for Remarkable Enhancement in Oxygen/Hydrogen Electrocatalysis. <i>ACS Catalysis</i> , 2019 , 9, 10761-10772	13.1	66
101	Scalable synthesis of FeS nanoparticles encapsulated into N-doped carbon nanosheets as a high-performance sodium-ion battery anode. <i>Nanoscale</i> , 2019 , 11, 3773-3779	7.7	48
100	Fabrication of SnS/MnSnS/Carbon Heterostructures for Sodium-Ion Batteries with High Initial Coulombic Efficiency and Cycling Stability. <i>ACS Nano</i> , 2019 , 13, 3666-3676	16.7	136
99	Hierarchical Nitrogen-Doped Porous Carbon Microspheres as Anode for High Performance Sodium Ion Batteries. <i>Frontiers in Chemistry</i> , 2019 , 7, 733	5	12
98	One-pot synthesis of SnS/C nanocomposites on carbon paper as a high-performance free-standing anode for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 779, 67-73	5.7	14
97	Recent progress in the design of metal sulfides as anode materials for sodium ion batteries. <i>Energy Storage Materials</i> , 2019 , 22, 66-95	19.4	96
96	A Scalable Approach for Dendrite-Free Alkali Metal Anodes via Room-Temperature Facile Surface Fluorination. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4962-4968	9.5	32
95	N/S codoped carbon microboxes with expanded interlayer distance toward excellent potassium storage. <i>Chemical Engineering Journal</i> , 2019 , 358, 1147-1154	14.7	84
94	Three-dimensional (3D) flower-like MoSe ₂ /N-doped carbon composite as a long-life and high-rate anode material for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2019 , 357, 226-236	14.7	58
93	A renewable natural cotton derived and nitrogen/sulfur co-doped carbon as a high-performance sodium ion battery anode. <i>Materials Today Energy</i> , 2018 , 8, 37-44	7	44
92	Sb@C/expanded graphite as high-performance anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 744, 481-486	5.7	29
91	Enabling a highly reversible conversion reaction in a lithiated nano-SnO ₂ film coated with Al ₂ O ₃ by atomic layer deposition. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4374-4385	13	23
90	Uniform Li deposition regulated via three-dimensional polyvinyl alcohol nanofiber networks for effective Li metal anodes. <i>Nanoscale</i> , 2018 , 10, 10018-10024	7.7	32
89	A Highly Efficient Multi-phase Catalyst Dramatically Enhances the Rate of Oxygen Reduction. <i>Joule</i> , 2018 , 2, 938-949	27.8	117
88	SnS ₂ nanoparticles anchored on three-dimensional reduced graphene oxide as a durable anode for sodium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 339, 78-84	14.7	44

87	Ni-polymer gels-derived hollow NiSb alloy confined in 3D interconnected carbon as superior sodium-ion battery anode. <i>Electrochimica Acta</i> , 2018 , 269, 225-231	6.7	16
86	Nanoscale gadolinium doped ceria (GDC) surface modification of Li-rich layered oxide as a high performance cathode material for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 334, 497-507	14.7	62
85	N/S Co-doped Carbon Derived From Cotton as High Performance Anode Materials for Lithium Ion Batteries. <i>Frontiers in Chemistry</i> , 2018 , 6, 78	5	22
84	Facile synthesis of M-Sb (M = Ni, Sn) alloy nanoparticles embedded in N-doped carbon nanosheets as high performance anode materials for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2018 , 348, 653-660	14.7	44
83	Nanosized CoO Loaded on Copper Foam for High-Performance, Binder-Free Lithium-Ion Batteries. <i>Nanomaterials</i> , 2018 , 8,	5.4	9
82	A highly active, CO ₂ -tolerant electrode for the oxygen reduction reaction. <i>Energy and Environmental Science</i> , 2018 , 11, 2458-2466	35.4	127
81	MoS ₂ -covered SnS nanosheets as anode material for lithium-ion batteries with high capacity and long cycle life. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 592-598	13	109
80	Mn doped NaV ₃ (PO ₄) ₃ /C anode with high-rate and long cycle-life for sodium ion batteries. <i>Energy Storage Materials</i> , 2018 , 12, 153-160	19.4	36
79	Chemically activated hollow carbon nanospheres as a high-performance anode material for potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24317-24323	13	129
78	Direct synthesis of FeS/N-doped carbon composite for high-performance sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24702-24708	13	29
77	Construction of MoS/C Hierarchical Tubular Heterostructures for High-Performance Sodium Ion Batteries. <i>ACS Nano</i> , 2018 , 12, 12578-12586	16.7	188
76	Mechanistic Origin of the High Performance of Yolk@Shell BiS@N-Doped Carbon Nanowire Electrodes. <i>ACS Nano</i> , 2018 , 12, 12597-12611	16.7	166
75	Impact of Strain-Induced Changes in Defect Chemistry on Catalytic Activity of NdNiO Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36926-36932	9.5	20
74	Fluorine-Doped Carbon Surface Modification of Li-Rich Layered Oxide Composite Cathodes for High Performance Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16399-16411	8.3	34
73	Improving the Electrocatalytic Activity and Durability of the LaSrCoFeO Cathode by Surface Modification. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39785-39793	9.5	40
72	Activated Amorphous Carbon With High-Porosity Derived From Camellia Pollen Grains as Anode Materials for Lithium/Sodium Ion Batteries. <i>Frontiers in Chemistry</i> , 2018 , 6, 366	5	28
71	High pyridine N-doped porous carbon derived from metal-organic frameworks for boosting potassium-ion storage. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17959-17966	13	95
70	Nitrogen-doped bamboo-like carbon nanotubes as anode material for high performance potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15162-15169	13	113

69	MoS ₂ encapsulated SnO ₂ -SnS/C nanosheets as a high performance anode material for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2017 , 316, 393-400	14.7	115
68	Porous Co ₃ O ₄ nanofibers surface-modified by reduced graphene oxide as a durable, high-rate anode for lithium ion battery. <i>Electrochimica Acta</i> , 2017 , 228, 241-250	6.7	69
67	In situ X-ray diffraction characterization of NiSe ₂ as a promising anode material for sodium ion batteries. <i>Journal of Power Sources</i> , 2017 , 343, 483-491	8.9	125
66	A New rGO-Overcoated Sb ₂ Se ₃ Nanorods Anode for Na ⁺ Battery: In Situ X-Ray Diffraction Study on a Live Sodiation/Desodiation Process. <i>Advanced Functional Materials</i> , 2017 , 27, 1606242	15.6	184
65	A high-performance oxygen electrode for LiO ₂ batteries: Mo ₂ C nanoparticles grown on carbon fibers. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5690-5695	13	37
64	Stabilizing the Nanostructure of SnO Anodes by Transition Metals: A Route to Achieve High Initial Coulombic Efficiency and Stable Capacities for Lithium Storage. <i>Advanced Materials</i> , 2017 , 29, 1605006	24	246
63	The effect of composite organic acid (citric acid & tartaric acid) on microstructure and electrochemical properties of Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ Li-rich layered oxides. <i>Journal of Power Sources</i> , 2017 , 346, 31-39	8.9	40
62	Sn-MoS ₂ -C@C Microspheres as a Sodium-Ion Battery Anode Material with High Capacity and Long Cycle Life. <i>Chemistry - A European Journal</i> , 2017 , 23, 5051-5058	4.8	34
61	MoS ₂ Decorated Fe ₃ O ₄ /Fe _{1-x} S _x @C Nanosheets as High-Performance Anode Materials for Lithium Ion and Sodium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4739-4745	8.3	55
60	Sb/C composite as a high-performance anode for sodium ion batteries. <i>Electrochimica Acta</i> , 2017 , 242, 159-164	6.7	52
59	V ₅ S ₈ /graphite hybrid nanosheets as a high rate-capacity and stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 107-113	35.4	219
58	Three-dimensional N-doped graphene as anode material with superior cycle stability for sodium ion batteries. <i>Materials Letters</i> , 2017 , 202, 123-126	3.3	13
57	Sodium Ion Batteries: A New rGO-Overcoated Sb ₂ Se ₃ Nanorods Anode for Na ⁺ Battery: In Situ X-Ray Diffraction Study on a Live Sodiation/Desodiation Process (Adv. Funct. Mater. 13/2017). <i>Advanced Functional Materials</i> , 2017 , 27,	15.6	3
56	Surface Modification of NaV(PO) ₄ by Nitrogen and Sulfur Dual-Doped Carbon Layer with Advanced Sodium Storage Property. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 13151-13162	9.5	79
55	Exfoliated V ₅ S ₈ /graphite nanosheet with excellent electrochemical performance for enhanced lithium storage. <i>Chemical Engineering Journal</i> , 2017 , 320, 485-493	14.7	42
54	A robust and active hybrid catalyst for facile oxygen reduction in solid oxide fuel cells. <i>Energy and Environmental Science</i> , 2017 , 10, 964-971	35.4	145
53	Unravelling the electrochemical properties and thermal behavior of NaNi _{2/3} Sb _{1/3} O ₂ cathode for sodium-ion batteries by in situ X-ray diffraction investigation. <i>Electrochimica Acta</i> , 2017 , 257, 146-154	6.7	22
52	SnS nanoparticles electrostatically anchored on three-dimensional N-doped graphene as an active and durable anode for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 1757-1763	35.4	345

51	In situ X-ray diffraction investigation of CoSe ₂ anode for Na-ion storage: Effect of cut-off voltage on cycling stability. <i>Electrochimica Acta</i> , 2017 , 258, 1387-1396	6.7	49
50	Exploration of VPO as a new anode material for sodium-ion batteries. <i>Chemical Communications</i> , 2017 , 53, 12696-12699	5.8	19
49	A Highly Efficient and Robust Nanofiber Cathode for Solid Oxide Fuel Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1601890	21.8	75
48	High performance intermediate temperature solid oxide fuel cells with Ba _{0.5} Sr _{0.5} Co _{0.8} Fe _{0.1} Nb _{0.1} O _{3-δ} s cathode. <i>Ceramics International</i> , 2016 , 42, 19397-19401	5.1	6
47	One-step synthesis of architectural Ni ₃ S ₂ nanosheet-on-nanorods array for use as high-performance electrodes for supercapacitors. <i>NPG Asia Materials</i> , 2016 , 8, e300-e300	10.3	69
46	In situ X-ray diffraction characterization of NbS ₂ nanosheets as the anode material for sodium ion batteries. <i>Journal of Power Sources</i> , 2016 , 325, 410-416	8.9	79
45	A durable, high-performance hollow-nanofiber cathode for intermediate-temperature fuel cells. <i>Nano Energy</i> , 2016 , 26, 90-99	17.1	68
44	Dramatically enhanced reversibility of Li ₂ O in SnO ₂ -based electrodes: the effect of nanostructure on high initial reversible capacity. <i>Energy and Environmental Science</i> , 2016 , 9, 595-603	35.4	257
43	Electrical Performance of Ag-Based Ceramic Composite Electrodes and Their Application in Solid Oxide Fuel Cells. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2016 , 32, 503-509	3.8	2
42	Enhancing Sodium Ion Battery Performance by Strongly Binding Nanostructured SbS on Sulfur-Doped Graphene Sheets. <i>ACS Nano</i> , 2016 , 10, 10953-10959	16.7	293
41	NiCo ₂ O ₄ @La _{0.8} Sr _{0.2} MnO ₃ core-shell structured nanorods as efficient electrocatalyst for Li O ₂ battery with enhanced performances. <i>Journal of Power Sources</i> , 2016 , 319, 19-26	8.9	37
40	Co-electrolysis of H ₂ O and CO ₂ in a solid oxide electrolysis cell with hierarchically structured porous electrodes. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15913-15919	13	32
39	Surfactants assisted synthesis and electrochemical properties of nano-LiFePO ₄ /C cathode materials for low temperature applications. <i>Journal of Power Sources</i> , 2015 , 288, 337-344	8.9	40
38	Cu ₆ Sn ₅ @SnO ₂ nanocomposite with stable core/shell structure as a high reversible anode for Li-ion batteries. <i>Nano Energy</i> , 2015 , 18, 232-244	17.1	47
37	In situ fabrication of CoFe alloy nanoparticles structured (Pr _{0.4} Sr _{0.6}) ₃ (Fe _{0.85} Nb _{0.15}) ₂ O ₇ ceramic anode for direct hydrocarbon solid oxide fuel cells. <i>Nano Energy</i> , 2015 , 11, 704-710	17.1	142
36	Phase transition-induced electrochemical performance enhancement of hierarchical CoCO ₃ /CoO nanostructure for pseudocapacitor electrode. <i>Nano Energy</i> , 2015 , 11, 736-745	17.1	56
35	Nanoscale Surface Modification of Lithium-Rich Layered-Oxide Composite Cathodes for Suppressing Voltage Fade. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13058-62	16.4	277
34	Nanoscale Surface Modification of Lithium-Rich Layered-Oxide Composite Cathodes for Suppressing Voltage Fade. <i>Angewandte Chemie</i> , 2015 , 127, 13250-13254	3.6	19

33	Electrolysis of Carbon Dioxide in a Solid Oxide Electrolyzer with Silver-Gadolinium-Doped Ceria Cathode. <i>Journal of the Electrochemical Society</i> , 2015 , 162, F397-F402	3.9	33
32	Investigation of A-site deficient Ba _{0.9} Co _{0.7} Fe _{0.2} Nb _{0.1} O ₃ cathode for proton conducting electrolyte based solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 8431-8436	6.7	15
31	Co-generation of electricity and chemicals from propane fuel in solid oxide fuel cells with anode containing nano-bimetallic catalyst. <i>Journal of Power Sources</i> , 2014 , 262, 421-428	8.9	27
30	Intermediate temperature micro-tubular SOFCs with enhanced performance and thermal stability. <i>Electrochemistry Communications</i> , 2013 , 34, 231-234	5.1	17
29	High performance solid oxide electrolysis cells using Pr _{0.8} Sr _{1.2} (Co,Fe) _{0.8} Nb _{0.2} O ₄ +CoFe alloy hydrogen electrodes. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 11202-11208	6.7	33
28	High performance intermediate temperature micro-tubular SOFCs with Ba _{0.9} Co _{0.7} Fe _{0.2} Nb _{0.1} O ₃ cathode. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 15348-15353	6.7	23
27	La _{0.6} Sr _{1.4} MnO ₄ layered perovskite anode material for intermediate temperature solid oxide fuel cells. <i>Electrochemistry Communications</i> , 2012 , 14, 75-77	5.1	39
26	Intermediate temperature solid oxide fuel cells with Cu _{1.3} Mn _{1.7} O ₄ internal reforming layer. <i>Journal of Power Sources</i> , 2012 , 201, 66-71	8.9	19
25	Performance enhancement of Ni-YSZ electrode by impregnation of Mo _{0.1} Ce _{0.9} O ₂ + λ <i>Journal of Power Sources</i> , 2012 , 204, 40-45	8.9	54
24	Sulfur-tolerant redox-reversible anode material for direct hydrocarbon solid oxide fuel cells. <i>Advanced Materials</i> , 2012 , 24, 1439-43	24	220
23	BaCo _{0.7} Fe _{0.2} Nb _{0.1} O ₃ cathode material for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2011 , 196, 9164-9168	8.9	43
22	Ba _{0.9} Co _{0.7} Fe _{0.2} Nb _{0.1} O ₃ cathode material for intermediate temperature solid oxide fuel cells. <i>Electrochemistry Communications</i> , 2011 , 13, 882-885	5.1	76
21	Ba _{0.9} Co _{0.5} Fe _{0.4} Nb _{0.1} O ₃ novel oxygen electrode for solid oxide electrolysis cells. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 11572-11577	6.7	38
20	La _{0.75} Sr _{0.25} Cr _{0.5} Mn _{0.5} O ₃ as hydrogen electrode for solid oxide electrolysis cells. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 3340-3346	6.7	62
19	Fabrication and characterization of anode-supported micro-tubular solid oxide fuel cell based on BaZr _{0.1} Ce _{0.7} Y _{0.1} Yb _{0.1} O ₃ electrolyte. <i>Journal of Power Sources</i> , 2011 , 196, 688-691	8.9	54
18	Characteristics of the Hydrogen Electrode in High Temperature Steam Electrolysis Process. <i>Journal of the Electrochemical Society</i> , 2011 , 158, B1217	3.9	30
17	Novel Micro-Tubular High Temperature Solid Oxide Electrolysis Cells. <i>ECS Transactions</i> , 2011 , 35, 2987-2995		5
16	Self-rising synthesis of Ni δ DC cermets as anodes for solid oxide fuel cells. <i>Journal of Power Sources</i> , 2010 , 195, 1543-1550	8.9	21

15	High temperature solid oxide electrolysis cell employing porous structured (La _{0.75} Sr _{0.25}) _{0.95} MnO ₃ with enhanced oxygen electrode performance. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 3221-3226	6.7	89
14	Characterization of infiltrated (La _{0.75} Sr _{0.25}) _{0.95} MnO ₃ as oxygen electrode for solid oxide electrolysis cells. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 5187-5193	6.7	59
13	Effects of testing configurations and cell geometries on the performance of a SOFC: A modeling approach. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 10495-10504	6.7	20
12	Perovskite Sr ₂ Fe _{1.5} Mo _{0.5} O _{6-δ} s electrode materials for symmetrical solid oxide electrolysis cells. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 10039-10044	6.7	130
11	Effects on microstructure of NiO/YSZ anode support fabricated by phase-inversion method. <i>Journal of Membrane Science</i> , 2010 , 363, 250-255	9.6	62
10	Micro-tubular solid oxide fuel cells fabricated by phase-inversion method. <i>Electrochemistry Communications</i> , 2010 , 12, 657-660	5.1	62
9	Direct-methane solid oxide fuel cells with Cu _{1.3} Mn _{1.7} O ₄ spinel internal reforming layer. <i>Electrochemistry Communications</i> , 2010 , 12, 1450-1452	5.1	32
8	Performances of micro-tubular solid oxide cell with novel asymmetric porous hydrogen electrode. <i>Electrochimica Acta</i> , 2010 , 56, 80-84	6.7	25
7	Synthesis and spectroscopic properties of GdAl ₃ (BO ₃) ₄ poly-crystals codoped with Yb ³⁺ and Eu ³⁺ . <i>Journal of Fluorescence</i> , 2009 , 19, 105-9	2.4	11
6	Synthesis and Application of Porous Sm _{0.2} Ce _{0.8} O _{1.9} Nanocrystal Aggregates. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 17262-17267	3.8	17
5	Enhanced white light emission from GdAl ₃ (BO ₃) ₄ :Dy ³⁺ ,Ce ³⁺ nanorods. <i>Nanotechnology</i> , 2007 , 18, 145602-4	3.4	33
4	Cooperative energy transfer and frequency upconversion in Yb ³⁺ -Tb ³⁺ and Nd ³⁺ -Yb ³⁺ -Tb ³⁺ codoped GdAl ₃ (BO ₃) ₄ phosphors. <i>Journal of Fluorescence</i> , 2007 , 17, 500-4	2.4	29
3	Enhanced white light emission from Dy ³⁺ /Ce ³⁺ codoped GdAl ₃ (BO ₃) ₄ phosphors by combustion synthesis. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007 , 137, 195-199	3.1	49
2	Cooperative quantum cutting in one-dimensional (Yb _x Gd _{1-x})Al ₃ (BO ₃) ₄ :Tb ³⁺ nanorods. <i>Applied Physics Letters</i> , 2007 , 90, 021107	3.4	95
1	Concentration-dependent near-infrared quantum cutting in GdBO ₃ :Tb ³⁺ ,Yb ³⁺ nanophosphors. <i>Applied Physics Letters</i> , 2007 , 90, 061914	3.4	125