

Joshua P Vogel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3934880/publications.pdf>

Version: 2024-02-01

185
papers

15,938
citations

39113

52
h-index

21239

119
g-index

190
all docs

190
docs citations

190
times ranked

16597
citing authors

#	ARTICLE	IF	CITATIONS
1	Systematic review on the cost and cost-effectiveness of mHealth interventions supporting women during pregnancy. <i>Women and Birth</i> , 2023, 36, 3-10.	0.9	8
2	Factors affecting use of magnesium sulphate for pre-eclampsia or eclampsia: a qualitative evidence synthesis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 379-391.	1.1	12
3	Awareness, value and use of the Australian living guidelines for the clinical care of people with COVID-19: an impact evaluation. <i>Journal of Clinical Epidemiology</i> , 2022, 143, 11-21.	2.4	10
4	Outcomes to measure the effects of pharmacological interventions for pain management for women during labour and birth: a review of systematic reviews and randomised trials. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 845-854.	1.1	1
5	Enhancing quality midwifery care in humanitarian and fragile settings: a systematic review of interventions, support systems and enabling environments. <i>BMJ Global Health</i> , 2022, 7, e006872.	2.0	4
6	The Australian living guidelines for the clinical care of people with COVID-19: What worked, what didn't and why, a mixed methods process evaluation. <i>PLoS ONE</i> , 2022, 17, e0261479.	1.1	11
7	Economic burden of female genital mutilation in 27 high-prevalence countries. <i>BMJ Global Health</i> , 2022, 7, e004512.	2.0	17
8	Partnership-defined quality approach to companionship during labour and birth in East New Britain, Papua New Guinea: A mixed-methods study. <i>PLOS Global Public Health</i> , 2022, 2, e0000102.	0.5	3
9	Inequalities in women's utilization of postnatal care services in Bangladesh from 2004 to 2017. <i>Scientific Reports</i> , 2022, 12, 2747.	1.6	8
10	Adolescent experiences of mistreatment during childbirth in health facilities: secondary analysis of a community-based survey in four countries. <i>BMJ Global Health</i> , 2022, 5, e007954.	2.0	7
11	Health workers' and hospital administrators' perspectives on mistreatment of women during facility-based childbirth: a multicenter qualitative study in Ghana. <i>Reproductive Health</i> , 2022, 19, 82.	1.2	7
12	Care of older people and people requiring palliative care with COVID-19: guidance from the Australian National COVID-19 Clinical Evidence Taskforce. <i>Medical Journal of Australia</i> , 2022, 216, 203-208.	0.8	7
13	Antenatal Doppler screening for fetuses at risk of adverse outcomes: a multicountry cohort study of the prevalence of abnormal resistance index in low-risk pregnant women. <i>BMJ Open</i> , 2022, 12, e053622.	0.8	7
14	Quality newborn care in East New Britain, Papua New Guinea: measuring early newborn care practices and identifying opportunities for improvement. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, .	0.9	2
15	Cost-effectiveness of antenatal corticosteroids and tocolytic agents in the management of preterm birth: A systematic review. <i>EClinicalMedicine</i> , 2022, 49, 101496.	3.2	2
16	Innovations in the prevention and treatment of postpartum hemorrhage: Analysis of a novel medicines development pipeline database. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 158, 31-39.	1.0	6
17	Randomised trials in maternal and perinatal health in low and middle-income countries from 2010 to 2019: a systematic scoping review. <i>BMJ Open</i> , 2022, 12, e059473.	0.8	1
18	Caring for the carers: Ensuring the provision of quality maternity care during a global pandemic. <i>Women and Birth</i> , 2021, 34, 206-209.	0.9	68

#	ARTICLE	IF	CITATIONS
19	Analgesia for vaginal birth: Secondary analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 152, 401-408.	1.0	5
20	The first 2 h after birth: prevalence and factors associated with neonatal care practices from a multicountry, facility-based, observational study. <i>The Lancet Global Health</i> , 2021, 9, e72-e80.	2.9	26
21	Weekly updates of national living evidence-based guidelines: methods for the Australian living guidelines for care of people with COVID-19. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 11-21.	2.4	50
22	Usability, acceptability, and feasibility of the World Health Organization Labour Care Guide: A mixed-methods, multicountry evaluation. <i>Birth</i> , 2021, 48, 66-75.	1.1	17
23	Perinatal death audit and classification of stillbirths in two provinces in Papua New Guinea: A retrospective analysis. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 160-168.	1.0	8
24	Early neonatal death review from two provinces in Papua New Guinea: A retrospective analysis. <i>Journal of Paediatrics and Child Health</i> , 2021, 57, 841-846.	0.4	4
25	Women's experiences of mistreatment during childbirth and their satisfaction with care: findings from a multicountry community-based study in four countries. <i>BMJ Global Health</i> , 2021, 5, e003688.	2.0	16
26	Prevalence of abnormal umbilical arterial flow on Doppler ultrasound in low-risk and unselected pregnant women: a systematic review. <i>Reproductive Health</i> , 2021, 18, 38.	1.2	10
27	Healthcare providers experiences of using uterine balloon tamponade (UBT) devices for the treatment of post-partum haemorrhage: A meta-synthesis of qualitative studies. <i>PLoS ONE</i> , 2021, 16, e0248656.	1.1	4
28	Women's sleep position during pregnancy in low- and middle-income countries: a systematic review. <i>Reproductive Health</i> , 2021, 18, 53.	1.2	2
29	The cost-effectiveness of tranexamic acid for treatment of postpartum hemorrhage: A systematic review. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 155, 331-344.	1.0	8
30	The development of the WHO Labour Care Guide: an international survey of maternity care providers. <i>Reproductive Health</i> , 2021, 18, 66.	1.2	10
31	WHO next-generation partograph: revolutionary steps towards individualised labour care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1658-1662.	1.1	31
32	Antenatal Dexamethasone for Early Preterm Birth in Low-Resource Countries. <i>New England Journal of Medicine</i> , 2021, 384, e58.	13.9	1
33	The prevalence of uterine fundal pressure during the second stage of labour for women giving birth in health facilities: a systematic review and meta-analysis. <i>Reproductive Health</i> , 2021, 18, 98.	1.2	12
34	Defining Preterm Birth and Stillbirth in the Western Pacific: A Systematic Review. <i>Asia-Pacific Journal of Public Health</i> , 2021, 33, 489-501.	0.4	3
35	Formative research to design an implementation strategy for a postpartum hemorrhage initial response treatment bundle (E-MOTIVE): study protocol. <i>Reproductive Health</i> , 2021, 18, 149.	1.2	11
36	Severe maternal morbidity in the Asia Pacific: a systematic review and meta-analysis. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 14, 100217.	1.3	7

#	ARTICLE	IF	CITATIONS
37	Intravenous oxytocin dosing regimens for postpartum hemorrhage prevention following cesarean delivery: a systematic review and meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 250.e1-250.e38.	0.7	16
38	Vaginal examinations and mistreatment of women during facility-based childbirth in health facilities: secondary analysis of labour observations in Ghana, Guinea and Nigeria. <i>BMJ Global Health</i> , 2021, 5, e006640.	2.0	9
39	Cost-effectiveness of uterine tamponade devices for the treatment of postpartum hemorrhage: A systematic review. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 333-340.	1.0	6
40	Antenatal Dexamethasone for Early Preterm Birth in Low-Resource Countries. <i>New England Journal of Medicine</i> , 2020, 383, 2514-2525.	13.9	81
41	Uterotonic agents for first-line treatment of postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2020, 2020, CD012754.	1.5	17
42	Risk factors associated with adverse maternal outcomes following intrapartum cesarean birth: a secondary analysis of the WHO global survey on maternal and perinatal health, 2004-2008. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 687.	0.9	2
43	Clinical care of pregnant and postpartum women with COVID-19: Living recommendations from the National COVID-19 Clinical Evidence Taskforce. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 840-851.	0.4	36
44	Self-care and remote care during pregnancy: a new paradigm?. <i>Health Research Policy and Systems</i> , 2020, 18, 107.	1.1	12
45	Incidence and trend of preterm birth in China, 1990-2016: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e039303.	0.8	37
46	Clinical guidelines for caring for women with COVID-19 during pregnancy, childbirth and the immediate postpartum period. <i>Women and Birth</i> , 2020, 34, 455-464.	0.9	21
47	How Women Are Treated During Facility-Based Childbirth in Four Countries: A Cross-sectional Study With Labour Observations and Community-Based Surveys. <i>Obstetrical and Gynecological Survey</i> , 2020, 75, 219-221.	0.2	1
48	Provision of intensive care to severely ill pregnant women is associated with reduced mortality: Results from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 150, 346-353.	1.0	9
49	Outcomes associated with anaesthetic techniques for caesarean section in low- and middle-income countries: a secondary analysis of WHO surveys. <i>Scientific Reports</i> , 2020, 10, 10176.	1.6	8
50	Improving the quality of maternal and newborn care in the Pacific region: A scoping review. <i>The Lancet Regional Health - Western Pacific</i> , 2020, 3, 100028.	1.3	16
51	Labour companionship and women's experiences of mistreatment during childbirth: results from a multi-country community-based survey. <i>BMJ Global Health</i> , 2020, 5, e003564.	2.0	25
52	Non-clinical interventions to reduce unnecessary caesarean sections: WHO recommendations. <i>Bulletin of the World Health Organization</i> , 2020, 98, 66-68.	1.5	41
53	An evaluation of the benefits and harms of antenatal corticosteroid treatment for women at risk of imminent preterm birth or prior to elective Caesarean-section: Study protocol for an individual participant data meta-analysis. <i>Wellcome Open Research</i> , 2020, 5, 38.	0.9	1
54	Assessing the quality of antenatal corticosteroids in low- and middle-income countries: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0243034.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0243034.		0
56	Title is missing!. , 2020, 15, e0243034.		0
57	Title is missing!. , 2020, 15, e0243034.		0
58	Title is missing!. , 2020, 15, e0243034.		0
59	Mode of delivery among nulliparous women with single, cephalic, term pregnancies: The WHO global survey on maternal and perinatal health, 2004–2008. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 147, 165-172.	1.0	6
60	Pregnancy outcomes of women with previous caesarean sections: Secondary analysis of World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>Scientific Reports</i> , 2019, 9, 9748.	1.6	24
61	How women are treated during facility-based childbirth in four countries: a cross-sectional study with labour observations and community-based surveys. <i>Lancet, The</i> , 2019, 394, 1750-1763.	6.3	279
62	Mode of delivery and pregnancy outcomes in preterm birth: a secondary analysis of the WHO Global and Multi-country Surveys. <i>Scientific Reports</i> , 2019, 9, 15556.	1.6	29
63	The World Health Organization ACTION-I (Antenatal Corticosteroids for Improving Outcomes in) Tj ETQq1 1 0.784314 rgBT /Overlock placebo-controlled, individually randomized trial of antenatal corticosteroids for women at risk of imminent birth in the early preterm period in hospitals in low-resource countries. <i>Trials</i> , 2019, 20, 507.	0.7	20
64	Primary and secondary prevention of preterm birth: a review of systematic reviews and ongoing randomized controlled trials. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 236, 224-239.	0.5	50
65	Research prioritization of interventions for the primary prevention of preterm birth: An international survey. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 236, 240-248.	0.5	2
66	Reducing the global burden of disease in childhood – Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e416.	2.9	0
67	An outcome-based definition of low birthweight for births in low- and middle-income countries: a secondary analysis of the WHO global survey on maternal and perinatal health. <i>BMC Pediatrics</i> , 2019, 19, 166.	0.7	7
68	WHO recommendations on uterotonic agents for postpartum haemorrhage prevention: what works, and which one?. <i>BMJ Global Health</i> , 2019, 4, e001466.	2.0	37
69	What matters to women and healthcare providers in relation to interventions for the prevention of postpartum haemorrhage: A qualitative systematic review. <i>PLoS ONE</i> , 2019, 14, e0215919.	1.1	22
70	The burden of severe maternal outcomes and indicators of quality of maternal care in Nigerian hospitals: a secondary analysis comparing two large facility-based surveys. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 49-57.	1.1	4
71	A systematic review of the cost-effectiveness of uterotonic agents for the prevention of postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 146, 56-64.	1.0	18
72	Analgesia during Labor and Vaginal Birth among Women with Severe Maternal Morbidity: Secondary Analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BioMed Research International</i> , 2019, 2019, 1-9.	0.9	9

#	ARTICLE	IF	CITATIONS
73	Tranexamic acid for treatment of postpartum haemorrhage. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2019, 29, 146-147.	0.1	3
74	Developing and applying a 'living guidelines' approach to WHO recommendations on maternal and perinatal health. <i>BMJ Global Health</i> , 2019, 4, e001683.	2.0	58
75	Maternal and newborn health indicators in Papua New Guinea – 2008–2018. <i>Sexual and Reproductive Health Matters</i> , 2019, 27, 52-68.	0.7	17
76	Global, regional, and national estimates of levels of preterm birth in 2014: a systematic review and modelling analysis. <i>The Lancet Global Health</i> , 2019, 7, e37-e46.	2.9	1,839
77	Gender balance in WHO panels for guidelines published from 2008 to 2018. <i>Bulletin of the World Health Organization</i> , 2019, 97, 477-485.	1.5	12
78	Fundal pressure during the second stage of labour. <i>The Cochrane Library</i> , 2018, 2018, CD006067.	1.5	40
79	Authors' reply re: Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1039-1039.	1.1	4
80	Developing Evidence to Decision Frameworks and an Interactive Evidence to Decision Tool for Making and Using Decisions and Recommendations in Health Care. <i>Global Challenges</i> , 2018, 2, 1700081.	1.8	19
81	The global epidemiology of preterm birth. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2018, 52, 3-12.	1.4	538
82	Risk of maternal mortality in women with severe anaemia during pregnancy and post partum: a multilevel analysis. <i>The Lancet Global Health</i> , 2018, 6, e548-e554.	2.9	237
83	Updated WHO recommendation on intravenous tranexamic acid for the treatment of post-partum haemorrhage. <i>The Lancet Global Health</i> , 2018, 6, e18-e19.	2.9	59
84	Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 932-942.	1.1	229
85	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2018, 2018, CD011689.	1.5	72
86	Interventions during pregnancy to prevent preterm birth: an overview of Cochrane systematic reviews. <i>The Cochrane Library</i> , 2018, 2018, CD012505.	1.5	82
87	Does gentle assisted pushing or giving birth in the upright position reduce the duration of the second stage of labour? A three-arm, open-label, randomised controlled trial in South Africa. <i>BMJ Global Health</i> , 2018, 3, e000906.	2.0	9
88	Methodological development of tools to measure how women are treated during facility-based childbirth in four countries: labor observation and community survey. <i>BMC Medical Research Methodology</i> , 2018, 18, 132.	1.4	70
89	Perinatal outcomes in twin pregnancies complicated by maternal morbidity: evidence from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 449.	0.9	82
90	Maternal clinical predictors of preterm birth in twin pregnancies: A systematic review involving 2,930,958 twin pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 230, 159-171.	0.5	12

#	ARTICLE	IF	CITATIONS
91	Women's perspectives of mistreatment during childbirth at health facilities in Ghana: findings from a qualitative study. <i>Reproductive Health Matters</i> , 2018, 26, 70-87.	1.3	57
92	Acute tocolysis for uterine tachysystole or suspected fetal distress. <i>The Cochrane Library</i> , 2018, 7, CD009770.	1.5	9
93	Severe anemia, sickle cell disease, and thalassemia as risk factors for hypertensive disorders in pregnancy in developing countries. <i>Pregnancy Hypertension</i> , 2018, 13, 141-147.	0.6	26
94	Progression of the first stage of spontaneous labour: A prospective cohort study in two sub-Saharan African countries. <i>PLoS Medicine</i> , 2018, 15, e1002492.	3.9	57
95	A qualitative study of women's and health providers' attitudes and acceptability of mistreatment during childbirth in health facilities in Guinea. <i>Reproductive Health</i> , 2017, 14, 4.	1.2	56
96	Impact of stillbirths on international comparisons of preterm birth rates: a secondary analysis of the WHO multicountry survey of Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1346-1354.	1.1	26
97	Incidence and outcomes of uterine rupture among women with prior caesarean section: WHO Multicountry Survey on Maternal and Newborn Health. <i>Scientific Reports</i> , 2017, 7, 44093.	1.6	73
98	Perceptions and experiences of the mistreatment of women during childbirth in health facilities in Guinea: a qualitative study with women and service providers. <i>Reproductive Health</i> , 2017, 14, 3.	1.2	63
99	Increases in Caesarean Delivery Rates and Change of Perinatal Outcomes in Low- and Middle-Income Countries: A Hospital-Level Analysis of Two WHO Surveys. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 251-262.	0.8	20
100	Prevalence of early initiation of breastfeeding and determinants of delayed initiation of breastfeeding: secondary analysis of the WHO Global Survey. <i>Scientific Reports</i> , 2017, 7, 44868.	1.6	149
101	Position in the second stage of labour for women without epidural anaesthesia. <i>The Cochrane Library</i> , 2017, 2017, CD002006.	1.5	139
102	Provider-initiated delivery, late preterm birth and perinatal mortality: a secondary analysis of the WHO multicountry survey on maternal and newborn health. <i>BMJ Global Health</i> , 2017, 2, e000204.	2.0	6
103	Reaching the unreached through trained and skilled birth attendants in Ethiopia: a cluster randomized controlled trial study protocol. <i>BMC Health Services Research</i> , 2017, 17, 85.	0.9	2
104	Pharmacological and mechanical interventions for labour induction in outpatient settings. <i>The Cochrane Library</i> , 2017, 2017, CD007701.	1.5	32
105	Antenatal corticosteroids for women at risk of imminent preterm birth in low-resource countries: the case for equipoise and the need for efficacy trials. <i>BMJ Global Health</i> , 2017, 2, e000398.	2.0	44
106	Mistreatment of women during childbirth in Abuja, Nigeria: a qualitative study on perceptions and experiences of women and healthcare providers. <i>Reproductive Health</i> , 2017, 14, 9.	1.2	129
107	Clinical practice patterns on the use of magnesium sulphate for treatment of pre-eclampsia and eclampsia: a multicountry survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1883-1890.	1.1	29
108	Defining quality of care during childbirth from the perspectives of Nigerian and Ugandan women: A qualitative study. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 4-16.	1.0	42

#	ARTICLE	IF	CITATIONS
109	Implementation of effective practices in health facilities: a systematic review of cluster randomised trials. <i>BMJ Global Health</i> , 2017, 2, e000266.	2.0	20
110	Management of pregnancy at and beyond 41 completed weeks of gestation in low-risk women: a secondary analysis of two WHO multi-country surveys on maternal and newborn health. <i>Reproductive Health</i> , 2017, 14, 141.	1.2	12
111	Evaluating implementation of the World Health Organization's Strategic Approach to strengthening sexual and reproductive health policies and programs to address unintended pregnancy and unsafe abortion. <i>Reproductive Health</i> , 2017, 14, 153.	1.2	5
112	Navigating barriers: two-year follow up on recommendations to improve the use of maternal health guidelines in Kosovo. <i>BMC Public Health</i> , 2016, 16, 987.	1.2	6
113	Promoting respect and preventing mistreatment during childbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 671-674.	1.1	88
114	Alternative regimens of magnesium sulfate for treatment of preeclampsia and eclampsia: a systematic review of non-randomized studies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 144-156.	1.3	30
115	When getting there is not enough: a nationwide cross-sectional study of 998 maternal deaths and 1451 near-misses in public tertiary hospitals in a low-income country. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 928-938.	1.1	152
116	Giving a voice to millions: developing the WHO application of ICD-10 to deaths during the perinatal period: ICD-PM. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1896-1899.	1.1	33
117	Low- and middle-income countries face many common barriers to implementation of maternal health evidence products. <i>Journal of Clinical Epidemiology</i> , 2016, 76, 229-237.	2.4	121
118	Twin Pregnancy and Severe Maternal Outcomes. <i>Obstetrics and Gynecology</i> , 2016, 127, 631-641.	1.2	101
119	Application of ICD-PM to preterm-related neonatal deaths in South Africa and United Kingdom. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 2029-2036.	1.1	19
120	By slapping their laps, the patient will know that you truly care for her: A qualitative study on social norms and acceptability of the mistreatment of women during childbirth in Abuja, Nigeria. <i>SSM - Population Health</i> , 2016, 2, 640-655.	1.3	97
121	Optimising the International Classification of Diseases to identify the maternal condition in the case of perinatal death. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 2037-2046.	1.1	15
122	The WHO application of ICD-10 to deaths during the perinatal period (ICD-PM): results from pilot database testing in South Africa and United Kingdom. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 2019-2028.	1.1	51
123	Beyond too little, too late and too much, too soon: a pathway towards evidence-based, respectful maternity care worldwide. <i>Lancet</i> , 2016, 388, 2176-2192.	6.3	739
124	Are hypertensive disorders in pregnancy associated with congenital malformations in offspring? Evidence from the WHO Multicountry cross sectional survey on maternal and newborn health. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 198.	0.9	30
125	Global, regional and national levels and trends of preterm birth rates for 1990 to 2014: protocol for development of World Health Organization estimates. <i>Reproductive Health</i> , 2016, 13, 76.	1.2	47
126	Are Hypertensive Disorders in Pregnancy Associated With Congenital Malformations in Offspring? Evidence From the WHO Multicountry Cross Sectional Survey on Maternal And Newborn Health. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 648-650.	0.2	0

#	ARTICLE	IF	CITATIONS
127	<sc>WHO</sc> Statement on Caesarean Section Rates. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 667-670.	1.1	672
128	A global reference for caesarean section rates (C&Model): a multicountry cross-sectional study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 427-436.	1.1	92
129	Optimal Timing of Delivery among Low-Risk Women with Prior Caesarean Section: A Secondary Analysis of the WHO Multicountry Survey on Maternal and Newborn Health. PLoS ONE, 2016, 11, e0149091.	1.1	15
130	Barriers, Facilitators and Priorities for Implementation of WHO Maternal and Perinatal Health Guidelines in Four Lower-Income Countries: A GREAT Network Research Activity. PLoS ONE, 2016, 11, e0160020.	1.1	38
131	International Human Rights and the Mistreatment of Women During Childbirth. Health and Human Rights, 2016, 18, 131-143.	1.3	46
132	Count every newborn; a measurement improvement roadmap for coverage data. BMC Pregnancy and Childbirth, 2015, 15, S8.	0.9	126
133	Formative research and development of innovative tools for "Better Outcomes in Labour Difficulty" (BOLD): study protocol. Reproductive Health, 2015, 12, 50.	1.2	20
134	How women are treated during facility-based childbirth: development and validation of measurement tools in four countries " phase 1 formative research study protocol. Reproductive Health, 2015, 12, 60.	1.2	53
135	WHO Better Outcomes in Labour Difficulty (BOLD) project: innovating to improve quality of care around the time of childbirth. Reproductive Health, 2015, 12, 48.	1.2	22
136	A multicentre randomized controlled trial of gentle assisted pushing in the upright posture (GAP) or upright posture alone compared with routine practice to reduce prolonged second stage of labour (the Gentle Assisted Pushing study): study protocol. Reproductive Health, 2015, 12, 114.	1.2	6
137	Searching for the definition of macrosomia through an outcome-based approach in low- and middle-income countries: a secondary analysis of the WHO Global Survey in Africa, Asia and Latin America. BMC Pregnancy and Childbirth, 2015, 15, 324.	0.9	52
138	Non-pneumatic anti-shock garment for improving maternal survival following severe postpartum haemorrhage: a systematic review. Reproductive Health, 2015, 12, 28.	1.2	33
139	The development of a Simplified, Effective, Labour Monitoring-to-Action (SELMA) tool for Better Outcomes in Labour Difficulty (BOLD): study protocol. Reproductive Health, 2015, 12, 49.	1.2	40
140	What is the optimal rate of caesarean section at population level? A systematic review of ecologic studies. Reproductive Health, 2015, 12, 57.	1.2	356
141	The Mistreatment of Women during Childbirth in Health Facilities Globally: A Mixed-Methods Systematic Review. PLoS Medicine, 2015, 12, e1001847.	3.9	883
142	Short Maternal Stature Increases Risk of Small-for-Gestational-Age and Preterm Births in Low- and Middle-Income Countries: Individual Participant Data Meta-Analysis and Population Attributable Fraction. Journal of Nutrition, 2015, 145, 2542-2550.	1.3	126
143	Millennium Development Goal 5 and adolescents: looking back, moving forward. Archives of Disease in Childhood, 2015, 100, S43-S47.	1.0	42
144	Use of the Robson classification to assess caesarean section trends in 21 countries: a secondary analysis of two WHO multicountry surveys. The Lancet Global Health, 2015, 3, e260-e270.	2.9	795

#	ARTICLE	IF	CITATIONS
145	Use of the Robson classification has improved understanding of caesarean section rates in France. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 700-700.	1.1	9
146	Use of Antenatal Corticosteroids and Tocolytic Drugs in Preterm Births in 29 Countries. Obstetrical and Gynecological Survey, 2015, 70, 79-81.	0.2	2
147	New WHO recommendations to improve the outcomes of preterm birth. The Lancet Global Health, 2015, 3, e589-e590.	2.9	74
148	Risk Factors and Adverse Perinatal Outcomes among Term and Preterm Infants Born Small-for-Gestational-Age: Secondary Analyses of the WHO Multi-Country Survey on Maternal and Newborn Health. PLoS ONE, 2014, 9, e105155.	1.1	92
149	Facilitators and barriers to facility-based delivery in low- and middle-income countries: a qualitative evidence synthesis. Reproductive Health, 2014, 11, 71.	1.2	537
150	Mode and timing of twin delivery and perinatal outcomes in low- and middle-income countries: a secondary analysis of the WHO Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 89-100.	1.1	25
151	Factors associated with the use of prenatal corticosteroids in the management of preterm delivery in Chinese hospitals. International Journal of Gynecology and Obstetrics, 2014, 127, 260-264.	1.0	2
152	Education and severe maternal outcomes in developing countries: a multicountry cross-sectional survey. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 57-65.	1.1	48
153	Maternal complications and perinatal mortality: findings of the World Health Organization Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 76-88.	1.1	182
154	Obstetric transition: the pathway towards ending preventable maternal deaths. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1-4.	1.1	185
155	Global Perspectives on Elective Induction of Labor. Clinical Obstetrics and Gynecology, 2014, 57, 331-342.	0.6	47
156	Outcomes of non-vertex second twins, following vertex vaginal delivery of first twin: a secondary analysis of the WHO Global Survey on Maternal and Perinatal Health. BMC Pregnancy and Childbirth, 2014, 14, 55.	0.9	27
157	Maternal morbidity and preterm birth in 22 low- and middle-income countries: a secondary analysis of the WHO Global Survey dataset. BMC Pregnancy and Childbirth, 2014, 14, 56.	0.9	78
158	Postpartum haemorrhage management, risks, and maternal outcomes: findings from the World Health Organization Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 5-13.	1.1	221
159	Advancing social and economic development by investing in women's and children's health: a new Global Investment Framework. Lancet, The, 2014, 383, 1333-1354.	6.3	263
160	Development of criteria for identifying neonatal near-miss cases: analysis of two WHO multicountry cross-sectional studies. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 110-118.	1.1	84
161	Use of antenatal corticosteroids and tocolytic drugs in preterm births in 29 countries: an analysis of the WHO Multicountry Survey on Maternal and Newborn Health. Lancet, The, 2014, 384, 1869-1877.	6.3	103
162	Maternal and institutional characteristics associated with the administration of prophylactic antibiotics for caesarean section: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 66-75.	1.1	19

#	ARTICLE	IF	CITATIONS
163	Combination of tocolytic agents for inhibiting preterm labour. The Cochrane Library, 2014, 2014, CD006169.	1.5	45
164	Indirect causes of severe adverse maternal outcomes: a secondary analysis of the WHO Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 32-39.	1.1	51
165	Maternal and perinatal health research priorities beyond 2015: an international survey and prioritization exercise. Reproductive Health, 2014, 11, 61.	1.2	53
166	Risk factors for spontaneous and provider-initiated preterm delivery in high and low Human Development Index countries: a secondary analysis of the WHO World Health Organization Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 101-109.	1.1	62
167	Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the WHO World Health Organization Multicountry Survey on Maternal and Newborn Health. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 14-24.	1.1	359
168	Pregnancy and childbirth outcomes among adolescent mothers: a WHO World Health Organization multicountry study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 40-48.	1.1	612
169	Advanced maternal age and pregnancy outcomes: a multicountry assessment. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 49-56.	1.1	319
170	Assessment of cesarean delivery availability in 26 low- and middle-income countries: a cross-sectional study. American Journal of Obstetrics and Gynecology, 2014, 211, 504.e1-504.e12.	0.7	41
171	Policymakers' and other stakeholders' perceptions of key considerations for health system decisions and the presentation of evidence to inform those considerations: an international survey. Health Research Policy and Systems, 2013, 11, 19.	1.1	46
172	Antenatal care packages with reduced visits and perinatal mortality: a secondary analysis of the WHO Antenatal Care Trial. Reproductive Health, 2013, 10, 19.	1.2	97
173	Measuring equity in utilization of emergency obstetric care at Wolisso Hospital in Oromiya, Ethiopia: a cross sectional study. International Journal for Equity in Health, 2013, 12, 27.	1.5	17
174	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. The Lancet Global Health, 2013, 1, e26-e36.	2.9	577
175	The associations of parity and maternal age with small-for-gestational-age, preterm, and neonatal and infant mortality: a meta-analysis. BMC Public Health, 2013, 13, S2.	1.2	179
176	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	8.3	349
177	Titrated oral misoprostol for augmenting labour to improve maternal and neonatal outcomes. , 2013, , CD010648.		11
178	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1622-1630.	1.1	93
179	Patterns and Outcomes of Induction of Labour in Africa and Asia: A Secondary Analysis of the WHO Global Survey on Maternal and Neonatal Health. PLoS ONE, 2013, 8, e65612.	1.1	96
180	Maternal and Perinatal Outcomes of Twin Pregnancy in 23 Low- and Middle-Income Countries. PLoS ONE, 2013, 8, e70549.	1.1	90

#	ARTICLE	IF	CITATIONS
181	Role of faith-based and nongovernment organizations in the provision of obstetric services in 3 African countries. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 495.e1-495.e7.	0.7	8
182	Appraisal of WHO Guidelines in Maternal Health Using the AGREE II Assessment Tool. <i>PLoS ONE</i> , 2012, 7, e38891.	1.1	45
183	Interventions during pregnancy to prevent spontaneous preterm birth: an overview of Cochrane systematic reviews. <i>The Cochrane Library</i> , 0, , .	1.5	4
184	Perceptions and experiences of the prevention, identification and management of postpartum haemorrhage: a qualitative evidence synthesis. <i>The Cochrane Library</i> , 0, , .	1.5	2
185	Economic evaluations of maternal health interventions: a scoping review. <i>F1000Research</i> , 0, 11, 225.	0.8	2