

Nicola W Burton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3937895/publications.pdf>

Version: 2024-02-01

121
papers

5,197
citations

126858

33
h-index

98753

67
g-index

121
all docs

121
docs citations

121
times ranked

6800
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Prospective associations between joint categories of physical activity and insomnia symptoms with onset of poor mental health in a population-based cohort. <i>Journal of Sport and Health Science</i> , 2023, 12, 295-303. | 3.3 | 7 |
| 2 | Promoting exercise for patients with multiple myeloma: attitudes and practices of clinical haematologists. <i>Journal of Cancer Survivorship</i> , 2022, 16, 688-695. | 1.5 | 7 |
| 3 | Personal Activity Intelligence e-Health Program in People with Type 2 Diabetes: A Pilot Randomized Controlled Trial. <i>Medicine and Science in Sports and Exercise</i> , 2022, 54, 18-27. | 0.2 | 12 |
| 4 | Ageing attitudes and mental health in middle and later adulthood: The buffering effect of education. <i>Australasian Journal on Ageing</i> , 2022, , . | 0.4 | 1 |
| 5 | Effects of fitness and fatness on age-related arterial stiffening in people with type 2 diabetes. <i>Clinical Obesity</i> , 2022, , e12519. | 1.1 | 2 |
| 6 | Different types of screen time are associated with low life satisfaction in adolescents across 37 European and North American countries. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210824. | 1.2 | 1 |
| 7 | Individual socioeconomic position, neighbourhood disadvantage and mental well-being: a cross-sectional multilevel analysis of mid-age adults. <i>BMC Public Health</i> , 2022, 22, 494. | 1.2 | 3 |
| 8 | Cohort Profile: HABITAT—a longitudinal multilevel study of physical activity, sedentary behaviour and health and functioning in mid-to-late adulthood. <i>International Journal of Epidemiology</i> , 2021, 50, 730-731h. | 0.9 | 19 |
| 9 | Safe Habitats: Does the Association Between Neighborhood Crime and Walking Differ by Neighborhood Disadvantage?. <i>Environment and Behavior</i> , 2021, 53, 3-39. | 2.1 | 19 |
| 10 | Association of carbonated soft drink and fast food intake with stress-related sleep disturbance among adolescents: A global perspective from 64 countries. <i>EClinicalMedicine</i> , 2021, 31, 100681. | 3.2 | 14 |
| 11 | Dysfunctional beliefs, sleep hygiene and sleep quality in university students. <i>Health Promotion Journal of Australia</i> , 2021, , . | 0.6 | 7 |
| 12 | A Qualitative Study of Barriers and Enablers of Physical Activity among Female Emirati University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3380. | 1.2 | 9 |
| 13 | The methodological quality is insufficient in clinical practice guidelines in the context of COVID-19: systematic review. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 125-135. | 2.4 | 23 |
| 14 | Electronic Games, Television, and Psychological Wellbeing of Adolescents: Mediating Role of Sleep and Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8877. | 1.2 | 4 |
| 15 | “I never thought it would be that bad” Increasing teachers’ awareness of psychological well-being through recovery-stress monitoring and individualised feedback. <i>Work</i> , 2021, 69, 1217-1227. | 0.6 | 3 |
| 16 | A Longitudinal Assessment of Risk Factors and Chronic Diseases among Immigrant and Non-Immigrant Adults in Australia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8621. | 1.2 | 2 |
| 17 | Longitudinal associations between bicycling and having dependent children, in middle-aged men and women. <i>Preventive Medicine Reports</i> , 2021, 23, 101479. | 0.8 | 1 |
| 18 | Factors associated with changes in physical activity and sedentary behaviour during one year among university-based young adults. <i>Sports Medicine and Health Science</i> , 2021, 3, 236-236. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prevalence and correlates of depressive symptoms in secondary school children in Dhaka city, Bangladesh. <i>Ethnicity and Health</i> , 2020, 25, 34-46. | 1.5 | 34 |
| 20 | Low physical activity and high sedentary behaviour are associated with adolescents'™ suicidal vulnerability: Evidence from 52 low- and middle- income countries. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1252-1259. | 0.7 | 25 |
| 21 | A pilot evaluation of a group acceptance and commitment therapy- informed resilience training program for people with diabetes. <i>Australian Psychologist</i> , 2020, 55, 196-207. | 0.9 | 14 |
| 22 | Combined Effects of Physical Inactivity and Sedentary Behaviour on Psychological Distress Among University-Based Young Adults: a One-Year Prospective Study. <i>Psychiatric Quarterly</i> , 2020, 91, 191-202. | 1.1 | 15 |
| 23 | Physical Activity in People with Multiple Myeloma: Associated Factors and Exercise Program Preferences. <i>Journal of Clinical Medicine</i> , 2020, 9, 3277. | 1.0 | 13 |
| 24 | Participation in sports/recreational activities and incidence of hypertension, diabetes, and obesity in adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2390-2398. | 1.3 | 16 |
| 25 | Effect of different exercise training intensities on musculoskeletal and neuropathic pain in inactive individuals with type 2 diabetes - Preliminary randomised controlled trial. <i>Diabetes Research and Clinical Practice</i> , 2020, 164, 108168. | 1.1 | 16 |
| 26 | Relationship Between Disease Specific Quality of Life Measures, Physical Performance, and Activity in People with Intermittent Claudication Caused by Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 957-964. | 0.8 | 21 |
| 27 | Not a Painless Condition: Rheumatological and Musculoskeletal Symptoms in Type 2 Diabetes, and the Implications for Exercise Participation. <i>Current Diabetes Reviews</i> , 2020, 16, 211-219. | 0.6 | 4 |
| 28 | Missing breakfast is associated with overweight and obesity in Bangladeshi adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 178-179. | 0.7 | 10 |
| 29 | Resistance training in addition to aerobic activity is associated with lower likelihood of depression and comorbid depression and anxiety symptoms: A cross sectional analysis of Australian women. <i>Preventive Medicine</i> , 2019, 126, 105773. | 1.6 | 13 |
| 30 | Changes in perceptions of urban green space are related to changes in psychological well-being: Cross-sectional and longitudinal study of mid-aged urban residents. <i>Health and Place</i> , 2019, 59, 102201. | 1.5 | 38 |
| 31 | Shift Work and Poor Mental Health: A Meta-Analysis of Longitudinal Studies. <i>American Journal of Public Health</i> , 2019, 109, e13-e20. | 1.5 | 192 |
| 32 | Work Initiative Overload: Australian Perspectives on Promoting Physical Activity in the Workplace from Diverse Industries. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 516. | 1.2 | 14 |
| 33 | Suicidal ideation, suicide planning, and suicide attempts among adolescents in 59 low-income and middle-income countries: a population-based study. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 223-233. | 2.7 | 156 |
| 34 | Land use proportion and walking: Application of isometric substitution analysis. <i>Health and Place</i> , 2019, 57, 352-357. | 1.5 | 8 |
| 35 | Development of an Individualized, Supervised Exercise Intervention as Standard Care for Patients with Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e213-e214. | 0.2 | 0 |
| 36 | Potential Utility of Self-Report Measures of Affect to Optimise Exercise Adherence in People with Type 2 Diabetes. <i>Current Diabetes Reviews</i> , 2019, 15, 302-308. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Perceived environmental barriers to physical activity in young adults in Dhaka City, Bangladesh—does gender matter?. <i>International Health</i> , 2018, 10, 40-46. | 0.8 | 32 |
| 38 | Impact of nurse-led behavioural counselling to improve metabolic health and physical activity among adults with mental illness. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 619-630. | 2.1 | 7 |
| 39 | Use of Oral Contraceptives to Manipulate Menstruation in Young, Physically Active Women. <i>International Journal of Sports Physiology and Performance</i> , 2018, 13, 82-87. | 1.1 | 32 |
| 40 | Flexible Work. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 23-28. | 0.9 | 17 |
| 41 | A Brief Self-Directed Intervention to Reduce Office Employees'™ Sedentary Behavior in a Flexible Workplace. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 954-959. | 0.9 | 13 |
| 42 | Associations between Changes in Activity and Sleep Quality and Duration over Two Years. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2425-2432. | 0.2 | 28 |
| 43 | Insufficient physical activity in combination with high screen time is associated with adolescents'™ psychosocial difficulties. <i>International Health</i> , 2018, 10, 246-251. | 0.8 | 16 |
| 44 | Physical activity and sedentary behaviour in a flexible office-based workplace: Employee perceptions and priorities for change. <i>Health Promotion Journal of Australia</i> , 2018, 29, 344-352. | 0.6 | 14 |
| 45 | One day you'll wake up and won't have to go to work: The impact of changes in time use on mental health following retirement. <i>PLoS ONE</i> , 2018, 13, e0199605. | 1.1 | 35 |
| 46 | Temporal trends in sitting time by domain in a cohort of mid-age Australian men and women. <i>Maturitas</i> , 2018, 116, 108-115. | 1.0 | 15 |
| 47 | Pilot evaluation of a resilience training program for people with multiple sclerosis.. <i>Rehabilitation Psychology</i> , 2018, 63, 29-42. | 0.7 | 50 |
| 48 | A cross-sectional cluster analysis of the combined association of physical activity and sleep with sociodemographic and health characteristics in mid-aged and older adults. <i>Maturitas</i> , 2017, 102, 56-61. | 1.0 | 31 |
| 49 | Is physical inactivity associated with depressive symptoms among adolescents with high screen time? Evidence from a developing country. <i>Mental Health and Physical Activity</i> , 2017, 12, 94-99. | 0.9 | 20 |
| 50 | The feasibility and acceptability of high-intensity interval training for adults with mental illness: A pilot study. <i>Mental Health and Physical Activity</i> , 2017, 13, 40-48. | 0.9 | 25 |
| 51 | Identifying patterns of item missing survey data using latent groups: an observational study. <i>BMJ Open</i> , 2017, 7, e017284. | 0.8 | 8 |
| 52 | Gender differences in physical activity motivators and context preferences: a population-based study in people in their sixties. <i>BMC Public Health</i> , 2017, 17, 624. | 1.2 | 127 |
| 53 | Prevalence and sociodemographic patterns of physical activity among Bangladeshi young adults. <i>Journal of Health, Population and Nutrition</i> , 2017, 36, 31. | 0.7 | 22 |
| 54 | Physical Activity and Aging. , 2017, , 1800-1809. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Physical activity preferences, motivators, barriers and attitudes of adults with mental illness. <i>Journal of Mental Health</i> , 2016, 25, 448-454. | 1.0 | 39 |
| 56 | Physical activity and sedentary behaviour among inpatient adults with mental illness. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 659-663. | 0.6 | 7 |
| 57 | Healthy mind, healthy body: A randomized trial testing the efficacy of a computer-tailored vs. interactive web-based intervention for increasing physical activity and reducing depressive symptoms. <i>Mental Health and Physical Activity</i> , 2016, 11, 29-37. | 0.9 | 12 |
| 58 | Balanced: a randomised trial examining the efficacy of two self-monitoring methods for an app-based multi-behaviour intervention to improve physical activity, sitting and sleep in adults. <i>BMC Public Health</i> , 2016, 16, 670. | 1.2 | 37 |
| 59 | Physical activity and quality of life in older women with a history of depressive symptoms. <i>Preventive Medicine</i> , 2016, 91, 299-305. | 1.6 | 20 |
| 60 | The Feasibility of Using Questionnaires and Accelerometers to Measure Physical Activity and Sedentary Behavior Among Inpatient Adults With Mental Illness. <i>Journal of Physical Activity and Health</i> , 2016, 13, 551-557. | 1.0 | 1 |
| 61 | Screen-Based Behaviors of Adolescents in Bangladesh. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1156-1163. | 1.0 | 13 |
| 62 | Efficacy of brief behavioral counselling by allied health professionals to promote physical activity in people with peripheral arterial disease (BIPP): study protocol for a multi-center randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1148. | 1.2 | 6 |
| 63 | Patterns and correlates of time use and energy expenditure in older Australian workers: A descriptive study. <i>Maturitas</i> , 2016, 90, 64-71. | 1.0 | 4 |
| 64 | Impact of a brief exercise program on the physical and psychosocial health of prostate cancer survivors: A pilot study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, 225-234. | 0.7 | 8 |
| 65 | Physical activity and sedentary behaviour of adults with mental illness. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 579-584. | 0.6 | 15 |
| 66 | Estimating Physical Activity and Sedentary Behavior in a Free-Living Context: A Pragmatic Comparison of Consumer-Based Activity Trackers and ActiGraph Accelerometry. <i>Journal of Medical Internet Research</i> , 2016, 18, e239. | 2.1 | 83 |
| 67 | Physical Activity and Aging., 2016, , 1-10. | | 0 |
| 68 | Prospective Relationships Between Physical Activity and Optimism in Young and Mid-aged Women. <i>Journal of Physical Activity and Health</i> , 2015, 12, 915-923. | 1.0 | 20 |
| 69 | Physical activity attitudes and preferences among inpatient adults with mental illness. <i>International Journal of Mental Health Nursing</i> , 2015, 24, 413-420. | 2.1 | 43 |
| 70 | The feasibility and acceptability of questionnaires and accelerometry for measuring physical activity and sedentary behaviour in adults with mental illness. <i>Journal of Mental Health</i> , 2015, 24, 299-304. | 1.0 | 12 |
| 71 | Defining a valid day of accelerometer monitoring in adults with mental illness. <i>Mental Health and Physical Activity</i> , 2015, 9, 48-54. | 0.9 | 2 |
| 72 | Psychosocial factors associated with increased physical activity in insufficiently active adults with arthritis. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 558-564. | 0.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Physical Activity, Walking, and Quality of Life in Women with Depressive Symptoms. <i>American Journal of Preventive Medicine</i> , 2015, 48, 281-291. | 1.6 | 34 |
| 74 | Depressive symptoms associated with psychological correlates of physical activity and perceived helpfulness of intervention features. <i>Mental Health and Physical Activity</i> , 2015, 9, 16-23. | 0.9 | 5 |
| 75 | A new look at the construct validity of the K6 using Rasch analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-8. | 1.1 | 17 |
| 76 | Contribution of house and garden work to the association between physical activity and well-being in young, mid-aged and older women. <i>British Journal of Sports Medicine</i> , 2014, 48, 996-1001. | 3.1 | 28 |
| 77 | The effect of Tai Chi on health-related quality of life in people with elevated blood glucose or diabetes: a randomized controlled trial. <i>Quality of Life Research</i> , 2013, 22, 1783-1786. | 1.5 | 24 |
| 78 | Changes in use of time, activity patterns, and health and wellbeing across retirement: design and methods of the life after work study. <i>BMC Public Health</i> , 2013, 13, 952. | 1.2 | 11 |
| 79 | Associations between sitting time and a range of symptoms in mid-age women. <i>Preventive Medicine</i> , 2013, 56, 135-141. | 1.6 | 38 |
| 80 | Sitting-Time, Physical Activity, and Depressive Symptoms in Mid-Aged Women. <i>American Journal of Preventive Medicine</i> , 2013, 45, 276-281. | 1.6 | 59 |
| 81 | What physical activity contexts do adults with psychological distress prefer?. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 417-421. | 0.6 | 20 |
| 82 | Physical activity in three regional communities in Queensland. <i>Australian Journal of Rural Health</i> , 2013, 21, 112-120. | 0.7 | 15 |
| 83 | Objectively Measured Sedentary Behavior and Physical Activity in Office Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 945-953. | 0.9 | 55 |
| 84 | Recruitment Rates in Workplace Physical Activity Interventions: Characteristics for Success. <i>American Journal of Health Promotion</i> , 2013, 27, e101-e112. | 0.9 | 28 |
| 85 | How, where and with whom? Physical activity context preferences of three adult groups at risk of inactivity. <i>British Journal of Sports Medicine</i> , 2012, 46, 1125-1131. | 3.1 | 81 |
| 86 | The association between sedentary leisure and physical activity in middle-aged adults. <i>British Journal of Sports Medicine</i> , 2012, 46, 747-752. | 3.1 | 31 |
| 87 | Cognitive mediation of intervention effects on physical exercise: Causal models for the adoption and maintenance stage. <i>Psychology and Health</i> , 2012, 27, 1480-1499. | 1.2 | 33 |
| 88 | Mid-Aged Adults' Sitting Time in Three Contexts. <i>American Journal of Preventive Medicine</i> , 2012, 42, 363-373. | 1.6 | 29 |
| 89 | Physical activity levels six months after a randomised controlled physical activity intervention for Pakistani immigrant men living in Norway. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 47. | 2.0 | 35 |
| 90 | Which Older Women Could Benefit from Interventions to Decrease Sitting Time and Increase Physical Activity?. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 393-396. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Does Physical Activity Impact on Presenteeism and Other Indicators of Workplace Well-Being?. <i>Sports Medicine</i> , 2011, 41, 249-262. | 3.1 | 96 |
| 92 | Qi-Gong Mindâ€œBody Therapy and Diabetes Control. <i>American Journal of Preventive Medicine</i> , 2011, 41, 152-158. | 1.6 | 35 |
| 93 | Occupational sitting time: employees' perceptions of health risks and intervention strategies. <i>Health Promotion Journal of Australia</i> , 2011, 22, 38-43. | 0.6 | 98 |
| 94 | The Association between Objectively Measured Neighborhood Features and Walking in Middle-Aged Adults. <i>American Journal of Health Promotion</i> , 2011, 25, e12-e21. | 0.9 | 40 |
| 95 | Concurrent and prospective associations between physical activity, walking and mental health in older women. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 807-813. | 2.0 | 57 |
| 96 | Measuring Total and Domain-Specific Sitting. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1094-1102. | 0.2 | 292 |
| 97 | Are Psychologists Willing and Able to Promote Physical Activity as Part of Psychological Treatment?. <i>International Journal of Behavioral Medicine</i> , 2010, 17, 287-297. | 0.8 | 38 |
| 98 | Accuracy of body mass index estimated from selfâ€œreported height and weight in midâ€œaged Australian women. <i>Australian and New Zealand Journal of Public Health</i> , 2010, 34, 620-623. | 0.8 | 158 |
| 99 | Feasibility and effectiveness of psychosocial resilience training: A pilot study of the <i>READY</i> program. <i>Psychology, Health and Medicine</i> , 2010, 15, 266-277. | 1.3 | 162 |
| 100 | Neighborhood Disadvantage and Physical Activity: Baseline Results from the HABITAT Multilevel Longitudinal Study. <i>Annals of Epidemiology</i> , 2010, 20, 171-181. | 0.9 | 111 |
| 101 | Occupational Sitting and Health Risks. <i>American Journal of Preventive Medicine</i> , 2010, 39, 379-388. | 1.6 | 423 |
| 102 | Physical Activity Levels in Patients with Chronic Kidney Disease Entering the LORD Trial. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 985-991. | 0.2 | 18 |
| 103 | Preliminary study of the effects of Tai Chi and Qigong medical exercise on indicators of metabolic syndrome and glycaemic control in adults with raised blood glucose levels. <i>British Journal of Sports Medicine</i> , 2009, 43, 840-844. | 3.1 | 7 |
| 104 | Evaluating the effectiveness of psychosocial resilience training for heart health, and the added value of promoting physical activity: a cluster randomized trial of the <i>READY</i> program. <i>BMC Public Health</i> , 2009, 9, 427. | 1.2 | 55 |
| 105 | HABITAT: A longitudinal multilevel study of physical activity change in mid-aged adults. <i>BMC Public Health</i> , 2009, 9, 76. | 1.2 | 110 |
| 106 | A Prospective Study of Overweight, Physical Activity, and Depressive Symptoms in Young Women. <i>Obesity</i> , 2009, 17, 66-71. | 1.5 | 59 |
| 107 | Leisure-time physical activity and occupational sitting: Associations with steps/day and BMI in 54â€œ59-year old Australian women. <i>Preventive Medicine</i> , 2009, 48, 64-68. | 1.6 | 30 |
| 108 | Do walking strategies to increase physical activity reduce reported sitting in workplaces: a randomized control trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 43. | 2.0 | 95 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Reliability and validity of a modified self-administered version of the Active Australia physical activity survey in a sample of mid-age women. <i>Australian and New Zealand Journal of Public Health</i> , 2008, 32, 535-541. | 0.8 | 304 |
| 110 | The International Universities Walking Project: employee step counts, sitting times and health status. <i>International Journal of Workplace Health Management</i> , 2008, 1, 152-161. | 0.8 | 14 |
| 111 | It just doesn't speak to me: mid-aged men's reactions to "10,000 Steps a Day". <i>Health Promotion Journal of Australia</i> , 2008, 19, 52-59. | 0.6 | 34 |
| 112 | Steps/day, BMI in 54-59 Year Old Women by Self-reported Occupational Sitting and Leisure Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S63-S64. | 0.2 | 0 |
| 113 | Updating the Evidence on Physical Activity and Health in Women. <i>American Journal of Preventive Medicine</i> , 2007, 33, 404-411.e25. | 1.6 | 128 |
| 114 | Measuring psychological, social, and environmental influences on leisure-time physical activity among adults. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 36-43. | 0.8 | 25 |
| 115 | People, places and physical activity. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 353-356. | 0.6 | 0 |
| 116 | The Relative Contributions of Psychological, Social, and Environmental Variables to Explain Participation in Walking, Moderate-, and Vigorous-Intensity Leisure-Time Physical Activity. <i>Journal of Physical Activity and Health</i> , 2005, 2, 181-196. | 1.0 | 42 |
| 117 | Prospective Study of Physical Activity and Depressive Symptoms in Middle-Aged Women. <i>American Journal of Preventive Medicine</i> , 2005, 29, 265-272. | 1.6 | 205 |
| 118 | Item Nonresponse in a Population-Based Mail Survey of Physical Activity. <i>Journal of Physical Activity and Health</i> , 2004, 1, 344-362. | 1.0 | 4 |
| 119 | Participation in Recreational Physical Activity: Why Do Socioeconomic Groups Differ?. <i>Health Education and Behavior</i> , 2003, 30, 225-244. | 1.3 | 85 |
| 120 | Occupation, Hours Worked, and Leisure-Time Physical Activity. <i>Preventive Medicine</i> , 2000, 31, 673-681. | 1.6 | 232 |
| 121 | Effects of interventions in health care settings on physical activity or cardiorespiratory fitness. <i>American Journal of Preventive Medicine</i> , 1998, 15, 413-430. | 1.6 | 128 |