

# Sun-On Chan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3937970/publications.pdf>

Version: 2024-02-01

73  
papers

1,590  
citations

236612

25  
h-index

377514

34  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2019  
citing authors

#	ARTICLE	IF	CITATIONS
1	LncRNA-NEF antagonized epithelial to mesenchymal transition and cancer metastasis via cis-regulating FOXA2 and inactivating Wnt/ $\beta$ -catenin signaling. <i>Oncogene</i> , 2018, 37, 1445-1456.	2.6	115
2	Inhibition of caspase-3-like activity reduces glutamate induced cell death in adult rat retina11Published on the World Wide Web on 9 May 2001.. <i>Brain Research</i> , 2001, 904, 177-188.	1.1	57
3	Changes in fiber order in the optic nerve and tract of rat embryos. <i>Journal of Comparative Neurology</i> , 1994, 344, 20-32.	0.9	55
4	Expression of chondroitin sulfate proteoglycans in the chiasm of mouse embryos. , 2000, 417, 153-163.		53
5	Dhrs3 Protein Attenuates Retinoic Acid Signaling and Is Required for Early Embryonic Patterning. <i>Journal of Biological Chemistry</i> , 2013, 288, 31477-31487.	1.6	52
6	Green tea catechins are potent anti-oxidants that ameliorate sodium iodate-induced retinal degeneration in rats. <i>Scientific Reports</i> , 2016, 6, 29546.	1.6	49
7	Perturbation of CD44 function affects chiasmatic routing of retinal axons in brain slice preparations of the mouse retinofugal pathway. <i>European Journal of Neuroscience</i> , 2003, 17, 2299-2312.	1.2	46
8	Effects of EGCG content in green tea extract on pharmacokinetics, oxidative status and expression of inflammatory and apoptotic genes in the rat ocular tissues. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1357-1367.	1.9	45
9	Assessing Sodium Iodate-Induced Outer Retinal Changes in Rats Using Confocal Scanning Laser Ophthalmoscopy and Optical Coherence Tomography. , 2014, 55, 1696.		43
10	N-methyl- D -aspartate-induced excitotoxicity in adult rat retina is antagonized by single systemic injection of MK-801. <i>Experimental Brain Research</i> , 2001, 138, 37-45.	0.7	39
11	Multiple Conformations of the FlIC C-Terminal Domain Provide Insight into Flagellar Motor Switching. <i>Structure</i> , 2012, 20, 315-325.	1.6	38
12	Antagonist of GH-releasing hormone receptors alleviates experimental ocular inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 18303-18308.	3.3	38
13	The Proto-oncogene Transcription Factor Ets1 Regulates Neural Crest Development through Histone Deacetylase 1 to Mediate Output of Bone Morphogenetic Protein Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 21925-21938.	1.6	38
14	Green tea extract attenuates LPS-induced retinal inflammation in rats. <i>Scientific Reports</i> , 2018, 8, 429.	1.6	37
15	Differential action of the albino mutation on two components of the rat's uncrossed retinofugal pathway. <i>Journal of Comparative Neurology</i> , 1993, 336, 362-377.	0.9	36
16	The effects of early prenatal monocular enucleation on the routing of uncrossed retinofugal axons and the cellular environment at the chiasm of mouse embryos. <i>European Journal of Neuroscience</i> , 1999, 11, 3225-3235.	1.2	34
17	Green Tea Extract Treatment Alleviates Ocular Inflammation in a Rat Model of Endotoxin-Induced Uveitis. <i>PLoS ONE</i> , 2014, 9, e103995.	1.1	34
18	Dyslexia-Associated Kiaa0319-Like Protein Interacts with Axon Guidance Receptor Nogo Receptor 1. <i>Cellular and Molecular Neurobiology</i> , 2011, 31, 27-35.	1.7	33

#	ARTICLE	IF	CITATIONS
19	Pro-oxidative and Antioxidative Controls and Signaling Modification of Polyphenolic Phytochemicals: Contribution to Health Promotion and Disease Prevention?. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 4026-4038.	2.4	31
20	Introducing Final-Year Medical Students to Pocket-Sized Ultrasound Imaging: Teaching Transthoracic Echocardiography on a 2-Week Anesthesia Rotation. <i>Teaching and Learning in Medicine</i> , 2015, 27, 307-313.	1.3	31
21	Continuous exposure to non-lethal doses of sodium iodate induces retinal pigment epithelial cell dysfunction. <i>Scientific Reports</i> , 2016, 6, 37279.	1.6	31
22	Antagonists of growth hormone-releasing hormone receptor induce apoptosis specifically in retinoblastoma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14396-14401.	3.3	30
23	Changes in axon arrangement in the retinofugal pathway of mouse embryos: Confocal microscopy study using single- and double-dye label. , 1999, 406, 251-262.		29
24	Enzymatic removal of chondroitin sulphates abolishes the age-related axon order in the optic tract of mouse embryos. <i>European Journal of Neuroscience</i> , 2003, 17, 1755-1767.	1.2	28
25	Changes in morphology and behaviour of retinal growth cones before and after crossing the midline of the mouse chiasm - a confocal microscopy study. <i>European Journal of Neuroscience</i> , 1998, 10, 2511-2522.	1.2	26
26	Heparan sulfate proteoglycan expression in the optic chiasm of mouse embryos. <i>Journal of Comparative Neurology</i> , 2001, 436, 236-247.	0.9	26
27	The growth-inhibitory protein Nogo is involved in midline routing of axons in the mouse optic chiasm. <i>Journal of Neuroscience Research</i> , 2008, 86, 2581-2590.	1.3	26
28	Signaling mechanisms of growth hormone-releasing hormone receptor in LPS-induced acute ocular inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6067-6074.	3.3	26
29	Localization of Nogo and its receptor in the optic pathway of mouse embryos. <i>Journal of Neuroscience Research</i> , 2008, 86, 1721-1733.	1.3	25
30	Postnatal development of the ipsilaterally projecting retinal ganglion cells in normal rats and rats with neonatal lesions. <i>Developmental Brain Research</i> , 1989, 49, 265-274.	2.1	24
31	Enlargement of uncrossed retinal projections in the albino rat: additive effects of neonatal eye removal and thalamectomy. <i>Brain Research</i> , 1988, 461, 163-168.	1.1	23
32	Regionally specific expression of L1 and sialylated NCAM in the retinofugal pathway of mouse embryos. <i>Journal of Comparative Neurology</i> , 2004, 471, 482-498.	0.9	22
33	Developmental expression of <i>Xenopus</i> short-chain dehydrogenase/reductase 3. <i>International Journal of Developmental Biology</i> , 2010, 54, 1355-1360.	0.3	21
34	Expression of phosphacan and neurocan during early development of mouse retinofugal pathway. <i>Developmental Brain Research</i> , 2004, 152, 1-10.	2.1	19
35	Bruton's tyrosine kinase potentiates ALK signaling and serves as a potential therapeutic target of neuroblastoma. <i>Oncogene</i> , 2018, 37, 6180-6194.	2.6	17
36	Growth hormone-releasing hormone receptor mediates cytokine production in ciliary and iris epithelial cells during LPS-induced ocular inflammation. <i>Experimental Eye Research</i> , 2019, 181, 277-284.	1.2	17

#	ARTICLE	IF	CITATIONS
37	Characterization of three synuclein genes in <i>Xenopus laevis</i> . <i>Developmental Dynamics</i> , 2011, 240, 2028-2033.	0.8	15
38	Metabolomics of Green-Tea Catechins on Vascular-Endothelial-Growth-Factor-Stimulated Human-Endothelial-Cell Survival. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 12866-12875.	2.4	15
39	Association of glycated hemoglobin with the risk of advanced fibrosis in non-alcoholic fatty liver disease patients without diabetes. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, 58-66.	0.7	15
40	Enzymatic removal of hyaluronan affects routing of axons in the mouse optic chiasm. <i>NeuroReport</i> , 2007, 18, 1533-1538.	0.6	14
41	Localization of an axon growth inhibitory molecule Nogo and its receptor in the spinal cord of mouse embryos. <i>Brain Research</i> , 2010, 1306, 8-17.	1.1	14
42	Understanding family involvement in body donation in Hong Kong: A qualitative study of registered donors and bereaved family members. <i>Health and Social Care in the Community</i> , 2020, 28, 270-278.	0.7	14
43	Chiasmatic neurons in the ventral diencephalon of mouse embryos—Changes in arrangement and heterogeneity in surface antigen expression. <i>Developmental Brain Research</i> , 2005, 158, 1-12.	2.1	13
44	Effects of exogenous hyaluronan on midline crossing and axon divergence in the optic chiasm of mouse embryos. <i>European Journal of Neuroscience</i> , 2007, 26, 1-11.	1.2	13
45	Green tea catechins alleviate autoimmune symptoms and visual impairment in a murine model for human chronic intraocular inflammation by inhibiting Th17-associated pro-inflammatory gene expression. <i>Scientific Reports</i> , 2019, 9, 2301.	1.6	13
46	Changes in expression of fibroblast growth factor receptors during development of the mouse retinofugal pathway. <i>Journal of Comparative Neurology</i> , 2002, 451, 22-32.	0.9	12
47	Selective inhibition of ventral temporal but not dorsal nasal neurites from mouse retinal explants during contact with chondroitin sulphate. <i>Cell and Tissue Research</i> , 2005, 321, 9-19.	1.5	12
48	Disruption of retinal pigment epithelial cell properties under the exposure of cotinine. <i>Scientific Reports</i> , 2017, 7, 3139.	1.6	11
49	Nogo promotes inflammatory heat hyperalgesia by maintaining TRPV1 function in the rat dorsal root ganglion neuron. <i>FASEB Journal</i> , 2019, 33, 668-682.	0.2	11
50	Differential responses of temporal and nasal retinal neurites to regional-specific cues in the mouse retinofugal pathway. <i>Cell and Tissue Research</i> , 2002, 309, 201-208.	1.5	10
51	Localization of hyaluronan in the optic pathway of mouse embryos. <i>NeuroReport</i> , 2007, 18, 355-358.	0.6	10
52	Isoform-specific localization of Nogo protein in the optic pathway of mouse embryos. <i>Journal of Comparative Neurology</i> , 2016, 524, 2322-2334.	0.9	10
53	Quantitative Characterization of Autoimmune Uveoretinitis in an Experimental Mouse Model. , 2017, 58, 4193.		10
54	Distribution of Kiaa0319-like immunoreactivity in the adult mouse brain—a novel protein encoded by the putative dyslexia susceptibility gene KIAA0319-like. <i>Histology and Histopathology</i> , 2011, 26, 953-63.	0.5	10

#	ARTICLE	IF	CITATIONS
55	Induction of Apoptosis in Pterygium Cells by Antagonists of Growth Hormone-“Releasing Hormone Receptors. , 2018, 59, 5060.		9
56	Nogo-“B is the major form of Nogo at the floor plate and likely mediates crossing of commissural axons in the mouse spinal cord. Journal of Comparative Neurology, 2017, 525, 2915-2928.	0.9	8
57	Increased Expression of Growth Hormone-“Releasing Hormone in Fibrinous Inflammation of Proliferative Diabetic Retinopathy. American Journal of Ophthalmology, 2020, 215, 81-90.	1.7	8
58	Dopamine signaling regulates the projection patterns in the mouse chiasm. Brain Research, 2015, 1625, 324-336.	1.1	6
59	Identification of a new functional domain of Nogo-“A that promotes inflammatory pain and inhibits neurite growth through binding to NgR1. FASEB Journal, 2020, 34, 10948-10965.	0.2	6
60	Agonist of growth hormone-“releasing hormone enhances retinal ganglion cell protection induced by macrophages after optic nerve injury. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	6
61	Role of protein kinase C in selective inhibition of mouse retinal neurites during contacts with chondroitin sulfates. Neuroscience Letters, 2008, 434, 150-154.	1.0	5
62	Ruxolitinib Alleviates Uveitis Caused by Salmonella typhimurium Endotoxin. Microorganisms, 2021, 9, 1481.	1.6	5
63	Localization of protein kinase C isoforms in the optic pathway of mouse embryos and their role in axon routing at the optic chiasm. Brain Research, 2014, 1575, 22-32.	1.1	4
64	Neuronal Nogo-“A in New-“born Retinal Ganglion Cells: Implication for the Formation of the Age-“related Fiber Order in the Optic Tract. Anatomical Record, 2016, 299, 1027-1036.	0.8	4
65	Disruption of Sonic Hedgehog Signaling Affects Axon Routing in the Mouse Optic Chiasm. Neuroembryology and Aging, 2006, 4, 76-84.	0.1	3
66	The spatiotemporal relationships between chondroitin sulfate proteoglycans and terminations of calcitonin gene related peptide and parvalbumin immunoreactive afferents in the spinal cord of mouse embryos. Neuroscience Letters, 2017, 655, 61-67.	1.0	3
67	rad21 Is Involved in Corneal Stroma Development by Regulating Neural Crest Migration. International Journal of Molecular Sciences, 2020, 21, 7807.	1.8	3
68	Communication with family concerning body donation in Hong Kong: what do we know?. Health and Social Care in the Community, 2020, 28, 1817-1826.	0.7	2
69	ELEVATED LEVEL OF URIC ACID, BUT NOT GLUCOSE, IN AQUEOUS HUMOR AS A RISK FACTOR FOR DIABETIC MACULAR EDEMA IN PATIENTS WITH TYPE 2 DIABETES. Retina, 2022, 42, 1121-1129.	1.0	2
70	Factors affecting neurite outgrowth of occipital cortical explants. Cell Biology International Reports, 1990, 14, 143-153.	0.7	0
71	Dynamic expression of p75NTR and Lingo-1 during development of mouse retinofugal pathway. Neuroscience Letters, 2018, 686, 106-111.	1.0	0
72	Analysis of axon divergence at the optic chiasm in nogo-a knockout mice. Neuroscience Letters, 2020, 731, 135109.	1.0	0

#	ARTICLE	IF	CITATIONS
73	Nogo-A Induced Polymerization of Microtubule Is Involved in the Inflammatory Heat Hyperalgesia in Rat Dorsal Root Ganglion Neurons. International Journal of Molecular Sciences, 2021, 22, 10360.	1.8	0