

Volker Grimm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3938241/volker-grimm-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

194
papers

14,725
citations

54
h-index

119
g-index

204
ext. papers

16,926
ext. citations

4.5
avg, IF

6.72
L-index

#	Paper	IF	Citations
194	The hitchhiker's guide to generic ecological-economic modelling of land-use-based biodiversity conservation policies. <i>Ecological Modelling</i> , 2022 , 465, 109861	3	0
193	Fluctuations in Density-Dependent Selection Drive the Evolution of a Pace-of-Life Syndrome Within and Between Populations.. <i>American Naturalist</i> , 2022 , 199, E124-E139	3.7	1
192	Stabilizing microbial communities by looped mass transfer.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2117814119	11.5	0
191	MASTIFF: A mechanistic model for cross-scale analyses of the functioning of multiple stressed riverine ecosystems. <i>Ecological Modelling</i> , 2022 , 470, 110007	3	
190	Porównawcza ocena programów analizy ułwotności populacji (PVA) w rankingu scenariuszy przekształceń krajobrazu = A comparative assessment of PVA software packages applied to rank the landscape management scenarios. <i>Przegląd Geograficzny</i> , 2021 , 93, 365-385	0.7	
189	Energy-mediated responses to changing prey size and distribution in marine top predator movements and population dynamics. <i>Journal of Animal Ecology</i> , 2021 ,	4.7	3
188	While shoot herbivores reduce, root herbivores increase nutrient enrichment's impact on diversity in a grassland model. <i>Ecology</i> , 2021 , 102, e03333	4.6	0
187	Collecting eco-evolutionary data in the dark: Impediments to subterranean research and how to overcome them. <i>Ecology and Evolution</i> , 2021 , 11, 5911-5926	2.8	19
186	Socio-technical scales in socio-environmental modeling: Managing a system-of-systems modeling approach. <i>Environmental Modelling and Software</i> , 2021 , 135, 104885	5.2	24
185	Movement and Seasonal Energetics Mediate Vulnerability to Disturbance in Marine Mammal Populations. <i>American Naturalist</i> , 2021 , 197, 296-311	3.7	8
184	A Review of Key Features and Their Implementation in Unstructured, Structured, and Agent-Based Population Models for Ecological Risk Assessment. <i>Integrated Environmental Assessment and Management</i> , 2021 , 17, 521-540	2.5	7
183	Keeping modelling notebooks with TRACE: Good for you and good for environmental research and management support. <i>Environmental Modelling and Software</i> , 2021 , 136, 104932	5.2	6
182	High-resolution PVA along large environmental gradients to model the combined effects of climate change and land use timing: lessons from the large marsh grasshopper. <i>Ecological Modelling</i> , 2021 , 440, 109355	3	3
181	Honey bee colony performance affected by crop diversity and farmland structure: a modeling framework. <i>Ecological Applications</i> , 2021 , 31, e02216	4.9	3
180	Challenges, tasks, and opportunities in modeling agent-based complex systems. <i>Ecological Modelling</i> , 2021 , 457, 109685	3	19
179	Intertwined effects of defaunation, increased tree mortality and density compensation on seed dispersal. <i>Ecography</i> , 2020 , 43, 1352-1363	6.5	5
178	Intraspecific trait variation in personality-related movement behavior promotes coexistence. <i>Oikos</i> , 2020 , 129, 1441-1454	4	3

177	Resilience trinity: safeguarding ecosystem functioning and services across three different time horizons and decision contexts. <i>Oikos</i> , 2020 , 129, 445-456	4	12
176	Moving infections: individual movement decisions drive disease persistence in spatially structured landscapes. <i>Oikos</i> , 2020 , 129, 651-667	4	5
175	Parameter estimation for functional-structural plant models when data are scarce: using multiple patterns for rejecting unsuitable parameter sets. <i>Annals of Botany</i> , 2020 , 126, 559-570	4.1	3
174	Movement-mediated community assembly and coexistence. <i>Biological Reviews</i> , 2020 , 95, 1073-1096	13.5	16
173	The ODD Protocol for Describing Agent-Based and Other Simulation Models: A Second Update to Improve Clarity, Replication, and Structural Realism. <i>Jasss</i> , 2020 , 23,	4.8	167
172	Code Reusability and Transparency of Agent-Based Modeling: A Review from a Cyberinfrastructure Perspective. <i>Geotechnologies and the Environment</i> , 2020 , 115-134	0.2	
171	The ODD protocol: An update with guidance to support wider and more consistent use. <i>Ecological Modelling</i> , 2020 , 428, 109105	3	4
170	Mitigating bioenergy-driven biodiversity decline: A modelling approach with the European brown hare. <i>Ecological Modelling</i> , 2020 , 416, 108914	3	1
169	Bridging Levels from Individuals to Communities and Ecosystems: Including Adaptive Behavior and Feedbacks in Ecological Theory and Models. <i>Bulletin of the Ecological Society of America</i> , 2020 , 101, e01648	0.7	0
168	Three questions to ask before using model outputs for decision support. <i>Nature Communications</i> , 2020 , 11, 4959	17.4	16
167	Towards a bridging concept for undesirable resilience in social-ecological systems. <i>Global Sustainability</i> , 2020 , 3,	5.4	15
166	Does Animal Personality Affect Movement in Habitat Corridors? Experiments with Common Voles () using Different Corridor Widths. <i>Animals</i> , 2019 , 9,	3.1	4
165	A plea for consistency, transparency, and reproducibility in risk assessment effect models. <i>Environmental Toxicology and Chemistry</i> , 2019 , 38, 9-11	3.8	5
164	Give chance a chance: from coexistence to coviability in biodiversity theory. <i>Ecosphere</i> , 2019 , 10, e027003	3.1	10
163	The dimensionality of stability depends on disturbance type. <i>Ecology Letters</i> , 2019 , 22, 674-684	10	30
162	Exploring resilience with agent-based models: State of the art, knowledge gaps and recommendations for coping with multidimensionality. <i>Ecological Complexity</i> , 2019 , 40, 100718	2.6	17
161	Ecological Models: Individual-Based Models 2019 , 65-73		1
160	Modeling the emergence of migratory corridors and foraging hot spots of the green sea turtle. <i>Ecology and Evolution</i> , 2019 , 9, 10317-10342	2.8	8

159	Effects of human-induced prey depletion on large carnivores in protected areas: Lessons from modeling tiger populations in stylized spatial scenarios. <i>Ecology and Evolution</i> , 2019 , 9, 11298-11313	2.8	7
158	Different Modelling Purposes. <i>Jasss</i> , 2019 , 22,	4.8	50
157	Transferability of Mechanistic Ecological Models Is About Emergence. <i>Trends in Ecology and Evolution</i> , 2019 , 34, 487-488	10.9	12
156	The distribution of mycotoxins in a heterogeneous wheat field in relation to microclimate, fungal and bacterial abundance. <i>Journal of Applied Microbiology</i> , 2019 , 126, 177-190	4.7	6
155	Agricultural landscape generators for simulation models: A review of existing solutions and an outline of future directions. <i>Ecological Modelling</i> , 2019 , 393, 135-151	3	17
154	Delayed Chemical Defense: Timely Expulsion of Herbivores Can Reduce Competition with Neighboring Plants. <i>American Naturalist</i> , 2019 , 193, 125-139	3.7	11
153	From cases to general principles: A call for theory development through agent-based modeling. <i>Ecological Modelling</i> , 2019 , 393, 153-156	3	11
152	Neutral mechanisms and niche differentiation in steady-state insular microbial communities revealed by single cell analysis. <i>Environmental Microbiology</i> , 2019 , 21, 164-181	5.2	27
151	Intraspecific trait variation increases species diversity in a trait-based grassland model. <i>Oikos</i> , 2019 , 128, 441-455	4	17
150	When things don't add up: quantifying impacts of multiple stressors from individual metabolism to ecosystem processing. <i>Ecology Letters</i> , 2018 , 21, 568-577	10	65
149	Pattern-oriented modelling as a novel way to verify and validate functional-structural plant models: a demonstration with the annual growth module of avocado. <i>Annals of Botany</i> , 2018 , 121, 941-959	4.1	14
148	Cross-disciplinary links in environmental systems science: Current state and claimed needs identified in a meta-review of process models. <i>Science of the Total Environment</i> , 2018 , 622-623, 954-973	10.2	8
147	Assisting seed dispersers to restore oldfields: An individual-based model of the interactions among badgers, foxes and Iberian pear trees. <i>Journal of Applied Ecology</i> , 2018 , 55, 600-611	5.8	20
146	and Fungi: Differences in Distribution and Spore Deposition in a Topographically Heterogeneous Wheat Field. <i>Journal of Fungi (Basel, Switzerland)</i> , 2018 , 4,	5.6	16
145	Predicting the impacts of anthropogenic disturbances on marine populations. <i>Conservation Letters</i> , 2018 , 11, e12563	6.9	47
144	Modelling movements of Saimaa ringed seals using an individual-based approach. <i>Ecological Modelling</i> , 2018 , 368, 321-335	3	9
143	Eco-evolutionary responses to recreational fishing under different harvest regulations. <i>Ecology and Evolution</i> , 2018 , 8, 9600-9613	2.8	12
142	Community consequences of foraging under fear. <i>Ecological Modelling</i> , 2018 , 383, 80-90	3	15

141	A modelling approach to evaluating the effectiveness of Ecological Focus Areas: The case of the European brown hare. <i>Land Use Policy</i> , 2017 , 61, 63-79	5.6	10
140	Impaired ecosystem process despite little effects on populations: modeling combined effects of warming and toxicants. <i>Global Change Biology</i> , 2017 , 23, 2973-2989	11.4	27
139	Predictive systems models can help elucidate bee declines driven by multiple combined stressors. <i>Apidologie</i> , 2017 , 48, 328-339	2.3	24
138	When, Where, and How Nature Matters for Ecosystem Services: Challenges for the Next Generation of Ecosystem Service Models. <i>BioScience</i> , 2017 , 67, 820-833	5.7	83
137	Documenting Social Simulation Models: The ODD Protocol as a Standard. <i>Understanding Complex Systems</i> , 2017 , 349-365	0.4	12
136	The winter pack-ice zone provides a sheltered but food-poor habitat for larval Antarctic krill. <i>Nature Ecology and Evolution</i> , 2017 , 1, 1853-1861	12.3	59
135	Next-Generation Individual-Based Models Integrate Biodiversity and Ecosystems: Yes We Can, and Yes We Must. <i>Ecosystems</i> , 2017 , 20, 229-236	3.9	59
134	Agent-Based Modelling of Social-Ecological Systems: Achievements, Challenges, and a Way Forward. <i>Jasss</i> , 2017 , 20,	4.8	88
133	Robustness analysis: Deconstructing computational models for ecological theory and applications. <i>Ecological Modelling</i> , 2016 , 326, 162-167	3	47
132	Biodiversity and ecosystem functioning decoupled: invariant ecosystem functioning despite non-random reductions in consumer diversity. <i>Oikos</i> , 2016 , 125, 424-433	4	15
131	Merging trait-based and individual-based modelling: An animal functional type approach to explore the responses of birds to climatic and land use changes in semi-arid African savannas. <i>Ecological Modelling</i> , 2016 , 326, 75-89	3	15
130	Scale-dependent role of demography and dispersal on the distribution of populations in heterogeneous landscapes. <i>Oikos</i> , 2016 , 125, 667-673	4	3
129	Asymmetric facilitation can reduce size inequality in plant populations resulting in delayed density-dependent mortality. <i>Oikos</i> , 2016 , 125, 1153-1161	4	10
128	Multiple stressors: using the honeybee model BEEHAVE to explore how spatial and temporal forage stress affects colony resilience. <i>Oikos</i> , 2016 , 125, 1001-1016	4	41
127	Simple or complex: Relative impact of data availability and model purpose on the choice of model types for population viability analyses. <i>Ecological Modelling</i> , 2016 , 323, 87-95	3	32
126	InSTREAM-Gen: Modelling eco-evolutionary dynamics of trout populations under anthropogenic environmental change. <i>Ecological Modelling</i> , 2016 , 326, 36-53	3	45
125	Modeling Population-Level Consequences of Polychlorinated Biphenyl Exposure in East Greenland Polar Bears. <i>Archives of Environmental Contamination and Toxicology</i> , 2016 , 70, 143-54	3.2	11
124	Allee effect in polar bears: a potential consequence of polychlorinated biphenyl contamination. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	9

123	Structural realism, emergence, and predictions in next-generation ecological modelling: Synthesis from a special issue. <i>Ecological Modelling</i> , 2016 , 326, 177-187	3	54
122	Monodominance in tropical forests: modelling reveals emerging clusters and phase transitions. <i>Journal of the Royal Society Interface</i> , 2016 , 13,	4.1	9
121	Reintroducing Environmental Change Drivers in Biodiversity-Ecosystem Functioning Research. <i>Trends in Ecology and Evolution</i> , 2016 , 31, 905-915	10.9	71
120	BEESCOUT: A model of bee scouting behaviour and a software tool for characterizing nectar/pollen landscapes for BEEHAVE. <i>Ecological Modelling</i> , 2016 , 340, 126-133	3	30
119	How to use mechanistic effect models in environmental risk assessment of pesticides: Case studies and recommendations from the SETAC workshop MODELINK. <i>Integrated Environmental Assessment and Management</i> , 2016 , 12, 21-31	2.5	26
118	Modelling harvesting strategies for the lobster fishery in northern Europe: the importance of protecting egg-bearing females. <i>Population Ecology</i> , 2015 , 57, 237-251	2.1	4
117	How biological clocks and changing environmental conditions determine local population growth and species distribution in Antarctic krill (<i>Euphausia superba</i>): a conceptual model. <i>Ecological Modelling</i> , 2015 , 303, 78-86	3	20
116	Per Aspera ad Astra: Through Complex Population Modeling to Predictive Theory. <i>American Naturalist</i> , 2015 , 186, 669-74	3.7	14
115	Modeling tiger population and territory dynamics using an agent-based approach. <i>Ecological Modelling</i> , 2015 , 312, 347-362	3	44
114	Replicating and breaking models: good for you and good for ecology. <i>Oikos</i> , 2015 , 124, 691-696	4	25
113	Making Predictions in a Changing World: The Benefits of Individual-Based Ecology. <i>BioScience</i> , 2015 , 65, 140-150	5.7	108
112	Merging validation and evaluation of ecological models to evaluation – A review of terminology and a practical approach. <i>Ecological Modelling</i> , 2014 , 280, 117-128	3	144
111	Appropriate resolution in time and model structure for population viability analysis: Insights from a butterfly metapopulation. <i>Biological Conservation</i> , 2014 , 169, 345-354	6.2	9
110	Limitations of extrapolating toxic effects on reproduction to the population level 2014 , 24, 1972-83		31
109	Two pairs of eyes are better than one: Combining individual-based and matrix models for ecological risk assessment of chemicals. <i>Ecological Modelling</i> , 2014 , 280, 40-52	3	16
108	BEEHAVE: a systems model of honeybee colony dynamics and foraging to explore multifactorial causes of colony failure. <i>Journal of Applied Ecology</i> , 2014 , 51, 470-482	5.8	166
107	Bird sky networks: how do avian scavengers use social information to find carrion?. <i>Ecology</i> , 2014 , 95, 1799-808	4.6	70
106	Pattern-oriented parameterization of general models for ecological application: Towards realistic evaluations of management approaches. <i>Ecological Modelling</i> , 2014 , 275, 78-88	3	23

105	Ecological Modeling for Pesticide Risk Assessment for Honey Bees and Other Pollinators 2014 , 149-162		1
104	Coupling different mechanistic effect models for capturing individual- and population-level effects of chemicals: Lessons from a case where standard risk assessment failed. <i>Ecological Modelling</i> , 2014 , 280, 18-29	3	27
103	Towards better modelling and decision support: Documenting model development, testing, and analysis using TRACE. <i>Ecological Modelling</i> , 2014 , 280, 129-139	3	136
102	The role of belowground competition and plastic biomass allocation in altering plant mass-density relationships. <i>Oikos</i> , 2014 , 123, 248-256	4	22
101	Individual-based models in ecology after four decades. <i>F1000prime Reports</i> , 2014 , 6, 39		142
100	The evolutionary consequences of disrupted male mating signals: an agent-based modelling exploration of endocrine disrupting chemicals in the guppy. <i>PLoS ONE</i> , 2014 , 9, e103100	3-7	8
99	Field metabolic rate and PCB adipose tissue deposition efficiency in East Greenland polar bears derived from contaminant monitoring data. <i>PLoS ONE</i> , 2014 , 9, e104037	3-7	9
98	Facilitating Parameter Estimation and Sensitivity Analysis of Agent-Based Models: A Cookbook Using NetLogo and 'R'. <i>Jasss</i> , 2014 , 17,	4.8	155
97	Resilience, Self-Organization, Complexity and Pattern Formation 2014 , 55-84		4
96	Assessment of Patterns in Ecogeomorphic Systems 2014 , 247-264		
95	Mighty small: Observing and modeling individual microbes becomes big science. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18027-8	11.5	45
94	Extrapolating ecotoxicological effects from individuals to populations: a generic approach based on Dynamic Energy Budget theory and individual-based modeling. <i>Ecotoxicology</i> , 2013 , 22, 574-83	2.9	70
93	Population-level consequences of spatially heterogeneous exposure to heavy metals in soil: An individual-based model of springtails. <i>Ecological Modelling</i> , 2013 , 250, 338-351	3	22
92	Behind the scenes of population viability modeling: Predicting butterfly metapopulation dynamics under climate change. <i>Ecological Modelling</i> , 2013 , 259, 62-73	3	12
91	How can we bring together empiricists and modellers in functional biodiversity research?. <i>Basic and Applied Ecology</i> , 2013 , 14, 93-101	3.2	18
90	Do simple models lead to generality in ecology?. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 578-83	10.9	176
89	Documenting Social Simulation Models: The ODD Protocol as a Standard. <i>Understanding Complex Systems</i> , 2013 , 117-133	0.4	12
88	Representing the acquisition and use of energy by individuals in agent-based models of animal populations. <i>Methods in Ecology and Evolution</i> , 2013 , 4, 151-161	7.7	101

87	Predicting population dynamics from the properties of individuals: a cross-level test of dynamic energy budget theory. <i>American Naturalist</i> , 2013 , 181, 506-19	3.7	77
86	Linking pesticide exposure and spatial dynamics: An individual-based model of wood mouse (<i>Apodemus sylvaticus</i>) populations in agricultural landscapes. <i>Ecological Modelling</i> , 2013 , 248, 92-102	3	27
85	Mechanistic effect modeling for ecological risk assessment: where to go from here?. <i>Integrated Environmental Assessment and Management</i> , 2013 , 9, e58-63	2.5	28
84	Towards a systems approach for understanding honeybee decline: a stocktaking and synthesis of existing models. <i>Journal of Applied Ecology</i> , 2013 , 50, 868-880	5.8	129
83	Predictive systems ecology. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20131452	4.4	101
82	Chemical and natural stressors combined: from cryptic effects to population extinction. <i>Scientific Reports</i> , 2013 , 3, 2036	4.9	58
81	Modeling implications of food resource aggregation on animal migration phenology. <i>Ecology and Evolution</i> , 2013 , 3, 2535-2546	2.8	7
80	Plant interactions alter the predictions of metabolic scaling theory. <i>PLoS ONE</i> , 2013 , 8, e57612	3.7	22
79	Uncertainty in predictions of range dynamics: black grouse climbing the Swiss Alps. <i>Ecography</i> , 2012 , 35, 590-603	6.5	48
78	Dynamic Energy Budget theory meets individual-based modelling: a generic and accessible implementation. <i>Methods in Ecology and Evolution</i> , 2012 , 3, 445-449	7.7	92
77	RNETLOGO: an R package for running and exploring individual-based models implemented in NETLOGO. <i>Methods in Ecology and Evolution</i> , 2012 , 3, 480-483	7.7	47
76	Differences between symmetric and asymmetric facilitation matter: exploring the interplay between modes of positive and negative plant interactions. <i>Journal of Ecology</i> , 2012 , 100, 1482-1491	6	47
75	Pattern-oriented modelling: a 'multi-scope' for predictive systems ecology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012 , 367, 298-310	5.8	247
74	Establishment probability in newly founded populations. <i>BMC Research Notes</i> , 2012 , 5, 313	2.3	2
73	Post-hoc pattern-oriented testing and tuning of an existing large model: lessons from the field vole. <i>PLoS ONE</i> , 2012 , 7, e45872	3.7	23
72	Designing, Formulating, and Communicating Agent-Based Models		18
71	Understanding shifts in wildfire regimes as emergent threshold phenomena. <i>American Naturalist</i> , 2011 , 178, E149-61	3.7	14
70	What Is Resilience? A Short Introduction. <i>Understanding Complex Systems</i> , 2011 , 3-13	0.4	17

69	Bridging the Gap Between Computational Models and Viability Based Resilience in Savanna Ecosystems. <i>Understanding Complex Systems</i> , 2011 , 107-130	0.4	
68	Neutral communities may lead to decreasing diversity-disturbance relationships: insights from a generic simulation model. <i>Ecology Letters</i> , 2011 , 14, 653-60	10	40
67	Integrating individual search and navigation behaviors in mechanistic movement models. <i>Theoretical Ecology</i> , 2011 , 4, 341-355	1.6	51
66	Predicting the threats of chemicals to wildlife: what are the challenges?. <i>Integrated Environmental Assessment and Management</i> , 2011 , 7, 499-501	2.5	6
65	Adding Value to Ecological Risk Assessment with Population Modeling. <i>Human and Ecological Risk Assessment (HERA)</i> , 2011 , 17, 287-299	4.9	77
64	The virtual ecologist approach: simulating data and observers. <i>Oikos</i> , 2010 , 119, 622-635	4	193
63	The independent and interactive effects of tree-tree establishment competition and fire on savanna structure and dynamics. <i>American Naturalist</i> , 2010 , 175, E44-65	3.7	35
62	Ecological models supporting environmental decision making: a strategy for the future. <i>Trends in Ecology and Evolution</i> , 2010 , 25, 479-86	10.9	268
61	Interacting effects of habitat destruction and changing disturbance rates on biodiversity: Who is going to survive?. <i>Ecological Modelling</i> , 2010 , 221, 2776-2783	3	8
60	Modelling dead wood islands in European beech forests: how much and how reliably would they provide dead wood?. <i>European Journal of Forest Research</i> , 2010 , 129, 659-668	2.7	14
59	Wildfire, landscape diversity and the DrosselSchwabl model. <i>Ecological Modelling</i> , 2010 , 221, 98-105	3	39
58	The ODD protocol: A review and first update. <i>Ecological Modelling</i> , 2010 , 221, 2760-2768	3	1549
57	Ecological models and pesticide risk assessment: current modeling practice. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 1006-12	3.8	87
56	Population models in pesticide risk assessment: lessons for assessing population-level effects, recovery, and alternative exposure scenarios from modeling a small mammal. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 1292-300	3.8	31
55	Integrating population modeling into ecological risk assessment. <i>Integrated Environmental Assessment and Management</i> , 2010 , 6, 191-3	2.5	40
54	NetLogo meets R: Linking agent-based models with a toolbox for their analysis. <i>Environmental Modelling and Software</i> , 2010 , 25, 972-974	5.2	40
53	Model the Real, Artificial, or Stylized Iguana? Artificial Life and Adaptive Behavior Can Be Linked Through Pattern-Oriented Modeling. <i>Adaptive Behavior</i> , 2009 , 17, 309-312	1.1	
52	Proposing an information criterion for individual-based models developed in a pattern-oriented modelling framework. <i>Ecological Modelling</i> , 2009 , 220, 1957-1967	3	36

51	Mechanistic effect models for ecological risk assessment of chemicals (MEMoRisk)-a new SETAC-Europe Advisory Group. <i>Environmental Science and Pollution Research</i> , 2009 , 16, 250-2	5.1	27
50	CREAM: a European project on mechanistic effect models for ecological risk assessment of chemicals. <i>Environmental Science and Pollution Research</i> , 2009 , 16, 614-7	5.1	58
49	Individual variations in infectiousness explain long-term disease persistence in wildlife populations. <i>Oikos</i> , 2009 , 118, 199-208	4	53
48	Reversed effects of grazing on plant diversity: the role of below-ground competition and size symmetry. <i>Oikos</i> , 2009 , 118, 1830-1843	4	65
47	Unifying wildfire models from ecology and statistical physics. <i>American Naturalist</i> , 2009 , 174, E170-85	3.7	55
46	Ecological models in support of regulatory risk assessments of pesticides: developing a strategy for the future. <i>Integrated Environmental Assessment and Management</i> , 2009 , 5, 167-72	2.5	84
45	Dogs on the catwalk: Modelling re-introduction and translocation of endangered wild dogs in South Africa. <i>Biological Conservation</i> , 2009 , 142, 2774-2781	6.2	38
44	The Potential for the Use of Agent-Based Models in Ecotoxicology. <i>Emerging Topics in Ecotoxicology</i> , 2009 , 205-235		10
43	Ecosystem oceanography for global change in fisheries. <i>Trends in Ecology and Evolution</i> , 2008 , 23, 338-46	10.9	227
42	Competition among plants: Concepts, individual-based modelling approaches, and a proposal for a future research strategy. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2008 , 9, 121-135	3	123
41	VISUAL DEBUGGING: A WAY OF ANALYZING, UNDERSTANDING AND COMMUNICATING BOTTOM-UP SIMULATION MODELS IN ECOLOGY. <i>Natural Resource Modelling</i> , 2008 , 15, 23-38	1.2	36
40	Individual-Based Models 2008 , 1959-1968		1
39	Breeding synchrony in colonial birds: from local stress to global harmony. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 1557-63	4.4	31
38	Clumped versus scattered: how does the spatial correlation of disturbance events affect biodiversity?. <i>Theoretical Ecology</i> , 2008 , 1, 231-240	1.6	27
37	Patterns for parameters in simulation models. <i>Ecological Modelling</i> , 2007 , 204, 553-556	3	56
36	Simulating cryptic movements of a mangrove crab: Recovery phenomena after small scale fishery. <i>Ecological Modelling</i> , 2007 , 205, 110-122	3	35
35	Home range dynamics and population regulation: An individual-based model of the common shrew <i>Sorex araneus</i> . <i>Ecological Modelling</i> , 2007 , 205, 397-409	3	78
34	What you see is where you go? Modeling dispersal in mountainous landscapes. <i>Landscape Ecology</i> , 2007 , 22, 853-866	4.3	38

33	Pattern-oriented modelling for estimating unknown pre-breeding survival rates: The case of the Lesser Spotted Woodpecker (<i>Picoides minor</i>). <i>Biological Conservation</i> , 2007 , 135, 555-564	6.2	28
32	Modeling Adaptive Behavior in Event-Driven Environments 2007 , 59-77		2
31	How to detect and visualize extinction thresholds for structured PVA models. <i>Ecological Modelling</i> , 2006 , 191, 545-550	3	11
30	A standard protocol for describing individual-based and agent-based models. <i>Ecological Modelling</i> , 2006 , 198, 115-126	3	1798
29	Agent-Based Models in Ecology: Patterns and Alternative Theories of Adaptive Behaviour 2006 , 139-152		15
28	Ecological-economic modeling for biodiversity management: potential, pitfalls, and prospects. <i>Conservation Biology</i> , 2006 , 20, 1034-41	6	110
27	Behavioural flexibility in the mating system buffers population extinction: lessons from the lesser spotted woodpecker <i>Picoides minor</i> . <i>Journal of Animal Ecology</i> , 2006 , 75, 540-8	4.7	26
26	Diversity and Disturbances in the Antarctic Megabenthos: Feasible versus Theoretical Disturbance Ranges. <i>Ecosystems</i> , 2006 , 9, 1145-1155	3.9	24
25	Pattern-oriented modeling of agent-based complex systems: lessons from ecology. <i>Science</i> , 2005 , 310, 987-91	33.3	1406
24	Mitigation of climate change impacts on raptors by behavioural adaptation: ecological buffering mechanisms. <i>Global and Planetary Change</i> , 2005 , 47, 273-281	4.2	10
23	Importance of Buffer Mechanisms for Population Viability Analysis. <i>Conservation Biology</i> , 2005 , 19, 578-580		42
22	Individual-based Modeling and Ecology 2005 ,		733
21	The intrinsic mean time to extinction: a unifying approach to analysing persistence and viability of populations. <i>Oikos</i> , 2004 , 105, 501-511	4	105
20	META-X: Generic Software for Metapopulation Viability Analysis. <i>Biodiversity and Conservation</i> , 2004 , 13, 165-188	3.4	32
19	Reconstructing spatiotemporal dynamics of Central European natural beech forests: the rule-based forest model BEFORE. <i>Forest Ecology and Management</i> , 2004 , 194, 349-368	3.9	78
18	Modelling the role of social behavior in the persistence of the alpine marmot <i>Marmota marmota</i> . <i>Oikos</i> , 2003 , 102, 124-136	4	48
17	Using pattern-oriented modeling for revealing hidden information: a key for reconciling ecological theory and application. <i>Oikos</i> , 2003 , 100, 209-222	4	251
16	Seeing the Forest for the Trees, and Vice Versa 2003 , 411-428		8

15	VISUAL DEBUGGING: A WAY OF ANALYZING, UNDERSTANDING AND COMMUNICATING BOTTOM-UP SIMULATION MODELS IN ECOLOGY 2002 , 15, 23		3
14	Was charakterisiert Buchenurwälder? Untersuchungen der Altersstruktur des Kronendachs und der räumlichen Verteilung der Baumriesen in einem Modellwald mit Hilfe des Simulationsmodells BEFORE. <i>European Journal of Forest Research</i> , 2001 , 120, 288-302		13
13	Ecological buffering mechanisms in savannas: A unifying theory of long-term tree-grass coexistence. <i>Plant Ecology</i> , 2000 , 150, 161-171	1.7	199
12	Minimum viable population size of capercaillie <i>Tetrao urogallus</i> : results from a stochastic model. <i>Wildlife Biology</i> , 2000 , 6, 219-225	1.7	47
11	Individual-based modelling and ecological theory: synthesis of a workshop. <i>Ecological Modelling</i> , 1999 , 115, 275-282	3	96
10	Ten years of individual-based modelling in ecology: what have we learned and what could we learn in the future?. <i>Ecological Modelling</i> , 1999 , 115, 129-148	3	689
9	From pattern to practice: a scaling-down strategy for spatially explicit modelling illustrated by the spread and control of rabies. <i>Ecological Modelling</i> , 1999 , 117, 179-202	3	65
8	Pattern formation triggered by rare events: lessons from the spread of rabies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1997 , 264, 495-503	4.4	59
7	Modelling Persistence in Dynamic Landscapes: Lessons from a Metapopulation of the Grasshopper <i>Bryodemus tuberculata</i> . <i>Journal of Animal Ecology</i> , 1997 , 66, 508	4.7	104
6	Babel, or the ecological stability discussions: an inventory and analysis of terminology and a guide for avoiding confusion. <i>Oecologia</i> , 1997 , 109, 323-334	2.9	576
5	Pattern-oriented modelling in population ecology. <i>Science of the Total Environment</i> , 1996 , 183, 151-166	10.2	169
4	Individual-based modelling in ecology: what makes the difference?. <i>Trends in Ecology and Evolution</i> , 1996 , 11, 437-41	10.9	133
3	Mathematical models and understanding in ecology. <i>Ecological Modelling</i> , 1994 , 75-76, 641-651	3	70
2	Honeybee colony performance affected by crop diversity and farmland structure: a modelling framework		2
1	Forecasting effects of transport infrastructure on endangered tigers: a tool for conservation planning. <i>PeerJ</i> , 10, e13472	3.1	1