

Stefan Acosta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3939753/publications.pdf>

Version: 2024-02-01

186
papers

6,983
citations

66343

42
h-index

69250

77
g-index

187
all docs

187
docs citations

187
times ranked

4980
citing authors

#	ARTICLE	IF	CITATIONS
1	Antiplatelet agents for preventing thrombosis after peripheral arterial bypass surgery. The Cochrane Library, 2023, 2023, CD000535.	2.8	77
2	Contrast-Associated Acute Kidney Injury in Patients with and without Diabetes Mellitus Undergoing Computed Tomography Angiography and Local Thrombolysis for Acute Lower Limb Ischemia. Vascular and Endovascular Surgery, 2022, 56, 151-157.	0.7	3
3	Epidemiology and Prognostic Factors in Acute Lower Limb Ischaemia: A Population Based Study. European Journal of Vascular and Endovascular Surgery, 2022, 63, 296-303.	1.5	15
4	High versus low-added sugar consumption for the primary prevention of cardiovascular disease. The Cochrane Library, 2022, 2022, CD013320.	2.8	7
5	Circulating Biomarkers Predict Symptomatic but Not Asymptomatic Carotid Artery Stenosis. Cerebrovascular Diseases, 2022, 51, 623-629.	1.7	1
6	Increasing Importance of Clinical Nutrition for Arterial Health. Nutrients, 2022, 14, 1532.	4.1	0
7	Inadequacies of Physical Examination in Patients with Acute Lower Limb Ischemia Are Associated with Dreadful Consequences. Annals of Vascular Surgery, 2022, 82, 190-196.	0.9	3
8	The Acute Mesenteric Ischaemia (AMESI) Study: A Call to Participate in an International Prospective Multicentre Study. European Journal of Vascular and Endovascular Surgery, 2022, 63, 902-903.	1.5	9
9	Management of Acute Mesenteric Venous Thrombosis: A Systematic Review of Contemporary Studies. Scandinavian Journal of Surgery, 2021, 110, 145749692096908.	2.6	19
10	Comparisons of Risk Factors for Abdominal Aortic Aneurysm and Coronary Heart Disease: A Prospective Cohort Study. Angiology, 2021, 72, 24-31.	1.8	7
11	The impact of diabetes mellitus on major amputation among patients with chronic limb threatening ischemia undergoing elective endovascular therapy- a nationwide propensity score adjusted analysis. Journal of Diabetes and Its Complications, 2021, 35, 107675.	2.3	6
12	Pro B-type Natriuretic Peptide and Midregional Proadrenomedullin are Associated with Incident Carotid Stenosis During Long Term Follow-up. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105403.	1.6	3
13	Cost-effectiveness analysis of negative pressure wound therapy dressings after open inguinal vascular surgery – The randomised INVIPS-Trial. Journal of Tissue Viability, 2021, 30, 95-101.	2.0	10
14	Validation of computed tomography angiography using mean arterial pressure gradient as a reference in stented superior mesenteric artery. Abdominal Radiology, 2021, 46, 792-798.	2.1	3
15	Risk Factors for Fasciotomy After Revascularization for Acute Lower Limb Ischaemia. Frontiers in Surgery, 2021, 8, 662744.	1.4	10
16	Management of Spontaneous Isolated Mesenteric Artery Dissection: A Systematic Review. Scandinavian Journal of Surgery, 2021, 110, 145749692110005.	2.6	22
17	Higher long-term cardiovascular morbidity after open surgery for intermittent claudication caused by infrainguinal atherosclerotic disease in patients with diabetes – a nationwide observational cohort study. Vasa - European Journal of Vascular Medicine, 2021, 50, 224-230.	1.4	3
18	Adherence to instruction for use after endovascular repair of popliteal artery aneurysm. Vascular, 2021, , 170853812110073.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Influence of diabetes on diagnostic performance of computed tomography angiography of the calf arteries in acute limb ischemia. <i>Acta Radiologica</i> , 2021, , 028418512110069.	1.1	1
20	Healthcare professionalsâ€™ experiences of being observed regarding hygiene routines: the Hawthorne effect in vascular surgery. <i>BMC Infectious Diseases</i> , 2021, 21, 420.	2.9	16
21	Diabetes mellitus was not associated with lower amputation-free survival after open revascularization for chronic limb-threatening ischemia â€“ A nationwide propensity score adjusted analysis. <i>Vascular Medicine</i> , 2021, 26, 507-514.	1.5	2
22	Modifiable and Non-Modifiable Risk Factors for Atherothrombotic Ischemic Stroke among Subjects in the MalmÃ¶ Diet and Cancer Study. <i>Nutrients</i> , 2021, 13, 1952.	4.1	19
23	Results After Open and Endovascular Repair of Popliteal Aneurysm: A Matched Comparison Within a Population Based Cohort. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 988-997.	1.5	13
24	Vasoactive Biomarkers Associated With Long-Term Incidence of Symptomatic Peripheral Arterial Disease and Mortality. <i>Angiology</i> , 2021, 72, 550-555.	1.8	5
25	A clinical approach to acute mesenteric ischemia. <i>Current Opinion in Critical Care</i> , 2021, 27, 183-192.	3.2	17
26	Performance of Computed Tomography Angiography Before Revascularization Is Associated With Higher Amputation-Free Survival in Rutherford IIb Acute Lower Limb Ischaemia. <i>Frontiers in Surgery</i> , 2021, 8, 744721.	1.4	3
27	Diet and Lifestyle Factors and Risk of Atherosclerotic Cardiovascular Diseaseâ€“A Prospective Cohort Study. <i>Nutrients</i> , 2021, 13, 3822.	4.1	19
28	Prospective Comparison of Plasma Biomarker and Traditional Risk Factor Profiles for Incident Isolated Atherosclerotic Disease and Incident Isolated Abdominal Aortic Aneurysm. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 818656.	2.4	2
29	Nationwide comparison of long-term survival and cardiovascular morbidity after acute aortic aneurysm repair in patients with and without type 2 diabetes. <i>Journal of Vascular Surgery</i> , 2020, 71, 30-38.e3.	1.1	14
30	Intake of fibre and plant foods and the risk of abdominal aortic aneurysm in a large prospective cohort study in Sweden. <i>European Journal of Nutrition</i> , 2020, 59, 2047-2056.	3.9	8
31	Editor's Choice â€“ European Society for Vascular Surgery (ESVS) 2020 Clinical Practice Guidelines on the Management of Acute Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 173-218.	1.5	275
32	The Whole Nine Yards in Randomised Controlled Trials. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 642.	1.5	0
33	Inguinal Vascular Surgical Wound Protection by Incisional Negative Pressure Wound Therapy. <i>Annals of Surgery</i> , 2020, 271, 48-53.	4.2	34
34	Proposed Classification of Incision Complications: Analysis of a Prospective Study on Elective Open Lower-Limb Revascularization. <i>Surgical Infections</i> , 2020, 21, 384-390.	1.4	4
35	Outcome of Open and Endovascular Repair in Patients with Acute Limb Ischemia Due to Popliteal Artery Aneurysm. <i>Annals of Vascular Surgery</i> , 2020, 67, 376-387.	0.9	3
36	Diet and Lifestyle as Risk Factors for Carotid Artery Disease: A Prospective Cohort Study. <i>Cerebrovascular Diseases</i> , 2020, 49, 563-569.	1.7	7

#	ARTICLE	IF	CITATIONS
37	Worse cardiovascular prognosis after endovascular surgery for intermittent claudication caused by infrainguinal atherosclerotic disease in patients with diabetes. Therapeutic Advances in Endocrinology and Metabolism, 2020, 11, 204201882096029.	3.2	2
38	Amputation-free survival in patients with diabetic foot ulcer and peripheral arterial disease: Endovascular versus open surgery in a propensity score adjusted analysis. Journal of Diabetes and Its Complications, 2020, 34, 107551.	2.3	12
39	Mesenteric Ischaemia â€“ Joint United European Gastroenterology, European Association for Gastroenterology, Endoscopy and Nutrition, European Society of Gastrointestinal and Abdominal Radiology, Netherlands Association of Hepatogastroenterologists, Hellenic Society of Gastroenterology, Cardiovascular and Interventional Radiological Society of Europe, and Dutch Mesenteric Ischemia Study group clinical guidelines on the diagnosis and treatment of patients with chronic mesenteric ischemia. United European Gastroenterology Journal, 2020, 8, 157-165.	3.8	95
40	Evaluation of direct oral anticoagulants and vitamin K antagonists in mesenteric venous thrombosis. Phlebology, 2019, 34, 171-178.	1.2	14
41	Healthy diet and fiber intake are associated with decreased risk of incident symptomatic peripheral artery disease â€“ A prospective cohort study. Vascular Medicine, 2019, 24, 511-518.	1.5	23
42	Stable population-based incidence of acute type A and B aortic dissection. Scandinavian Cardiovascular Journal, 2019, 53, 274-279.	1.2	16
43	Open abdomen in acute mesenteric ischemia. Anaesthesiology Intensive Therapy, 2019, 51, 159-162.	1.0	9
44	Incisional negative pressure wound therapy for the prevention of surgical site infection after open lower limb revascularization â€“ Rationale and design of a multi-center randomized controlled trial. Contemporary Clinical Trials Communications, 2019, 16, 100469.	1.1	10
45	Survival, cardiovascular morbidity, and reinterventions after elective endovascular aortic aneurysm repair in patients with and without diabetes: A nationwide propensity-adjusted analysis. Vascular Medicine, 2019, 24, 539-546.	1.5	8
46	Long-term Survival and Cardiovascular Morbidity after Elective Open Aortic Aneurysm Repair in Patients with and without Type 2 Diabetes: A Nationwide Propensity-Adjusted Analysis. Annals of Vascular Surgery, 2019, 59, 110-118.	0.9	8
47	EndoVAC hybrid therapy for salvage of patients with infected femoral artery reconstructions. Anaesthesiology Intensive Therapy, 2019, 51, 112-120.	1.0	2
48	Engaging patients and caregivers in establishing research priorities for aortic dissection. SAGE Open Medicine, 2019, 7, 205031211882263.	1.8	7
49	Drugs in fall versus non-fall accidents with major trauma â€“ A population-based clinical and medico-legal autopsy study. Forensic Science International, 2019, 296, 80-84.	2.2	0
50	Editor's Choice â€“ Recommendations for Registry Data Collection for Revascularisations of Acute Limb Ischaemia: A Delphi Consensus from the International Consortium of Vascular Registries. European Journal of Vascular and Endovascular Surgery, 2019, 57, 816-821.	1.5	32
51	Copeptin, B-type natriuretic peptide and cystatin C are associated with incident symptomatic PAD. Biomarkers, 2019, 24, 615-621.	1.9	18
52	Antibiotic Prophylaxis With Trimethoprim/Sulfamethoxazole Instead of Cloxacillin/Cefotaxime Increases Inguinal Surgical Site Infection Rate After Lower Extremity Revascularization. International Journal of Lower Extremity Wounds, 2019, 18, 135-142.	1.1	7
53	Lp-PLA2 activity and mass and CRP are associated with incident symptomatic peripheral arterial disease. Scientific Reports, 2019, 9, 5609.	3.3	14
54	Meta-analysis of negative pressure wound therapy of closed groin incisions in arterial surgery. British Journal of Surgery, 2019, 106, 310-318.	0.3	36

#	ARTICLE	IF	CITATIONS
55	Clinical implications of different risk factor profiles in patients with mesenteric venous thrombosis and systemic venous thromboembolism: a population-based study. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 572-577.	2.1	8
56	Open Abdomen Therapy with Vacuum and Mesh-Mediated Fascial Traction after Aortic Repair – An International Multi-Centre Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e58.	1.5	0
57	The association between dietary intake, lifestyle and incident symptomatic peripheral arterial disease among individuals with diabetes mellitus: insights from the Malmö Diet and Cancer study. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881989053.	3.2	5
58	Amputation-Free Survival in Patients With Diabetes Mellitus and Peripheral Arterial Disease With Heel Ulcer: Open Versus Endovascular Surgery. <i>Vascular and Endovascular Surgery</i> , 2019, 53, 118-125.	0.7	15
59	Prospective Study on Diagnostic Performance of Color Doppler Ultrasound Using Trans-stenotic Mean Arterial Pressure Gradient as a Reference in Stented Superior Mesenteric Artery. <i>Annals of Vascular Surgery</i> , 2019, 56, 294-302.	0.9	6
60	Reduced Long-Term Risk of Aortic Aneurysm and Aortic Dissection Among Individuals With Type 2 Diabetes Mellitus: A Nationwide Observational Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	60
61	Adherence to diet recommendations and risk of abdominal aortic aneurysm in the Malmö Diet and Cancer Study. <i>Scientific Reports</i> , 2018, 8, 2017.	3.3	13
62	B-type natriuretic peptide for prediction of incident clinically significant abdominal aortic aneurysm: A population-based prospective study. <i>Vascular Medicine</i> , 2018, 23, 46-51.	1.5	7
63	Clinical implications of CT findings in mesenteric venous thrombosis at admission. <i>Emergency Radiology</i> , 2018, 25, 407-413.	1.8	21
64	Evaluation of inguinal vascular surgical scars treated with closed incisional negative pressure wound therapy using three-dimensional digital imaging – A randomized controlled trial on bilateral incisions. <i>Wound Repair and Regeneration</i> , 2018, 26, 77-86.	3.0	10
65	Outcome and Complications Using Negative Pressure Wound Therapy in the Groin for Perivascular Surgical Site Infections after Vascular Surgery. <i>Annals of Vascular Surgery</i> , 2018, 48, 104-110.	0.9	8
66	Increasing the Elective Endovascular to Open Repair Ratio of Popliteal Artery Aneurysm. <i>Vascular and Endovascular Surgery</i> , 2018, 52, 115-123.	0.7	19
67	Circulating Midregional Proadrenomedullin and Risk of Incident Abdominal Aortic Aneurysm: A Prospective Longitudinal Cohort Study. <i>Angiology</i> , 2018, 69, 333-338.	1.8	7
68	Thrombophilia testing in mesenteric venous thrombosis, when to screen. <i>AME Medical Journal</i> , 2018, 3, 90-90.	0.4	1
69	Improved Prognosis and Low Failure Rate with Anticoagulation as First-Line Therapy in Mesenteric Venous Thrombosis. <i>World Journal of Surgery</i> , 2018, 42, 3803-3811.	1.6	13
70	Screening men for AAA under magnification loupe in Sweden. <i>Lancet, The</i> , 2018, 391, 2394-2395.	13.7	3
71	The Open Abdomen in Non-traumatic Vascular Emergencies. <i>Hot Topics in Acute Care Surgery and Trauma</i> , 2018, , 109-117.	0.1	1
72	Pitfalls in Conducting Studies on Wound Outcomes. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 449.	1.5	1

#	ARTICLE	IF	CITATIONS
73	Analysis of pre-hospital rescue times on mortality in trauma patients in a Scandinavian urban setting. <i>Trauma</i> , 2017, 19, 28-34.	0.5	5
74	Acute mesenteric ischemia (part I) â€“ Incidence, etiologies, and how to improve early diagnosis. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 15-25.	2.4	111
75	Vascular disorders of the gastrointestinal tract. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 1-2.	2.4	0
76	Serological markers for human intestinal ischemia: A systematic review. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 69-74.	2.4	66
77	Testing for thrombophilia in mesenteric venous thrombosis â€“ Retrospective original study and systematic review. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 39-48.	2.4	21
78	Acute mesenteric ischemia (Part II) â€“ Vascular and endovascular surgical approaches. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 27-38.	2.4	31
79	Lp-PLA2 activity and mass for prediction of incident abdominal aortic aneurysms: A prospective longitudinal cohort study. <i>Atherosclerosis</i> , 2017, 262, 14-18.	0.8	11
80	Circulating cadmium concentration and risk of aortic aneurysms: A nested case-control study within the MalmÃ¶ Diet and Cancer cohort. <i>Atherosclerosis</i> , 2017, 261, 37-43.	0.8	14
81	Negative-pressure wound therapy for prevention and treatment of surgical-site infections after vascular surgery. <i>British Journal of Surgery</i> , 2017, 104, e75-e84.	0.3	53
82	Editor's Choice â€“ Management of the Diseases of Mesenteric Arteries and Veins. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 53, 460-510.	1.5	431
83	Long-term Outcome after Thrombolysis for Acute Lower Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 53, 853-861.	1.5	30
84	Patients experiences of negative pressure wound therapy at home for the treatment of deep perivascular groin infection after vascular surgery. <i>Journal of Clinical Nursing</i> , 2017, 26, 1405-1413.	3.0	12
85	Open Abdomen Therapy with Vacuum and Mesh Mediated Fascial Traction After Aortic Repair: an International Multicentre Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 697-705.	1.5	24
86	Outcome of intra-arterial thrombolysis in patients with diabetes and acute lower limb ischemia: a propensity score adjusted analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 44, 475-480.	2.1	3
87	Causes and consequences of mesenteric embolization after endovascular aorto-iliac intervention â€” a nested case control study. <i>Anaesthesiology Intensive Therapy</i> , 2017, 49, 122-129.	1.0	4
88	Vacuum-assisted wound closure and mesh-mediated fascial traction for open abdomen therapy â€” a systematic review. <i>Anaesthesiology Intensive Therapy</i> , 2017, 49, 139-145.	1.0	23
89	Life satisfaction in patients with and without spinal cord ischemia after advanced endovascular therapy for extensive aortic disease at mid-term follow-up. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 861-864.	1.1	1
90	Quality of life and hernia development 5 years after open abdomen treatment with vacuum-assisted wound closure and mesh-mediated fascial traction. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2016, 20, 755-764.	2.0	19

#	ARTICLE	IF	CITATIONS
91	Decreasing incidence of ruptured abdominal aortic aneurysm already before start of screening. BMC Cardiovascular Disorders, 2016, 16, 44.	1.7	20
92	Temporary Abdominal Closure After Abdominal Aortic Aneurysm Repair: A Systematic Review of Contemporary Observational Studies. European Journal of Vascular and Endovascular Surgery, 2016, 51, 371-378.	1.5	26
93	Socio-economic status and major trauma in a Scandinavian urban city: A population-based case-control study. Scandinavian Journal of Public Health, 2016, 44, 217-223.	2.3	6
94	Total-tau and neurofilament light in CSF reflect spinal cord ischaemia after endovascular aortic repair. Neurochemistry International, 2016, 93, 1-5.	3.8	17
95	Endovascular therapy for visceral artery aneurysms. International Angiology, 2016, 35, 573-578.	0.9	3
96	A randomised study of NPWT closure versus alginate dressings in peri-vascular groin infections: quality of life, pain and cost. Journal of Wound Care, 2015, 24, 252-260.	1.2	21
97	Extended score interval in the assessment of basic surgical skills. Medical Education Online, 2015, 20, 25819.	2.6	4
98	Treatment of Popliteal Aneurysm by Open and Endovascular Surgery: A Contemporary Study of 592 Procedures in Sweden. European Journal of Vascular and Endovascular Surgery, 2015, 50, 342-350.	1.5	83
99	Peri-procedural Risk with Urgent Carotid Artery Stenting: A Population based Swedvasc Study. European Journal of Vascular and Endovascular Surgery, 2015, 49, 506-512.	1.5	18
100	Mesenteric ischemia. Current Opinion in Critical Care, 2015, 21, 171-178.	3.2	88
101	Antibiotic Prophylaxis With Trimethoprim/Sulfamethoxazole Instead of Cloxacillin Fails to Improve Inguinal Surgical Site Infection Rate After Vascular Surgery. Vascular and Endovascular Surgery, 2015, 49, 129-134.	0.7	11
102	Mid-term follow-up of patients with permanent sequel due to spinal cord ischemia after advanced endovascular therapy for extensive aortic disease. Spinal Cord, 2015, 53, 232-237.	1.9	11
103	Necessity of including medico-legal autopsy data in epidemiological surveys of individuals with major trauma. Injury, 2015, 46, 1515-1519.	1.7	6
104	Outcome after red trauma alarm at an urban Swedish hospital: Implications for prevention. Scandinavian Journal of Public Health, 2015, 43, 506-513.	2.3	4
105	Incisional Negative Pressure Wound Therapy in the Prevention of Surgical Site Infection after Vascular Surgery with Inguinal Incisions: Rationale and Design of a Randomized Controlled Trial (INVIPS-Trial). Surgical Science, 2015, 06, 562-571.	0.1	14
106	Update on intra-arterial thrombolysis in patients with lower limb ischemia. Journal of Cardiovascular Surgery, 2015, 56, 317-24.	0.6	8
107	Inflammatory mediators after endovascular aortic aneurysm repair. Cytokine, 2014, 70, 151-155.	3.2	6
108	Outcome and complications after intra-arterial thrombolysis for lower limb ischaemia with or without continuous heparin infusion. British Journal of Surgery, 2014, 101, 1105-1112.	0.3	40

#	ARTICLE	IF	CITATIONS
109	Clinical guidelines on central venous catheterisation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 508-524.	1.6	162
110	Evaluation of the Open Abdomen Classification System: A Validity and Reliability Analysis. <i>World Journal of Surgery</i> , 2014, 38, 3112-3124.	1.6	21
111	Vacuum-assisted wound closure versus alginate for the treatment of deep perivascular wound infections in the groin after vascular surgery. <i>Journal of Vascular Surgery</i> , 2014, 59, 145-151.	1.1	43
112	Outcome after thrombolysis for occluded endoprosthesis, bypasses and native arteries in patients with lower limb ischemia. <i>Thrombosis Research</i> , 2014, 134, 23-28.	1.7	8
113	Surgical management of peritonitis secondary to acute superior mesenteric artery occlusion. <i>World Journal of Gastroenterology</i> , 2014, 20, 9936.	3.3	56
114	Comparable mid-term survival in patients undergoing elective fenestrated endovascular aneurysm repair and endovascular aneurysm repair for abdominal aortic aneurysm. <i>SAGE Open Medicine</i> , 2014, 2, 205031211351998.	1.8	0
115	Clinical outcome and microvascular blood flow in VAC [®] and Sorbalgon [®] -treated peri-vascular infected wounds in the groin after vascular surgery – an early interim analysis. <i>International Wound Journal</i> , 2013, 10, 377-382.	2.9	9
116	Open Abdomen Treatment after Aortic Aneurysm Repair with Vacuum-assisted Wound Closure and Mesh-mediated Fascial Traction. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 45, 588-594.	1.5	42
117	Symptomatic Mesenteric Atherosclerotic Disease – Lessons Learned from the Diagnostic Workup. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 973-980.	1.7	51
118	Fatal arterial complications following ultrasound-guided attempt of internal jugular vein catheterization. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2013, 45, 179-183.	0.7	1
119	One-Year Follow-up After Open Abdomen Therapy With Vacuum-Assisted Wound Closure and Mesh-Mediated Fascial Traction. <i>World Journal of Surgery</i> , 2013, 37, 2031-2038.	1.6	39
120	Modern treatment of acute mesenteric ischaemia. <i>British Journal of Surgery</i> , 2013, 101, e100-e108.	0.3	144
121	Complications to Cerebrospinal Fluid Drainage and Predictors of Spinal Cord Ischemia in Patients With Aortic Disease Undergoing Advanced Endovascular Therapy. <i>Vascular and Endovascular Surgery</i> , 2013, 47, 415-422.	0.7	29
122	Preoperative echocardiographic predictors for 1-year mortality in patients treated with standard endovascular aneurysm repair for abdominal aortic aneurysm. <i>World Journal of Cardiovascular Diseases</i> , 2013, 03, 268-274.	0.2	3
123	Inadvertent arterial catheterization complicating femoral venous access for haemodialysis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 156-160.	1.4	3
124	Socioeconomic Position, Comorbidity, and Mortality in Aortic Aneurysms: A 13-Year Prospective Cohort Study. <i>Annals of Vascular Surgery</i> , 2012, 26, 312-321.	0.9	17
125	Diagnostic Pitfalls at Admission in Patients with Acute Superior Mesenteric Artery Occlusion. <i>Journal of Emergency Medicine</i> , 2012, 42, 635-641.	0.7	48
126	Outcome after VAC [®] Therapy for Infected Bypass Grafts in the Lower Limb. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012, 44, 294-299.	1.5	18

#	ARTICLE	IF	CITATIONS
127	Morphological State as a Predictor for Reintervention and Mortality After EVAR for AAA. CardioVascular and Interventional Radiology, 2012, 35, 1009-1015.	2.0	16
128	Current status on plasma biomarkers for acute mesenteric ischemia. Journal of Thrombosis and Thrombolysis, 2012, 33, 355-361.	2.1	124
129	Preoperative Spirometry Results as a Determinant for Long-term Mortality after EVAR for AAA. European Journal of Vascular and Endovascular Surgery, 2012, 43, 43-47.	1.5	20
130	Thrombolysis for lower extremity bypass graft occlusion. Journal of Vascular Surgery, 2011, 54, 1339-1344.	1.1	36
131	Thrombolysis for acute occlusion of the superior mesenteric artery. Journal of Vascular Surgery, 2011, 54, 1734-1742.	1.1	48
132	Altered mRNA Expression due to Acute Mesenteric Ischaemia in a Porcine Model. European Journal of Vascular and Endovascular Surgery, 2011, 41, 281-287.	1.5	10
133	Risk factors for haemorrhage during local intra-arterial thrombolysis for lower limb ischaemia. Journal of Thrombosis and Thrombolysis, 2011, 31, 226-232.	2.1	19
134	Multicentre prospective study of fascial closure rate after open abdomen with vacuum and mesh-mediated fascial traction. British Journal of Surgery, 2011, 98, 735-743.	0.3	188
135	Cardiovascular predictors for long-term mortality after EVAR for AAA. Vascular Medicine, 2011, 16, 422-427.	1.5	32
136	The clinical importance in differentiating portal from mesenteric venous thrombosis. International Angiology, 2011, 30, 71-8.	0.9	6
137	Role of endovascular intervention in patients with diabetic foot ulcer and concomitant peripheral arterial disease. International Angiology, 2011, 30, 349-58.	0.9	11
138	Endovascular Intervention for Central Venous Cannulation in Patients with Vascular Occlusion after Previous Catheterization. Journal of Vascular Access, 2010, 11, 323-328.	0.9	6
139	Impact of MDCT with intravenous contrast on the survival in patients with acute superior mesenteric artery occlusion. Emergency Radiology, 2010, 17, 171-178.	1.8	41
140	Epidemiology and Prognostic Factors in Acute Superior Mesenteric Artery Occlusion. Journal of Gastrointestinal Surgery, 2010, 14, 628-635.	1.7	47
141	Epidemiology of Mesenteric Vascular Disease: Clinical Implications. Seminars in Vascular Surgery, 2010, 23, 4-8.	2.8	257
142	Endovascular Techniques in Acute Arterial Mesenteric Ischemia. Seminars in Vascular Surgery, 2010, 23, 29-35.	2.8	54
143	CT Angiography Followed by Endovascular Intervention for Acute Superior Mesenteric Artery Occlusion does not Increase Risk of Contrast-Induced Renal Failure. European Journal of Vascular and Endovascular Surgery, 2010, 39, 726-730.	1.5	20
144	Mid-term outcome of endovascular revascularization for chronic mesenteric ischaemia. British Journal of Surgery, 2010, 97, 195-201.	0.3	37

#	ARTICLE	IF	CITATIONS
145	Successful Selective Thrombolysis for Limb-Threatening Ischemia due to Bilateral Lower Extremity Emboli After Open Aortic Aneurysm Repair. <i>Vascular and Endovascular Surgery</i> , 2010, 44, 506-507.	0.7	1
146	Pulmonary Embolism Associated With Protein C Deficiency and Abuse of Anabolic-androgen Steroids. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2010, 16, 228-231.	1.7	12
147	Endovascular and open surgery for acute occlusion of the superior mesenteric artery. <i>Journal of Vascular Surgery</i> , 2010, 52, 959-966.	1.1	118
148	Coagulation activation and ultrasound characteristics in patients with carotid artery disease. <i>Thrombosis Research</i> , 2010, 125, 171-177.	1.7	10
149	Management of Inadvertent Arterial Catheterisation Associated with Central Venous Access Procedures. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 38, 707-714.	1.5	98
150	Findings in multi-detector row CT with portal phase enhancement in patients with mesenteric venous thrombosis. <i>Emergency Radiology</i> , 2009, 16, 477-482.	1.8	41
151	Endovascular Therapeutic Approaches for Acute Superior Mesenteric Artery Occlusion. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 896-905.	2.0	92
152	Vacuum assisted wound closure in patients with lower extremity arterial disease. The experience from two tertiary referral-centres. <i>International Angiology</i> , 2009, 28, 26-31.	0.9	8
153	Epidemiology, risk and prognostic factors in mesenteric venous thrombosis. <i>British Journal of Surgery</i> , 2008, 95, 1245-1251.	0.3	246
154	Diagnostic accuracy of plasma biomarkers for intestinal ischaemia. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 242-248.	1.2	148
155	Predictors for Outcome after Vacuum Assisted Closure Therapy of Peri-vascular Surgical Site Infections in the Groin. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008, 36, 84-89.	1.5	67
156	Long-term prognostic factors after thrombolysis for lower limb ischemia. <i>Journal of Vascular Surgery</i> , 2008, 47, 1243-1250.	1.1	42
157	The Clinical Importance of Monitoring Intra Abdominal Pressure after Ruptured Abdominal Aortic Aneurysm Repair. <i>Scandinavian Journal of Surgery</i> , 2008, 97, 183-190.	2.6	25
158	Thrombus Embolization Into IVC Filters During Catheter-Directed Thrombolysis for Proximal Deep Venous Thrombosis. <i>Journal of Endovascular Therapy</i> , 2008, 15, 605-613.	1.5	52
159	L-Lactate After Embolization of the Superior Mesenteric Artery. <i>Journal of Surgical Research</i> , 2007, 143, 320-328.	1.6	30
160	Epidémiologie et facteurs pronostiques à long-terme des dissections aortiques aiguës de type B. <i>Annales De Chirurgie Vasculaire</i> , 2007, 21, 16-24.	0.0	0
161	Epidemiology and Long-Term Prognostic Factors in Acute Type B Aortic Dissection. <i>Annals of Vascular Surgery</i> , 2007, 21, 415-422.	0.9	36
162	TRENDS IN PREVALENCE OF FATAL SURGICAL DISEASES AT FORENSIC AUTOPSY. <i>ANZ Journal of Surgery</i> , 2007, 77, 718-721.	0.7	12

#	ARTICLE	IF	CITATIONS
163	High incidence of concomitant venous thromboembolism in patients with portal vein thrombosis: a population study based on 23 796 consecutive autopsies. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 198-200.	3.8	6
164	Predictors for Outcome after Open and Endovascular Repair of Ruptured Abdominal Aortic Aneurysms. <i>European Journal of Vascular and Endovascular Surgery</i> , 2007, 33, 277-284.	1.5	71
165	Vacuum-assisted Wound Closure and Mesh-mediated Fascial Traction—A Novel Technique for Late Closure of the Open Abdomen. <i>World Journal of Surgery</i> , 2007, 31, 2133-2137.	1.6	195
166	Acute Ischaemia of the Visceral Arteries. , 2007, , 417-423.		0
167	Increasing incidence of ruptured abdominal aortic aneurysm: A population-based study. <i>Journal of Vascular Surgery</i> , 2006, 44, 237-243.	1.1	193
168	Fatal colonic ischaemia: A population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 1312-1319.	1.5	29
169	The Hardman index in patients operated on for ruptured abdominal aortic aneurysm: a systematic review. <i>Journal of Vascular Surgery</i> , 2006, 44, 949-954.	1.1	46
170	Portal vein thrombosis: Prevalence, patient characteristics and lifetime risk: A population study based on 23 796 consecutive autopsies. <i>World Journal of Gastroenterology</i> , 2006, 12, 2115.	3.3	401
171	Incidence and risk of venous thromboembolism in patients with verified arterial thrombosis: a population study based on 23 796 consecutive autopsies. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1897-1902.	3.8	62
172	Fatal nonocclusive mesenteric ischaemia: population-based incidence and risk factors. <i>Journal of Internal Medicine</i> , 2006, 259, 305-313.	6.0	100
173	Octreotide scintigraphy and Chromogranin A do not predict clinical response in patients with octreotide acetate-treated hormone-refractory prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2006, 9, 92-98.	3.9	12
174	Clinical Implications for the Management of Acute Thromboembolic Occlusion of the Superior Mesenteric Artery. <i>Annals of Surgery</i> , 2005, 241, 516-522.	4.2	128
175	Mesenteric venous thrombosis with transmural intestinal infarction: A population-based study. <i>Journal of Vascular Surgery</i> , 2005, 41, 59-63.	1.1	83
176	Long-term testosterone stimulation induces hyperplasia in the guinea-pig prostate. <i>Prostate Cancer and Prostatic Diseases</i> , 2004, 7, 227-231.	3.9	4
177	Incidence of Acute Thrombo-Embolic Occlusion of the Superior Mesenteric Artery—A Population-based Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004, 27, 145-150.	1.5	108
178	D-dimer testing in patients with suspected acute thromboembolic occlusion of the superior mesenteric artery. <i>British Journal of Surgery</i> , 2004, 91, 991-994.	0.3	103
179	Activation of fibrinolysis and coagulation in non-occlusive intestinal ischaemia in a pig model. <i>Blood Coagulation and Fibrinolysis</i> , 2004, 15, 69-76.	1.0	8
180	Neuroendocrine markers as predictor of octreotide acetate therapy in patients with hormone-refractory prostate cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 4750-4750.	1.6	1

#	ARTICLE	IF	CITATIONS
181	Acute thrombo-embolic occlusion of the superior mesenteric artery: A prospective study in a well defined population. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003, 26, 179-183.	1.5	124
182	Preliminary study of D-dimer as a possible marker of acute bowel ischaemia. <i>British Journal of Surgery</i> , 2002, 88, 385-388.	0.3	80
183	Revascularization of the superior mesenteric artery after acute thromboembolic occlusion. <i>British Journal of Surgery</i> , 2002, 89, 923-927.	0.3	81
184	Neuroendocrine cells and nerves in the prostate of the guinea pig: Effects of peripheral denervation and castration. <i>Prostate</i> , 2001, 46, 191-199.	2.3	21
185	A Cost-Effectiveness Analysis of Transurethral Resection of the Prostate and Transurethral Microwave Thermotherapy for Treatment of Benign Prostatic Hyperplasia: Two-Year Follow-up. <i>Scandinavian Journal of Urology and Nephrology</i> , 1998, 32, 204-210.	1.4	21
186	High versus low added sugar consumption for the primary prevention of cardiovascular disease. <i>The Cochrane Library</i> , 0, , .	2.8	4