

Niall W Duncan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3940170/niall-w-duncan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47
papers

2,884
citations

30
h-index

53
g-index

55
ext. papers

3,640
ext. citations

6.9
avg, IF

5.08
L-index

#	Paper	IF	Citations
47	Occipital gamma-aminobutyric acid and glutamate-glutamine alterations in major depressive disorder: An mrs study and meta-analysis. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 308, 111238	2.9	2
46	Depressive rumination is correlated with brain responses during self-related processing. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E518-E527	4.5	0
45	Frequency drift in MR spectroscopy at 3T. <i>NeuroImage</i> , 2021 , 241, 118430	7.9	8
44	Suggestions for improving the visualization of magnetic resonance spectroscopy voxels and spectra. <i>Royal Society Open Science</i> , 2020 , 7, 200600	3.3	2
43	Variability in the analysis of a single neuroimaging dataset by many teams. <i>Nature</i> , 2020 , 582, 84-88	50.4	281
42	Intrinsic activity temporal structure reactivity to behavioural state change is correlated with depressive symptoms. <i>European Journal of Neuroscience</i> , 2020 , 52, 4840-4850	3.5	2
41	Comparison of Multivendor Single-Voxel MR Spectroscopy Data Acquired in Healthy Brain at 26 Sites. <i>Radiology</i> , 2020 , 295, 171-180	20.5	11
40	Investigating GABA concentrations measured with macromolecule suppressed and unsuppressed MEGA-PRESS MR spectroscopy and their relationship with BOLD responses in the occipital cortex. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 50, 1285-1294	5.6	6
39	Big GABA II: Water-referenced edited MR spectroscopy at 25 research sites. <i>NeuroImage</i> , 2019 , 191, 537-548	7.9	47
38	Breakdown in the temporal and spatial organization of spontaneous brain activity during general anesthesia. <i>Human Brain Mapping</i> , 2018 , 39, 2035-2046	5.9	34
37	Vascular-metabolic and GABAergic Inhibitory Correlates of Neural Variability Modulation. A Combined fMRI and PET Study. <i>Neuroscience</i> , 2018 , 379, 142-151	3.9	3
36	Abnormal Resting-State Connectivity in a Substantia Nigra-Related Striato-Thalamo-Cortical Network in a Large Sample of First-Episode Drug-Naïve Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 419-431	1.3	46
35	How much is enough-Can resting state fMRI provide a demarcation for neurosurgical resection in glioma?. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 245-261	9	30
34	Big GABA: Edited MR spectroscopy at 24 research sites. <i>NeuroImage</i> , 2017 , 159, 32-45	7.9	92
33	Is There a Nonadditive Interaction Between Spontaneous and Evoked Activity? Phase-Dependence and Its Relation to the Temporal Structure of Scale-Free Brain Activity. <i>Cerebral Cortex</i> , 2017 , 27, 1037-1059	5.1	67
32	Resting state glutamate predicts elevated pre-stimulus alpha during self-relatedness: A combined EEG-MRS study on "rest-self overlap". <i>Social Neuroscience</i> , 2016 , 11, 249-63	2	43
31	How do abnormalities in the brain's spontaneous activity translate into symptoms in schizophrenia? From an overview of resting state activity findings to a proposed spatiotemporal psychopathology. <i>Progress in Neurobiology</i> , 2016 , 145-146, 26-45	10.9	75

30	The Trajectory of Self. <i>Trends in Cognitive Sciences</i> , 2016 , 20, 481-482	14	9
29	Spontaneous activity in default-mode network predicts ascription of self-relatedness to stimuli. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 693-702	4	34
28	Contrasting variability patterns in the default mode and sensorimotor networks balance in bipolar depression and mania. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 4824-9	11.5	135
27	Interoception in insula subregions as a possible state marker for depression-an exploratory fMRI study investigating healthy, depressed and remitted participants. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 82	3.5	43
26	Increase in glutamate/glutamine concentration in the medial prefrontal cortex during mental imagery: A combined functional mrs and fMRI study. <i>Human Brain Mapping</i> , 2015 , 36, 3204-12	5.9	34
25	GABAA receptor deficits predict recovery in patients with disorders of consciousness: A preliminary multimodal [(11) C]Flumazenil PET and fMRI study. <i>Human Brain Mapping</i> , 2015 , 36, 3867-77	5.9	6
24	Negative childhood experiences alter a prefrontal-insular-motor cortical network in healthy adults: A preliminary multimodal rsfMRI-fMRI-MRS-dMRI study. <i>Human Brain Mapping</i> , 2015 , 36, 4622-37	5.9	59
23	How are different neural networks related to consciousness?. <i>Annals of Neurology</i> , 2015 , 78, 594-605	9.4	59
22	How to investigate neuro-biochemical relationships on a regional level in humans? Methodological considerations for combining functional with biochemical imaging. <i>Journal of Neuroscience Methods</i> , 2014 , 221, 183-188	3	17
21	Neuropsychiatric symptoms in Alzheimer's disease are related to functional connectivity alterations in the salience network. <i>Human Brain Mapping</i> , 2014 , 35, 1237-46	5.9	113
20	Associations of regional GABA and glutamate with intrinsic and extrinsic neural activity in humans—review of multimodal imaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 47, 36-52	9	126
19	GABA in the insula - a predictor of the neural response to interoceptive awareness. <i>NeuroImage</i> , 2014 , 86, 10-8	7.9	84
18	A comparison of neural responses to appetitive and aversive stimuli in humans and other mammals. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 45, 350-68	9	73
17	Resting-state functional magnetic resonance imaging: review of neurosurgical applications. <i>Neurosurgery</i> , 2014 , 74, 453-64; discussion 464-5	3.2	75
16	External awareness and GABA—a multimodal imaging study combining fMRI and [18F]flumazenil-PET. <i>Human Brain Mapping</i> , 2014 , 35, 173-84	5.9	26
15	How to investigate neuro-biochemical relationships on a regional level in humans? Methodological considerations for combining functional with biochemical imaging. <i>Journal of Neuroscience Methods</i> , 2014 , 221, 183-8	3	9
14	GABAA receptors predict aversion-related brain responses: an fMRI-PET investigation in healthy humans. <i>Neuropsychopharmacology</i> , 2013 , 38, 1438-50	8.7	16
13	Glutamate concentration in the medial prefrontal cortex predicts resting-state cortical-subcortical functional connectivity in humans. <i>PLoS ONE</i> , 2013 , 8, e60312	3.7	65

12	Overview of potential procedural and participant-related confounds for neuroimaging of the resting state. <i>Journal of Psychiatry and Neuroscience</i> , 2013 , 38, 84-96	4.5	53
11	Self-specific stimuli interact differently than non-self-specific stimuli with eyes-open versus eyes-closed spontaneous activity in auditory cortex. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 437	3.3	8
10	Why and How is the Self-Related to the Brain Midline Regions?. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 909	3.3	13
9	Dissociation between anterior and posterior cortical regions during self-specificity and familiarity: a combined fMRI-meta-analytic study. <i>Human Brain Mapping</i> , 2012 , 33, 154-64	5.9	77
8	Glutamate modulates resting state activity in the perigenual anterior cingulate cortex - a combined fMRI-MRS study. <i>Neuroscience</i> , 2012 , 227, 102-9	3.9	59
7	GABA(A) receptors in visual and auditory cortex and neural activity changes during basic visual stimulation. <i>Frontiers in Human Neuroscience</i> , 2012 , 6, 337	3.3	15
6	Are emotions associated with activity during rest or interoception? An exploratory fMRI study in healthy subjects. <i>Neuroscience Letters</i> , 2011 , 491, 87-92	3.3	42
5	Involvement of glutamate in rest-stimulus interaction between perigenual and supragenual anterior cingulate cortex: a combined fMRI-MRS study. <i>Human Brain Mapping</i> , 2011 , 32, 2172-82	5.9	52
4	Is there a core neural network in empathy? An fMRI based quantitative meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 903-11	9	588
3	Abnormal body perception and neural activity in the insula in depression: an fMRI study of the depressed "material me". <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 538-49	3.8	92
2	The brain and its resting state activity--experimental and methodological implications. <i>Progress in Neurobiology</i> , 2010 , 92, 593-600	10.9	68
1	Anterior cingulate activity and the self in disorders of consciousness. <i>Human Brain Mapping</i> , 2010 , 31, 1993-2002	5.9	79