## Mengyu

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3940199/mengyu-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,118 26 35 g-index

165 2,720 4.6 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
158	Potencies of organotin compounds in scallop RXRa responsive activity with a GAL4-based reconstituted yeast assay in vitro <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 29, 19890	5.1	O
157	Insights into disruption of lipid metabolism in digestive gland of female scallop Chlamys farreri under B[a]P exposure <i>Environmental Pollution</i> , <b>2022</b> , 299, 118904	9.3	O
156	Effects of increasing temperature and aestivation on biogenic amines, signal transduction pathways and metabolic enzyme activities in the sea cucumber (Apostichopus japonicus). <i>Marine Biology</i> , <b>2022</b> , 169, 1	2.5	1
155	Gene expression and functional analysis of different heat shock protein (HSPs) in Ruditapes philippinarum under BaP stress. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2022</b> , 251, 109194	3.2	1
154	Effects of bile acids on aflatoxin B1 bioaccumulation, detoxification system, and growth performance of Pacific white shrimp. <i>Food Chemistry</i> , <b>2022</b> , 371, 131169	8.5	O
153	An integrated approach using chemical ecological risk assessment and multi-integrated biomarker indexes approach to assess pollution: A case study of Ruditapes philippinarum in four bays on the Shandong Peninsula in China. <i>Environmental Research</i> , <b>2022</b> , 203, 111793	7.9	2
152	Bioaccumulation and function analysis of glutathione S-transferase isoforms in Manila clam Ruditapes philippinarum exposed to different kinds of PAHs <i>Journal of Environmental Sciences</i> , <b>2022</b> , 112, 129-139	6.4	2
151	Integration of chemical and biological methods: A case study of polycyclic aromatic hydrocarbons pollution monitoring in Shandong Peninsula, China <i>Journal of Environmental Sciences</i> , <b>2022</b> , 111, 24-37	6.4	4
150	Reproductive toxicity induced by benzo[a]pyrene exposure: first exploration highlighting the multi-stage molecular mechanism in female scallop Chlamys farreri <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 1	5.1	1
149	Source risk, ecological risk, and bioeffect assessment for polycyclic aromatic hydrocarbons (PAHs) in Laizhou Bay and Jiaozhou Bay of Shandong Peninsula, China <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 1	5.1	0
148	Sulfide removal characteristics, pathways and potential application of a novel chemolithotrophic sulfide-oxidizing strain, Marinobacter sp. SDSWS8 <i>Environmental Research</i> , <b>2022</b> , 212, 113176	7.9	O
147	Effects of benzo[a]pyrene exposure on oxidative stress and apoptosis of gill cells of Chlamys farreri in vitro <i>Environmental Toxicology and Pharmacology</i> , <b>2022</b> , 93, 103867	5.8	0
146	Process optimization for fermented siwu decoction by multi-index-response surface method and exploration of the effects of fermented siwu decoction on the growth, immune response and resistance to Vibrio harveyi of Pacific white shrimp (Litopenaeus vannamei). Fish and Shellfish	4.3	O
145	Toxic effect of p-chloroaniline and butyl acrylateon Nannochloropsis oculata based on water samples from two sea areas. <i>Environmental Toxicology and Pharmacology</i> , <b>2021</b> , 83, 103582	5.8	2
144	Effects of crustacean hyperglycaemic hormone RNA interference on regulation of glucose metabolism in after ammonia-nitrogen exposure. <i>British Journal of Nutrition</i> , <b>2021</b> , 1-14	3.6	O
143	Characterization of Vibrio sp. strain AB15 and Pseudomonas fluorescens strain NB14 from the biofloc of shrimp culture ponds capable of high ammonia and nitrite removal efficiency. <i>Journal of the World Aquaculture Society</i> , <b>2021</b> , 52, 843-858	2.5	3
142	Toxicity evaluation of butyl acrylate on the photosynthetic pigments, chlorophyll fluorescence parameters, and oxygen evolution activity of Phaeodactylum tricornutum and Platymonas subcordiformis. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 60954-60967	5.1	2

## (2020-2021)

141	Effect of dietary Xiao-Chaihu-Decoction on growth performance, immune response, detoxification and intestinal microbiota of pacific white shrimp (Litopenaeus vannamei). <i>Fish and Shellfish Immunology</i> , <b>2021</b> , 114, 320-329	4.3	1
140	Simultaneous aerobic removal of phosphorus and nitrogen by a novel salt-tolerant phosphate-accumulating organism and the application potential in treatment of domestic sewage and aquaculture sewage. <i>Science of the Total Environment</i> , <b>2021</b> , 758, 143580	10.2	8
139	Heterotrophic nitrification-aerobic denitrification characteristics and antibiotic resistance of two bacterial consortia from Marinomonas and Halomonas with effective nitrogen removal in mariculture wastewater. <i>Journal of Environmental Management</i> , <b>2021</b> , 279, 111786	7.9	5
138	Effects of Nrf2-Keap1 signaling pathway on antioxidant defense system and oxidative damage in the clams Ruditapes philippinarum exposure to PAHs. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 33060	5.1	1
137	Nitrogen removal performance, quantitative detection and potential application of a novel aerobic denitrifying strain, Pseudomonas sp. GZWN4 isolated from aquaculture water. <i>Bioprocess and Biosystems Engineering</i> , <b>2021</b> , 44, 1237-1251	3.7	1
136	Acute toxic effect of typical chemicals and ecological risk assessment based on two marine microalgae, Phaeodactylum tricornutum and Platymonas subcordiformis. <i>Environmental Toxicology and Pharmacology</i> , <b>2021</b> , 85, 103649	5.8	2
135	Damages to biological macromolecules in gonadal subcellular fractions of scallop Chlamys farreri following benzo[a]pyrene exposure: Contribution to inhibiting gonadal development and reducing fertility. <i>Environmental Pollution</i> , <b>2021</b> , 283, 117084	9.3	2
134	The exploration of neuroendocrine regulation of crustacean hyperglycemic hormone (CHH) on innate immunity of Litopenaeus vannamei under ammonia-N stress. <i>Molecular Immunology</i> , <b>2021</b> , 139, 50-64	4.3	1
133	The mechanism of apoptosis of Chlamys farreri hemocytes under benzopyrene stress in vitro. <i>Science of the Total Environment</i> , <b>2021</b> , 794, 148731	10.2	1
132	Possible roles of gonadotropin-releasing hormone (GnRH) and melatonin in the control of gonadal development of clam Ruditapes philippinarum. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Discours (Lamp)</i> (1988) Molecular (1988) Molecular (1988) April (1988) Physiology, 2021, 262, 111059	2.6	0
131	Impacts of benzo(a)pyrene exposure on scallop (Chlamys farreri) gut health and gut microbiota composition. <i>Science of the Total Environment</i> , <b>2021</b> , 799, 149471	10.2	2
130	Identification, interactions, nitrogen removal pathways and performances of culturable heterotrophic nitrification-aerobic denitrification bacteria from mariculture water by using cell culture and metagenomics. <i>Science of the Total Environment</i> , <b>2020</b> , 732, 139268	10.2	20
129	A verification of correlation between chemical monitoring and multi-biomarker approach using clam Ruditapes philippinarum and scallop Chlamys farreri to assess the impact of pollution in Shandong coastal area of China. <i>Marine Pollution Bulletin</i> , <b>2020</b> , 155, 111155	6.7	8
128	Phosphorus and nitrogen removal by a novel phosphate-accumulating organism, Arthrobacter sp. HHEP5 capable of heterotrophic nitrification-aerobic denitrification: Safety assessment, removal characterization, mechanism exploration and wastewater treatment. <i>Bioresource Technology</i> , <b>2020</b> ,	11	27
127	Bioaccumulation and oxidative damage of polycyclic aromatic hydrocarbon mixtures in Manila clam Ruditapes philippinarum. <i>Ecotoxicology and Environmental Safety</i> , <b>2020</b> , 197, 110558	7	10
126	Changes of water, sediment, and intestinal bacterial communities in Penaeus japonicus cultivation and their impacts on shrimp physiological health. <i>Aquaculture International</i> , <b>2020</b> , 28, 1847-1865	2.6	3
125	Crustacean hyperglycemic hormone (CHH) regulates the ammonia excretion and metabolism in white shrimp, Litopenaeus vannamei under ammonia-N stress. <i>Science of the Total Environment</i> , <b>2020</b> , 723, 138128	10.2	10
124	Screening of bacterial strains from the gut of Pacific White Shrimp (Litopenaeus vannamei) and their efficiencies in improving the fermentation of soybean meal. <i>FEMS Microbiology Letters</i> , <b>2020</b> , 367,	2.9	8

123	The molecular mechanism of AhR-ARNT-XREs signaling pathway in the detoxification response induced by polycyclic aromatic hydrocarbons (PAHs) in clam Ruditapes philippinarum. <i>Environmental Research</i> , <b>2020</b> , 183, 109165	7.9	13
122	Benzo[a]pyrene exposure induced reproductive endocrine-disrupting effects via the steroidogenic pathway and estrogen signaling pathway in female scallop Chlamys farreri. <i>Science of the Total Environment</i> , <b>2020</b> , 726, 138585	10.2	6
121	The mechanism of Mitogen-Activated Protein Kinases to mediate apoptosis and immunotoxicity induced by Benzo[a]pyrene on hemocytes of scallop Chlamys farreri in vitro. <i>Fish and Shellfish Immunology</i> , <b>2020</b> , 102, 64-72	4.3	6
120	Transcriptomic response to ammonia-N stress in the hepatopancreas of swimming crab Portunus trituberculatus. <i>Marine Life Science and Technology</i> , <b>2020</b> , 2, 135-145	4.5	4
119	Effects of feeding level and C/N ratio on water quality, growth performance, immune and antioxidant status of Litopenaeus vannamei in zero -water exchange bioflocs-based outdoor soil culture ponds. Fish and Shellfish Immunology, 2020, 101, 126-134	4.3	6
118	Toxicity assessment of p-choroaniline on Platymonas subcordiformis and its biodegradation. <i>Ecotoxicology and Environmental Safety</i> , <b>2020</b> , 189, 109995	7	6
117	Biomonitoring of polycyclic aromatic hydrocarbons (PAHs) from Manila clam Ruditapes philippinarum in Laizhou, Rushan and Jiaozhou, bays of China, and investigation of its relationship with human carcinogenic risk. <i>Marine Pollution Bulletin</i> , <b>2020</b> , 160, 111556	6.7	4
116	Comparative transcriptome analysis of eyestalk from the white shrimp Litopenaeus vannamei after the injection of dopamine. <i>Gene</i> , <b>2020</b> , 763, 145115	3.8	5
115	In vitro and in vivo immunologic potentiation of herb extracts on shrimp (Litopenaeus vannamei). Fish and Shellfish Immunology, <b>2020</b> , 107, 556-566	4.3	4
114	Benzo[a]pyrene exposure disrupts steroidogenesis and impairs spermatogenesis in diverse reproductive stages of male scallop (Chlamys farreri). <i>Environmental Research</i> , <b>2020</b> , 191, 110125	7.9	6
113	Characterizing transcriptome in female scallop Chlamys farreri provides new insights into the molecular mechanisms of reproductive regulation during ovarian development and spawn. <i>Gene</i> , <b>2020</b> , 758, 144967	3.8	1
112	Effects of Yu-Ping-Feng polysaccharides (YPS) on the immune response, intestinal microbiota, disease resistance and growth performance of Litopenaeus vannamei. <i>Fish and Shellfish Immunology</i> , <b>2020</b> , 105, 104-116	4.3	13
111	Temporal transcriptome analysis in female scallop Chlamys farreri: First molecular insights into the disturbing mechanism on lipid metabolism of reproductive-stage dependence under benzo[a]pyrene exposure. <i>Science of the Total Environment</i> , <b>2020</b> , 746, 142032	10.2	3
110	Characterization of sediment toxicity in Shanghai Harbor using toxicity tests and digital gene expression analysis based on clams Ruditapes phillipinarum. <i>Ecotoxicology and Environmental Safety</i>	7	
100	, <b>2020</b> , 204, 111065		
109	Effects of biogenic amines on the immune response and immunoregulation mechanism in hemocytes of Litopenaeus vannamei in vitro. <i>Molecular Immunology</i> , <b>2020</b> , 128, 1-9	4.3	6
108	Effects of biogenic amines on the immune response and immunoregulation mechanism in	7.0	<ul><li>6</li><li>7</li></ul>
	Effects of biogenic amines on the immune response and immunoregulation mechanism in hemocytes of Litopenaeus vannamei in vitro. <i>Molecular Immunology</i> , <b>2020</b> , 128, 1-9  Study on the AhR signaling pathway and phase II detoxification metabolic enzymes isoforms in	7.0	

105	The molecular mechanism of Nrf2-Keap1 signaling pathway in the antioxidant defense response induced by BaP in the scallop Chlamys farreri. <i>Fish and Shellfish Immunology</i> , <b>2019</b> , 92, 489-499	4.3	22
104	Crustacean hyperglycemic hormone (CHH) affects hemocyte intracellular signaling pathways to regulate exocytosis and immune response in white shrimp Litopenaeus vannamei. <i>Peptides</i> , <b>2019</b> , 116, 30-41	3.8	22
103	Ammonia-N exposure alters neurohormone levels in the hemolymph and mRNA abundance of neurohormone receptors and associated downstream factors in the gills of. <i>Journal of Experimental Biology</i> , <b>2019</b> , 222,	3	9
102	Metagenomic analysis of composition, function and cycling processes of microbial community in water, sediment and effluent of Litopenaeus vannamei farming environments under different culture modes. <i>Aquaculture</i> , <b>2019</b> , 506, 280-293	4.4	27
101	One recombinant C-type lectin (LvLec) from white shrimp Litopenaeus vannamei affected the haemocyte immune response in vitro. <i>Fish and Shellfish Immunology</i> , <b>2019</b> , 89, 35-42	4.3	16
100	In vitro recombinant yeast assay reveals the binding of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and aryl hydrocarbon receptor (AhR) from scallop Chlamys farreri. <i>Toxicology in Vitro</i> , <b>2019</b> , 59, 64-69	3.6	1
99	Inhibition of growth in juvenile manila clam Ruditapes philippinarum: Potential adverse outcome pathway of TBBPA. <i>Chemosphere</i> , <b>2019</b> , 224, 588-596	8.4	8
98	Using multi-integrated biomarker indexes approach to assess marine quality and health status of marine organism: a case study of Ruditapes philippinarum in Laizhou Bay, China. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 9916-9930	5.1	13
97	Effects of Vibro harveyi and Staphyloccocus aureus infection on hemocyanin synthesis and innate immune responses in white shrimp Litopenaeus vannamei. <i>Fish and Shellfish Immunology</i> , <b>2019</b> , 93, 659-	-668	10
96	Effects of crustacean hyperglycemic hormone (CHH) on regulation of hemocyte intracellular signaling pathways and phagocytosis in white shrimp Litopenaeus vannamei. <i>Fish and Shellfish Immunology</i> , <b>2019</b> , 93, 559-566	4.3	20
95	Evidence that dopamine is involved in neuroendocrine regulation, gill intracellular signaling pathways and ion regulation in. <i>Journal of Experimental Biology</i> , <b>2019</b> , 222,	3	7
94	Ion Transport Signal Pathways Mediated by Neurotransmitter (Biogenic Amines) of Litopenaeus vannamei Under Low Salinity Challenge. <i>Journal of Ocean University of China</i> , <b>2019</b> , 18, 210-218	1	3
93	Toxicity effects of p-choroaniline on the growth, photosynthesis, respiration capacity and antioxidant enzyme activities of a diatom, Phaeodactylum tricornutu. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 169, 654-661	7	21
92	The feasibility of using primary shrimp hemocyte culture to screen herbal immunostimulants. <i>Aquaculture International</i> , <b>2018</b> , 26, 799-811	2.6	1
91	Effects of ammonia-N exposure on the concentrations of neurotransmitters, hemocyte intracellular signaling pathways and immune responses in white shrimp Litopenaeus vannamei. <i>Fish and Shellfish Immunology</i> , <b>2018</b> , 75, 48-57	4.3	37
90	Effects of dietary herbal formulae combined by Astragalus polysaccharides, chlorogenic acid and allicin in different combinations and proportions on growth performance, non-specific immunity, antioxidant status, vibriosis resistance and damage indexes of Litopenaeus vannamei. <i>Aquaculture</i>	1.9	9
89	Effects of low salinity stress on immune response and evaluating indicators of the swimming crab Portunus trituberculatus. <i>Aquaculture Research</i> , <b>2018</b> , 49, 659-667	1.9	14
88	Microbiota assemblages of water, sediment, and intestine and their associations with environmental factors and shrimp physiological health. <i>Applied Microbiology and Biotechnology</i> , <b>2018</b> , 102, 8585-8598	5.7	49

87	Levels of Metabolic Enzymes and Nitrogenous Compounds in the Swimming Crab Portunus trituberculatus Exposed to Elevated Ambient Ammonia-N. <i>Journal of Ocean University of China</i> , <b>2018</b> , 17, 957-966	1	8
86	The role of Nrf2-Keap1 signaling pathway in the antioxidant defense response induced by PAHs in the calm Ruditapes philippinarum. <i>Fish and Shellfish Immunology</i> , <b>2018</b> , 80, 325-334	4.3	26
85	Acute and chronic toxicity effects of acrylonitrile to the juvenile marine flounder Paralichthys olivaceus. <i>Environmental Science and Pollution Research</i> , <b>2018</b> , 25, 35301-35311	5.1	6
84	Application of a series of biomarkers in Scallop Chlamys farreri to assess the toxic effects after exposure to a priority hazardous and noxious substance (HNS)-Acrylonitrile. <i>Environmental Toxicology and Pharmacology</i> , <b>2018</b> , 64, 122-130	5.8	5
83	Independent and simultaneous effect of crustacean hyperglycemic hormone and dopamine on the hemocyte intracellular signaling pathways and immune responses in white shrimp Litopenaeus vannamei. Fish and Shellfish Immunology, 2018, 83, 262-271	4.3	9
82	Identification of the role of Rh protein in ammonia excretion of the swimming crab. <i>Journal of Experimental Biology</i> , <b>2018</b> , 221,	3	6
81	Effect of using sodium bicarbonate to adjust the pH to different levels on water quality, the growth and the immune response of shrimp Litopenaeus vannamei reared in zero-water exchange biofloc-based culture tanks. <i>Aquaculture Research</i> , <b>2017</b> , 48, 1194-1208	1.9	12
80	Role of neuropeptide F in regulating filter feeding of Manila clam, Ruditapes philippinarum. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , <b>2017</b> , 205, 30-38	2.3	7
79	A multi-biomarker approach in scallop Chlamys farreri to assess the impact of contaminants in Qingdao coastal area of China. <i>Ecotoxicology and Environmental Safety</i> , <b>2017</b> , 142, 399-409	7	27
78	Assessing PAHs pollution in Shandong coastal area (China) by combination of chemical analysis and responses of reproductive toxicity in crab Portunus trituberculatus. <i>Environmental Science and Pollution Research</i> , <b>2017</b> , 24, 14291-14303	5.1	14
77	Expression profiles of different glutathione S-transferase isoforms in scallop Chlamys farreri exposed to benzo[a]pyrene and chrysene in combination and alone. <i>Ecotoxicology and Environmental Safety</i> , <b>2017</b> , 142, 480-488	7	17
76	Identification and real-time qPCR quantification of a nitrite-N degrading bacterial strain in aquatic water. <i>Aquaculture Research</i> , <b>2017</b> , 48, 3657-3668	1.9	4
75	Effects of 2,2\$4,4\$tetrabromodipheny ether (BDE-47) on gonadogenesis of the manila clam Ruditapes philippinarum. <i>Aquatic Toxicology</i> , <b>2017</b> , 193, 178-186	5.1	12
74	Evaluating the toxic effects of three priority hazardous and noxious substances (HNS) to rotifer Brachionus plicatilis. <i>Environmental Science and Pollution Research</i> , <b>2017</b> , 24, 27277-27287	5.1	6
73	Multi-biomarker approach in the scallop Chlamys farreri to assess PAHs pollution in Qingdao coastal areas of China. <i>Environmental Sciences: Processes and Impacts</i> , <b>2017</b> , 19, 1387-1403	4.3	8
72	Characterization of novel Bacillus strain N31 from mariculture water capable of halophilic heterotrophic nitrification-aerobic denitrification. <i>Journal of Bioscience and Bioengineering</i> , <b>2017</b> , 124, 564-571	3.3	65
71	The detoxification responses, damage effects and bioaccumulation in the scallop Chlamys farreri exposed to single and mixtures of benzo[a]pyrene and chrysene. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2017</b> , 191, 36-51	3.2	29
70	The Effect of Bilateral Eyestalk Ablation on Signal Transduction Pathways of Ion Regulation of Litopenaeus vannamei. <i>Journal of the World Aquaculture Society</i> , <b>2017</b> , 48, 145-155	2.5	4

69	Molecular cloning and sequence analysis of two carbonic anhydrase in the swimming crab Portunus trituberculatus and its expression in response to salinity and pH stress. <i>Gene</i> , <b>2016</b> , 576, 347-57	3.8	20
68	Effects of different carbon sources addition on nutrition composition and extracellular enzymes activity of bioflocs, and digestive enzymes activity and growth performance of Litopenaeus vannamei in zero-exchange culture tanks. <i>Aquaculture Research</i> , <b>2016</b> , 47, 3307-3318	1.9	27
67	Molecular evidence for the existence of an aryl hydrocarbon receptor pathway in scallops Chlamys farreri. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , <b>2016</b> , 196-197, 74-84	2.3	19
66	Using digital gene expression profile to detect representational difference of Chlamys farreri genes after laboratory exposure to persistent organic pollutants. <i>Genes and Genomics</i> , <b>2016</b> , 38, 263-27	4 <sup>2.1</sup>	2
65	In vitro study of the effect of metabolism enzymes on benzo(a)pyrene-induced DNA damage in the scallop Chlamys farreri. <i>Environmental Toxicology and Pharmacology</i> , <b>2016</b> , 42, 92-8	5.8	16
64	Effect of salinity on regulation mechanism of neuroendocrine-immunoregulatory network in Litopenaeus vannamei. <i>Fish and Shellfish Immunology</i> , <b>2016</b> , 49, 396-406	4.3	38
63	Effect of benzo[a]pyrene on detoxification and the activity of antioxidant enzymes of marine microalgae. <i>Journal of Ocean University of China</i> , <b>2016</b> , 15, 303-310	1	6
62	Short-term exposure to benzo[a]pyrene causes oxidative damage and affects haemolymph steroid levels in female crab Portunus trituberculatus. <i>Environmental Pollution</i> , <b>2016</b> , 208, 486-94	9.3	16
61	Effects of Different Carbon Sources on Bioactive Compound Production of Biofloc, Immune Response, Antioxidant Level, and Growth Performance of Litopenaeus vannamei in Zero-water Exchange Culture Tanks. <i>Journal of the World Aquaculture Society</i> , <b>2016</b> , 47, 566-576	2.5	25
60	Tissue distribution, elimination of florfenicol and its effect on metabolic enzymes and related genes expression in the white shrimp Litopenaeus vannamei following oral administration. <i>Aquaculture Research</i> , <b>2016</b> , 47, 1584-1595	1.9	9
59	Transcriptomic changes in the ovaries of scallop Chlamys farreri exposed to benzo[a]pyrene. <i>Genes and Genomics</i> , <b>2016</b> , 38, 509-518	2.1	8
58	Exposure to2,2\$4,4\$tetrabromodiphenyl ether (BDE-47) alters thyroid hormone levels and thyroid hormone-regulated gene transcription in manila clam Ruditapes philippinarum. <i>Chemosphere</i> , <b>2016</b> , 152, 10-6	8.4	18
57	Toxic effects upon exposure to polycyclic aromatic hydrocarbon (chrysene) in scallop Chlamys farreri during the reproduction period. <i>Environmental Toxicology and Pharmacology</i> , <b>2016</b> , 44, 75-83	5.8	6
56	Identification of interacting proteins with aryl hydrocarbon receptor in scallop Chlamys farreri by yeast two hybrid screening. <i>Ecotoxicology and Environmental Safety</i> , <b>2016</b> , 133, 381-9	7	5
55	Gender differences in detoxification metabolism of polycyclic aromatic hydrocarbon (chrysene) in scallop Chlamys farreri during the reproduction period. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2015</b> , 170, 50-9	3.2	9
54	Short-term exposure to benzo[a]pyrene disrupts reproductive endocrine status in the swimming crab Portunus trituberculatus. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2015</b> , 174-175, 13-20	3.2	7
53	Generally detected genes in comparative transcriptomics in bivalves: toward the identification of molecular markers of cellular stress response. <i>Environmental Toxicology and Pharmacology</i> , <b>2015</b> , 39, 475-81	5.8	8
52	Transcriptomic response to low salinity stress in gills of the Pacific white shrimp, Litopenaeus vannamei. <i>Marine Genomics</i> , <b>2015</b> , 24 Pt 3, 297-304	1.9	28

51	Molecular cloning, characterization, and expression analysis of a gonadotropin-releasing hormone-like cDNA in the clam, Ruditapes philippinarum. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , <b>2015</b> , 189, 47-54	2.3	10
50	Bioaccumulation and detoxification responses in the scallop Chlamys farreri exposed to tetrabromobisphenol A (TBBPA). <i>Environmental Toxicology and Pharmacology</i> , <b>2015</b> , 39, 997-1007	5.8	26
49	Deep sequencing of the scallop Chlamys farreri transcriptome response to tetrabromobisphenol A (TBBPA) stress. <i>Marine Genomics</i> , <b>2015</b> , 19, 31-8	1.9	22
48	Toxic effects upon exposure to benzo[a]pyrene in juvenile white shrimp Litopenaeus vannamei. <i>Environmental Toxicology and Pharmacology</i> , <b>2015</b> , 39, 194-207	5.8	33
47	RNA-seq based on transcriptome reveals differ genetic expressing in Chlamys farreri exposed to carcinogen PAHs. <i>Environmental Toxicology and Pharmacology</i> , <b>2015</b> , 39, 313-20	5.8	19
46	Digital gene expression analysis in hemocytes of the white shrimp Litopenaeus vannamei in response to low salinity stress. <i>Fish and Shellfish Immunology</i> , <b>2015</b> , 42, 400-7	4.3	40
45	Molecular cloning and sequence analysis of heat shock proteins 70 (HSP70) and 90 (HSP90) and their expression analysis when exposed to benzo(a)pyrene in the clam Ruditapes philippinarum. <i>Gene</i> , <b>2015</b> , 555, 108-18	3.8	39
44	Dietary accumulation of tetrabromobisphenol A and its effects on the scallop Chlamys farreri. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2015</b> , 167, 7-14	3.2	10
43	Initiation of two ovarian cell lines from Fugu rubripes (Temminck et. Schlegel). <i>Acta Oceanologica Sinica</i> , <b>2015</b> , 34, 98-102	1	1
42	Ammonia and urea excretion in the swimming crab Portunus trituberculatus exposed to elevated ambient ammonia-N. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Emp; Integrative Physiology</i> , <b>2015</b> , 187, 48-54	2.6	28
41	Differential gene expression analysis of benzo(a)pyrene toxicity in the clam, Ruditapes philippinarum. <i>Ecotoxicology and Environmental Safety</i> , <b>2015</b> , 115, 126-36	7	11
40	Environmentally relevant concentrations of benzo[a]pyrene affect steroid levels and affect gonad of male scallop Chlamys farreri. <i>Ecotoxicology and Environmental Safety</i> , <b>2015</b> , 114, 150-6	7	10
39	The detoxification process, bioaccumulation and damage effect in juvenile white shrimp Litopenaeus vannamei exposed to chrysene. <i>Ecotoxicology and Environmental Safety</i> , <b>2015</b> , 114, 44-51	7	26
38	Identification of differentially expressed genes in the digestive gland of manila clam Ruditapes philippinarum exposed to BDE-47. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2014</b> , 161, 15-20	3.2	9
37	Immunotoxic effect of Benzo Pyrene and chrysene in juvenile white shrimp Litopenaeus vannamei. <i>Open Life Sciences</i> , <b>2014</b> , 9, 1048-1057	1.2	2
36	Digital gene expression analysis of reproductive toxicity of benzo[a]pyrene in male scallop chlamys farreri. <i>Ecotoxicology and Environmental Safety</i> , <b>2014</b> , 110, 190-6	7	20
35	Molecular cloning and characterization of a MXR-related P-glycoprotein cDNA in scallop Chlamys farreri: transcriptional response to benzo(a)pyrene, tetrabromobisphenol A and endosulfan. <i>Ecotoxicology and Environmental Safety</i> , <b>2014</b> , 110, 136-42	7	10
34	Metabolites analysis, metabolic enzyme activities and bioaccumulation in the clam Ruditapes philippinarum exposed to benzo[a]pyrene. <i>Ecotoxicology and Environmental Safety</i> , <b>2014</b> , 107, 251-9	7	45

## (2011-2014)

33	Bioaccumulation and oxidative damage in juvenile scallop Chlamys farreri exposed to benzo[a]pyrene, benzo[b]fluoranthene and chrysene. <i>Ecotoxicology and Environmental Safety</i> , <b>2014</b> , 107, 103-10	7	41
32	Effect of salinity on the biosynthesis of amines in Litopenaeus vannamei and the expression of gill related ion transporter genes. <i>Journal of Ocean University of China</i> , <b>2014</b> , 13, 453-459	1	19
31	Deep sequencing-based transcriptome profiling analysis of Chlamys farreri exposed to benzo[a]pyrene. <i>Gene</i> , <b>2014</b> , 551, 261-70	3.8	26
30	Metabolic enzyme activities, metabolism-related genes expression and bioaccumulation in juvenile white shrimp Litopenaeus vannamei exposed to benzo[a]pyrene. <i>Ecotoxicology and Environmental Safety</i> , <b>2014</b> , 104, 79-86	7	33
29	Toxicity assessment of environmental pollutant phenanthrene in clam Venerupis philippinarum using oxidative stress biomarkers. <i>Environmental Toxicology and Pharmacology</i> , <b>2014</b> , 37, 697-704	5.8	31
28	Assessing PAHs pollution in Qingdao coastal area (China) by the combination of chemical and biochemical responses in scallops, Chlamys farreri. <i>Marine Pollution Bulletin</i> , <b>2014</b> , 89, 473-480	6.7	19
27	Identification of a CYP3A-like gene and CYPs mRNA expression modulation following exposure to benzo[a]pyrene in the bivalve mollusk Chlamys farreri. <i>Marine Environmental Research</i> , <b>2014</b> , 94, 7-15	3.3	25
26	Response of detoxification gene mRNA expression and selection of molecular biomarkers in the clam Ruditapes philippinarum exposed to benzo[a]pyrene. <i>Environmental Pollution</i> , <b>2014</b> , 189, 1-8	9.3	35
25	A physiologically based toxicokinetic and toxicodynamic model links the tissue distribution of benzo[a]pyrene and toxic effects in the scallop Chlamys farreri. <i>Environmental Toxicology and Pharmacology</i> , <b>2014</b> , 37, 493-504	5.8	10
24	Molecular cloning, characterization and recombinant expression of crustacean hyperglycemic hormone in white shrimp Litopenaeus vannamei. <i>Peptides</i> , <b>2014</b> , 53, 115-24	3.8	26
23	Effects of phosphatidyl serine on immune response in the shrimp Litopenaeus vannamei. <i>Open Life Sciences</i> , <b>2013</b> , 8, 1135-1144	1.2	9
22	An investigation of endocrine disrupting effects and toxic mechanisms modulated by benzo[a]pyrene in female scallop Chlamys farreri. <i>Aquatic Toxicology</i> , <b>2013</b> , 144-145, 162-71	5.1	59
21	The roles of serine protease, intracellular and extracellular phenoloxidase in activation of prophenoloxidase system, and characterization of phenoloxidase from shrimp haemocytes induced by lipopolysaccharide or dopamine. <i>Chinese Journal of Oceanology and Limnology</i> , <b>2013</b> , 31, 1018-1027		13
20	Application of SSH and quantitative real time PCR to construction of gene expression profiles from scallop Chlamys farreri in response to exposure to tetrabromobisphenol A. <i>Environmental Toxicology and Pharmacology</i> , <b>2012</b> , 34, 911-8	5.8	9
19	Application of the biomarker responses in scallop (Chlamys farreri) to assess metals and PAHs pollution in Jiaozhou Bay, China. <i>Marine Environmental Research</i> , <b>2012</b> , 80, 38-45	3.3	45
18	Identification of a novel P450 gene belonging to the CYP4 family in the clam Ruditapes philippinarum, and analysis of basal- and benzo(a)pyrene-induced mRNA expression levels in selected tissues. <i>Environmental Toxicology and Pharmacology</i> , <b>2011</b> , 32, 390-8	5.8	22
17	Effects of different dietary lipid contents on growth and lipase activity of Eriocheir sinensis larvae. <i>Journal of Ocean University of China</i> , <b>2011</b> , 10, 55-60	1	0
16	Effects of heavy metal ions (Cu2+, Pb2+ and Cd2+) on DNA damage of the gills, hemocytes and hepatopancreas of marine crab, Charybdis japonica. <i>Journal of Ocean University of China</i> , <b>2011</b> , 10, 177-	184	8

15	Effect of dopamine injection on the hemocyte count and prophenoloxidase system of the white shrimp Litopenaeus vannamei. <i>Journal of Ocean University of China</i> , <b>2011</b> , 10, 280-286	1	8
14	Modulation by biogenic amines for the hemocyte count and prophenoloxidase exocytosis via receptors in Litopenaeus vannamei. <i>Journal of Ocean University of China</i> , <b>2011</b> , 10, 425-432	1	4
13	Molecular cloning and characterization of a novel c-type lysozyme gene in swimming crab Portunus trituberculatus. <i>Fish and Shellfish Immunology</i> , <b>2010</b> , 29, 286-92	4.3	31
12	Variations of ion-transport enzyme activities during early development of the shrimps Fenneropenaeus chinensis and Marsupenaeus japonicus. <i>Journal of Ocean University of China</i> , <b>2010</b> , 9, 76-80	1	1
11	Responses of prophenoloxidase system and related defence parameters of Litopenaeus vannamei to low salinity. <i>Journal of Ocean University of China</i> , <b>2010</b> , 9, 273-278	1	12
10	Effects of hypoxia on dopamine concentration and the immune response of White Shrimp (Litopenaeus vannamei). <i>Journal of Ocean University of China</i> , <b>2009</b> , 8, 77-82	1	14
9	Immunotoxicity effect of benzo[[pyrene on scallop Chlamys farreri. <i>Journal of Ocean University of China</i> , <b>2009</b> , 8, 89-94	1	11
8	Effects of mercuric chloride on antioxidant system and DNA integrity of the crab Charybdis japonica. <i>Journal of Ocean University of China</i> , <b>2009</b> , 8, 416-424	1	2
7	Effects of benzo(a)pyrene exposure on the antioxidant enzyme activity of scallop Chlamys farreri. <i>Chinese Journal of Oceanology and Limnology</i> , <b>2009</b> , 27, 43-53		41
6	AHH activity, tissue dose and DNA damage in different tissues of the scallop Chlamys farreri exposed to benzo[a]pyrene. <i>Environmental Pollution</i> , <b>2008</b> , 153, 192-8	9.3	52
5	Effect of salinity on hemolymph osmotic pressure, sodium concentration and Na+-K+-ATPase activity of gill of Chinese crab, Eriocheir sinensis. <i>Journal of Ocean University of China</i> , <b>2008</b> , 7, 77-82	1	8
4	Effects of Na+/K+ ratio of groundwaters on the gill ion-transport enzyme activity, plasma osmolality and growth of Cynoglossus semilaevis juveniles. <i>Journal of Ocean University of China</i> , <b>2008</b> , 7, 447-452	1	
3	Metallothionein, antioxidant enzymes and DNA strand breaks as biomarkers of Cd exposure in a marine crab, Charybdis japonica. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2006</b> , 144, 67-75	3.2	43
2	Effects of benzo(k)fluoranthene exposure on the biomarkers of scallop Chlamys farreri.  Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2005, 141, 248-56	3.2	28
1	Neuroendocrine-immune regulation mechanism in crustaceans: A review. Reviews in Aquaculture,	8.9	2