

# Fernando Navarro-Mateu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3941440/fernando-navarro-mateu-publications-by-citations.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	5,220 citations	31 h-index	72 g-index
90 ext. papers	7,031 ext. citations	6.4 avg, IF	4.63 L-index

#	Paper	IF	Citations
82	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , <b>2016</b> , 46, 327-43	6.9	485
81	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Høgre Utbildning</i> , <b>2017</b> , 8, 1353383	5	446
80	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 119-124	5.4	397
79	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2017</b> , 47, 2260-2274	6.9	337
78	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , <b>2017</b> , 9, 47-65	3.1	284
77	Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 697-705	14.5	254
76	Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 150-8	14.5	246
75	Urbanization and psychosis: a study of 1942-1978 birth cohorts in The Netherlands. <i>Psychological Medicine</i> , <b>1998</b> , 28, 871-9	6.9	225
74	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2015</b> , 24, 210-26	5.1	208
73	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , <b>2018</b> , 35, 195-208	8.4	160
72	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 465-475	14.5	149
71	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , <b>2017</b> , 15, 143	11.4	149
70	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , <b>2014</b> , 13, 265-74	14.4	144
69	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , <b>2016</b> , 173, 997-1006	11.9	124
68	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 270-281	14.5	120
67	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , <b>2017</b> , 16, 299-307	14.4	98
66	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 1155-1177	8.4	83

65	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 280-288	5.4	76
64	Associations between subjective social status and DSM-IV mental disorders: results from the World Mental Health surveys. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1400-8	14.5	75
63	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2017</b> , 47, 1744-1760	6.9	74
62	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1560-1571	6.9	73
61	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2017</b> , 47, 227-241	6.9	72
60	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 933-41	1.3	66
59	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 373-380	5.4	56
58	Meta-analyses of the 5-HTTLPR polymorphisms and post-traumatic stress disorder. <i>PLoS ONE</i> , <b>2013</b> , 8, e66227	3.7	44
57	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 74-84	6.5	42
56	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1136-1144	14.5	41
55	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 155-167	6.9	37
54	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 1892-1899	15.1	34
53	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2018</b> , 27, 552-567	5.1	31
52	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , <b>2018</b> , 113, 924-934	4.6	31
51	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , <b>2020</b> , 102, 106128	4.2	30
50	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 2073-2084	6.9	29
49	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 830-841	14.5	28
48	A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 1728-36	3.7	26

47	The epidemiology of drug use disorders cross-nationally: Findings from the WHO World Mental Health Surveys. <i>International Journal of Drug Policy</i> , <b>2019</b> , 71, 103-112	5.5	25
46	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 257	4.2	24
45	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , <b>2017</b> , 34, 315-326	8.4	23
44	Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. <i>Gaceta Sanitaria</i> , <b>2013</b> , 27, 325-31	2.2	23
43	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137293	3.7	23
42	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e153	5.1	23
41	Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , <b>1996</b> , 21, 161-70	3.6	22
40	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 306-315	6.5	19
39	Time trends and geographical variations in mortality due to suicide and causes of undetermined intent in Spain, 1991-2008. <i>Journal of Public Health</i> , <b>2013</b> , 35, 237-45	3.5	19
38	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO World Mental Health Surveys. <i>Addiction</i> , <b>2019</b> , 114, 534-552	4.6	17
37	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 708-720	14.5	16
36	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 2730-2739	6.9	16
35	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 437-450	6.9	15
34	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , <b>2019</b> , 17, 101	11.4	14
33	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , <b>2019</b> , 114, 1446-1459	4.6	14
32	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , <b>2018</b> , 201, 46-53	3.6	14
31	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , <b>2020</b> , 1-11	6.9	12
30	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 499-510	8.4	11

29	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	10
28	Fear and distress disorders as predictors of heart disease: A temporal perspective. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 96, 67-75	4.1	10
27	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorca earthquakes, 2011 (Murcia, Spain): A cross-sectional study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179690	3.7	9
26	Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. <i>BMJ Open</i> , <b>2013</b> , 3, e004035	3	8
25	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , <b>2020</b> , 37, 972-994	8.4	8
24	Concentrations of bisphenol-A in adults from the general population: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , <b>2021</b> , 775, 145755	10.2	6
23	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2018</b> , 53, 207-219	4.5	5
22	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , <b>2021</b> , 23, 565-583	3.8	5
21	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , <b>2021</b> , 288, 199-209	6.6	5
20	Ascertainment of Dementia Cases in the Spanish European Prospective Investigation into Cancer and Nutrition-Murcia Cohort. <i>Neuroepidemiology</i> , <b>2019</b> , 52, 63-73	5.4	5
19	The association of telomere length with substance use disorders: a systematic review and meta-analysis of observational studies. <i>Addiction</i> , <b>2021</b> , 116, 1954-1972	4.6	4
18	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization World Mental Health Survey Initiative. <i>Psychological Medicine</i> , <b>2020</b> , 1-13	6.9	4
17	Incidence of Dementia and Associated Factors in the EPIC-Spain Dementia Cohort. <i>Journal of Alzheimer's Disease</i> , <b>2020</b> , 78, 543-555	4.3	4
16	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e70	5.1	2
15	Birth-sex cohort alcohol use transitions in the general population: the cross-sectional PEGASUS-Murcia project. <i>Revista De Psicologia De La Salud</i> , <b>2020</b> , 32, 94-104	1	2
14	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , <b>2022</b> , 21, 272-286	14.4	2
13	Suicide and dementia: Systematic review and meta-analysis. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2020</b> , 13, 213-227	2.7	1
12	Mental disorders and medical conditions associated with causing injury or death: A population-based study. <i>Psychiatry Research</i> , <b>2020</b> , 287, 112899	9.9	1

11	New regulations regarding Postgraduate Medical Training in Spain: perception of the tutor's role in the Murcia Region. <i>BMC Medical Education</i> , <b>2010</b> , 10, 44	3.3	1
10	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , <b>2022</b> , 16, 6	3.6	1
9	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 229, 109158	4.9	1
8	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca earthquakes (Murcia, Spain). <i>Psychiatry Research</i> , <b>2019</b> , 282, 112640	9.9	1
7	The association of telomere length with substance use disorders: systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , <b>2019</b> , 8, 298	3	1
6	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 393-405	4.5	1
5	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 392	4.2	1
4	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 1-9	6.9	1
3	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2022</b> , 1	4.5	1
2	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	0
1	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). <i>BMJ Open</i> , <b>2019</b> , 9, e030328	3	