

peter Thorn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3941513/peter-thorn-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

2,738

citations

30

h-index

51

g-index

69

ext. papers

2,994

ext. citations

6.2

avg, IF

4.97

L-index

#	Paper	IF	Citations
66	Enhanced structure and function of human pluripotent stem cell-derived beta-cells cultured on extracellular matrix. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 492-505	6.9	4
65	Structural and functional polarisation of human pancreatic beta cells in islets from organ donors with and without type 2 diabetes. <i>Diabetologia</i> , 2021 , 64, 618-629	10.3	9
64	Arp2/3 nucleates F-actin coating of fusing insulin granules in pancreatic β cells to control insulin secretion. <i>Journal of Cell Science</i> , 2020 , 133,	5.3	7
63	The Role of the Islet Niche on Beta Cell Structure and Function. <i>Journal of Molecular Biology</i> , 2020 , 432, 1407-1418	6.5	30
62	Local Integrin Activation in Pancreatic β Cells Targets Insulin Secretion to the Vasculature. <i>Cell Reports</i> , 2018 , 24, 2819-2826.e3	10.6	35
61	Cell polarity defines three distinct domains in pancreatic β cells. <i>Journal of Cell Science</i> , 2017 , 130, 143-153	5.3	44
60	HCO ₃ ⁻ Transport through Anoctamin/Transmembrane Protein ANO1/TMEM16A in Pancreatic Acinar Cells Regulates Luminal pH. <i>Journal of Biological Chemistry</i> , 2016 , 291, 20345-52	5.4	17
59	Effects of synthetic biomacromolecule addition on the flow behavior of concentrated mesenchymal cell suspensions. <i>Biomacromolecules</i> , 2015 , 16, 275-83	6.9	5
58	Lepr(db) mouse model of type 2 diabetes: pancreatic islet isolation and live-cell 2-photon imaging of intact islets. <i>Journal of Visualized Experiments</i> , 2015 , e52632	1.6	10
57	Insulin secretion from beta cells within intact islets: location matters. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015 , 42, 406-14	3	25
56	An approach to prepare polyethylenimine functionalized silica-based spheres with small size for siRNA delivery. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 15626-31	9.5	16
55	The secretory deficit in islets from db/db mice is mainly due to a loss of responding beta cells. <i>Diabetologia</i> , 2014 , 57, 1400-9	10.3	33
54	Insulin secretion from beta cells in intact mouse islets is targeted towards the vasculature. <i>Diabetologia</i> , 2014 , 57, 1655-63	10.3	53
53	Facile synthesis of ultra-small hybrid silica spheres for enhanced penetration in 3D glioma spheroids. <i>Chemical Communications</i> , 2014 , 50, 1527-9	5.8	14
52	Measurement of dynamic F-actin changes during exocytosis. <i>Methods in Molecular Biology</i> , 2014 , 1174, 423-31	1.4	
51	Glucose principally regulates insulin secretion in mouse islets by controlling the numbers of granule fusion events per cell. <i>Diabetologia</i> , 2013 , 56, 2629-37	10.3	35
50	Hyaluronic acid modified mesoporous silica nanoparticles for targeted drug delivery to CD44-overexpressing cancer cells. <i>Nanoscale</i> , 2013 , 5, 178-83	7.7	240

49	Effects of cell density and biomacromolecule addition on the flow behavior of concentrated mesenchymal cell suspensions. <i>Biomacromolecules</i> , 2013 , 14, 4388-97	6.9	23
48	A simple approach to prepare monodisperse mesoporous silica nanospheres with adjustable sizes. <i>Journal of Colloid and Interface Science</i> , 2012 , 376, 67-75	9.3	59
47	Measuring calcium signals and exocytosis in tissues. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012 , 1820, 1179-84	4	4
46	Real-time measurement of F-actin remodelling during exocytosis using Lifeact-EGFP transgenic animals. <i>PLoS ONE</i> , 2012 , 7, e39815	3.7	20
45	Hepatocyte growth factor acutely perturbs actin filament anchorage at the epithelial zonula adherens. <i>Current Biology</i> , 2011 , 21, 503-7	6.3	33
44	Vesicle-associated membrane protein 8 (VAMP8) is a SNARE (soluble N-ethylmaleimide-sensitive factor attachment protein receptor) selectively required for sequential granule-to-granule fusion. <i>Journal of Biological Chemistry</i> , 2011 , 286, 29627-34	5.4	62
43	Secretory control: evidence for agonist regulation of post-fusion vesicle behaviour. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 218-21	3	3
42	Exocytosis, dependent on Ca ²⁺ release from Ca ²⁺ stores, is regulated by Ca ²⁺ microdomains. <i>Journal of Cell Science</i> , 2010 , 123, 3201-8	5.3	28
41	Protons released during pancreatic acinar cell secretion acidify the lumen and contribute to pancreatitis in mice. <i>Gastroenterology</i> , 2010 , 139, 1711-20, 1720.e1-5	13.3	44
40	Pancreatic acinar cell: new insights into the control of secretion. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1586-9	5.6	17
39	Myosin 2 maintains an open exocytic fusion pore in secretory epithelial cells. <i>Molecular Biology of the Cell</i> , 2009 , 20, 1795-803	3.5	42
38	Local dynamic changes in confined extracellular environments within organs. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 1010-5	3	1
37	A multidrug ABC transporter with a taste for salt. <i>PLoS ONE</i> , 2009 , 4, e6137	3.7	30
36	In vivo visualization of albumin degradation in the proximal tubule. <i>Kidney International</i> , 2008 , 74, 1480-9	6.9	31
35	Dynamic regulation of the large exocytotic fusion pore in pancreatic acinar cells. <i>Molecular Biology of the Cell</i> , 2007 , 18, 3502-11	3.5	53
34	A constitutively active nonselective cation conductance underlies resting Ca ²⁺ influx and secretion in bovine adrenal chromaffin cells. <i>Cell Calcium</i> , 2006 , 40, 309-18	4	7
33	Agonist-evoked inositol trisphosphate receptor (IP3R) clustering is not dependent on changes in the structure of the endoplasmic reticulum. <i>Biochemical Journal</i> , 2006 , 394, 57-66	3.8	37
32	Syncollin is required for efficient zymogen granule exocytosis. <i>Biochemical Journal</i> , 2005 , 385, 721-7	3.8	22

31	Two phases of zymogen granule lifetime in mouse pancreas: ghost granules linger after exocytosis of contents. <i>Journal of Physiology</i> , 2005 , 563, 433-42	3.9	33
30	The structural integrity of the endoplasmic reticulum, and its possible regulation by inositol 1,3,4,5-tetrakisphosphate. <i>Cell Calcium</i> , 2005 , 38, 153-9	4	11
29	Inositol (1,4,5)-trisphosphate receptor links to filamentous actin are important for generating local Ca ²⁺ signals in pancreatic acinar cells. <i>Journal of Cell Science</i> , 2005 , 118, 971-80	5.3	33
28	The plasma membrane Q-SNARE syntaxin 2 enters the zymogen granule membrane during exocytosis in the pancreatic acinar cell. <i>Journal of Biological Chemistry</i> , 2005 , 280, 1506-11	5.4	51
27	Ca ²⁺ dynamics in salivary acinar cells: distinct morphology of the acinar lumen underlies near-synchronous global Ca ²⁺ responses. <i>Journal of Cell Science</i> , 2005 , 118, 4131-9	5.3	29
26	Zymogen granule exocytosis is characterized by long fusion pore openings and preservation of vesicle lipid identity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6774-9	11.5	104
25	Lysine-fixable dye tracing of exocytosis shows F-actin coating is a step that follows granule fusion in pancreatic acinar cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2004 , 448, 552-5	4.6	30
24	Modulation of IP(3)-sensitive Ca(2+) release by 2,3-butanedione monoxime. <i>Pflugers Archiv European Journal of Physiology</i> , 2003 , 445, 614-21	4.6	7
23	Calcium signalling: calcium goes global. <i>Current Biology</i> , 2002 , 12, R432-3	6.3	4
22	Paclitaxel affects cytosolic calcium signals by opening the mitochondrial permeability transition pore. <i>Journal of Biological Chemistry</i> , 2002 , 277, 6504-10	5.4	147
21	The properties of the secretagogue-evoked chloride current in mouse pancreatic acinar cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2001 , 441, 489-97	4.6	12
20	Calcium signalling: IP ₃ rises again...and again. <i>Current Biology</i> , 2001 , 11, R352-5	6.3	69
19	Mechanisms underlying InsP ₃ -evoked global Ca ²⁺ signals in mouse pancreatic acinar cells. <i>Journal of Physiology</i> , 2000 , 526 Pt 3, 515-26	3.9	39
18	Intracellular Ca ²⁺ and Cl ⁻ channel activation in secretory cells. <i>Annual Review of Physiology</i> , 2000 , 62, 493-513	23.1	93
17	Microtubules regulate local Ca ²⁺ spiking in secretory epithelial cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 22487-94	5.4	27
16	A bimodal pattern of InsP(3)-evoked elementary Ca(2+) signals in pancreatic acinar cells. <i>Biophysical Journal</i> , 2000 , 78, 2298-306	2.9	13
15	The role of Ca ²⁺ feedback in shaping InsP ₃ -evoked Ca ²⁺ signals in mouse pancreatic acinar cells. <i>Journal of Physiology</i> , 1999 , 520 Pt 1, 187-201	3.9	28
14	Regulation of adenylyl cyclase by membrane potential. <i>Journal of Biological Chemistry</i> , 1998 , 273, 27703-74	5.4	51

13	Identification and function of type-2 and type-3 ryanodine receptors in gut epithelial cells. <i>Biochemical Journal</i> , 1996 , 319 (Pt 2), 449-54	3.8	20
12	Identification of CLC-2-like chloride currents in pig pancreatic acinar cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1996 , 433, 84-90	4.6	35
11	Ca ²⁺ signalling in rat chromaffin cells: interplay between Ca ²⁺ release from intracellular stores and membrane potential. <i>Cell Calcium</i> , 1996 , 19, 113-23	4	11
10	Ca ²⁺ influx during agonist and Ins(2,4,5)P ₃ -evoked Ca ²⁺ oscillations in HeLa epithelial cells. <i>Journal of Physiology</i> , 1995 , 482 (Pt 2), 275-81	3.9	27
9	A voltage-sensitive transient potassium current in mouse pancreatic acinar cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1994 , 428, 288-95	4.6	9
8	Local and global cytosolic Ca ²⁺ oscillations in exocrine cells evoked by agonists and inositol trisphosphate. <i>Cell</i> , 1993 , 74, 661-8	56.2	463
7	Synchronous calcium oscillations in cerebellar granule cells in culture mediated by NMDA receptors. <i>NeuroReport</i> , 1993 , 4, 539-42	1.7	23
6	Ca ²⁺ oscillations in pancreatic acinar cells: spatiotemporal relationships and functional implications. <i>Cell Calcium</i> , 1993 , 14, 746-57	4	46
5	Activation of nonselective cation channels by physiological cholecystokinin concentrations in mouse pancreatic acinar cells. <i>Journal of General Physiology</i> , 1992 , 100, 11-25	3.4	83
4	A novel large-conductance Ca(2+)-activated potassium channel and current in nerve terminals of the rat neurohypophysis. <i>Journal of Physiology</i> , 1992 , 457, 47-74	3.9	46
3	Cytosolic Ca ²⁺ spikes evoked by the thiol reagent thimerosal in both intact and internally perfused single pancreatic acinar cells. <i>Pflugers Archiv European Journal of Physiology</i> , 1992 , 422, 173-8	4.6	62
2	Activation of voltage-sensitive Ca ²⁺ currents by vasopressin in an insulin-secreting cell line. <i>Journal of Membrane Biology</i> , 1991 , 124, 63-71	2.3	9
1	A high-conductance calcium-dependent chloride channel in <i>Ascaris suum</i> muscle. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1987 , 72, 31-49		30