

Margriet E Van Baar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/394239/margriet-e-van-baar-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

1,104
citations

19
h-index

32
g-index

54
ext. papers

1,541
ext. citations

3.6
avg, IF

4.4
L-index

#	Paper	IF	Citations
51	Assessing Health-Related Quality of Life of Adult Patients with Intermediate Burns: The Added Value of an Itching and Cognition Item for the EQ-5D: A Retrospective Observational Study. <i>European Journal of Burn Care</i> , 2022 , 3, 264-277	0	
50	Activity impairment, work status, and work productivity loss in adults 5-7 years after burn injuries. <i>Journal of Burn Care and Research</i> , 2021 ,	0.8	1
49	Patient-reported scar quality of donor-sites following split-skin grafting in burn patients: Long-term results of a prospective cohort study. <i>Burns</i> , 2021 , 47, 315-321	2.3	3
48	No Change in Fireworks-Related Burn Center Admissions: A 10-Year Analysis of the Admission Rates, Treatment, and Costs. <i>European Journal of Burn Care</i> , 2021 , 2, 31-40	0	
47	Outcome measures to evaluate the function of the hand after burns; a clinical initiative. <i>Burns Open</i> , 2021 , 5, 162-167	0.8	0
46	Comparison of three different methods to estimate the burden of disease of burn injuries in Western Australia in 2011-2018. <i>Burns</i> , 2020 , 46, 1424-1431	2.3	1
45	Long-term quality of life and cost-effectiveness of treatment of partial thickness burns: A randomized controlled trial comparing enzyme alginogel vs silver sulfadiazine (FLAM study). <i>Wound Repair and Regeneration</i> , 2020 , 28, 375-384	3.6	3
44	Burn injury. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 11	51.1	147
43	Improved and standardized method for assessing years lived with disability after burns and its application to estimate the non-fatal burden of disease of burn injuries in Australia, New Zealand and the Netherlands. <i>BMC Public Health</i> , 2020 , 20, 121	4.1	5
42	Epidemiology of Scars and Their Consequences: Burn Scars 2020 , 37-43		1
41	Recovery of health-related quality of life after burn injuries: An individual participant data meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0226653	3.7	12
40	Doxepin cream is not effective in reducing itch in burn scar patients: A multicenter triple-blind randomized clinical crossover trial. <i>Burns</i> , 2020 , 46, 340-346	2.3	2
39	A systematic review on surgical and nonsurgical debridement techniques of burn wounds. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019 , 72, 1752-1762	1.7	9
38	Nursing problems in patients with toxic epidermal necrolysis and Stevens-Johnson syndrome in a Dutch burn centre: A 30-year retrospective study. <i>Burns</i> , 2019 , 45, 1625-1633	2.3	0
37	Health related quality of life 5-7 years after minor and severe burn injuries: a multicentre cross-sectional study. <i>Burns</i> , 2019 , 45, 1291-1299	2.3	19
36	Burn intensive care treatment over the last 30 years: Improved survival and shift in case-mix. <i>Burns</i> , 2019 , 45, 1057-1065	2.3	5
35	The prevalence and development of burn scar contractures: A prospective multicenter cohort study. <i>Burns</i> , 2019 , 45, 783-790	2.3	13

34	Patient-reported scar quality of adults after burn injuries: A five-year multicenter follow-up study. <i>Wound Repair and Regeneration</i> , 2019 , 27, 406-414	3.6	24
33	Course of prevalence of scar contractures limiting function: A preliminary study in children and adolescents after burns. <i>Burns</i> , 2019 , 45, 1810-1818	2.3	8
32	Application of hydrosurgery for burn wound debridement: An 8-year cohort analysis. <i>Burns</i> , 2019 , 45, 88-96	2.3	11
31	Is the time right to put down the knife? A call for evidence-based decision making. <i>Burns</i> , 2018 , 44, 1859-1860	2.3	1
30	Predictors of health-related quality of life after burn injuries: a systematic review. <i>Critical Care</i> , 2018 , 22, 160	10.8	34
29	Clinical outcome of patients with suicide attempts: 1098 patients. <i>Burns</i> , 2018 , 44, 235-236	2.3	
28	Clinical outcome of patients with self-inflicted burns. <i>Burns</i> , 2017 , 43, 789-795	2.3	17
27	Partial-thickness scalds in children: A comparison of different treatment strategies. <i>Burns</i> , 2017 , 43, 733-740	2.3	7
26	Predictive validity of short term scar quality on final burn scar outcome using the Patient and Observer Scar Assessment Scale in patients with minor to moderate burn severity. <i>Burns</i> , 2017 , 43, 715-723	2.3	26
25	Clinical effectiveness, quality of life and cost-effectiveness of Flaminal [®] versus Flamazine [®] in the treatment of partial thickness burns: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 122	2.8	14
24	Economic burden of burn injuries in the Netherlands: A 3 months follow-up study. <i>Injury</i> , 2016 , 47, 203-205	2.3	22
23	Cost-Effectiveness of Laser Doppler Imaging in Burn Care in The Netherlands: A Randomized Controlled Trial. <i>Plastic and Reconstructive Surgery</i> , 2016 , 137, 166e-176e	2.7	22
22	Long-term scar quality in burns with three distinct healing potentials: A multicenter prospective cohort study. <i>Wound Repair and Regeneration</i> , 2016 , 24, 721-30	3.6	19
21	Early management in children with burns: Cooling, wound care and pain management. <i>Burns</i> , 2016 , 42, 777-82	2.3	24
20	Epidemiology and screening of intentional burns in children in a Dutch burn centre. <i>Burns</i> , 2016 , 42, 1287-94	2.3	14
19	Return to work after specialised burn care: A two-year prospective follow-up study of the prevalence, predictors and related costs. <i>Injury</i> , 2016 , 47, 1975-82	2.5	18
18	Adequacy of a hospital-wide standard dose of 7mg/kg bodyweight gentamicin sufficient to achieve an adequate prophylactic maximum serum concentration (C) in burn patients undergoing surgical burn wound treatment. <i>Burns</i> , 2016 , 42, 1819-1824	2.3	3
17	Epidemiology and costs of patients with toxic epidermal necrolysis: a 27-year retrospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2444-50	4.6	14

16	Mortality and causes of death of Dutch burn patients during the period 2006-2011. <i>Burns</i> , 2015 , 41, 235-40		33
15	Epidemiology and trends in severe burns in the Netherlands. <i>Burns</i> , 2014 , 40, 1406-14	2.3	55
14	Cost study of dermal substitutes and topical negative pressure in the surgical treatment of burns. <i>Burns</i> , 2014 , 40, 388-96	2.3	12
13	Reconstructive surgery after burns: a 10-year follow-up study. <i>Burns</i> , 2014 , 40, 1544-51	2.3	31
12	Response to letter to the editor "facial scar assessment: what do we need in future?". <i>Burns</i> , 2014 , 40, 536-7	2.3	
11	Costs of burn care: a systematic review. <i>Wound Repair and Regeneration</i> , 2014 , 22, 436-50	3.6	75
10	Cost-effectiveness of laser Doppler imaging in burn care in the Netherlands. <i>BMC Surgery</i> , 2013 , 13, 2	2.3	15
9	Reduction in skin grafting after the introduction of hydrofiber dressings in partial thickness burns: a comparison between a hydrofiber and silver sulphadiazine. <i>Burns</i> , 2013 , 39, 130-5	2.3	9
8	Burns to the head and neck: Epidemiology and predictors of surgery. <i>Burns</i> , 2013 , 39, 1184-92	2.3	32
7	Clinical effectiveness of dermal substitution in burns by topical negative pressure: a multicenter randomized controlled trial. <i>Wound Repair and Regeneration</i> , 2012 , 20, 797-805	3.6	48
6	Early excision and grafting for burns. <i>The Cochrane Library</i> , 2012 ,	5.2	2
5	Effectiveness of cerium nitrate-silver sulfadiazine in the treatment of facial burns: a multicenter, randomized, controlled trial. <i>Plastic and Reconstructive Surgery</i> , 2012 , 130, 274e-283e	2.7	17
4	Epidemiology of children admitted to the Dutch burn centres. Changes in referral influence admittance rates in burn centres. <i>Burns</i> , 2011 , 37, 1161-7	2.3	27
3	Quality of life after burns in childhood (5-15 years): children experience substantial problems. <i>Burns</i> , 2011 , 37, 930-8	2.3	51
2	Functional outcome after burns: a review. <i>Burns</i> , 2006 , 32, 1-9	2.3	169
1	Reliability and validity of the Dutch version of the American Burn Association/Shriners Hospital for Children Burn Outcomes Questionnaire (5-18 years of age). <i>Journal of Burn Care and Research</i> , 2006 , 27, 790-802	0.8	29