Paul Anthony Stevenson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3943300/publications.pdf

Version: 2024-02-01

49 papers

1,851 citations

236925 25 h-index 276875 41 g-index

51 all docs

51 docs citations

51 times ranked

1077 citing authors

#	Article	IF	CITATIONS
1	The velvet worm brain unveils homologies and evolutionary novelties across panarthropods. BMC Biology, 2022, 20, 26.	3.8	3
2	Agonistic experience during development establishes inter-individual differences in approach-avoidance behaviour of crickets. Scientific Reports, 2021, 11, 16702.	3.3	7
3	Individual Scores for Associative Learning in a Differential Appetitive Olfactory Paradigm Using Binary Logistic Regression Analysis. Frontiers in Behavioral Neuroscience, 2021, 15, 741439.	2.0	0
4	Pre-adult aggression and its long-term behavioural consequences in crickets. PLoS ONE, 2020, 15, e0230743.	2.5	5
5	Pre-adult aggression and its long-term behavioural consequences in crickets. , 2020, 15, e0230743.		O
6	Pre-adult aggression and its long-term behavioural consequences in crickets. , 2020, 15, e0230743.		0
7	Pre-adult aggression and its long-term behavioural consequences in crickets. , 2020, 15, e0230743.		O
8	Pre-adult aggression and its long-term behavioural consequences in crickets. , 2020, 15, e0230743.		0
9	Differential modulation of courtship behavior and subsequent aggression by octopamine, dopamine and serotonin in male crickets. Hormones and Behavior, 2019, 114, 104542.	2.1	17
_			
10	Fight or flee? Lessons from insects on aggression. Neuroforum, 2019, 25, 3-13.	0.3	17
10	Fight or flee? Lessons from insects on aggression. Neuroforum, 2019, 25, 3-13. Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233.	2.0	31
	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model		
11	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233.		31
11 12	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233. Neuromodulators and the Control of Aggression in Crickets., 2017, , 169-195. Assessing segmental versus non-segmental features in the ventral nervous system of onychophorans	2.0	31 5
11 12 13	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233. Neuromodulators and the Control of Aggression in Crickets., 2017, , 169-195. Assessing segmental versus non-segmental features in the ventral nervous system of onychophorans (velvet worms). BMC Evolutionary Biology, 2017, 17, 3. The nervous and visual systems of onychophorans and tardigrades: learning about arthropod evolution from their closest relatives. Journal of Comparative Physiology A: Neuroethology, Sensory,	2.0 3.2	31 5 18
11 12 13	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233. Neuromodulators and the Control of Aggression in Crickets., 2017,, 169-195. Assessing segmental versus non-segmental features in the ventral nervous system of onychophorans (velvet worms). BMC Evolutionary Biology, 2017, 17, 3. The nervous and visual systems of onychophorans and tardigrades: learning about arthropod evolution from their closest relatives. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2017, 203, 565-590. Born to win or bred to lose: aggressive and submissive behavioural profiles in crickets. Animal	2.0 3.2 1.6	31 5 18 29
11 12 13 14	Serotonin Mediates Depression of Aggression After Acute and Chronic Social Defeat Stress in a Model Insect. Frontiers in Behavioral Neuroscience, 2018, 12, 233. Neuromodulators and the Control of Aggression in Crickets., 2017,, 169-195. Assessing segmental versus non-segmental features in the ventral nervous system of onychophorans (velvet worms). BMC Evolutionary Biology, 2017, 17, 3. The nervous and visual systems of onychophorans and tardigrades: learning about arthropod evolution from their closest relatives. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2017, 203, 565-590. Born to win or bred to lose: aggressive and submissive behavioural profiles in crickets. Animal Behaviour, 2017, 123, 441-450. Losing without Fighting - Simple Aversive Stimulation Induces Submissiveness Typical for Social Defeat via the Action of Nitric Oxide, but Only When Preceded by an Aggression Priming Stimulus. Frontiers	2.0 3.2 1.6	31 5 18 29

#	Article	IF	CITATIONS
19	Releasing stimuli and aggression in crickets: octopamine promotes escalation and maintenance but not initiation. Frontiers in Behavioral Neuroscience, 2015, 9, 95.	2.0	36
20	Evolution of pigment-dispersing factor neuropeptides in panarthropoda: Insights from onychophora (velvet worms) and tardigrada (water bears). Journal of Comparative Neurology, 2015, 523, Spc1-Spc1.	1.6	1
21	Adding up the oddsâ€"Nitric oxide signaling underlies the decision to flee and post-conflict depression of aggression. Science Advances, 2015, 1, e1500060.	10.3	26
22	Spectral sensitivity in Onychophora (velvet worms) revealed by electroretinograms, phototactic behaviour and opsin gene expression. Journal of Experimental Biology, 2015, 218, 915-922.	1.7	25
23	Evolution of pigmentâ€dispersing factor neuropeptides in panarthropoda: Insights from onychophora (velvet worms) and tardigrada (water bears). Journal of Comparative Neurology, 2015, 523, 1865-1885.	1.6	32
24	Immunohistochemical investigations of Myzostoma cirriferum and Mesomyzostoma cf. katoi (Myzostomida, Annelida) with implications for the evolution of the myzostomid body plan. Zoomorphology, 2014, 133, 257-271.	0.8	6
25	A fighter's comeback: Dopamine is necessary for recovery of aggression after social defeat in crickets. Hormones and Behavior, 2014, 66, 696-704.	2.1	39
26	Neuromodulation of Social Behavior in Insects. , 2014, , .		3
27	Mechanisms of experience dependent control of aggression in crickets. Current Opinion in Neurobiology, 2013, 23, 318-323.	4.2	41
28	Flight and Walking in Locusts–Cholinergic Co-Activation, Temporal Coupling and Its Modulation by Biogenic Amines. PLoS ONE, 2013, 8, e62899.	2.5	39
29	Isolation Associated Aggression – A Consequence of Recovery from Defeat in a Territorial Animal. PLoS ONE, 2013, 8, e74965.	2.5	46
30	The Decision to Fight or Flee $\hat{a} \in \mathbb{C}$ Insights into Underlying Mechanism in Crickets. Frontiers in Neuroscience, 2012, 6, 118.	2.8	52
31	Winning Fights Induces Hyperaggression via the Action of the Biogenic Amine Octopamine in Crickets. PLoS ONE, 2011, 6, e28891.	2.5	59
32	Neuronal organization of a fastâ€mediating cephalothoracic pathway for antennalâ€ŧactile information in the cricket (<i>Gryllus bimaculatus</i> DeGeer). Journal of Comparative Neurology, 2011, 519, 1677-1690.	1.6	35
33	Octopamine and occupancy: an aminergic mechanism for intruder–resident aggression in crickets. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 1873-1880.	2.6	63
34	Female crickets are driven to fight by the male courting and calling songs. Animal Behaviour, 2009, 77, 737-742.	1.9	31
35	A muscarinic cholinergic mechanism underlies activation of the central pattern generator for locust flight. Journal of Experimental Biology, 2008, 211, 2346-2357.	1.7	40
36	Assessment strategy of fighting crickets revealed by manipulating information exchange. Animal Behaviour, 2007, 74, 823-836.	1.9	67

#	Article	IF	CITATIONS
37	Nitric oxide: a co-modulator of efferent peptidergic neurosecretory cells including a unique octopaminergic neurone innervating locust heart. Cell and Tissue Research, 2006, 325, 345-360.	2.9	23
38	Octopamine and Experience-Dependent Modulation of Aggression in Crickets. Journal of Neuroscience, 2005, 25, 1431-1441.	3.6	215
39	The fight and flight responses of crickets depleted of biogenic amines. Journal of Neurobiology, 2000, 43, 107-120.	3.6	187
40	Amine and amino acid transmitters in the eye of the molluscBulla gouldiana: An immunocytochemical study. Journal of Comparative Neurology, 2000, 425, 244-256.	1.6	24
41	Flight restores fight in crickets. Nature, 2000, 403, 613-613.	27.8	103
42	The fight and flight responses of crickets depleted of biogenic amines. Journal of Neurobiology, 2000, 43, 107.	3.6	1
43	Colocalisation of taurine- with transmitter-immunoreactivities in the nervous system of the migratory locust., 1999, 404, 86-96.		27
44	A new method for double immunolabelling with primary antibodies from identical species. Journal of Immunological Methods, 1996, 190, 255-265.	1.4	40
45	Localization of octopaminergic neurones in insects. Comparative Biochemistry and Physiology A, Comparative Physiology, 1995, 110, 203-215.	0.6	119
46	Octopamine-like immunoreactive neurones in locust genital abdominal ganglia. Cell and Tissue Research, 1994, 275, 299-308.	2.9	40
47	Colocalization of octopamine and FMRFamide related peptide in identified heart projecting (DUM) neurones in the locust revealed by immunocytochemistry. Brain Research, 1994, 638, 117-125.	2.2	39
48	Demonstration of functional connectivity of the flight motor system in all stages of the locust. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 1988, 162, 247-259.	1.6	77
49	A reconsideration of the central pattern generator concept for locust flight. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 1987, 161, 115-129.	1.6	111