
Nils P Hailer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3943654/publications.pdf Version: 2024-02-01



NILS D HALLED

#	Article	IF	CITATIONS
1	Uncemented and cemented primary total hip arthroplasty in the Swedish Hip Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 34-41.	3.3	386
2	The risk of revision due to dislocation after total hip arthroplasty depends on surgical approach, femoral head size, sex, and primary diagnosis. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 442-448.	3.3	221
3	Immunosuppression after traumatic or ischemic CNS damage: It is neuroprotective and illuminates the role of microglial cells. Progress in Neurobiology, 2008, 84, 211-233.	5.7	157
4	Dual-mobility cups for revision due to instability are associated with a low rate of re-revisions due to dislocation. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 566-571.	3.3	132
5	Hydroxyapatite coating does not improve uncemented stem survival after total hip arthroplasty!. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 18-25.	3.3	54
6	Elevated Serum Concentrations of Cobalt, Chromium, Nickel, and Manganese After Metal-On-Metal Alloarthroplasty of the Hip: A Prospective Randomized Study. Journal of Arthroplasty, 2009, 24, 837-845.	3.1	45
7	All-Polyethylene Versus Metal-Backed Tibial Components—An Analysis of 27,733 Cruciate-Retaining Total Knee Replacements from the Swedish Knee Arthroplasty Register. Journal of Bone and Joint Surgery - Series A, 2014, 96, 994-999.	3.0	41
8	High Metal Ion Levels After Use of the ASRâ,,¢ Device Correlate With Development of Pseudotumors and T Cell Activation. Clinical Orthopaedics and Related Research, 2014, 472, 953-961.	1.5	33
9	Early mortality and morbidity after total hip arthroplasty in patients with femoral neck fracture. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 560-566.	3.3	31
10	Tibial component rotation around the transverse axis measured by radiostereometry predicts aseptic loosening better than maximal total point motion. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 282-287.	3.3	30
11	Uncemented or cemented revision stems? Analysis of 2,296 first-time hip revision arthroplasties performed due to aseptic loosening, reported to the Swedish Hip Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 421-426.	3.3	30
12	Elevation of circulating HLA DR ⁺ CD8 ⁺ T-cells and correlation with chromium and cobalt concentrations 6 years after metal-on-metal hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 6-12.	3.3	28
13	Are porous tantalum cups superior to conventional reinforcement rings?. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 35-40.	3.3	28
14	Study protocol: HipSTHeR - a register-based randomised controlled trial – hip screws or (total) hip replacement for undisplaced femoral neck fractures in older patients. BMC Geriatrics, 2020, 20, 19.	2.7	27
15	Do dual-mobility cups cemented into porous tantalum shells reduce the risk of dislocation after revision surgery?. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 156-162.	3.3	26
16	The Swedish Fracture Register – ten years of experience and 600,000 fractures collected in a National Quality Register. BMC Musculoskeletal Disorders, 2022, 23, 141.	1.9	26
17	Outcome 5Âyears after surgical treatment of acetabular fractures: a prospective clinical and radiographic follow-up of 101 patients. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 227-233.	2.4	25
18	Denosumab Prevents Early Periprosthetic Bone Loss After Uncemented Total Hip Arthroplasty: Results from a Randomized Placebo ontrolled Clinical Trial. Journal of Bone and Mineral Research, 2020, 35, 239-247.	2.8	24

NILS P HAILER

#	ARTICLE	IF	CITATIONS
19	Increased early mortality and morbidity after total hip arthroplasty in patients with socioeconomic disadvantage: a report from the Swedish Hip Arthroplasty Register. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 264-269.	3.3	22
20	The role of silver coating for arthroplasty components. Bone and Joint Journal, 2021, 103-B, 423-429.	4.4	22
21	Comparison of metal ion concentrations and implant survival after total hip arthroplasty with metal-on-metal versus metal-on-polyethylene articulations. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 490-495.	3.3	20
22	Study protocol: The DUALITY trial—a register-based, randomized controlled trial to investigate dual mobility cups in hip fracture patients. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 506-513.	3.3	20
23	Compartment syndrome of the calf following total knee arthroplasty—a case report of a highly unusual complication. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 78, 293-295.	3.3	19
24	High incidence of periprosthetic joint infection with propionibacterium acnes after the use of a stemless shoulder prosthesis with metaphyseal screw fixation - a retrospective cohort study of 241 patients propionibacter infections after eclipse TSA. BMC Musculoskeletal Disorders, 2017, 18, 203.	1.9	18
25	Increased Long-Term Cardiovascular Risk After Total Hip Arthroplasty. Medicine (United States), 2016, 95, e2662.	1.0	17
26	20 years of porous tantalum in primary and revision hip arthroplasty—time for a critical appraisal. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 254-255.	3.3	13
27	Similar early mortality risk after cemented compared with cementless total hip arthroplasty for primary osteoarthritis: data from 188,606 surgeries in the Nordic Arthroplasty Register Association database. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 47-53.	3.3	12
28	Prediction of 90-day mortality after total hip arthroplasty. Bone and Joint Journal, 2021, 103-B, 469-478.	4.4	10
29	Safety of Use of Tantalum in Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2020, 102, 368-374.	3.0	9
30	Uncemented or cemented stems in first-time revision total hip replacement? An observational study of 867 patients including assessment of femoral bone defect size. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 143-150.	3.3	9
31	No generally increased risk of cancer after total hip arthroplasty performed due to osteoarthritis. International Journal of Cancer, 2020, 147, 76-83.	5.1	7
32	Two-component surface replacement implants compared with perichondrium transplantation for restoration of Metacarpophalangeal and proximal Interphalangeal joints: a retrospective cohort study with a mean follow-up time of 6 respectively 26 years. BMC Musculoskeletal Disorders, 2020, 21, 657.	1.9	7
33	Total Hip Arthroplasty in 6690 Patients with Inflammatory Arthritis: Effect of Medical Comorbidities and Age on Early Mortality. Journal of Rheumatology, 2016, 43, 1320-1327.	2.0	6
34	Prediction of Early Periprosthetic Joint Infection After Total Hip Arthroplasty. Clinical Epidemiology, 2022, Volume 14, 239-253.	3.0	6
35	Increased mortality after intramedullary nailing of trochanteric fractures: a comparison of sliding hip screws with nails in 19,935 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 146-150.	3.3	5
36	The association of surgical approach and bearing size and type with dislocation in total hip arthroplasty for acute hip fracture. Bone and Joint Journal, 2022, 104-B, 844-851.	4.4	4

NILS P HAILER

#	Article	IF	CITATIONS
37	Body Mass Index Differentially Moderates Heritability of Total Joint Replacement Due to Hip and Knee Osteoarthritis. Journal of Bone and Joint Surgery - Series A, 2021, 103, 1319-1327.	3.0	3
38	Risk of Revision After Arthroplasty Associated with Specific Gene Loci. Journal of Bone and Joint Surgery - Series A, 2022, Publish Ahead of Print, .	3.0	3
39	No increased mortality after total hip arthroplasty in patients with a history of pediatric hip disease: a matched, population-based cohort study on 4,043 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 673-677.	3.3	2
40	Similar risk of cancer in patients younger than 55 years with or without a total hip arthroplasty (THA): a population- based cohort study on 18,771 exposed to THA and 87,683 controls. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 317-326.	3.3	2
41	Editorial: Different, yet strong together: the Nordic Arthroplasty Register Association (NARA). Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 635-637.	3.3	1
42	Time to entry point and distal locking of intramedullary nails: a methodological phantom study comparing biplanar and uniplanar surgical imaging. BMC Musculoskeletal Disorders, 2022, 23, 178.	1.9	1
43	Effects of denosumab treatment on the expression of receptor activator of nuclear kappa-B ligand (RANKL) and TNF-receptor TNFRSF9 after total hip arthroplasty—results from a randomized placebo-controlled clinical trial. Osteoporosis International, 2022, 33, 1-8.	3.1	1
44	Chronic obstructive pulmonary disease, younger age and impaired preoperative flexion increase the risk of stiffness after total knee arthroplasty: a retrospective case–control study. European Orthopaedics and Traumatology, 2013, 4, 137-145.	0.1	0
45	Aseptic loosening after total hip arthroplasty and the risk of cardiovascular disease: A nested case-control study. PLoS ONE, 2018, 13, e0204391.	2.5	Ο