

Nils P Hailer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3943654/publications.pdf>

Version: 2024-02-01

45
papers

1,583
citations

394421

19
h-index

302126

39
g-index

45
all docs

45
docs citations

45
times ranked

1662
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of Revision After Arthroplasty Associated with Specific Gene Loci. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, Publish Ahead of Print, .	3.0	3
2	Increased mortality after intramedullary nailing of trochanteric fractures: a comparison of sliding hip screws with nails in 19,935 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 146-150.	3.3	5
3	Similar risk of cancer in patients younger than 55 years with or without a total hip arthroplasty (THA): a population-based cohort study on 18,771 exposed to THA and 87,683 controls. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 317-326.	3.3	2
4	The Swedish Fracture Register – ten years of experience and 600,000 fractures collected in a National Quality Register. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 141.	1.9	26
5	Time to entry point and distal locking of intramedullary nails: a methodological phantom study comparing biplanar and uniplanar surgical imaging. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 178.	1.9	1
6	Prediction of Early Periprosthetic Joint Infection After Total Hip Arthroplasty. <i>Clinical Epidemiology</i> , 2022, Volume 14, 239-253.	3.0	6
7	Effects of denosumab treatment on the expression of receptor activator of nuclear kappa-B ligand (RANKL) and TNF-receptor TNFRSF9 after total hip arthroplasty – results from a randomized placebo-controlled clinical trial. <i>Osteoporosis International</i> , 2022, 33, 1-8.	3.1	1
8	The association of surgical approach and bearing size and type with dislocation in total hip arthroplasty for acute hip fracture. <i>Bone and Joint Journal</i> , 2022, 104-B, 844-851.	4.4	4
9	Uncemented or cemented stems in first-time revision total hip replacement? An observational study of 867 patients including assessment of femoral bone defect size. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 143-150.	3.3	9
10	Similar early mortality risk after cemented compared with cementless total hip arthroplasty for primary osteoarthritis: data from 188,606 surgeries in the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 47-53.	3.3	12
11	The role of silver coating for arthroplasty components. <i>Bone and Joint Journal</i> , 2021, 103-B, 423-429.	4.4	22
12	Prediction of 90-day mortality after total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 469-478.	4.4	10
13	Body Mass Index Differentially Moderates Heritability of Total Joint Replacement Due to Hip and Knee Osteoarthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1319-1327.	3.0	3
14	Editorial: Different, yet strong together: the Nordic Arthroplasty Register Association (NARA). <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 635-637.	3.3	1
15	No increased mortality after total hip arthroplasty in patients with a history of pediatric hip disease: a matched, population-based cohort study on 4,043 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 673-677.	3.3	2
16	No generally increased risk of cancer after total hip arthroplasty performed due to osteoarthritis. <i>International Journal of Cancer</i> , 2020, 147, 76-83.	5.1	7
17	Denosumab Prevents Early Periprosthetic Bone Loss After Uncemented Total Hip Arthroplasty: Results from a Randomized Placebo-Controlled Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 239-247.	2.8	24
18	Safety of Use of Tantalum in Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 368-374.	3.0	9

#	ARTICLE	IF	CITATIONS
19	Two-component surface replacement implants compared with perichondrium transplantation for restoration of Metacarpophalangeal and proximal Interphalangeal joints: a retrospective cohort study with a mean follow-up time of 6 respectively 26 years. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 657.	1.9	7
20	Study protocol: The DUALITY trial—a register-based, randomized controlled trial to investigate dual mobility cups in hip fracture patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 506-513.	3.3	20
21	Study protocol: HipSTHeR - a register-based randomised controlled trial of hip screws or (total) hip replacement for undisplaced femoral neck fractures in older patients. <i>BMC Geriatrics</i> , 2020, 20, 19.	2.7	27
22	Uncemented or cemented revision stems? Analysis of 2,296 first-time hip revision arthroplasties performed due to aseptic loosening, reported to the Swedish Hip Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 421-426.	3.3	30
23	Increased early mortality and morbidity after total hip arthroplasty in patients with socioeconomic disadvantage: a report from the Swedish Hip Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 264-269.	3.3	22
24	Do dual-mobility cups cemented into porous tantalum shells reduce the risk of dislocation after revision surgery?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 156-162.	3.3	26
25	Aseptic loosening after total hip arthroplasty and the risk of cardiovascular disease: A nested case-control study. <i>PLoS ONE</i> , 2018, 13, e0204391.	2.5	0
26	20 years of porous tantalum in primary and revision hip arthroplasty—time for a critical appraisal. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 254-255.	3.3	13
27	Are porous tantalum cups superior to conventional reinforcement rings?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 35-40.	3.3	28
28	Tibial component rotation around the transverse axis measured by radiostereometry predicts aseptic loosening better than maximal total point motion. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 282-287.	3.3	30
29	Comparison of metal ion concentrations and implant survival after total hip arthroplasty with metal-on-metal versus metal-on-polyethylene articulations. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 490-495.	3.3	20
30	High incidence of periprosthetic joint infection with propionibacterium acnes after the use of a stemless shoulder prosthesis with metaphyseal screw fixation - a retrospective cohort study of 241 patients propionibacter infections after eclipse TSA. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 203.	1.9	18
31	Total Hip Arthroplasty in 6690 Patients with Inflammatory Arthritis: Effect of Medical Comorbidities and Age on Early Mortality. <i>Journal of Rheumatology</i> , 2016, 43, 1320-1327.	2.0	6
32	Early mortality and morbidity after total hip arthroplasty in patients with femoral neck fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 560-566.	3.3	31
33	Increased Long-Term Cardiovascular Risk After Total Hip Arthroplasty. <i>Medicine (United States)</i> , 2016, 95, e2662.	1.0	17
34	Hydroxyapatite coating does not improve uncemented stem survival after total hip arthroplasty!. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 18-25.	3.3	54
35	Outcome 5 years after surgical treatment of acetabular fractures: a prospective clinical and radiographic follow-up of 101 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 227-233.	2.4	25
36	All-Polyethylene Versus Metal-Backed Tibial Components—An Analysis of 27,733 Cruciate-Retaining Total Knee Replacements from the Swedish Knee Arthroplasty Register. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 994-999.	3.0	41

#	ARTICLE	IF	CITATIONS
37	High Metal Ion Levels After Use of the ASR ⁺ Device Correlate With Development of Pseudotumors and T Cell Activation. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 953-961.	1.5	33
38	Chronic obstructive pulmonary disease, younger age and impaired preoperative flexion increase the risk of stiffness after total knee arthroplasty: a retrospective case-control study. <i>European Orthopaedics and Traumatology</i> , 2013, 4, 137-145.	0.1	0
39	The risk of revision due to dislocation after total hip arthroplasty depends on surgical approach, femoral head size, sex, and primary diagnosis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 442-448.	3.3	221
40	Dual-mobility cups for revision due to instability are associated with a low rate of re-revisions due to dislocation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 566-571.	3.3	132
41	Elevation of circulating HLA DR ⁺ CD8 ⁺ T-cells and correlation with chromium and cobalt concentrations 6 years after metal-on-metal hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 6-12.	3.3	28
42	Uncemented and cemented primary total hip arthroplasty in the Swedish Hip Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 34-41.	3.3	386
43	Elevated Serum Concentrations of Cobalt, Chromium, Nickel, and Manganese After Metal-On-Metal Alloarthroplasty of the Hip: A Prospective Randomized Study. <i>Journal of Arthroplasty</i> , 2009, 24, 837-845.	3.1	45
44	Immunosuppression after traumatic or ischemic CNS damage: It is neuroprotective and illuminates the role of microglial cells. <i>Progress in Neurobiology</i> , 2008, 84, 211-233.	5.7	157
45	Compartment syndrome of the calf following total knee arthroplasty—a case report of a highly unusual complication. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 293-295.	3.3	19