

S Mahadeva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/394398/publications.pdf>

Version: 2024-02-01

178
papers

5,892
citations

87843

38
h-index

88593

70
g-index

179
all docs

179
docs citations

179
times ranked

6659
citing authors

#	ARTICLE	IF	CITATIONS
1	Retained Endoscope: An Unexpected but Serious Complication of Hemospray®. Digestive Diseases and Sciences, 2022, 67, 344-347.	1.1	2
2	Diagnostic accuracy of non-invasive tests for advanced fibrosis in patients with NAFLD: an individual patient data meta-analysis. Gut, 2022, 71, 1006-1019.	6.1	195
3	Non-alcoholic fatty liver disease and obesity among adult donors are major challenges to living-donor liver transplantation: A single-center experience. Asian Journal of Surgery, 2022, 45, 441-447.	0.2	3
4	Small Intestinal Bacterial Overgrowth In Various Functional Gastrointestinal Disorders: A Caseâ€“Control Study. Digestive Diseases and Sciences, 2022, 67, 3881-3889.	1.1	8
5	Malaysian Society of Gastroenterology and Hepatology consensus statement on metabolic dysfunctionâ€“associated fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 795-811.	1.4	21
6	Functional dyspepsia leads to more healthcare utilization in secondary care compared with other functional gastrointestinal disorders. Journal of Digestive Diseases, 2022, 23, 111-117.	0.7	14
7	Postâ€“COVIDâ€“19 functional gastrointestinal disorders: Prepare for a GI aftershock. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 413-414.	1.4	4
8	Herbal therapies in functional dyspepsia: Do they really work?. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 415-416.	1.4	0
9	Endoscopic Ultrasound-Guided Biliary Drainage: Endoscopic Ultrasound-Guided Hepaticogastrostomy in Malignant Biliary Obstruction. Journal of Visualized Experiments, 2022, , .	0.2	0
10	Validation model of fibrosis-8 index score to predict significant fibrosis among patients with nonalcoholic fatty liver disease. World Journal of Gastroenterology, 2022, 28, 1563-1573.	1.4	4
11	Defining the irritable bowel. JGH Open, 2022, 6, 229-230.	0.7	1
12	Epidemiological trends of gastrointestinal and liver diseases in Malaysia: A singleâ€“center observational study. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 1732-1740.	1.4	5
13	Hypnotherapy and <sc>IBS</sc> : Time to take control of the Asian gut. JGH Open, 2022, 6, 445-446.	0.7	0
14	Systematic review and network metaâ€“analysis: efficacy of drugs for functional dyspepsia. Alimentary Pharmacology and Therapeutics, 2021, 53, 8-21.	1.9	53
15	Probiotics for Constipation in Parkinson Disease. Neurology, 2021, 96, e772-e782.	1.5	100
16	Modest alcohol intake not associated with significant hepatic steatosis or more severe liver disease among patients with diabetes mellitus. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 751-757.	1.4	4
17	Gut Microbial Ecosystem in Parkinson Disease: New Clinicobiological Insights from Multiâ€“Omics. Annals of Neurology, 2021, 89, 546-559.	2.8	99
18	Knowledge, Attitude, and Practice Survey of Gastroparesis in Asia by Asian Neurogastroenterology and Motility Association. Journal of Neurogastroenterology and Motility, 2021, 27, 46-54.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Satiation or satiety? More than mere semantics – Authors' reply. <i>Lancet, The</i> , 2021, 397, 1061.	6.3	1
20	The epidemiology and quality of life of functional gastrointestinal disorders according to Rome <scp>III</scp> vs Rome <scp>IV</scp> criteria: A cross-sectional study in primary care. <i>Journal of Digestive Diseases</i> , 2021, 22, 159-166.	0.7	19
21	Probiotics: Not just good for the gut but for the brain too. <i>JGH Open</i> , 2021, 5, 413-413.	0.7	0
22	Telemedicine in routine gastroenterology practice: A boost during the COVID –19 pandemic. <i>JGH Open</i> , 2021, 5, 533-534.	0.7	3
23	Editorial: finding the ideal prokinetic for gastroparesis – we are not there yet. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 210-211.	1.9	1
24	Screening for compensated advanced chronic liver disease using refined Baveno VI elastography cutoffs in Asian patients with nonalcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 470-480.	1.9	19
25	Acquiring new complex endoscopic skills: Experience from the development of peroral endoscopic myotomy (POEM) in Malaysia. <i>JGH Open</i> , 2021, 5, 729-733.	0.7	2
26	Non-pharmacological intervention in functional dyspepsia: Is this the way forward?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2031-2032.	1.4	1
27	The association of body mass index with functional dyspepsia is independent of psychological morbidity: A cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0245511.	1.1	16
28	The challenges of implementing evidence-based therapy for irritable bowel syndrome in Asia. <i>JGH Open</i> , 2021, 5, 1225-1226.	0.7	7
29	Empagliflozin for the Treatment of Nonalcoholic Steatohepatitis in Patients with Type 2 Diabetes Mellitus. <i>Digestive Diseases and Sciences</i> , 2020, 65, 623-631.	1.1	110
30	Volumetric Liver Fat Fraction Determines Grade of Steatosis More Accurately Than Controlled Attenuation Parameter in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 945-953.e2.	2.4	5
31	Comparing point shear wave elastography (ElastPQ) and transient elastography for diagnosis of fibrosis stage in non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 135-141.	1.4	31
32	Liver stiffness measurement in non-alcoholic fatty liver disease: Two is better than one. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1404-1411.	1.4	12
33	Performance of Simple Fibrosis Scores in Nonobese Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2843-2845.e2.	2.4	21
34	Epidemiological differences of common liver conditions between Asia and the West. <i>JGH Open</i> , 2020, 4, 332-339.	0.7	18
35	Functional dyspepsia. , 2020, , 281-292.		0
36	Functional dyspepsia. <i>Lancet, The</i> , 2020, 396, 1689-1702.	6.3	235

#	ARTICLE	IF	CITATIONS
37	Systematic review with meta-analysis: global prevalence of uninvestigated dyspepsia according to the Rome criteria. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 762-773.	1.9	29
38	<scp><i>Helicobacter pylori</i></scp> Eradication in Parkinson's Disease: A Randomized Placebo-Controlled Trial. <i>Movement Disorders</i> , 2020, 35, 2250-2260.	2.2	45
39	Use of simple scoring systems for a public health approach in the management of non-alcoholic fatty liver disease patients. <i>JGH Open</i> , 2020, 4, 1155-1161.	0.7	2
40	Allele HLA-DQB1*06 reduces fibrosis score in patients with non-alcoholic fatty liver disease. <i>Hepatology Research</i> , 2020, 50, 947-954.	1.8	0
41	Positive Hepatitis B Core Antibody Is Associated With Cirrhosis and Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2020, 115, 867-875.	0.2	40
42	The Practice of Gastrointestinal Motility Laboratory During COVID-19 Pandemic: Position Statements of the Asian Neurogastroenterology and Motility Association (ANMA-GML-COVID-19 Position) <i>Tj ETQq0 0 0 rgBT /Overlock 101f 50 537</i>		
43	2019 Seoul Consensus on Esophageal Achalasia Guidelines. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 180-203.	0.8	70
44	Screening for non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus using transient elastography. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1396-1403.	1.4	69
45	MACK-3 (combination of hoMa, Ast and CK18): A promising novel biomarker for fibrotic non-alcoholic steatohepatitis. <i>Liver International</i> , 2019, 39, 1315-1324.	1.9	31
46	Association between non-alcoholic fatty liver disease evaluated by transient elastography with extracranial carotid atherosclerosis in a multiethnic Asian community. <i>JGH Open</i> , 2019, 3, 117-125.	0.7	15
47	Limited applicability of cathepsin D for the diagnosis and monitoring of non-alcoholic steatohepatitis. <i>JGH Open</i> , 2019, 3, 417-424.	0.7	4
48	IDDF2019-ABS-0271...Liver stiffness measurement in non-alcoholic fatty liver disease: two is better than one. , 2019, , .		0
49	Long-Term Nasogastric Versus Percutaneous Endoscopic Gastrostomy Tube Feeding in Older Asians With Dysphagia: A Pragmatic Study. <i>Nutrition in Clinical Practice</i> , 2019, 34, 280-289.	1.1	22
50	Can the same controlled attenuation parameter cutoffs be used for M and XL probes for diagnosing hepatic steatosis?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1787-1794.	1.4	40
51	Impact of controlled attenuation parameter on detecting fibrosis using liver stiffness measurement. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 989-1000.	1.9	47
52	Repeated liver stiffness measurement compared with paired liver biopsy in patients with non-alcoholic fatty liver disease. <i>Hepatology International</i> , 2018, 12, 44-55.	1.9	27
53	Clinical and economic implications of upper gastrointestinal adverse events in Asian rheumatological patients on long-term non-steroidal anti-inflammatory drugs. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 943-951.	0.9	7
54	Gastric Metastasis from Hepatocellular Carcinoma: A Rare Manifestation. <i>Journal of Gastrointestinal Cancer</i> , 2018, 49, 346-348.	0.6	2

#	ARTICLE	IF	CITATIONS
55	Altered gut microbiome and metabolome in patients with multiple system atrophy. <i>Movement Disorders</i> , 2018, 33, 174-176.	2.2	45
56	Efficacy of Rebamipide in Organic and Functional Dyspepsia: A Systematic Review and Meta-Analysis. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1250-1260.	1.1	36
57	Kombiglyze (metformin and saxagliptin)-induced hepatotoxicity in a patient with non-alcoholic fatty liver disease. <i>JGH Open</i> , 2018, 2, 242-245.	0.7	7
58	Cultural Factors Influencing Functional Gastrointestinal Disorders in the East. <i>Journal of Neurogastroenterology and Motility</i> , 2018, 24, 536-543.	0.8	41
59	A pilot study of empagliflozin for the treatment of non-alcoholic steatohepatitis in patients with type 2 diabetes mellitus. <i>Journal of Hepatology</i> , 2018, 68, S110-S111.	1.8	2
60	Dyspepsia in non-steroidal anti-inflammatory drug users and the effect of preventive measures. <i>Journal of Digestive Diseases</i> , 2018, 19, 342-349.	0.7	2
61	A non-invasive biomarker of hepatic inflammation based on magnetic resonance imaging. <i>Journal of Hepatology</i> , 2018, 68, S565.	1.8	0
62	Comparison of HepaFat-Scan and controlled attenuation parameter for the estimation of hepatic steatosis in patients with non-alcoholic fatty liver disease using histology as the reference standard. <i>Journal of Hepatology</i> , 2018, 68, S569-S570.	1.8	0
63	Early experience with a low FODMAP diet in Asian patients with irritable bowel syndrome. <i>JGH Open</i> , 2018, 2, 178-181.	0.7	19
64	Altered body composition, sarcopenia, frailty, and their clinico-biological correlates, in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 56, 58-64.	1.1	71
65	Endoscopic Management of Colonoscopy-related Perforation. <i>Journal of Digestive Endoscopy</i> , 2018, 09, 047-052.	0.1	0
66	Controlled attenuation parameter using the FibroScan® XL probe for quantification of hepatic steatosis for non-alcoholic fatty liver disease in an Asian population. <i>United European Gastroenterology Journal</i> , 2017, 5, 76-85.	1.6	67
67	A Randomized Trial of Silymarin for the Treatment of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1940-1949.e8.	2.4	154
68	Translation, adaptation and validation of two versions of the Chronic Liver Disease Questionnaire in Malaysian patients for speakers of both English and Malay languages: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013873.	0.8	6
69	Perceptions of healthcare professionals on the usage of percutaneous endoscopic gastrostomy in a teaching hospital from a middle-income South East Asian country. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 473-479.	1.5	7
70	Individual patient data meta-analysis of controlled attenuation parameter (CAP) technology for assessing steatosis. <i>Journal of Hepatology</i> , 2017, 66, 1022-1030.	1.8	734
71	THU0638...Prevalence and direct healthcare costs of upper gastrointestinal (UGI) adverse events in asian rheumatic patients on long-term non-steroidal anti-inflammatory drugs (NSAIDs). , 2017, , .		0
72	Impact of hepatic steatosis and controlled attenuation parameter (CAP) on accuracy of fibrosis staging using transient elastography. <i>Journal of Hepatology</i> , 2017, 66, S674-S675.	1.8	1

#	ARTICLE	IF	CITATIONS
73	Serum Wisteria floribunda agglutinin-positive Mac-2 binding protein as a serum biomarker for disease severity in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2017, 66, S676.	1.8	0
74	Mesenchymal stem cell therapy for advanced liver cirrhosis: A case report. <i>JGH Open</i> , 2017, 1, 153-155.	0.7	13
75	Altered gut microbiome and metabolome in patients with multiple system atrophy. <i>Journal of the Neurological Sciences</i> , 2017, 381, 96-97.	0.3	0
76	Serum Wisteria floribunda agglutinin-positive Mac-2 binding protein in non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2017, 12, e0174982.	1.1	20
77	Epidemiological and clinical perspectives on irritable bowel syndrome in India, Bangladesh and Malaysia: A review. <i>World Journal of Gastroenterology</i> , 2017, 23, 6788-6801.	1.4	37
78	Fatal infections in older patients with inflammatory bowel disease on anti-tumor necrosis factor therapy. <i>Intestinal Research</i> , 2017, 15, 524.	1.0	8
79	Utilization of gastroprotective strategies for nonsteroidal anti-inflammatory drug-induced gastrointestinal events in a major teaching hospital. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1649-1657.	0.9	5
80	Endoscopic Submucosal Dissection Outcomes for Gastroesophageal Tumors in Low Volume Units: A Multicenter Survey. <i>Diagnostic and Therapeutic Endoscopy</i> , 2016, 2016, 1-7.	1.5	7
81	Clinical and epidemiological differences in functional dyspepsia between the East and the West. <i>Neurogastroenterology and Motility</i> , 2016, 28, 167-174.	1.6	98
82	Systematic review of qualitative and quantitative studies on the attitudes and barriers to percutaneous endoscopic gastrostomy feeding. <i>Clinical Nutrition</i> , 2016, 35, 1226-1235.	2.3	19
83	Silymarin Improves Fibrosis in Non-Alcoholic Steatohepatitis. <i>Journal of Hepatology</i> , 2016, 64, S225-S226.	1.8	1
84	Split-dose low-volume bowel preparation, a feasible option for preparation for colonoscopy. <i>Endoscopy</i> , 2016, 48, 197-197.	1.0	0
85	Augmentation of Autoantibodies by <i>Helicobacter pylori</i> in Parkinson's Disease Patients May Be Linked to Greater Severity. <i>PLoS ONE</i> , 2016, 11, e0153725.	1.1	40
86	Copy number variation in exportin-4 (XPO4) gene and its association with histological severity of non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2015, 5, 13306.	1.6	6
87	Ethnicity influences pain after ultrasound-guided percutaneous liver biopsy. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 1378-1381.	0.8	12
88	Clinical outcomes of cryptogenic compared with non-cryptogenic cirrhosis: A retrospective cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1423-1428.	1.4	5
89	Blastocystis sp. in Irritable Bowel Syndrome (IBS) - Detection in Stool Aspirates during Colonoscopy. <i>PLoS ONE</i> , 2015, 10, e0121173.	1.1	17
90	Factors that influence the shedding of Blastocystis cysts in an irritable bowel syndrome (IBS) patient—an evidence-based case study. <i>Parasitology Research</i> , 2015, 114, 2999-3005.	0.6	4

#	ARTICLE	IF	CITATIONS
91	Helicobacter pylori infection is associated with worse severity of Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 221-225.	1.1	107
92	Percutaneous endoscopic gastrostomy versus nasogastric feeding in older individuals with non-stroke dysphagia: A systematic review. Journal of Nutrition, Health and Aging, 2015, 19, 190-197.	1.5	30
93	LP12 : Silymarin for the treatment of non-alcoholic steatohepatitis: Interim analysis of a randomized, double-blind, placebo-controlled trial. Journal of Hepatology, 2015, 62, S269.	1.8	3
94	Significant Risk of Life Threatening Infections in Elderly Patients With Inflammatory Bowel Disease Receiving Anti-TNF Therapy. Clinical Gastroenterology and Hepatology, 2015, 13, 1385-1386.	2.4	0
95	Attitudes of Health Care Professionals Towards Gastrostomy Feeding in Older Adults in Malaysia. International Journal of Gerontology, 2015, 9, 40-45.	0.7	7
96	A novel 2-step approach combining the NAFLD fibrosis score and liver stiffness measurement for predicting advanced fibrosis. Hepatology International, 2015, 9, 594-602.	1.9	46
97	Letter: prompt endoscopy in Asians with uninvestigated dyspepsia. Alimentary Pharmacology and Therapeutics, 2015, 41, 792-792.	1.9	2
98	The Impact of Dyspepsia on Symptom Severity and Quality of Life in Adults with Headache. PLoS ONE, 2015, 10, e0115838.	1.1	13
99	Limited Utility of Plasma M30 in Discriminating Non-Alcoholic Steatohepatitis from Steatosis – A Comparison with Routine Biochemical Markers. PLoS ONE, 2014, 9, e105903.	1.1	27
100	Controlled attenuation parameter for the detection and quantification of hepatic steatosis in nonalcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 1470-1476.	1.4	148
101	Development of a risk score to stratify symptomatic adults referred for colonoscopy. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 1890-1896.	1.4	14
102	The Influence of Cultural Habits on the Changing Pattern of Functional Dyspepsia. Digestive Diseases, 2014, 32, 217-221.	0.8	3
103	Unexplained abdominal pain as a driver for inappropriate therapeutics: an audit on the use of intravenous proton pump inhibitors. PeerJ, 2014, 2, e451.	0.9	9
104	Phenotypic variation in Blastocystis sp. ST3. Parasites and Vectors, 2014, 7, 404.	1.0	30
105	Mandarin version of the Leeds Dyspepsia Questionnaire: A valid instrument for assessing symptoms in Asians. Journal of Digestive Diseases, 2014, 15, 591-596.	0.7	7
106	Association of glucokinase regulatory gene polymorphisms with risk and severity of non-alcoholic fatty liver disease: an interaction study with adiponutrin gene. Journal of Gastroenterology, 2014, 49, 1056-1064.	2.3	62
107	Small intestinal bacterial overgrowth in Parkinson's disease. Parkinsonism and Related Disorders, 2014, 20, 535-540.	1.1	217
108	Role of prophylactic antibiotics in cirrhotic patients with variceal bleeding. World Journal of Gastroenterology, 2014, 20, 1790.	1.4	50

#	ARTICLE	IF	CITATIONS
109	Genome-Wide Analysis of Copy Number Variation Identifies Candidate Gene Loci Associated with the Progression of Non-Alcoholic Fatty Liver Disease. PLoS ONE, 2014, 9, e95604.	1.1	30
110	Split-dose vs same-day reduced-volume polyethylene glycol electrolyte lavage solution for morning colonoscopy. World Journal of Gastroenterology, 2014, 20, 14488.	1.4	26
111	Low prevalence of "classical" microscopic colitis but evidence of microscopic inflammation in Asian Irritable Bowel Syndrome patients with diarrhoea. BMC Gastroenterology, 2013, 13, 80.	0.8	13
112	Quantitative LC/MS/MS analysis of acetaminophen-cysteine adducts (APAP-CYS) and its application in acetaminophen overdose patients. Analytical Methods, 2013, 5, 1955.	1.3	11
113	Commentary: rabeprazole improves symptoms in patients with functional dyspepsia in Japan. Alimentary Pharmacology and Therapeutics, 2013, 38, 1321-1322.	1.9	1
114	Statements of the Malaysian Society of Gastroenterology & Hepatology and the National Heart Association of Malaysia task force 2012 working party on the use of antiplatelet therapy and proton pump inhibitors in the prevention of gastrointestinal bleeding. Journal of Digestive Diseases, 2013, 14, 1-10.	0.7	2
115	Letter: dyspepsia, anxiety and depression. Alimentary Pharmacology and Therapeutics, 2013, 37, 166-167.	1.9	2
116	Genome Sequence of the Hepatitis C Virus Subtype 6n Isolated from Malaysia. Genome Announcements, 2013, 1, .	0.8	3
117	Performance of transient elastography (TE) and factors associated with discordance in non-alcoholic fatty liver disease. Journal of Digestive Diseases, 2013, 14, 604-610.	0.7	25
118	Clinical outcomes and direct costings of endoluminal clipping compared to surgery in the management of iatrogenic colonic perforation. Journal of Digestive Diseases, 2013, 14, 670-675.	0.7	7
119	Letter: East-West differences in the economic impact of functional dyspepsia. Alimentary Pharmacology and Therapeutics, 2013, 38, 655-655.	1.9	4
120	Jaundice and life-threatening hemobilia: An uncommon presentation of choledochal cyst. Journal of Digestive Diseases, 2013, 14, 451-454.	0.7	3
121	Impact of leptin receptor gene variants on risk of non-alcoholic fatty liver disease and its interaction with adiponutrin gene. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 873-879.	1.4	33
122	Factors influencing quality of bowel preparation for colonoscopy. World Journal of Gastrointestinal Endoscopy, 2013, 5, 39.	0.4	75
123	Susceptibility and Gene Interaction Study of the Angiotensin II Type 1 Receptor (AGTR1) Gene Polymorphisms with Non-Alcoholic Fatty Liver Disease in a Multi-Ethnic Population. PLoS ONE, 2013, 8, e58538.	1.1	34
124	Clinically Significant Endoscopic Findings in a Multi-Ethnic Population With Uninvestigated Dyspepsia. Digestive Diseases and Sciences, 2012, 57, 3205-3212.	1.1	19
125	Low rates of hepatotoxicity among Asian patients with paracetamol overdose: a review of 1024 cases. BMC Pharmacology & Toxicology, 2012, 13, 8.	1.0	25
126	Long-term nasogastric tube feeding in elderly stroke patients "an assessment of nutritional adequacy and attitudes to gastrostomy feeding in asians. Journal of Nutrition, Health and Aging, 2012, 16, 701-706.	1.5	27

#	ARTICLE	IF	CITATIONS
127	Tumour Lysis Syndrome: a Rare Complication of Trans-Arterial Chemo-Embolisation with Doxorubicin Beads for Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012, 43, 187-190.	0.6	8
128	Ethnic Differences in the Prevalence of Metabolic Syndrome: Results from a Multi-Ethnic Population-Based Survey in Malaysia. <i>PLoS ONE</i> , 2012, 7, e46365.	1.1	86
129	Asian Consensus Report on Functional Dyspepsia. <i>Journal of Neurogastroenterology and Motility</i> , 2012, 18, 150-168.	0.8	88
130	Economic Impact of Dyspepsia in Rural and Urban Malaysia: A Population-Based Study. <i>Journal of Neurogastroenterology and Motility</i> , 2012, 18, 43-57.	0.8	30
131	Burden of Dyspepsia in Rural and Urban Asia: Author's Reply. <i>Journal of Neurogastroenterology and Motility</i> , 2012, 18, 230.	0.8	1
132	A multi-ethnic study of a PNPLA3 gene variant and its association with disease severity in non-alcoholic fatty liver disease. <i>Human Genetics</i> , 2012, 131, 1145-1152.	1.8	84
133	Anxiety and depression in various functional gastrointestinal disorders: Do differences exist?. <i>Journal of Digestive Diseases</i> , 2012, 13, 252-257.	0.7	74
134	Letter: enteral nutrition in advanced cirrhosis â€“ a case of missing the boat?. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 205-206.	1.9	5
135	Asian consensus report on functional dyspepsia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 626-641.	1.4	79
136	Short term nasogastric versus oral feeding in hospitalised patients with advanced cirrhosis: A randomised trial. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2011, 6, e242-e247.	0.4	12
137	Anxiety, depression and quality of life differences between functional and organic dyspepsia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 49-52.	1.4	36
138	Validation study of the Leeds Dyspepsia Questionnaire in a multi-ethnic Asian population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1669-1676.	1.4	15
139	SUBCAPSULAR HEMATOMA OF THE LIVER FOLLOWING ENDOSCOPIC RETROGRADE CHOLANGIOGRAPHY: A KNOWN BUT RARE COMPLICATION. <i>Digestive Endoscopy</i> , 2011, 23, 209-210.	1.3	4
140	Factors influencing dyspepsia-related consultation: differences between a rural and an urban population. <i>Neurogastroenterology and Motility</i> , 2011, 23, 846-853.	1.6	16
141	Erosive oesophagitis with particular reference to Asians. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 821-822.	1.9	1
142	Appointment waiting times and education level influence the quality of bowel preparation in adult patients undergoing colonoscopy. <i>BMC Gastroenterology</i> , 2011, 11, 86.	0.8	118
143	Diagnostic Value of the ¹³ C Methacetin Breath Test in Various Stages of Chronic Liver Disease. <i>Gastroenterology Research and Practice</i> , 2011, 2011, 1-6.	0.7	15
144	Anthropometric, biochemical and clinical assessment of malnutrition in Malaysian patients with advanced cirrhosis. <i>Nutrition Journal</i> , 2010, 9, 27.	1.5	44

#	ARTICLE	IF	CITATIONS
145	Ethnic variation, epidemiological factors and quality of life impairment associated with dyspepsia in urban Malaysia. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 1141-1151.	1.9	55
146	Gastrointestinal: Massive intraperitoneal haemorrhage in a young woman with Hereditary Hemorrhagic Telangiectasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 1587-1587.	1.4	4
147	Transarterial embolisation of hepatocellular carcinoma with doxorubicin-eluting beads: single centre early experience. <i>Biomedical Imaging and Intervention Journal</i> , 2010, 6, e7.	0.5	16
148	Risk Factors Associated With Dyspepsia in a Rural Asian Population and Its Impact on Quality of Life. <i>American Journal of Gastroenterology</i> , 2010, 105, 904-912.	0.2	47
149	Standard inject and cut endoscopic mucosal resection technique is practical and effective in the management of superficial colorectal neoplasms. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2009, 23, 417-422.	1.3	34
150	The EQ-5D (Euroqol) is a valid generic instrument for measuring quality of life in patients with dyspepsia. <i>BMC Gastroenterology</i> , 2009, 9, 20.	0.8	45
151	Antibiotic prophylaxis tailored to local organisms reduces percutaneous gastrostomy site infection. <i>International Journal of Clinical Practice</i> , 2009, 63, 760-765.	0.8	16
152	Quality of life in South East Asian patients who consult for dyspepsia: Validation of the short form Nepean Dyspepsia Index. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 45.	1.0	11
153	Successful management of intussusception with total polyp clearance in Peutz-Jeghers syndrome using a combined endoscopic and surgical approach. <i>BMJ Case Reports</i> , 2009, 2009, bcr0820080628-bcr0820080628.	0.2	0
154	Percutaneous, non-operative radio frequency ablation for haemostasis of ruptured hepatocellular carcinoma. <i>Hepato-Gastroenterology</i> , 2009, 56, 227-30.	0.5	5
155	Clinical impact and risk factors for percutaneous gastrostomy wound infections due to resistant organisms. <i>International Journal of Infectious Diseases</i> , 2008, 12, e149-e150.	1.5	3
156	Transnasal Endoscopic Placement of Nasoenteric Feeding Tubes: Outcomes and Limitations in Non-Critically Ill Patients. <i>Nutrition in Clinical Practice</i> , 2008, 23, 176-181.	1.1	43
157	Cost-effectiveness of and satisfaction with a <i>Helicobacter pylori</i> "test and treat" strategy compared with prompt endoscopy in young Asians with dyspepsia. <i>Gut</i> , 2008, 57, 1214-1220.	6.1	46
158	Colonoscopy in elderly Asians: A prospective evaluation in routine clinical practice. <i>Journal of Digestive Diseases</i> , 2007, 8, 77-81.	0.7	21
159	Iatrogenic gastric ulceration in patients with percutaneous endoscopic gastrostomy feeding. <i>Internal Medicine Journal</i> , 2007, 37, 732-733.	0.5	1
160	Repeat Endoscopy for Recurrent Iron Deficiency Anemia: An (Un)Expected Finding from Southeast Asia. <i>Digestive Diseases and Sciences</i> , 2007, 52, 523-525.	1.1	6
161	Epidemiology of functional dyspepsia: A global perspective. <i>World Journal of Gastroenterology</i> , 2006, 12, 2661.	1.4	331
162	Gastro-oesophageal reflux is more prevalent in Western dyspeptics: a prospective comparison of British and South-East Asian patients with dyspepsia. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 1483-1490.	1.9	80

#	ARTICLE	IF	CITATIONS
163	Can a non-invasive strategy for managing young dyspeptics be safely implemented in Asia?. Journal of Gastroenterology and Hepatology (Australia), 2003, 18, 359-362.	1.4	1
164	Endoscopic decompression may not relieve biliary obstruction caused by polycystic liver disease. Report of a case from malaysia. Digestive Endoscopy, 2003, 15, 216-218.	1.3	1
165	Gastroesophageal reflux is more prominent in western dyspeptics: A prospective comparison study of British and South East Asian patients with dyspepsia. Gastroenterology, 2003, 124, A168.	0.6	1
166	Age and other risk factors in determining serious upper gastrointestinal pathology in a multi-racial Asian population with dyspepsia. Gastroenterology, 2003, 124, A181-A182.	0.6	1
167	Endoscopic intervention for hepatolithiasis associated with sharp angulation of right intrahepatic ducts. Gastrointestinal Endoscopy, 2003, 58, 279-282.	0.5	9
168	Hepaticogastric fistulation from a proximally migrated biliary stent. Gastrointestinal Endoscopy, 2003, 58, 295-297.	0.5	7
169	Cost-Effectiveness of N-Butyl-2-Cyanoacrylate (Histoacryl) Glue Injections Versus Transjugular Intrahepatic Portosystemic Shunt in The Management of Acute Gastric Variceal Bleeding. American Journal of Gastroenterology, 2003, 98, 2688-2693.	0.2	110
170	Variable use of endoscopic haemostasis in the management of bleeding peptic ulcers. Postgraduate Medical Journal, 2002, 78, 347-351.	0.9	9
171	The stuck central venous catheter: beware of potential hazards. British Journal of Anaesthesia, 2002, 89, 650-652.	1.5	25
172	A test-and-treat policy does not save endoscopy workload in a non-referral hospital. European Journal of Gastroenterology and Hepatology, 2002, 14, 257-262.	0.8	8
173	Is a raised intraepithelial lymphocyte count with normal duodenal villous architecture clinically relevant?. Journal of Clinical Pathology, 2002, 55, 424-428.	1.0	142
174	An investigation into the sensitivities of translocating bacteria to a prophylactic antibiotic regimen. Annals of the Royal College of Surgeons of England, 2002, 84, 422-425.	0.3	3
175	Is a raised intraepithelial lymphocyte count with normal villous architecture in duodenal biopsies clinically significant?. Gastroenterology, 2001, 120, A283-A284.	0.6	0
176	7162 Electrocautery in endoscopic sphincterotomy - a randomised prospective trial comparing combined current vs. cut or blend.. Gastrointestinal Endoscopy, 2000, 51, AB283.	0.5	3
177	Does open access urea breath testing really affect outpatient endoscopy? â€” a district hospital's perspective. Gastroenterology, 2000, 118, A1269.	0.6	0
178	Liver Transplantation in an Undiagnosed Schizophrenic. Journal of the Royal Society of Medicine, 1997, 90, 563-563.	1.1	9