

Jennifer Luethy Martindale

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3944339/jennifer-luethy-martindale-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

12,665
citations

50
h-index

97
g-index

97
ext. papers

14,140
ext. citations

9.7
avg, IF

6.07
L-index

#	Paper	IF	Citations
94	Early SRC activation skews cell fate from apoptosis to senescence.. <i>Science Advances</i> , 2022 , 8, eabm075614.3	14.3	3
93	Reduction of lamin B receptor levels by miR-340-5p disrupts chromatin, promotes cell senescence and enhances senolysis. <i>Nucleic Acids Research</i> , 2021 , 49, 7389-7405	20.1	5
92	Acid ceramidase promotes senescent cell survival. <i>Aging</i> , 2021 , 13, 15750-15769	5.6	5
91	AUF1 ligand circPCNX reduces cell proliferation by competing with p21 mRNA to increase p21 production. <i>Nucleic Acids Research</i> , 2021 , 49, 1631-1646	20.1	20
90	RNA-Binding Protein HuR Promotes Th17 Cell Differentiation and Can Be Targeted to Reduce Autoimmune Neuroinflammation. <i>Journal of Immunology</i> , 2020 , 204, 2076-2087	5.3	9
89	circSamd4 represses myogenic transcriptional activity of PUR proteins. <i>Nucleic Acids Research</i> , 2020 , 48, 3789-3805	20.1	34
88	A small protein encoded by a putative lncRNA regulates apoptosis and tumorigenicity in human colorectal cancer cells. <i>ELife</i> , 2020 , 9,	8.9	16
87	Ribonucleoprotein Immunoprecipitation (RIP) Analysis. <i>Bio-protocol</i> , 2020 , 10, e3488	0.9	1
86	NQO1 protects obese mice through improvements in glucose and lipid metabolism. <i>Npj Aging and Mechanisms of Disease</i> , 2020 , 6, 13	5.5	10
85	Interaction of OIP5-AS1 with MEF2C mRNA promotes myogenic gene expression. <i>Nucleic Acids Research</i> , 2020 , 48, 12943-12956	20.1	13
84	Loss of miR-451a enhances SPARC production during myogenesis. <i>PLoS ONE</i> , 2019 , 14, e0214301	3.7	7
83	NF90 regulation of immune factor expression in response to malaria antigens. <i>Cell Cycle</i> , 2019 , 18, 708-727	4.7	6
82	Loss of RNA-binding protein GRSF1 activates mTOR to elicit a proinflammatory transcriptional program. <i>Nucleic Acids Research</i> , 2019 , 47, 2472-2486	20.1	14
81	GRSF1 suppresses cell senescence. <i>Aging</i> , 2018 , 10, 1856-1866	5.6	8
80	Cooperative translational control of polymorphic BAFF by NF90 and miR-15a. <i>Nucleic Acids Research</i> , 2018 , 46, 12040-12051	20.1	11
79	SCAMP4 enhances the senescent cell secretome. <i>Genes and Development</i> , 2018 , 32, 909-914	12.6	26
78	Identification of HuR target circular RNAs uncovers suppression of PABPN1 translation by CircPABPN1. <i>RNA Biology</i> , 2017 , 14, 361-369	4.8	440

77	WIG1 is crucial for AGO2-mediated ACOT7 mRNA silencing via miRNA-dependent and -independent mechanisms. <i>Nucleic Acids Research</i> , 2017 , 45, 6894-6910	20.1	6
76	Identification of senescence-associated circular RNAs (SAC-RNAs) reveals senescence suppressor CircPVT1. <i>Nucleic Acids Research</i> , 2017 , 45, 4021-4035	20.1	156
75	Polysome Fractionation to Analyze mRNA Distribution Profiles. <i>Bio-protocol</i> , 2017 , 7,	0.9	52
74	Long Noncoding RNA PURPL Suppresses Basal p53 Levels and Promotes Tumorigenicity in Colorectal Cancer. <i>Cell Reports</i> , 2017 , 20, 2408-2423	10.6	77
73	Identification of senescent cell surface targetable protein DPP4. <i>Genes and Development</i> , 2017 , 31, 1529-1534	11.34	103
72	The RNA-binding protein HuR contributes to neuroinflammation by promoting C-C chemokine receptor 6 (CCR6) expression on Th17 cells. <i>Journal of Biological Chemistry</i> , 2017 , 292, 14532-14543	5.4	16
71	Alternative Splicing of Neuronal Differentiation Factor TRF2 Regulated by HNRNPH1/H2. <i>Cell Reports</i> , 2016 , 15, 926-934	10.6	34
70	p38 in the TORC1 pathway is essential for the differentiation of Th17 Cells, but not Th1, Th2, or Treg cells in mice. <i>European Journal of Immunology</i> , 2016 , 46, 212-22	6.1	29
69	Novel RNA-binding activity of MYF5 enhances Ccnd1/Cyclin D1 mRNA translation during myogenesis. <i>Nucleic Acids Research</i> , 2016 , 44, 2393-408	20.1	38
68	HuR and GRSF1 modulate the nuclear export and mitochondrial localization of the lncRNA RMRP. <i>Genes and Development</i> , 2016 , 30, 1224-39	12.6	117
67	RNA topoisomerase is prevalent in all domains of life and associates with polyribosomes in animals. <i>Nucleic Acids Research</i> , 2016 , 44, 6335-49	20.1	44
66	Novel RNA-binding activity of NQO1 promotes SERPINA1 mRNA translation. <i>Free Radical Biology and Medicine</i> , 2016 , 99, 225-233	7.8	18
65	RNA-Binding Protein Musashi1 Is a Central Regulator of Adhesion Pathways in Glioblastoma. <i>Molecular and Cellular Biology</i> , 2015 , 35, 2965-78	4.8	33
64	AUF1 promotes let-7b loading on Argonaute 2. <i>Genes and Development</i> , 2015 , 29, 1599-604	12.6	33
63	NSun2 Promotes Cell Growth via Elevating Cyclin-Dependent Kinase 1 Translation. <i>Molecular and Cellular Biology</i> , 2015 , 35, 4043-52	4.8	62
62	Posttranscriptional Regulation of the Inflammatory Marker C-Reactive Protein by the RNA-Binding Protein HuR and MicroRNA 637. <i>Molecular and Cellular Biology</i> , 2015 , 35, 4212-21	4.8	31
61	Induction of VEGFA mRNA translation by CoCl ₂ mediated by HuR. <i>RNA Biology</i> , 2015 , 12, 1121-30	4.8	24
60	Novel RNA- and FMRP-binding protein TRF2-S regulates axonal mRNA transport and presynaptic plasticity. <i>Nature Communications</i> , 2015 , 6, 8888	17.4	27

59	The RNA-binding protein HuD regulates autophagosome formation in pancreatic β cells by promoting autophagy-related gene 5 expression. <i>Journal of Biological Chemistry</i> , 2014 , 289, 112-21	5.4	29
58	PAR-CLIP analysis uncovers AUF1 impact on target RNA fate and genome integrity. <i>Nature Communications</i> , 2014 , 5, 5248	17.4	108
57	RNA-binding protein AUF1 promotes myogenesis by regulating MEF2C expression levels. <i>Molecular and Cellular Biology</i> , 2014 , 34, 3106-19	4.8	27
56	HuD regulates coding and noncoding RNA to induce APP-A β processing. <i>Cell Reports</i> , 2014 , 7, 1401-1409	10.6	70
55	miR-196b-mediated translation regulation of mouse insulin2 via the 5'UTR. <i>PLoS ONE</i> , 2014 , 9, e101084	3.7	25
54	Conditional knockout of the RNA-binding protein HuR in CD4+ T cells reveals a gene dosage effect on cytokine production. <i>Molecular Medicine</i> , 2014 , 20, 93-108	6.2	24
53	Novel RNA-binding protein P311 binds eukaryotic translation initiation factor 3 subunit b (eIF3b) to promote translation of transforming growth factor β -3 (TGF- β -3). <i>Journal of Biological Chemistry</i> , 2014 , 289, 33971-83	5.4	23
52	Tyrosine phosphorylation of HuR by JAK3 triggers dissociation and degradation of HuR target mRNAs. <i>Nucleic Acids Research</i> , 2014 , 42, 1196-208	20.1	35
51	7SL RNA represses p53 translation by competing with HuR. <i>Nucleic Acids Research</i> , 2014 , 42, 10099-111	20.1	87
50	Top3 β is an RNA topoisomerase that works with fragile X syndrome protein to promote synapse formation. <i>Nature Neuroscience</i> , 2013 , 16, 1238-47	25.5	92
49	Scaffold function of long non-coding RNA HOTAIR in protein ubiquitination. <i>Nature Communications</i> , 2013 , 4, 2939	17.4	301
48	LincRNA-p21 Suppresses Target mRNA Translation. <i>Molecular Cell</i> , 2013 , 50, 303	17.6	7
47	Senescence-associated lncRNAs: senescence-associated long noncoding RNAs. <i>Ageing Cell</i> , 2013 , 12, 890-900	9.0	147
46	miR-29b represses intestinal mucosal growth by inhibiting translation of cyclin-dependent kinase 2. <i>Molecular Biology of the Cell</i> , 2013 , 24, 3038-46	3.5	50
45	LincRNA-p21 suppresses target mRNA translation. <i>Molecular Cell</i> , 2012 , 47, 648-55	17.6	728
44	Atraumatic neck pain and rigidity: a case of calcific retropharyngeal tendonitis. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 636.e1-2	2.9	6
43	RNA-binding protein HuD controls insulin translation. <i>Molecular Cell</i> , 2012 , 45, 826-35	17.6	75
42	Growth inhibition by miR-519 via multiple p21-inducing pathways. <i>Molecular and Cellular Biology</i> , 2012 , 32, 2530-48	4.8	45

41	The oncogenic RNA-binding protein Musashi1 is regulated by HuR via mRNA translation and stability in glioblastoma cells. <i>Molecular Cancer Research</i> , 2012 , 10, 143-55	6.6	54
40	NF90 coordinately represses the senescence-associated secretory phenotype. <i>Aging</i> , 2012 , 4, 695-708	5.6	36
39	Global dissociation of HuR-mRNA complexes promotes cell survival after ionizing radiation. <i>EMBO Journal</i> , 2011 , 30, 1040-53	13	60
38	Enhanced translation by Nucleolin via G-rich elements in coding and non-coding regions of target mRNAs. <i>Nucleic Acids Research</i> , 2011 , 39, 8513-30	20.1	85
37	miR-130 suppresses adipogenesis by inhibiting peroxisome proliferator-activated receptor gamma expression. <i>Molecular and Cellular Biology</i> , 2011 , 31, 626-38	4.8	265
36	Competitive regulation of nucleolin expression by HuR and miR-494. <i>Molecular and Cellular Biology</i> , 2011 , 31, 4219-31	4.8	81
35	Translational control of TOP2A influences doxorubicin efficacy. <i>Molecular and Cellular Biology</i> , 2011 , 31, 3790-801	4.8	71
34	hnRNP C promotes APP translation by competing with FMRP for APP mRNA recruitment to P bodies. <i>Nature Structural and Molecular Biology</i> , 2010 , 17, 732-9	17.6	119
33	MicroRNA profiling in human diploid fibroblasts uncovers miR-519 role in replicative senescence. <i>Aging</i> , 2010 , 2, 333-43	5.6	109
32	Post-transcriptional regulation of androgen receptor mRNA by an ErbB3 binding protein 1 in prostate cancer. <i>Nucleic Acids Research</i> , 2010 , 38, 3619-31	20.1	30
31	NF90 selectively represses the translation of target mRNAs bearing an AU-rich signature motif. <i>Nucleic Acids Research</i> , 2010 , 38, 225-38	20.1	94
30	Identification of a signature motif in target mRNAs of RNA-binding protein AUF1. <i>Nucleic Acids Research</i> , 2009 , 37, 204-14	20.1	59
29	Increased MKK4 abundance with replicative senescence is linked to the joint reduction of multiple microRNAs. <i>Science Signaling</i> , 2009 , 2, ra69	8.8	60
28	HuR recruits let-7/RISC to repress c-Myc expression. <i>Genes and Development</i> , 2009 , 23, 1743-8	12.6	419
27	Tissue- and age-dependent expression of RNA-binding proteins that influence mRNA turnover and translation. <i>Aging</i> , 2009 , 1, 681-98	5.6	58
26	RNA-binding proteins HuR and PTB promote the translation of hypoxia-inducible factor 1alpha. <i>Molecular and Cellular Biology</i> , 2008 , 28, 93-107	4.8	223
25	MKP-1 mRNA stabilization and translational control by RNA-binding proteins HuR and NF90. <i>Molecular and Cellular Biology</i> , 2008 , 28, 4562-75	4.8	190
24	Nuclear HuR accumulation through phosphorylation by Cdk1. <i>Genes and Development</i> , 2008 , 22, 1804-15	12.6	158

23	RNA binding activity of the recessive parkinsonism protein DJ-1 supports involvement in multiple cellular pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10244-9	11.5	171
22	p16(INK4a) translation suppressed by miR-24. <i>PLoS ONE</i> , 2008 , 3, e1864	3.7	207
21	Analysis of turnover and translation regulatory RNA-binding protein expression through binding to cognate mRNAs. <i>Molecular and Cellular Biology</i> , 2007 , 27, 6265-78	4.8	169
20	Functional and morphometric brain dissociation between dyslexia and reading ability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 4234-9	11.5	300
19	En masse nascent transcription analysis to elucidate regulatory transcription factors. <i>Nucleic Acids Research</i> , 2006 , 34, 1492-500	20.1	13
18	Differential stability of thymidylate synthase 3'Suntranslated region polymorphic variants regulated by AUF1. <i>Journal of Biological Chemistry</i> , 2006 , 281, 23456-63	5.4	36
17	Translational repression by RNA-binding protein TIAR. <i>Molecular and Cellular Biology</i> , 2006 , 26, 2716-27	4.8	119
16	Increased stability of the p16 mRNA with replicative senescence. <i>EMBO Reports</i> , 2005 , 6, 158-64	6.5	80
15	En masse analysis of nascent translation using microarrays. <i>BioTechniques</i> , 2005 , 39, 61-2, 64, 66-7	2.5	10
14	Identification and functional outcome of mRNAs associated with RNA-binding protein TIA-1. <i>Molecular and Cellular Biology</i> , 2005 , 25, 9520-31	4.8	188
13	Deficiency of ADAP/Fyb/SLAP-130 destabilizes SKAP55 in Jurkat T cells. <i>Journal of Biological Chemistry</i> , 2005 , 280, 23576-83	5.4	45
12	Concurrent versus individual binding of HuR and AUF1 to common labile target mRNAs. <i>EMBO Journal</i> , 2004 , 23, 3092-102	13	403
11	Expression of the pro-apoptotic gene gadd153/chop is elevated in liver with aging and sensitizes cells to oxidant injury. <i>Journal of Biological Chemistry</i> , 2003 , 278, 16726-31	5.4	67
10	RNA-binding protein HuR enhances p53 translation in response to ultraviolet light irradiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 8354-9	11.5	377
9	Influence of the RNA-binding protein HuR in pVHL-regulated p53 expression in renal carcinoma cells. <i>Molecular and Cellular Biology</i> , 2003 , 23, 7083-95	4.8	104
8	von Hippel-Lindau protein-mediated repression of tumor necrosis factor alpha translation revealed through use of cDNA arrays. <i>Molecular and Cellular Biology</i> , 2003 , 23, 2316-28	4.8	73
7	Effects of aging and calorie restriction of Fischer 344 rats on hepatocellular response to proliferative signals. <i>Experimental Gerontology</i> , 2003 , 38, 431-9	4.5	22
6	Cellular response to oxidative stress: signaling for suicide and survival. <i>Journal of Cellular Physiology</i> , 2002 , 192, 1-15	7	1825

5	Involvement of Gadd153 in the pathogenic action of presenilin-1 mutations. <i>Journal of Neurochemistry</i> , 2002 , 83, 673-81	6	62
4	Gadd153 sensitizes cells to endoplasmic reticulum stress by down-regulating Bcl2 and perturbing the cellular redox state. <i>Molecular and Cellular Biology</i> , 2001 , 21, 1249-59	4.8	1516
3	Requirement for ERK activation in cisplatin-induced apoptosis. <i>Journal of Biological Chemistry</i> , 2000 , 275, 39435-43	5.4	525
2	Complexes containing activating transcription factor (ATF)/cAMP-responsive-element-binding protein (CREB) interact with the CCAAT/enhancer-binding protein (C/EBP)-ATF composite site to regulate Gadd153 expression during the stress response. <i>Biochemical Journal</i> , 1999 , 339, 135	3.8	120
1	The cellular response to oxidative stress: influences of mitogen-activated protein kinase signalling pathways on cell survival. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 291-300	3.8	654