

Dennis E Feierman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/394643/publications.pdf>

Version: 2024-02-01

7
papers

74
citations

1937685
4
h-index

1872680
6
g-index

7
all docs

7
docs citations

7
times ranked

96
citing authors

#	ARTICLE	IF	CITATIONS
1	Liposomal bupivacaine infiltration into the transversus abdominis plane for postsurgical analgesia in open abdominal umbilical hernia repair: results from a cohort of 13 patients. <i>Journal of Pain Research</i> , 2014, 7, 477.	2.0	34
2	Retrospective Analysis of Geriatric Patients Undergoing Hip Fracture Surgery: Delaying Surgery Is Associated With Increased Morbidity, Mortality, and Length of Stay. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2018, 9, 215145931879526.	1.4	18
3	Perioperative Transfusion Associated With Increased Morbidity and Mortality in Geriatric Patients Undergoing Hip Fracture Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2021, 12, 215145932110151.	1.4	10
4	Persistent acidosis after reperfusionâ€”A prognostic indicator of increased 30-day and in-hospital postoperative mortality in liver transplant recipients. <i>Clinical Transplantation</i> , 2019, 33, e13473.	1.6	9
5	A Multidisciplinary Approach to Anesthetic Management of a Parturient with Severe Aortic Stenosis. <i>Case Reports in Anesthesiology</i> , 2015, 2015, 1-4.	0.4	2
6	A Case Series of 12 Patients Receiving Bilateral Transverse Abdominis Plane Blocks after Cesarean Section. <i>Open Journal of Anesthesiology</i> , 2017, 07, 407-414.	0.2	1
7	The use of bilateral transversus abdominis plane blocks with liposomal bupivacaine on postoperative cesarean delivery patients during COVID-19 pandemic is associated with reduced narcotics use and reduced length of stay. <i>Women's Health</i> , 2021, 17, 174550652110580.	1.5	0