

Helena Canhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3946522/publications.pdf>

Version: 2024-02-01

131
papers

3,311
citations

156536

32
h-index

214428

50
g-index

150
all docs

150
docs citations

150
times ranked

6284
citing authors

#	ARTICLE	IF	CITATIONS
1	Low Adherence to the Mediterranean Diet Is Associated with Poor Socioeconomic Status and Younger Age: A Cross-Sectional Analysis of the EpiDoC Cohort. <i>Nutrients</i> , 2022, 14, 1239.	1.7	16
2	Obesity-attributable costs of absenteeism among working adults in Portugal. <i>BMC Public Health</i> , 2022, 22, 978.	1.2	6
3	Using Patient-Reported Outcome Measures to Evaluate Care for Patients With Inflammatory Chronic Rheumatic Disease. <i>Value in Health</i> , 2022, 25, 1885-1893.	0.1	1
4	Increased short-term risk of cardiovascular events in inflammatory rheumatic diseases: results from a population-based cohort. <i>Rheumatology International</i> , 2021, 41, 311-318.	1.5	1
5	Sleep and Awakening Quality during COVID-19 Confinement: Complexity and Relevance for Health and Behavior. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3506.	1.2	18
6	Low protein intake, physical activity, and physical function in European and North American community-dwelling older adults: a pooled analysis of four longitudinal aging cohorts. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 29-41.	2.2	25
7	Atherosclerosis and Bone Loss in Humans—Results From Deceased Donors and From Patients Submitted to Carotid Endarterectomy. <i>Frontiers in Medicine</i> , 2021, 8, 672496.	1.2	4
8	Staff SARS-CoV-2 Seroprevalence and Mental Health as Key Factors in University Response to COVID-19 Pandemic. <i>Frontiers in Public Health</i> , 2021, 9, 689919.	1.3	1
9	Predicting Biologic Therapy Outcome of Patients With Spondyloarthritis: Joint Models for Longitudinal and Survival Analysis. <i>JMIR Medical Informatics</i> , 2021, 9, e26823.	1.3	6
10	Xerostomia and Medication in an Elderly Portuguese Population. <i>Medical Sciences Forum</i> , 2021, 5, 8.	0.5	1
11	A Home-Based eHealth Intervention for an Older Adult Population With Food Insecurity: Feasibility and Acceptability Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e26871.	2.1	7
12	Validation of GWAS-Identified Variants for Anti-TNF Drug Response in Rheumatoid Arthritis: A Meta-Analysis of Two Large Cohorts. <i>Frontiers in Immunology</i> , 2021, 12, 672255.	2.2	6
13	Multimorbidity is associated with fragility fractures in women 50 years and older: A nationwide cross-sectional study. <i>Bone Reports</i> , 2021, 15, 101139.	0.2	8
14	EpiDoC Unit - a clinical research unit open to the rheumatology community. <i>Acta Reumatologica Portuguesa</i> , 2021, 46, 5-6.	0.2	1
15	Cross-Talk between Diet-Associated Dysbiosis and Hand Osteoarthritis. <i>Nutrients</i> , 2020, 12, 3469.	1.7	16
16	NFKB2 polymorphisms associate with the risk of developing rheumatoid arthritis and response to TNF inhibitors: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2020, 10, 4316.	1.6	14
17	Prevalence of vitamin D deficiency and its predictors in the Portuguese population: a nationwide population-based study. <i>Archives of Osteoporosis</i> , 2020, 15, 36.	1.0	22
18	LEAVES (optimizing the mental health and resilience of older Adults that have lost their spouse) via Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Protocols, 2020, 9, e19344.	0.5	13

#	ARTICLE	IF	CITATIONS
19	Food Insecurity in Portugal Among Middle- and Older-Aged Adults at a Time of Economic Crisis Recovery: Prevalence and Determinants. <i>Food and Nutrition Bulletin</i> , 2019, 40, 504-513.	0.5	14
20	Steroid hormone-related polymorphisms associate with the development of bone erosions in rheumatoid arthritis and help to predict disease progression: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2019, 9, 14812.	1.6	7
21	Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for <i>CD40</i> and <i>CD39</i> . <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1055-1061.	0.5	25
22	Editorial: Nutrition and Metabolism in Rheumatic Diseases. <i>Frontiers in Medicine</i> , 2019, 6, 101.	1.2	2
23	Low Serum Levels of DKK2 Predict Incident Low-impact Fracture in Older Women. <i>JBMR Plus</i> , 2019, 3, e10179.	1.3	1
24	AliClu - Temporal sequence alignment for clustering longitudinal clinical data. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 289.	1.5	4
25	Performance of referral strategies for spondyloarthritis: a population-based nationwide study. <i>Rheumatology</i> , 2019, 58, 1086-1094.	0.9	5
26	Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2019, 19, 83-96.	0.9	10
27	Peer Adoption and Development of Health Innovations by Patients: National Representative Study of 6204 Citizens. <i>Journal of Medical Internet Research</i> , 2019, 21, e11726.	2.1	8
28	Fall determinants in the adult Portuguese: do chronic conditions change the risk of falling?. <i>Acta Reumatológica Portuguesa</i> , 2019, 44, 288-295.	0.2	1
29	Psoriatic arthritis and ankylosing spondylitis impact on health-related quality of life and working life: a comparative population-based study. <i>Acta Reumatológica Portuguesa</i> , 2019, 44, 254-265.	0.2	4
30	The burden and undertreatment of fragility fractures among senior women. <i>Archives of Osteoporosis</i> , 2018, 13, 22.	1.0	19
31	Effects of tofacitinib in early arthritis-induced bone loss in an adjuvant-induced arthritis rat model. <i>Rheumatology</i> , 2018, 57, 1461-1471.	0.9	27
32	Sleep duration, lifestyles and chronic diseases: a cross-sectional population-based study. <i>Sleep Science</i> , 2018, 11, 217-230.	0.4	51
33	The Portuguese Journal of Public Health - A New Direction. <i>Portuguese Journal of Public Health</i> , 2018, , 1-2.	1.7	1
34	Editorial: Active Aging and Disease Management. <i>Frontiers in Medicine</i> , 2018, 5, 278.	1.2	1
35	Cohort Profile: The Epidemiology of Chronic Diseases Cohort (EpiDoC). <i>International Journal of Epidemiology</i> , 2018, 47, 1741-1742j.	0.9	16
36	Psychological distress in elderly people is associated with diet, wellbeing, health status, social support and physical functioning- a HUNT3 study. <i>BMC Geriatrics</i> , 2018, 18, 205.	1.1	41

#	ARTICLE	IF	CITATIONS
37	Food Insecurity Is Associated with Low Adherence to the Mediterranean Diet and Adverse Health Conditions in Portuguese Adults. <i>Frontiers in Public Health</i> , 2018, 6, 38.	1.3	58
38	Common Evaluations of Disease Activity in Rheumatoid Arthritis Reach Discordant Classifications across Different Populations. <i>Frontiers in Medicine</i> , 2018, 5, 40.	1.2	26
39	Active Ageing in Europe: Adding Healthy Life to Years. <i>Frontiers in Medicine</i> , 2018, 5, 123.	1.2	34
40	Early arthritis induces disturbances at bone nanostructural level reflected in decreased tissue hardness in an animal model of arthritis. <i>PLoS ONE</i> , 2018, 13, e0190920.	1.1	10
41	The GO-DACT protocol: a multicentre, randomized, double-blind, parallel-group study to compare the efficacy of golimumab in combination with methotrexate (MTX) versus MTX monotherapy. <i>Acta Reumatológica Portuguesa</i> , 2018, 43, 80-92.	0.2	2
42	The Use of Analgesic and Other Pain-Relief Drugs to Manage Chronic Low Back Pain: Results from a National Survey. <i>Pain Practice</i> , 2017, 17, 353-365.	0.9	26
43	Is there an association between food patterns and life satisfaction among Norway's inhabitants ages 65 years and older?. <i>Appetite</i> , 2017, 110, 108-115.	1.8	24
44	Risk of invasive melanoma in patients with rheumatoid arthritis treated with biologics: results from a collaborative project of 11 European biologic registers. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 386-391.	0.5	150
45	Cohort study shows that peripheral dual-energy X-ray absorptiometry is of limited epidemiologic use in prepubertal children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1336-1340.	0.7	1
46	Do bone mineral content and density determine fracture in children? A possible threshold for physical activity. <i>Pediatric Research</i> , 2017, 82, 396-404.	1.1	5
47	Body mass does not impact the clinical response to intravenous abatacept in patients with rheumatoid arthritis. Analysis from the European-European registry collaboration for abatacept (PANABA). <i>Clinical Rheumatology</i> , 2017, 36, 773-779.	1.0	33
48	Methotrexate and low-dose prednisolone downregulate osteoclast function by decreasing receptor activator of nuclear factor- κ B expression in monocytes from patients with early rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000365.	1.8	18
49	Spectrum of lymphomas across different drug treatment groups in rheumatoid arthritis: a European registries collaborative project. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 2025-2030.	0.5	77
50	01.06...B-cell phenotype and igd-cd27- memory b cells are affected by tnf-inhibitors and tocilizumab treatment in rheumatoid arthritis. , 2017, , .		0
51	Brief Report: The Role of Rare Protein-Coding Variants in Anti-Tumor Necrosis Factor Treatment Response in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017, 69, 735-741.	2.9	8
52	08.11...The go-dact protocol: a randomised controlled trial to compare the efficacy of golimumab in combination with methotrexate (mtx) versus mtx monotherapy, in improving dactylitis and enthesitis, in mtx naïve psoriatic arthritis patients. , 2017, , .		0
53	Health and Lifestyles Factors Associated With Osteoarthritis among Older Adults in Portugal. <i>Frontiers in Medicine</i> , 2017, 4, 192.	1.2	7
54	Anxiety and Depression in the Portuguese Older Adults: Prevalence and Associated Factors. <i>Frontiers in Medicine</i> , 2017, 4, 196.	1.2	43

#	ARTICLE	IF	CITATIONS
55	Dietary Patterns Characterized by High Meat Consumption Are Associated with Other Unhealthy Life Styles and Depression Symptoms. <i>Frontiers in Nutrition</i> , 2017, 4, 25.	1.6	37
56	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Rheumatoid Arthritis. <i>BioMed Research International</i> , 2017, 2017, 1-10.	0.9	21
57	Chronic Hyperglycemia Modulates Rat Osteoporotic Cortical Bone Microarchitecture into Less Fragile Structures. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-9.	0.6	9
58	Ankylosing Spondylitis Patients Have Impaired Osteoclast Gene Expression in Circulating Osteoclast Precursors. <i>Frontiers in Medicine</i> , 2017, 4, 5.	1.2	11
59	B-cell phenotype and IgD-CD27- memory B cells are affected by TNF-inhibitors and tocilizumab treatment in rheumatoid arthritis. <i>PLoS ONE</i> , 2017, 12, e0182927.	1.1	72
60	Home-Based Intervention Program to Reduce Food Insecurity in Elderly Populations Using a TV App: Study Protocol of the Randomized Controlled Trial Saãde.Come Senior. <i>JMIR Research Protocols</i> , 2017, 6, e40.	0.5	13
61	Interventions aiming to reduce early retirement due to rheumatic diseases. <i>Acta Reumatolã³gica Portuguesa</i> , 2017, 42, 240-248.	0.2	3
62	Portuguese recommendations for the use of biological therapies in patients with axial spondyloarthritis - 2016 update. <i>Acta Reumatolã³gica Portuguesa</i> , 2017, 42, 209-218.	0.2	2
63	Reuma.pt â€“ a case study. <i>Acta Medica Portuguesa</i> , 2016, 29, 83.	0.2	7
64	Effectiveness of tocilizumab with and without synthetic disease-modifying antirheumatic drugs in rheumatoid arthritis: results from a European collaborative study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1336-1342.	0.5	55
65	Juvenile idiopathic arthritis in adulthood: fulfilment of classification criteria for adult rheumatic diseases, long-term outcomes and predictors of inactive disease, functional status and damage. <i>RMD Open</i> , 2016, 2, e000304.	1.8	47
66	Prevalence of rheumatic and musculoskeletal diseases and their impact on health-related quality of life, physical function and mental health in Portugal: results from EpiReumaPtâ€“ a national health survey. <i>RMD Open</i> , 2016, 2, e000166.	1.8	133
67	Sleep and Fatigue Differences in the Two Most Common Types of Commercial Flight Operations. <i>Aerospace Medicine and Human Performance</i> , 2016, 87, 811-815.	0.2	12
68	Sleep complaints and fatigue of airline pilots. <i>Sleep Science</i> , 2016, 9, 73-77.	0.4	44
69	Effectiveness and long-term retention of anti-tumour necrosis factor treatment in juvenile and adult patients with juvenile idiopathic arthritis: data from Reuma.pt. <i>Rheumatology</i> , 2016, 55, 697-703.	0.9	21
70	Rituximab done: whatâ€™s next in rheumatoid arthritis? A European observational longitudinal study assessing the effectiveness of biologics after rituximab treatment in rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 230-236.	0.9	20
71	Innovations by and for Patients, and Their Place in the Future Health Care System. , 2016, , 341-357.		12
72	Genetic variants within immune-modulating genes influence the risk of developing rheumatoid arthritis and anti-TNF drug response. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 432-443.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Genetic variants within the TNFRSF1B gene and susceptibility to rheumatoid arthritis and response to anti-TNF drugs. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 323-333.	0.7	17
74	Arthritis Induces Early Bone High Turnover, Structural Degradation and Mechanical Weakness. <i>PLoS ONE</i> , 2015, 10, e0117100.	1.1	13
75	TRAF1/C5 but Not PTPRC Variants Are Potential Predictors of Rheumatoid Arthritis Response to Anti-Tumor Necrosis Factor Therapy. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	15
76	Genetic Predictors of Poor Prognosis in Portuguese Patients with Juvenile Idiopathic Arthritis: Data from Reuma.pt. <i>Journal of Immunology Research</i> , 2015, 2015, 1-6.	0.9	3
77	Comparative Effectiveness of Tocilizumab and TNF Inhibitors in Rheumatoid Arthritis Patients: Data from the Rheumatic Diseases Portuguese Register, Reuma.pt. <i>BioMed Research International</i> , 2015, 2015, 1-13.	0.9	19
78	Indirect costs associated with early exit from work attributable to rheumatic diseases. <i>European Journal of Public Health</i> , 2015, 25, 677-682.	0.1	5
79	The weaker sex: Characterization of gender disparities in a nationwide lupus register (Reuma.pt/SLE). <i>Joint Bone Spine</i> , 2015, 82, 378-380.	0.8	0
80	Anti-type II collagen antibodies detection and avidity in patients with oligoarticular and polyarticular forms of juvenile idiopathic arthritis. <i>Immunology Letters</i> , 2015, 165, 20-25.	1.1	9
81	DAS28, CDAI and SDAI cut-offs do not translate the same information: results from the Rheumatic Diseases Portuguese Register Reuma.pt. <i>Rheumatology</i> , 2015, 54, 286-291.	0.9	22
82	TYK2 Protein-Coding Variants Protect against Rheumatoid Arthritis and Autoimmunity, with No Evidence of Major Pleiotropic Effects on Non-Autoimmune Complex Traits. <i>PLoS ONE</i> , 2015, 10, e0122271.	1.1	120
83	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2015, 10, e0144655.	1.1	13
84	Integration of Sequence Data from a Consanguineous Family with Genetic Data from an Outbred Population Identifies PLB1 as a Candidate Rheumatoid Arthritis Risk Gene. <i>PLoS ONE</i> , 2014, 9, e87645.	1.1	34
85	Expression of the Inherently Autoreactive Idiotope 9G4 on Autoantibodies to Citrullinated Peptides and on Rheumatoid Factors in Patients with Early and Established Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e107513.	1.1	10
86	1.74€...Serum levels of CXCL13 are increased in untreated patients with rheumatoid arthritis from the first weeks of disease development. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A32.2-A33.	0.5	0
87	Patient innovation under rare diseases and chronic needs. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, O33.	1.2	5
88	Changes in serum RANKL and OPG with sexual development and their associations with bone turnover and bone mineral density in a cohort of girls. <i>Clinical Biochemistry</i> , 2014, 47, 1040-1046.	0.8	5
89	Rheumatoid Arthritis Bone Fragility Is Associated With Upregulation of IL17 and DKK1 Gene Expression. <i>Clinical Reviews in Allergy and Immunology</i> , 2014, 47, 38-45.	2.9	30
90	Remission induced by infliximab in a childhood polyarteritis nodosa refractory to conventional immunosuppression and rituximab. <i>Joint Bone Spine</i> , 2014, 81, 277-278.	0.8	23

#	ARTICLE	IF	CITATIONS
91	Three decades of low-dose methotrexate in rheumatoid arthritis: Can we predict toxicity?. Immunologic Research, 2014, 60, 289-310.	1.3	91
92	Micro-computed tomography and compressive characterization of trabecular bone. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 438, 199-205.	2.3	13
93	Anti-ribosomal P protein IgG autoantibodies in patients with systemic lupus erythematosus: diagnostic performance and clinical profile. BMC Medicine, 2013, 11, 98.	2.3	50
94	Old drugs, old problems: where do we stand in prediction of rheumatoid arthritis responsiveness to methotrexate and other synthetic DMARDs?. BMC Medicine, 2013, 11, 17.	2.3	71
95	Genome-Wide Association Study and Gene Expression Analysis Identifies CD84 as a Predictor of Response to Etanercept Therapy in Rheumatoid Arthritis. PLoS Genetics, 2013, 9, e1003394.	1.5	146
96	BAFF and TACI Gene Expression Are Increased in Patients with Untreated Very Early Rheumatoid Arthritis. Journal of Rheumatology, 2013, 40, 1293-1302.	1.0	40
97	Bilateral Evaluation of the Hand and Wrist in Untreated Early Inflammatory Arthritis: A Comparative Study of Ultrasonography and Magnetic Resonance Imaging. Journal of Rheumatology, 2013, 40, 1282-1292.	1.0	44
98	At the moment of occurrence of a fragility hip fracture, men have higher mechanical properties values in comparison with women. BMC Musculoskeletal Disorders, 2013, 14, 295.	0.8	7
99	Prevalence of Fatigue in a Group of Airline Pilots. Aviation, Space, and Environmental Medicine, 2013, 84, 828-833.	0.6	34
100	Automatic Prediction of Rheumatoid Arthritis Disease Activity from the Electronic Medical Records. PLoS ONE, 2013, 8, e69932.	1.1	80
101	Gender-Specific Effects of Genetic Variants within Th1 and Th17 Cell-Mediated Immune Response Genes on the Risk of Developing Rheumatoid Arthritis. PLoS ONE, 2013, 8, e72732.	1.1	20
102	Bilateral MR Imaging of the Hand and Wrist in Early and Very Early Inflammatory Arthritis: Tenosynovitis Is Associated with Progression to Rheumatoid Arthritis. Radiology, 2012, 264, 823-833.	3.6	67
103	Comparative effectiveness and predictors of response to tumour necrosis factor inhibitor therapies in rheumatoid arthritis. Rheumatology, 2012, 51, 2020-2026.	0.9	78
104	Low osteocalcin/collagen type I bone gene expression ratio is associated with hip fragility fractures. Bone, 2012, 51, 981-989.	1.4	23
105	Smoking is a predictor of worse trabecular mechanical performance in hip fragility fracture patients. Journal of Bone and Mineral Metabolism, 2012, 30, 692-699.	1.3	9
106	Early Vascular Alterations in SLE and RA Patients—A Step towards Understanding the Associated Cardiovascular Risk. PLoS ONE, 2012, 7, e44668.	1.1	45
107	Dynamic contrast-enhanced 3-T magnetic resonance imaging: a method for quantifying disease activity in early polyarthritis. Skeletal Radiology, 2012, 41, 51-59.	1.2	17
108	Primary biliary cirrhosis in a rheumatoid arthritis patient treated with rituximab, a case-based review. Clinical Rheumatology, 2012, 31, 385-389.	1.0	14

#	ARTICLE	IF	CITATIONS
109	Soluble receptor activator of nuclear factor κ B ligand/osteoprotegerin ratio is increased in systemic lupus erythematosus patients. <i>Arthritis Research and Therapy</i> , 2011, 13, R175.	1.6	19
110	Hemorheological parameters are related to subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis patients. <i>Atherosclerosis</i> , 2011, 219, 821-826.	0.4	40
111	Upregulation of Inflammatory Genes and Downregulation of Sclerostin Gene Expression Are Key Elements in the Early Phase of Fragility Fracture Healing. <i>PLoS ONE</i> , 2011, 6, e16947.	1.1	39
112	Therapeutic approaches in the treatment of juvenile dermatomyositis in patients with recent-onset disease and in those experiencing disease flare: An international multicenter PRINTO study. <i>Arthritis and Rheumatism</i> , 2011, 63, 3142-3152.	6.7	47
113	Algorithm for Identification of Undifferentiated Peripheral Inflammatory Arthritis: A Multinational Collaboration Through the 3e Initiative. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 54-58.	2.2	11
114	Lymphotoxin- α 252 A>G Polymorphism: A Link Between Disease Susceptibility and Dyslipidemia in Rheumatoid Arthritis?. <i>Journal of Rheumatology</i> , 2011, 38, 1244-1249.	1.0	16
115	Cytokine pattern in very early rheumatoid arthritis favours B-cell activation and survival. <i>Rheumatology</i> , 2011, 50, 278-282.	0.9	59
116	BAFF AND TAC1 mRNA expression are increased in very early rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A61-A62.	0.5	0
117	Markers of progression to rheumatoid arthritis: discriminative value of the new ACR/EULAR rheumatoid arthritis criteria in a Portuguese population with early polyarthritis. <i>Acta Reumatol³gica Portuguesa</i> , 2011, 36, 370-6.	0.2	5
118	Methotrexate treatment in rheumatoid arthritis: management in clinical remission, common infection and tuberculosis. Results from a systematic literature review. <i>Clinical Rheumatology</i> , 2010, 29, 629-635.	1.0	13
119	Alterations on peripheral blood B-cell subpopulations in very early arthritis patients. <i>Rheumatology</i> , 2010, 49, 1082-1092.	0.9	55
120	Identification of a cytokine network sustaining neutrophil and Th17 activation in untreated early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R196.	1.6	94
121	Chronic arthritis leads to disturbances in the bone collagen network. <i>Arthritis Research and Therapy</i> , 2010, 12, R9.	1.6	26
122	Portuguese guidelines for the use of biological agents in rheumatoid arthritis - March 2010 update. <i>Acta Reumatol³gica Portuguesa</i> , 2010, 35, 95-8.	0.2	4
123	From a neutrophilic synovial tissue infiltrate to a challenging case of rheumatoid arthritis. <i>Acta Reumatol³gica Portuguesa</i> , 2010, 35, 228-31.	0.2	5
124	Tumor Necrosis Factor- α \sim 308 Genotypes Influence Inflammatory Activity and TNF- α Serum Concentrations in Children with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 837-842.	1.0	23
125	Persistent low grade synovitis without erosive progression in magnetic resonance imaging of rheumatoid arthritis patients treated with infliximab over 1 year. <i>Clinical Rheumatology</i> , 2009, 28, 1213-1216.	1.0	10
126	Rituximab Use in Pediatric Autoimmune Diseases. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 712-720.	1.8	10

#	ARTICLE	IF	CITATIONS
127	Ankylosing Spondylitis Susceptibility and Severityâ€™ Contribution of TNF Gene Promoter Polymorphisms at Positions â€™238 and â€™308. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 581-588.	1.8	21
128	Assessment of laboratory measurements and â€™308 TNF± gene promoter polymorphisms in normal bone mineral density. <i>Clinical Rheumatology</i> , 2008, 27, 301-307.	1.0	12
129	Contribution for new genetic markers of rheumatoid arthritis activity and severity: sequencing of the tumor necrosis factor-alpha gene promoter. <i>Arthritis Research and Therapy</i> , 2007, 9, R37.	1.6	32
130	Osteoblasts and bone formation. <i>Acta ReumatolÃ³gica Portuguesa</i> , 2007, 32, 103-10.	0.2	98
131	Video-based mobile app as a health literacy tool for older adults living at home: Protocol for a utility study (Preprint). <i>JMIR Research Protocols</i> , 0, , .	0.5	1