Min-Gyu Kang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3946609/publications.pdf Version: 2024-02-01



MINLOVII KANC

#	Article	IF	CITATIONS
1	The global epidemiology of chronic cough in adults: a systematic review and meta-analysis. European Respiratory Journal, 2015, 45, 1479-1481.	6.7	332
2	Defining Chronic Cough: A Systematic Review of the Epidemiological Literature. Allergy, Asthma and Immunology Research, 2016, 8, 146.	2.9	60
3	Age-related prevalence of chronic rhinosinusitis and nasal polyps and their relationships with asthma onset. Annals of Allergy, Asthma and Immunology, 2018, 120, 389-394.	1.0	47
4	Large-scale machine learning of media outlets for understanding public reactions to nation-wide viral infection outbreaks. Methods, 2017, 129, 50-59.	3.8	43
5	Clinical Features and Prognostic Factors in Severe Cutaneous Drug Reactions. International Archives of Allergy and Immunology, 2013, 162, 346-354.	2.1	41
6	Point prevalence and epidemiological characteristics of chronic cough in the general adult population. Medicine (United States), 2017, 96, e6486.	1.0	34
7	Impact of Chronic Cough on Health-Related Quality of Life in the Korean Adult General Population: The Korean National Health and Nutrition Examination Survey 2010–2016. Allergy, Asthma and Immunology Research, 2020, 12, 964.	2.9	34
8	Lung virome: New potential biomarkers for asthma severity and exacerbation. Journal of Allergy and Clinical Immunology, 2021, 148, 1007-1015.e9.	2.9	30
9	Probiotic NVP-1703 Alleviates Allergic Rhinitis by Inducing IL-10 Expression: A Four-week Clinical Trial. Nutrients, 2020, 12, 1427.	4.1	24
10	Severe Cutaneous Adverse Reactions to Antiepileptic Drugs: A Nationwide Registry-Based Study in Korea. Allergy, Asthma and Immunology Research, 2019, 11, 709.	2.9	19
11	A Nationwide Study of Severe Cutaneous Adverse Reactions Based on the Multicenter Registry in Korea. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 929-936.e7.	3.8	18
12	Analysis of Individual Case Safety Reports of Severe Cutaneous Adverse Reactions in Korea. Yonsei Medical Journal, 2019, 60, 208.	2.2	14
13	Phenotypes of Severe Cutaneous Adverse Reactions Caused by Nonsteroidal Anti-inflammatory Drugs. Allergy, Asthma and Immunology Research, 2019, 11, 212.	2.9	13
14	Fractional exhaled nitric oxide and forced expiratory volume in 1 second/forced vital capacity have predictive value of asthma exacerbation in Korean school children. Asia Pacific Allergy, 2020, 10, e7.	1.3	6
15	Multifaceted interventions to reduce acute exacerbations in elderly asthmatics. Asia Pacific Allergy, 2018, 8, e1.	1.3	4
16	<i>Selenomonas</i> : A marker of asthma severity with the potential therapeutic effect. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 317-320.	5.7	4
17	Cost implications of adverse drug event-related emergency department visits – a multicenter study in South Korea. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 139-146.	1.4	3
18	Genetic Signatures of Acute Asthma Exacerbation Related With Ineffective Response to Corticosteroid. Allergy, Asthma and Immunology Research, 2020, 12, 626.	2.9	2

#	Article	IF	CITATIONS
19	Sodium-Glucose Cotransporter-2 Inhibitor-Related Diabetic Ketoacidosis: Accuracy Verification of Operational Definition. Journal of Korean Medical Science, 2022, 37, e53.	2.5	2
20	Diagnostic Performance of Antigen Rapid Diagnostic Tests, Chest Computed Tomography, and Lung Point-of-Care-Ultrasonography for SARS-CoV-2 Compared with RT-PCR Testing: A Systematic Review and Network Meta-Analysis. Diagnostics, 2022, 12, 1302.	2.6	2
21	Development and Validation of a Trigger Tool for Identifying Drug-Related Emergency Department Visits. International Journal of Environmental Research and Public Health, 2021, 18, 8572.	2.6	1