
Alexis Parada-Bustamante

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3947116/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Testis development in the absence of SRY: chromosomal rearrangements at SOX9 and SOX3. European Journal of Human Genetics, 2015, 23, 1025-1032.	2.8	59
2	Estrogen Receptor, Cyclic Adenosine Monophosphate, and Protein Kinase A Are Involved in the Nongenomic Pathway by Which Estradiol Accelerates Oviductal Oocyte Transport in Cyclic Rats1. Biology of Reproduction, 2003, 68, 1225-1231.	2.7	41
3	Androgen Receptor Gene CAG and GGN Repeat Polymorphisms in Chilean Men With Primary Severe Spermatogenic Failure. Journal of Andrology, 2010, 31, 552-559.	2.0	31
4	Inositol triphosphate participates in an oestradiol nongenomic signalling pathway involved in accelerated oviductal transport in cycling rats. Journal of Endocrinology, 2006, 188, 579-588.	2.6	25
5	Catechol-O-Methyltransferase and Methoxyestradiols Participate in the Intraoviductal Nongenomic Pathway Through Which Estradiol Accelerates Egg Transport in Cycling Rats1. Biology of Reproduction, 2007, 77, 934-941.	2.7	25
6	Mating changes the subcellular distribution and the functionality of estrogen receptors in the rat oviduct. Reproductive Biology and Endocrinology, 2009, 7, 139.	3.3	12
7	A non-genomic signaling pathway shut down by mating changes the estradiol-induced gene expression profile in the rat oviduct. Reproduction, 2010, 139, 631-644.	2.6	11
8	Androgen receptor CAG and GGN polymorphisms in boys with isolated hypospadias. Journal of Pediatric Endocrinology and Metabolism, 2012, 25, 157-62.	0.9	10
9	Greater prevalence of Y chromosome Q1a3a haplogroup in Y-microdeleted Chilean men: a case–control study. Journal of Assisted Reproduction and Genetics, 2013, 30, 531-538.	2.5	10
10	The role of mating in oviduct biology. Molecular Reproduction and Development, 2016, 83, 875-883.	2.0	10
11	46,XX/SRY-negative true hermaphrodite. Fertility and Sterility, 2010, 94, 2330.e13-2330.e16.	1.0	9
12	Estradiol increases IP3 by a nongenomic mechanism in the smooth muscle cells from the rat oviduct. Reproduction, 2015, 150, 331-341.	2.6	9
13	Tumour necrosis factor-α is the signal induced by mating to shutdown a 2-methoxyestradiol nongenomic action necessary to accelerate oviductal egg transport in the rat. Reproduction, 2013, 145, 109-117.	2.6	7
14	Analysis of 6 Single-Nucleotide Polymorphisms in the Androgen Receptor Gene in Chilean Patients With Primary Spermatogenic Failure. Journal of Andrology, 2012, 33, 88-95.	2.0	6
15	Estradiol increases cAMP in the oviductal secretory cells through a nongenomic mechanism. Reproduction, 2014, 148, 285-294.	2.6	6
16	Participation of the oviductal s100 calcium binding protein G in the genomic effect of estradiol that accelerates oviductal embryo transport in mated rats. Reproductive Biology and Endocrinology, 2011, 9, 69.	3.3	4
17	Differential participation of endothelin receptors in estradiol-induced oviductal egg transport acceleration in unmated and mated rats. Asian Pacific Journal of Reproduction, 2012, 1, 22-26.	0.4	4
18	In Vitro Maturation of Fully Grown Mouse Antral Follicles in the Presence of 1ÂnM 2-Hydroxyestradiol Improves Oocytes' Developmental Competence. Reproductive Sciences, 2021, 28, 121-133.	2.5	4

#	Article	IF	CITATIONS
19	Mating decreases plasma levels of TCFβ1 and regulates myosalpinx expression of TGFβ1/TGFBR3 in the rat. Molecular Reproduction and Development, 2014, 81, 1053-1061.	2.0	1