

Dorte Ejg JarbÃ,1

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3947550/publications.pdf>

Version: 2024-02-01

94
papers

1,745
citations

331538

21
h-index

345118

36
g-index

98
all docs

98
docs citations

98
times ranked

2454
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of diseases, risk factors and symptoms in the definition of multimorbidity â€” a systematic review. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 112-121.	0.6	144
2	Side Effects of Longâ€”Term Proton Pump Inhibitor Use: A Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 114-121.	1.2	105
3	Self-reported symptoms and healthcare seeking in the general population -exploring â€”The Symptom Icebergâ€”. <i>BMC Public Health</i> , 2015, 15, 685.	1.2	93
4	Strategies for discontinuation of proton pump inhibitors: a systematic review. <i>Family Practice</i> , 2014, 31, 625-630.	0.8	85
5	Overlap of symptoms of gastroesophageal reflux disease, dyspepsia and irritable bowel syndrome in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 162-169.	0.6	82
6	Long-term treatment with probiotics in primary care patients with irritable bowel syndrome â€” a randomised, double-blind, placebo controlled trial. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1127-1135.	0.6	76
7	A Positive Diagnostic Strategy Is Noninferior to a Strategy of Exclusion for Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 956-962.e1.	2.4	63
8	Patients Suspected of Irritable Bowel Syndromeâ€”Cross-Sectional Study Exploring the Sensitivity of Rome III Criteria in Primary Care. <i>American Journal of Gastroenterology</i> , 2013, 108, 972-980.	0.2	46
9	Rapidly increasing prescribing of proton pump inhibitors in primary care despite interventions: A nationwide observational study. <i>European Journal of General Practice</i> , 2014, 20, 290-293.	0.9	44
10	Low Back Pain in Primary Care: A Description of 1250 Patients with Low Back Pain in Danish General and Chiropractic Practice. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-7.	1.2	43
11	Prevalence of cancer alarm symptoms: A population-based cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 132-137.	0.6	37
12	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100â€”000 Individuals. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-10.	1.2	37
13	Associations between generic substitution and patients' attitudes, beliefs and experiences. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1827-1836.	0.8	33
14	Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2136802.	2.8	33
15	Multiple perspectives on symptom interpretation in primary care research. <i>BMC Family Practice</i> , 2013, 14, 167.	2.9	31
16	Specific and non-specific symptoms of colorectal cancer and contact to general practice. <i>Family Practice</i> , 2015, 32, cmv032.	0.8	29
17	Barriers to lifestyle changes for prevention of cardiovascular disease â€” a survey among 40â€”60-year old Danes. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 245.	0.7	29
18	Determinants of preferences for lifestyle changes versus medication and beliefs in ability to maintain lifestyle changes. A population-based survey. <i>Preventive Medicine Reports</i> , 2017, 6, 66-73.	0.8	28

#	ARTICLE	IF	CITATIONS
19	Comparison of the medical students' perceived self-efficacy and the evaluation of the observers and patients. <i>BMC Medical Education</i> , 2013, 13, 49.	1.0	27
20	Communicating risk using absolute risk reduction or prolongation of life formats: cluster-randomised trial in general practice. <i>British Journal of General Practice</i> , 2014, 64, e199-e207.	0.7	26
21	Enteric Coating Can Lead to Reduced Antiplatelet Effect of Low-Dose Acetylsalicylic Acid. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 212-215.	1.2	24
22	Prevalence of overweight and obesity in Danish preschool children over a 10-year period: a study of two birth cohorts in general practice. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 201-207.	0.7	22
23	Placebo-Controlled Discontinuation of Long-Term Acid-Suppressant Therapy: A Randomised Trial in General Practice. <i>International Journal of Family Medicine</i> , 2015, 2015, 1-7.	1.2	21
24	When does proton pump inhibitor treatment become long term? A scoping review. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000563.	1.1	21
25	Generic Switching and Non-Persistence among Medicine Users: A Combined Population-Based Questionnaire and Register Study. <i>PLoS ONE</i> , 2015, 10, e0119688.	1.1	20
26	What triggers healthcare-seeking behaviour when experiencing a symptom? Results from a population-based survey. <i>BJGP Open</i> , 2017, 1, bjgpopen17X100761.	0.9	20
27	Predictive values of upper gastrointestinal cancer alarm symptoms in the general population: a nationwide cohort study. <i>BMC Cancer</i> , 2018, 18, 440.	1.1	19
28	How Common is Statin Use in the Oldest Old?. <i>Drugs and Aging</i> , 2018, 35, 679-686.	1.3	19
29	Lack of spirometry use in Danish patients initiating medication targeting obstructive lung disease. <i>Respiratory Medicine</i> , 2012, 106, 1743-1748.	1.3	17
30	Specific and unspecific gynecological alarm symptoms – prevalence estimates in different age groups: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 191-197.	1.3	17
31	Self-rated health and functional capacity in individuals reporting overlapping symptoms of gastroesophageal reflux disease, functional dyspepsia and irritable bowel syndrome - a population based study. <i>BMC Gastroenterology</i> , 2017, 17, 65.	0.8	17
32	Predictive values of colorectal cancer alarm symptoms in the general population: a nationwide cohort study. <i>British Journal of Cancer</i> , 2019, 120, 595-600.	2.9	17
33	Nursing Home Residents' Thoughts on Discussing Deprescribing of Preventive Medications. <i>Drugs and Aging</i> , 2020, 37, 187-192.	1.3	17
34	A competing risk approach for the European Heart SCORE model based on cause-specific and all-cause mortality. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 827-836.	0.8	16
35	Associations between reporting of cancer alarm symptoms and socioeconomic and demographic determinants: a population-based, cross-sectional study. <i>BMC Public Health</i> , 2012, 12, 686.	1.2	14
36	Urological symptoms among 23,240 men in the general danish population – concerns about symptoms, their persistence and influence on primary care contacts. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 227-236.	0.6	14

#	ARTICLE	IF	CITATIONS
37	Medication effectiveness may not be the major reason for accepting cardiovascular preventive medication: A population-based survey. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 89.	1.5	12
38	Associations between patients' risk attitude and their adherence to statin treatment – a population based questionnaire and register study. <i>BMC Family Practice</i> , 2016, 17, 28.	2.9	12
39	Predictive values of lung cancer alarm symptoms in the general population: a nationwide cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2020, 30, 15.	1.1	12
40	Early intervention for childhood overweight: A randomized trial in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 184-190.	0.6	11
41	Barriers to contacting general practice with alarm symptoms of colorectal cancer: a population-based study. <i>Family Practice</i> , 2018, 35, 399-405.	0.8	11
42	Associations between lifestyle, erectile dysfunction and healthcare seeking: a population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 176-183.	0.6	11
43	Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. <i>Age and Ageing</i> , 2021, 50, 554-558.	0.7	11
44	Symptom burden in multimorbidity: a population-based combined questionnaire and registry study from Denmark. <i>BMJ Open</i> , 2021, 11, e041877.	0.8	11
45	Exploring how GPs discuss statin deprescribing with older people: a qualitative study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101022.	0.9	11
46	Lifestyle factors and contact to general practice with respiratory alarm symptoms – a population-based study. <i>BMC Family Practice</i> , 2016, 17, 47.	2.9	10
47	Lifestyle, socioeconomic status and healthcare seeking among women with gynaecological cancer alarm symptoms: a combined questionnaire-based and register-based population study. <i>BMJ Open</i> , 2018, 8, e021815.	0.8	10
48	Patients' concern about their medicine after a generic switch: a combined cross-sectional questionnaire and register study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 965-973.	0.9	9
49	GPs' Perceptions of Cardiovascular Risk and Views on Patient Compliance: A Qualitative Interview Study. <i>International Journal of Family Medicine</i> , 2015, 2015, 1-7.	1.2	9
50	Tuberculosis screening in patients with HIV: use of audit and feedback to improve quality of care in Ghana. <i>Global Health Action</i> , 2016, 9, 32390.	0.7	9
51	Healthcare resource use and costs of opioid-induced constipation among non-cancer and cancer patients on opioid therapy: A nationwide register-based cohort study in Denmark. <i>Scandinavian Journal of Pain</i> , 2017, 15, 83-90.	0.5	9
52	Women's barriers for contacting their general practitioner when bothered by urinary incontinence: a population-based cross-sectional study. <i>BMC Urology</i> , 2021, 21, 99.	0.6	9
53	Prevalence of the use of antihypertensive medications in Greenland: a study of quality of care amongst patients treated with antihypertensive drugs. <i>International Journal of Circumpolar Health</i> , 2012, 71, 18834.	0.5	8
54	Impact of effectiveness information format on patient choice of therapy and satisfaction with decisions about chronic disease medication: the "Influence of Intervention Methodologies on Patient Choice of Therapy (IMPACT)" cluster-randomised trial in general practice. <i>BMC Health Services Research</i> , 2013, 13, 76.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Alarm symptoms of upper gastrointestinal cancer and contact to general practice – A population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 1268-1275.	0.6	8
56	Spirometry in Greenland: a cross-sectional study on patients treated with medication targeting obstructive pulmonary disease. <i>International Journal of Circumpolar Health</i> , 2016, 75, 33258.	0.5	8
57	Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2050-2057.	1.3	8
58	Healthcare-seeking with bothersome lower urinary tract symptoms among men in the Danish population: the impact of lifestyle and socioeconomic status. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 155-164.	0.6	8
59	Urinary incontinence among women – which personal and professional relations are involved? A population-based study. <i>International Urogynecology Journal</i> , 2019, 30, 1565-1574.	0.7	8
60	A positive diagnostic strategy is safe and saves endoscopies in patients with irritable bowel syndrome: A five-year follow-up of a randomized controlled trial. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14004.	1.6	8
61	The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial. <i>Chiropractic & Manual Therapies</i> , 2021, 29, 15.	0.6	8
62	Influence of socioeconomic and demographic status on spirometry testing in patients initiating medication targeting obstructive lung disease: a population-based cohort study. <i>BMC Public Health</i> , 2013, 13, 580.	1.2	7
63	Prevalence and management of patients using medication targeting obstructive lung disease: A cross-sectional study in primary healthcare in Greenland. <i>International Journal of Circumpolar Health</i> , 2013, 72, 20108.	0.5	7
64	Gynecological cancer alarm symptoms: is contact with specialist care associated with lifestyle and socioeconomic status? A population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 976-983.	1.3	7
65	Prescribing of proton-pump inhibitors: auditing the management and reasons for prescribing in Danish general practice. <i>Family Practice</i> , 2019, 36, 758-764.	0.8	7
66	Discussing proton pump inhibitor deprescribing: the views of Danish GPs and older patients. <i>BMC Family Practice</i> , 2020, 21, 160.	2.9	7
67	Associations between patients' adherence and GPs' attitudes towards risk, statin therapy and management of non-adherence – a survey and register-based study. <i>Family Practice</i> , 2016, 33, 140-147.	0.8	6
68	Barriers to health care seeking with bothersome lower urinary tract symptoms among men – a nationwide study. <i>Family Practice</i> , 2019, 36, 743-750.	0.8	6
69	Multiple physical symptoms and individual characteristics – A cross-sectional study of the general population. <i>Journal of Psychosomatic Research</i> , 2020, 131, 109941.	1.2	6
70	Prescribing antibiotics: the use of diagnostic tests in general practice. A register-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 466-475.	0.6	6
71	The effect of chiropractic treatment on infantile colic: study protocol for a single-blind randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2018, 26, 17.	0.6	5
72	Risk of serious infections in arthritis patients treated with biological drugs: a matched cohort study and development of prediction model. <i>Rheumatology</i> , 2021, 60, 3834-3844.	0.9	5

#	ARTICLE	IF	CITATIONS
73	Lifestyle factors and experience of respiratory alarm symptoms in the general population. <i>BMJ Open Respiratory Research</i> , 2015, 2, e000101.	1.2	4
74	Activation of professional and personal network relations when experiencing a symptom: a population-based cross-sectional study. <i>BMJ Open</i> , 2017, 7, e017620.	0.8	4
75	The effect of structured personal care on diabetes symptoms and self-rated health over 14 years after diabetes diagnosis. <i>Primary Care Diabetes</i> , 2018, 12, 354-363.	0.9	4
76	Socioeconomic status and barriers for contacting the general practitioner when bothered by erectile dysfunction: a population-based cross-sectional study. <i>BMC Family Practice</i> , 2020, 21, 166.	2.9	4
77	GP preferences for discussing statin deprescribing: a discrete choice experiment. <i>Family Practice</i> , 2022, 39, 26-31.	0.8	4
78	Women's barriers for contacting general practice when experiencing gynecological cancer symptoms: a population-based study. <i>BMC Family Practice</i> , 2021, 22, 167.	2.9	4
79	Quality clusters in general practice: associations between cluster organization and general practitioners' self-reported benefits. <i>Family Practice</i> , 2022, 39, 852-859.	0.8	4
80	Management of Overweight during Childhood: A Focus Group Study on Health Professionals' Experiences in General Practice. <i>International Journal of Family Medicine</i> , 2015, 2015, 1-6.	1.2	3
81	Proton pump inhibitor use among patients at risk of peptic ulcer bleeding: a nationwide register-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 6-12.	0.6	3
82	Identification of Important Factors Affecting Use of Digital Individualised Coaching and Treatment of Type 2 Diabetes in General Practice: A Qualitative Feasibility Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3924.	1.2	3
83	Factors associated with C-reactive protein testing when prescribing antibiotics in general practice: a register-based study. , 2022, 23, 17.		3
84	Is healthcare-seeking with gynaecological alarm symptoms influenced by personal and professional relations? A Danish population-based, cross-sectional study. <i>BMJ Open</i> , 2020, 10, e033471.	0.8	2
85	Involvement of personal and professional relations among men bothered by lower urinary tract symptoms: a population-based cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 868.	1.2	2
86	Healthcare practices that increase the quality of care in cancer trajectories from a general practice perspective: a scoping review. <i>Scandinavian Journal of Primary Health Care</i> , 2022, 40, 11-28.	0.6	2
87	Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial. <i>Chiropractic & Manual Therapies</i> , 2021, 29, 16.	0.6	1
88	Use of sedating medications around nursing home admission in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1560-1565.	0.9	1
89	Antibiotic treatment of community-acquired pneumonia: A questionnaire survey in Danish general practice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 151-157.	1.2	1
90	Is concern for gynaecological alarm symptoms associated with healthcare-seeking? A Danish population-based cross-sectional study. <i>BMC Public Health</i> , 2022, 22, 25.	1.2	1

#	ARTICLE	IF	CITATIONS
91	Healthcare costs of patients with chronic obstructive pulmonary disease in Denmark – specialist care versus GP care only. BMC Health Services Research, 2022, 22, 408.	0.9	1
92	OP0266 – RISK OF HOSPITALIZED INFECTION IN PATIENTS WITH CHRONIC INFLAMMATORY ARTHRITIS TREATED WITH BIOLOGICAL DRUGS – A MATCHED COHORT STUDY. , 2019, , .		0
93	Response to Letter to the Editor: – The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial – and – Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial –. Chiropractic & Manual Therapies, 2021, 29, 29.	0.6	0
94	Involvement of personal and professional relations when experiencing colorectal cancer symptoms – a cross sectional study. Scandinavian Journal of Gastroenterology, 2022, , 1-8.	0.6	0