

Dorte Ejg Jarbl

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3947550/dorte-ejg-jarbol-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

1,143
citations

18
h-index

30
g-index

98
ext. papers

1,466
ext. citations

2.9
avg, IF

4.46
L-index

#	Paper	IF	Citations
90	The role of diseases, risk factors and symptoms in the definition of multimorbidity - a systematic review. <i>Scandinavian Journal of Primary Health Care</i> , 2016 , 34, 112-21	2.7	93
89	Overlap of symptoms of gastroesophageal reflux disease, dyspepsia and irritable bowel syndrome in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 162-9	2.4	66
88	Self-reported symptoms and healthcare seeking in the general population--exploring "The Symptom Iceberg". <i>BMC Public Health</i> , 2015 , 15, 685	4.1	62
87	Strategies for discontinuation of proton pump inhibitors: a systematic review. <i>Family Practice</i> , 2014 , 31, 625-30	1.9	59
86	Side Effects of Long-Term Proton Pump Inhibitor Use: A Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 114-121	3.1	54
85	Long-term treatment with probiotics in primary care patients with irritable bowel syndrome--a randomised, double-blind, placebo controlled trial. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 1127-35	2.4	52
84	A positive diagnostic strategy is noninferior to a strategy of exclusion for patients with irritable bowel syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 956-62.e1	6.9	46
83	Patients suspected of irritable bowel syndrome--cross-sectional study exploring the sensitivity of Rome III criteria in primary care. <i>American Journal of Gastroenterology</i> , 2013 , 108, 972-80	0.7	41
82	Rapidly increasing prescribing of proton pump inhibitors in primary care despite interventions: a nationwide observational study. <i>European Journal of General Practice</i> , 2014 , 20, 290-3	2.8	35
81	Low back pain in primary care: a description of 1250 patients with low back pain in danish general and chiropractic practice. <i>International Journal of Family Medicine</i> , 2014 , 2014, 106102		32
80	Prevalence of cancer alarm symptoms: a population-based cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , 2010 , 28, 132-7	2.7	32
79	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100 000 Individuals. <i>International Journal of Family Medicine</i> , 2014 , 2014, 187280		31
78	Associations between generic substitution and patients' attitudes, beliefs and experiences. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1827-36	2.8	28
77	Multiple perspectives on symptom interpretation in primary care research. <i>BMC Family Practice</i> , 2013 , 14, 167	2.6	23
76	Communicating risk using absolute risk reduction or prolongation of life formats: cluster-randomised trial in general practice. <i>British Journal of General Practice</i> , 2014 , 64, e199-207	1.6	22
75	Specific and non-specific symptoms of colorectal cancer and contact to general practice. <i>Family Practice</i> , 2015 , 32, 387-94	1.9	21
74	Placebo-Controlled Discontinuation of Long-Term Acid-Suppressant Therapy: A Randomised Trial in General Practice. <i>International Journal of Family Medicine</i> , 2015 , 2015, 175436		19

73	Prevalence of overweight and obesity in Danish preschool children over a 10-year period: a study of two birth cohorts in general practice. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 201-7	3.1	18
72	Comparison of the medical students' perceived self-efficacy and the evaluation of the observers and patients. <i>BMC Medical Education</i> , 2013 , 13, 49	3.3	18
71	Determinants of preferences for lifestyle changes versus medication and beliefs in ability to maintain lifestyle changes. A population-based survey. <i>Preventive Medicine Reports</i> , 2017 , 6, 66-73	2.6	17
70	Enteric coating can lead to reduced antiplatelet effect of low-dose acetylsalicylic acid. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 116, 212-5	3.1	17
69	Barriers to lifestyle changes for prevention of cardiovascular disease - a survey among 40-60-year old Danes. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 245	2.3	17
68	Specific and unspecific gynecological alarm symptoms--prevalence estimates in different age groups: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 191-7	3.8	16
67	How Common is Statin Use in the Oldest Old?. <i>Drugs and Aging</i> , 2018 , 35, 679-686	4.7	15
66	Generic switching and non-persistence among medicine users: a combined population-based questionnaire and register study. <i>PLoS ONE</i> , 2015 , 10, e0119688	3.7	15
65	What triggers healthcare-seeking behaviour when experiencing a symptom? Results from a population-based survey. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X100761	3.1	15
64	A competing risk approach for the European Heart SCORE model based on cause-specific and all-cause mortality. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 827-36	3.9	14
63	Self-rated health and functional capacity in individuals reporting overlapping symptoms of gastroesophageal reflux disease, functional dyspepsia and irritable bowel syndrome - a population based study. <i>BMC Gastroenterology</i> , 2017 , 17, 65	3	13
62	Lack of spirometry use in Danish patients initiating medication targeting obstructive lung disease. <i>Respiratory Medicine</i> , 2012 , 106, 1743-8	4.6	13
61	Predictive values of upper gastrointestinal cancer alarm symptoms in the general population: a nationwide cohort study. <i>BMC Cancer</i> , 2018 , 18, 440	4.8	11
60	Associations between reporting of cancer alarm symptoms and socioeconomic and demographic determinants: a population-based, cross-sectional study. <i>BMC Public Health</i> , 2012 , 12, 686	4.1	11
59	Associations between patients' risk attitude and their adherence to statin treatment - a population based questionnaire and register study. <i>BMC Family Practice</i> , 2016 , 17, 28	2.6	11
58	Medication effectiveness may not be the major reason for accepting cardiovascular preventive medication: a population-based survey. <i>BMC Medical Informatics and Decision Making</i> , 2012 , 12, 89	3.6	10
57	Urological symptoms among 23,240 men in the general danish population - concerns about symptoms, their persistence and influence on primary care contacts. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 227-236	2.7	9
56	Nursing Home Residents' Thoughts on Discussing Deprescribing of Preventive Medications. <i>Drugs and Aging</i> , 2020 , 37, 187-192	4.7	8

55	Barriers to contacting general practice with alarm symptoms of colorectal cancer: a population-based study. <i>Family Practice</i> , 2018 , 35, 399-405	1.9	8
54	Patients' concern about their medicine after a generic switch: a combined cross-sectional questionnaire and register study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 965-73	2.6	8
53	Lifestyle, socioeconomic status and healthcare seeking among women with gynaecological cancer alarm symptoms: a combined questionnaire-based and register-based population study. <i>BMJ Open</i> , 2018 , 8, e021815	3	8
52	Alarm symptoms of upper gastrointestinal cancer and contact to general practice--A population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 1268-75	2.4	7
51	Lifestyle factors and contact to general practice with respiratory alarm symptoms--a population-based study. <i>BMC Family Practice</i> , 2016 , 17, 47	2.6	7
50	Impact of effectiveness information format on patient choice of therapy and satisfaction with decisions about chronic disease medication: the "Influence of Intervention Methodologies on Patient Choice of Therapy (IMPACT)" cluster-randomised trial in general practice. <i>BMC Health Services Research</i> , 2018 , 18, 77	2.9	7
49	Influence of socioeconomic and demographic status on spirometry testing in patients initiating medication targeting obstructive lung disease: a population-based cohort study. <i>BMC Public Health</i> , 2013 , 13, 580	4.1	7
48	GPs' Perceptions of Cardiovascular Risk and Views on Patient Compliance: A Qualitative Interview Study. <i>International Journal of Family Medicine</i> , 2015 , 2015, 214146		7
47	Early intervention for childhood overweight: A randomized trial in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2015 , 33, 184-90	2.7	6
46	Prevalence and management of patients using medication targeting obstructive lung disease: a cross-sectional study in primary healthcare in Greenland. <i>International Journal of Circumpolar Health</i> , 2013 , 72,	1.7	6
45	Gynecological cancer alarm symptoms: is contact with specialist care associated with lifestyle and socioeconomic status? A population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 976-83	3.8	6
44	Tuberculosis screening in patients with HIV: use of audit and feedback to improve quality of care in Ghana. <i>Global Health Action</i> , 2016 , 9, 32390	3	6
43	Predictive values of colorectal cancer alarm symptoms in the general population: a nationwide cohort study. <i>British Journal of Cancer</i> , 2019 , 120, 595-600	8.7	6
42	Healthcare resource use and costs of opioid-induced constipation among non-cancer and cancer patients on opioid therapy: A nationwide register-based cohort study in Denmark. <i>Scandinavian Journal of Pain</i> , 2017 , 15, 83-90	1.9	5
41	Healthcare-seeking with bothersome lower urinary tract symptoms among men in the Danish population: the impact of lifestyle and socioeconomic status. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 155-164	2.7	5
40	Associations between patients' adherence and GPs' attitudes towards risk, statin therapy and management of non-adherence--a survey and register-based study. <i>Family Practice</i> , 2016 , 33, 140-7	1.9	5
39	The effect of chiropractic treatment on infantile colic: study protocol for a single-blind randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2018 , 26, 17	1.8	5
38	Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2050-2057	5.6	5

37	Exploring how GPs discuss statin deprescribing with older people: a qualitative study. <i>BJGP Open</i> , 2020 , 4,	3.1	5
36	Spirometry in Greenland: a cross-sectional study on patients treated with medication targeting obstructive pulmonary disease. <i>International Journal of Circumpolar Health</i> , 2016 , 75, 33258	1.7	5
35	Prevalence of the use of antihypertensive medications in Greenland: a study of quality of care amongst patients treated with antihypertensive drugs. <i>International Journal of Circumpolar Health</i> , 2012 , 71, 18834	1.7	4
34	Symptom burden in multimorbidity: a population-based combined questionnaire and registry study from Denmark. <i>BMJ Open</i> , 2021 , 11, e041877	3	4
33	Urinary incontinence among women-which personal and professional relations are involved? A population-based study. <i>International Urogynecology Journal</i> , 2019 , 30, 1565-1574	2	4
32	Associations between lifestyle, erectile dysfunction and healthcare seeking: a population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 176-183	2.7	4
31	Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. <i>Age and Ageing</i> , 2021 , 50, 554-558	3	4
30	Barriers to health care seeking with bothersome lower urinary tract symptoms among men-a nationwide study. <i>Family Practice</i> , 2019 , 36, 743-750	1.9	3
29	Activation of professional and personal network relations when experiencing a symptom: a population-based cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e017620	3	3
28	Management of Overweight during Childhood: A Focus Group Study on Health Professionals' Experiences in General Practice. <i>International Journal of Family Medicine</i> , 2015 , 2015, 248985		3
27	Multiple physical symptoms and individual characteristics - A cross-sectional study of the general population. <i>Journal of Psychosomatic Research</i> , 2020 , 131, 109941	4.1	3
26	Prescribing of proton-pump inhibitors: auditing the management and reasons for prescribing in Danish general practice. <i>Family Practice</i> , 2019 , 36, 758-764	1.9	3
25	Predictive values of lung cancer alarm symptoms in the general population: a nationwide cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2020 , 30, 15	3.2	2
24	The effect of structured personal care on diabetes symptoms and self-rated health over 14 years after diabetes diagnosis. <i>Primary Care Diabetes</i> , 2018 , 12, 354-363	2.4	2
23	Factors associated with C-reactive protein testing when prescribing antibiotics in general practice: a register-based study. 2022 , 23, 17		2
22	Prescribing antibiotics: the use of diagnostic tests in general practice. A register-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 1-10	2.7	2
21	Discussing proton pump inhibitor deprescribing: the views of Danish GPs and older patients. <i>BMC Family Practice</i> , 2020 , 21, 160	2.6	2
20	Risk of serious infections in arthritis patients treated with biological drugs: a matched cohort study and development of prediction model. <i>Rheumatology</i> , 2021 , 60, 3834-3844	3.9	2

19	When does proton pump inhibitor treatment become long term? A scoping review. <i>BMJ Open Gastroenterology</i> , 2021 , 8,	3.9	2
18	Lifestyle factors and experience of respiratory alarm symptoms in the general population. <i>BMJ Open Respiratory Research</i> , 2015 , 2, e000101	5.6	1
17	Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. <i>JAMA Network Open</i> , 2021 , 4, e2136802	10.4	1
16	Is healthcare-seeking with gynaecological alarm symptoms influenced by personal and professional relations? A Danish population-based, cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e033471	3	1
15	The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial. <i>Chiropractic & Manual Therapies</i> , 2021 , 29, 15	1.8	1
14	A positive diagnostic strategy is safe and saves endoscopies in patients with irritable bowel syndrome: A five-year follow-up of a randomized controlled trial. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14004	4	1
13	GP preferences for discussing statin deprescribing: a discrete choice experiment. <i>Family Practice</i> , 2021 ,	1.9	1
12	Involvement of personal and professional relations among men bothered by lower urinary tract symptoms: a population-based cross-sectional study. <i>BMC Public Health</i> , 2020 , 20, 868	4.1	0
11	Is concern for gynaecological alarm symptoms associated with healthcare-seeking? A Danish population-based cross-sectional study.. <i>BMC Public Health</i> , 2022 , 22, 25	4.1	0
10	Socioeconomic status and barriers for contacting the general practitioner when bothered by erectile dysfunction: a population-based cross-sectional study. <i>BMC Family Practice</i> , 2020 , 21, 166	2.6	0
9	Women's barriers for contacting their general practitioner when bothered by urinary incontinence: a population-based cross-sectional study. <i>BMC Urology</i> , 2021 , 21, 99	2.2	0
8	Proton pump inhibitor use among patients at risk of peptic ulcer bleeding: a nationwide register-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 6-12	2.4	0
7	Women's barriers for contacting general practice when experiencing gynecological cancer symptoms: a population-based study. <i>BMC Family Practice</i> , 2021 , 22, 167	2.6	0
6	Use of sedating medications around nursing home admission in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1560-1565	2.6	0
5	Healthcare practices that increase the quality of care in cancer trajectories from a general practice perspective: a scoping review.. <i>Scandinavian Journal of Primary Health Care</i> , 2022 , 1-18	2.7	0
4	Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial. <i>Chiropractic & Manual Therapies</i> , 2021 , 29, 16	1.8	
3	Response to Letter to the Editor: "The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial" and "Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial". <i>Chiropractic & Manual Therapies</i> , 2021 , 29, 29	1.8	
2	Healthcare costs of patients with chronic obstructive pulmonary disease in Denmark - specialist care versus GP care only.. <i>BMC Health Services Research</i> , 2022 , 22, 408	2.9	

- 1 Involvement of personal and professional relations when experiencing colorectal cancer symptoms - a cross sectional study.. *Scandinavian Journal of Gastroenterology*, **2022**, 1-8 2.4