Paula Eerola

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3948810/paula-eerola-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

686 26,125 69 138 h-index g-index citations papers 726 32,127 5.1 3.54 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
686	Evidence for X(3872) in Pb-Pb Collisions and Studies of its Prompt Production at sqrt[s_{NN}]=5.02 TeV <i>Physical Review Letters</i> , 2022 , 128, 032001	7.4	1
685	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
684	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
683	Search for Wiresonances in proton-proton collisions at s=13 TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	О
682	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of Leptons in pp Collisions at sqrt[s]=13 TeV <i>Physical Review Letters</i> , 2022 , 128, 08180	15 ^{7.4}	O
681	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
680	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
679	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	О
678	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
677	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
676	Using Z Boson Events to Study Parton-Medium Interactions in Pb-Pb Collisions <i>Physical Review Letters</i> , 2022 , 128, 122301	7.4	O
675	A new calibration method for charm jet identification validated with proton-proton collision events at \blacksquare = 13 TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	O
674	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 213	4.2	О
673	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	О
672	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
671	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
670	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O

(2021-2022)

669	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
668	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
667	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
666	Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
665	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at sqrt[s]=5.02 TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7.4	О
664	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
663	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the B b final state at 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
662	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
661	Measurement of differential tt□production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	1
660	Observation of tW production in the single-lepton channel in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2021 , 2021, 1	5.4	O
659	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb 1 of proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
658	Measurement of the electroweak production of Zland two jets in proton-proton collisions at s=13 TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4.9	1
657	Measurements of the pp - $\frac{1}{2}$ Head pp - $\frac{1}{2}$ Leross sections at (sqrt{mathrm{s}}) = 13 TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
656	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
655	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
654	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
653	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	4
652	Search for new physics in top quark production with additional leptons in proton-proton collisions at (sqrt{s}) = 13 TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	4

651	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
650	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
649	Development and validation of HERWIGD tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
648	Angular analysis of the decay B+ -X*(892)+\(\mathral{B}\)\(\mathral{B}\) proton-proton collisions at (sqrt\(\mathral{B}\)\) = 8 TeV. Journal of High Energy Physics, 2021 , 2021, 1	5.4	2
647	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
646	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
645	Measurement of b jet shapes in proton-proton collisions at ($sqrt{s}$) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
644	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
643	Study of Drell-Yan dimuon production in proton-lead collisions at (sqrt{s_{mathrm{NN}}}) = 8.16 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
642	Measurement of the CP-violating phase ?s in the Bs0-≯/戊(1020)-⅓戊+K៤hannel in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
641	Measurements of the differential cross sections of the production of $Z + jets$ and $\Box + jets$ and of $Z + jets$ and of	5.4	
640	In-medium modification of dijets in PbPb collisions at (sqrt{s_{mathrm{NN}}}) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
639	Measurement of the Z boson differential production cross section using its invisible decay mode (Z (nu overline (nu))) in proton-proton collisions at (sqrt (s)) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
638	Measurement of the WIProduction Cross Section in Proton-Proton Collisions at sqrt[s]=13 TeV and Constraints on Effective Field Theory Coefficients. <i>Physical Review Letters</i> , 2021 , 126, 252002	7.4	O
637	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
636	Observation of a New Excited Beauty Strange Baryon Decaying to []{b}^{-}[]{+}[]{-}. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
635	Performance of the CMS muon trigger system in proton-proton collisions at (b) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
634	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3

633	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
632	Search for the lepton flavor violating decay □≫Ūn proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
631	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
630	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
629	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	14
628	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
627	The CMS Phase-1 pixel detector upgrade. <i>Journal of Instrumentation</i> , 2021 , 16, P02027-P02027	1	2
626	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 136	50 3 6	1
625	Search for long-lived particles using displaced jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
624	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
623	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136	54 09	O
622	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1
621	Search for a heavy vector resonance decaying to a lboson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	O
620	Measurement of the azimuthal anisotropy of and mesons in PbPb collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
619	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
618	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
617	Search for W? bosons decaying to a top and a bottom quark at s=13TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
616	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	O

615	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
614	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	O
613	Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2021 , 127, 122001	7.4	1
612	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
611	Search for top squark production in fully hadronic final states in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
610	Measurement of prompt open-charm production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
609	Measurement of the inclusive and differential t\$\$ overline $\{t\}$ \$\$ \mathbb{L} ross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt $\{s\}$ \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
608	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
607	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
606	Search for Long-Lived Particles Decaying in the CMS End Cap Muon Detectors in Proton-Proton Collisions at sqrt[s]=13 TeV <i>Physical Review Letters</i> , 2021 , 127, 261804	7.4	O
605	Search for a heavy resonance decaying to a top quark and a W boson at $\$\$$ sqrt $\$\$$ = 13 TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
604	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
603	Performance of the CMS Level-1 trigger in proton-proton collisions at □ = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
602	Search for decays of the 125 GeV Higgs boson into a Z boson and a [br ? meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
601	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7.4	1
600	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
599	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
598	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18

(2020-2020)

597	Search for supersymmetry in proton-proton collisions at (sqrt{s}) = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
596	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
595	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
594	Search for disappearing tracks in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4.2	14
593	Search for new neutral Higgs bosons through the (mathrm{H}to mathrm{ZA}to $\{ell\}^{+}\{ell\}^{-}$ mathrm{b}overline{mathrm{b}}) process in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	10
592	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
591	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
590	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
589	Determination of the strong coupling constant $\exists S(mZ)$ from measurements of inclusive $W\exists$ and Z boson production cross sections in proton-proton collisions at ($sqrt{mathrm{s}}) = 7$ and $\exists TeV$. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
588	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
587	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
586	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
585	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft (Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
584	Evidence for (text {W}text {W}) production from double-parton interactions in proton proton collisions at (sqrt{s} = 13 ,text {TeV}). European Physical Journal C, 2020 , 80, 1	4.2	4
583	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
582	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
581	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
580	Constraints on the \square {c1} versus \square {c2} Polarizations in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6

579	Search for lepton flavour violating decays of a neutral heavy Higgs boson to Land ellin proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
578	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
577	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
576	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
575	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
574	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
573	A multi-dimensional search for new heavy resonances decaying to boosted,, or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
572	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	O
571	Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
570	Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}} (text {p})) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical	4.2	13
569	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
568	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
567	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
566	Observation of the B0-3/11 decay in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
565	Observation of the Production of Three Massive Gauge Bosons at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 125, 151802	7.4	2
564	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
563	The production of isolated photons in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}) = 5.02 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
562	Investigation into the event-activity dependence of $?(nS)$ relative production in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3

(2020-2020)

561	Bose-Einstein correlations of charged hadrons in proton-proton collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
560	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
559	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
558	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
557	Measurement of properties of ({mathrm{B}}_{mathrm{s}}^0)-暑团ecays and search for B0-暑口with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
556	Search for a light pseudoscalar Higgs boson in the boosted Ifinal state in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
555	Measurements of tt[over []H Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel. <i>Physical Review Letters</i> , 2020 , 125, 061	8 7 7	15
554	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\Xi = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
553	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
552	Measurement of the cross section for (mathrm{t}overline{mathrm{t}}) production with additional jets and b jets in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
551	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
550	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
549	Review of Particle Physics. <i>Progress of Theoretical and Experimental Physics</i> , 2020 , 2020,	5.4	1112
548	Calibration of the CMS hadron calorimeters using proton-proton collision data at $8 = 13$ TeV. Journal of Instrumentation, 2020 , 15, P05002-P05002	1	
547	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2
546	Observation of the B_{s}^{0}-X(3872)? Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
545	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
544	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2

543	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
542	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
541	Measurement of the top quark pair production cross section in dilepton final states containing one [lepton in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	0
540	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	O
539	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with elbr (In Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
538	Studies of Beauty Suppression via Nonprompt D^{0} Mesons in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
537	Search for charged Higgs bosons in the H⊞ -暑⊞decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
536	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
535	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
534	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
533	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
532	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
531	Search for a low-mass \blacksquare resonance in association with a bottom quark in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
530	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at (sqrt{s}) = 13 TeV via Higgs boson decays to [leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
529	Search for the pair production of light top squarks in the e⊞final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
528	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
527	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
526	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1

525	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42	
524	Measurements of the pp -WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10	
523	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-	12 ¹ 9 ²	27	
522	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27	
521	Measurement of the energy density as a function of pseudorapidity in proton β roton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	7	
520	Search for nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathrm{b}overline{mathrm{b}}) final state at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	4	
519	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12	
518	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8	
517	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18	
516	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86	
515	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35	
514	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8	
513	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1	
512	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6	
511	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4	
510	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. European Physical Journal C, 2019 , 79, 94	4.2	7	
509	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9	
508	Measurements of (mathrm{t}overline{mathrm{t}}) differential cross sections in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15	

507	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	17
506	Search for Narrow HIResonances in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
505	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at (sqrt{s} = 13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
504	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
503	Search for resonant (mathrm{t}overline{mathrm{t}}) production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
502	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
501	Observation of Two Excited B_{c}^{+} States and Measurement of the B_{c}^{+}(2S) Mass in pp Collisions at $sqrt[s]=13 TeV$. Physical Review Letters, 2019 , 122, 132001	7.4	31
500	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
499	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
498	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
497	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
496	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
495	Search for a W? boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
494	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
493	Inclusive search for supersymmetry in pp collisions at (sqrt{s}=13) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
492	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
491	Search for excited leptons in If inal states in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
490	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15

489	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
488	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	6
487	Measurement of exclusive photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
486	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
485	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
484	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
483	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
482	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
481	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
480	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
479	Performance of missing transverse momentum reconstruction in proton-proton collisions at \blacksquare = 13 TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
478	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
477	Search for supersymmetry using Higgs boson to diphoton decays at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
476	Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
475	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at ($sqrt\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
474	Study of the (${\text{mathrm}\{B\}}^{+}$ to mathrm ${\text{J}}$ /uppsi overline ${\text{Lambda}\}$ mathrm ${\text{p}}$) decay in proton-proton collisions at (${\text{sqrt}\{s\}}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
473	Search for resonances decaying to a pair of Higgs bosons in the b(overline{mathrm{b}})q(overline{mathrm{q}})Ifinal state in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
472	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1

471	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
470	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
469	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
468	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
467	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
466	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
465	Search for long-lived particles using delayed photons in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
464	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
463	Effect of Gamma-Ray Energy on Image Quality in Passive Gamma Emission Tomography of Spent Nuclear Fuel. <i>IEEE Transactions on Nuclear Science</i> , 2019 , 66, 487-496	1.7	3
462	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
461	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
460	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
459	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
458	Measurement of the Splitting Function in pp and Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
457	Pseudorapidity distributions of charged hadrons in proton-lead collisions at (sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
456	Observation of the Higgs boson decay to a pair of [leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
455	Suppression of Excited? States Relative to the Ground State in Pb-Pb Collisions at sqrt[s]_{NN}=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
454	Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2018, 2018, 1	5.4	19

453	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17	
452	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29	
45 ¹	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11	
450	Measurement of the inclusive (mathrm{t}overline{mathrm{t}}) cross section in pp collisions at (sqrt{s}=5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3	
449	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4		
448	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2	
447	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4	
446	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45	
445	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40	
444	Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2	
443	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8	
442	Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12	
441	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13	
440	Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3	
439	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20	
438	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	51	
437	Jet properties in PbPb and pp collisions at ($sqrt{s_{mathrm{N};mathrm{N}}}=5.02$) TeV. Journal of High Energy Physics, 2018 , 2018, 1	5.4	7	
436	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22	

435	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at E=13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
434	Thin NaI(Tl) crystals to enhance the detection sensitivity for molten Am sources. <i>Applied Radiation and Isotopes</i> , 2018 , 139, 121-126	1.7	1
433	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
432	Review of Particle Physics*. <i>Physical Review D</i> , 2018 , 98,	4.9	4401
431	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at sqrt[s_{NN}]=8.16 TeV. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
430	Measurement of b hadron lifetimes in pp collisions at. European Physical Journal C, 2018, 78, 457	4.2	9
429	Search for top squarks and dark matter particles in opposite-charge dilepton final states at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	26
428	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
427	Observation of tt[over []]H Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
426	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
425	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
424	Search for the X(5568) State Decaying into B_{s}^{0} \mathbb{H} in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
423	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ rightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ rightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{q\}$ = 13,text $\{q\}$ > 2018, 78, 1		3
422	Measurement of b hadron lifetimes in pp collisions at $(sqrt\{s\} = 8)$ (,text $\{Te\}$ text $\{V\}$) 2018 , 78, 1		1
421	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
420	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
419	Measurement of the groomed jet mass in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
418	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

(2018-2018)

417	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14	
416	Search for natural and split supersymmetry in proton-proton collisions at (sqrt{s}=13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39	
415	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6	
4 ¹ 4	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14	
413	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16	
412	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6	
411	Charged-particle nuclear modification factors in XeXe collisions at (sqrt{s_{mathrm{NN}}} = 5.44) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11	
410	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13	
409	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14	
408	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37	
407	Event shape variables measured using multijet final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3	
406	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20	
405	Measurement of jet substructure observables in tt□events from proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12	
404	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12	
403	Search for narrow and broad dijet resonances in proton-proton collisions at (sqrt{s}=13) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50	
402	Search for ZIresonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11	
401	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5	
400	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9	

399	Search for supersymmetry in events with a [lepton pair and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
398	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7.4	15
397	Search for the decay of a Higgs boson in the Ithannel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
396	Performance of reconstruction and identification of [leptons decaying to hadrons and viin pp collisions at E=13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
395	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7.4	6
394	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
393	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
392	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
391	Observation of the Z-B{+}쨥{-} Decay in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7.4	1
390	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 20q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
389	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
388	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to elfinal states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
387	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
386	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at (sqrt{s}= 13~hbox {TeV}). European Physical Journal C, 2018 , 78, 1	4.2	4
385	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
384	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
383	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
382	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. European Physical Journal C, 2018 , 78, 708	4.2	5

381	Search for vector-like T and B quark pairs in final states with leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
380	Search for dark matter produced in association with a Higgs boson decaying to lbr []-llat (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
379	Search for additional neutral MSSM Higgs bosons in the III in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
378	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
377	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
376	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
375	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
374	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
373	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
372	Search for beyond the standard model Higgs bosons decaying into a (mathrm{b}overline{mathrm{b}}) pair in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
371	Observation of the $\square\{b1\}(3P)$ and $\square\{b2\}(3P)$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16
370	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
369	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
368	Search for lepton flavour violating decays of the Higgs boson to hand elin proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
367	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
366	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
365	Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}=) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1	4.2	12
364	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14

363	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
362	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
361	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
360	Search for a singly produced third-generation scalar leptoquark decaying to a llepton and a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
359	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 1	5.4	10
358	Measurement of the inelastic proton-proton cross section at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
357	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
356	Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
355	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
354	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in protonBroton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 778, 263-291	4.2	12
353	Measurement of Prompt D^{0} Meson Azimuthal Anisotropy in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
352	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
351	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
350	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2017 , 118, 02180	o2 ⁷⁻⁴	23
349	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
348	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
347	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
346	Search for electroweak production of charginos in final states with two Ileptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7

345	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
344	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236	4.2	21
343	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
342	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
341	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
340	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
339	Search for top squark pair production in compressed-mass-spectrum scenarios in protonproton collisions at s=8TeV using the HT variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
338	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
337	Search for Supersymmetry in pp Collisions at sqrt[s]=13 TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7:4	7
336	Measurement of the B^{∃} Meson Nuclear Modification Factor in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
335	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15
334	Search for new physics in the monophoton final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
333	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
332	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
331	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
330	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
329	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H-*WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
328	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at sqrt[s]_{NN}=5.02 TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22

327	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
326	Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
325	Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
324	Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or Lat (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	9
323	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7:4	11
322	Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
321	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
320	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
319	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
318	Measurement of the semileptonic (mathrm $\{t\}$) overline $\{mathrm\{t\}\}$) + $\{production cross section in pp collisions at (sqrt\{s\}=8) TeV. Journal of High Energy Physics, 2017, 2017, 1$	5.4	7
317	Measurements of the pp -ৠ屆nd pp -ৠ屆ross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
316	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
315	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
314	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
313	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
312	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
311	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
310	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17

309	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, 2017, 77, 354	4.2	8	
308	Relative Modification of Prompt (PS) and J/IY ields from pp to PbPb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18	
307	Searches for invisible decays of the Higgs boson in pp collisions at (sqrt{s}) = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017 , 2017, 1	5.4	74	
306	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19	
305	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22	
304	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23	
303	Measurement of electroweak-induced production of WI with two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9	
302	Searches for W? bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7	
301	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5	
300	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18	
299	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11	
298	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20	
297	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25	
296	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12	
295	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14	
294	Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4	
293	Test beam performance measurements for the Phase I upgrade of the CMS pixel detector. <i>Journal of Instrumentation</i> , 2017 , 12, P05022-P05022	1	3	
292	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21	

291	Search for top quark partners with charge 5/3 in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017 , 2017, 1	5.4	3
290	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
289	Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
288	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
287	Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
286	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
285	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
284	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
283	Search for new phenomena with multiple charged leptons in protonBroton collisions at (sqrt{s}=13) (,text {TeV}). European Physical Journal C, 2017 , 77, 1	4.2	2
282	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
281	Search for high-mass ZD esonances in e+eD and D III in al states in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
280	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying [leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
279	Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
278	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
277	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
276	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
275	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
274	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234

(2016-2017)

273	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16	
272	Search for Narrow Resonances in Dijet Final States at sqrt[s]=8 TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57	
271	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13	
270	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34	
269	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at sqrt[s]=8 and 13 TeV. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61	
268	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90	
267	Measurement of the top quark mass using proton-proton data at (s)=7 and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69	
266	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at [b]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28	
265	Measurement of dijet azimuthal decorrelation in ppleollisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6	
264	Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2	
263	Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8	
262	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24	
261	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15	
260	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30	
259	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16	
258	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9	
257	Evidence for exclusive (14W + W (15) production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27	
256	Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7	

255	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
254	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	9
253	Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	11
252	Measurement of the mass of the top quark in decays with a J/Imeson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
251	Measurement of the inclusive jet cross section in pp collisions at ($sqrt{s} = 2.76$, text {TeV}). European Physical Journal C, 2016 , 76, 1	4.2	17
250	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
249	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
248	Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
247	Search for W? -*b in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
246	Correlations between jets and charged particles in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
245	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
244	Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
243	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
242	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
241	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
240	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
239	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
238	Search for heavy Majorana neutrinos in $e = e = + $ jets and $e = = + $ jets events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28

237	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at [b]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96	
236	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16	
235	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35	
234	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7	
233	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at (sqrt{s_{mathrm{N}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13	
232	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36	
231	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38	
230	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25	
229	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14	
228	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9	
227	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4	
226	Measurement of the ZZ production cross section and Z - 日本 PM	4.2	22	
225	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21	
224	Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20	
223	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6	
222	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10	
221	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	62	
220	Search for monotop signatures in proton-proton collisions at № TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7.4	25	

219	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
218	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39
217	Measurement of J/Land (2S) Prompt Double-Differential Cross Sections in pp Collisions at sqrt[s]=7 TeV. <i>Physical Review Letters</i> , 2015 , 114, 191802	7.4	41
216	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7.4	62
215	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
214	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. European Physical Journal C, 2015, 75, 147	4.2	50
213	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
212	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
211	Measurement of the ratio of the production cross sections times branching fractions of B $\exists c \neg \exists / \Box \exists and B \neg \exists / \& \exists and (mathrm{mathcal{B}} = f(mathrm{c})^{pm}to mathrm{J}/psi {pi}^{pm}{pm}{pi}^{pm}{pm}{pi}^{pm}to mathrm{mathcal{B}}=f(mathrm{B})_{mathrm{c}}^{pm}to mathrm{mathcal{B}}=f(mathrm{B})^{pm}to mathrm{mathcal{B}}=f(mathrm{B})^{pm}to mathrm{mathcal{B}}$	5.4	13
210	mathrm{J}/psi {pi}^{pm}right)) in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2015, 2015, 1	5.4	35
209	Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
208	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
207	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
206	Pseudorapidity distribution of charged hadrons in protonBroton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
205	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
204	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
203	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
202	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4

(2015-2015)

201	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
200	Measurement of diffractive dissociation cross sections in pp collisions at s=7 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
199	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
198	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
197	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
196	Search for third-generation scalar leptoquarks in the tlthannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
195	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
194	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
193	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
192	Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
191	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
190	Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
189	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
188	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
187	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
186	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
185	Measurement of the Ziproduction cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
184	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVand determination of the strong coupling constant in the TeVange. European Physical Journal C, 2015, 75, 186	4.2	41

183	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98
182	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4.2	25
181	Comparison of the Z/\mathbb{F} + jets to \mathbb{F} jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
180	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
179	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43
178	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) =2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
177	Measurement of associated W + charm production in pp collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
176	Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
175	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4.2	116
174	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(sqrt{s_{MN}}) = 5.02)$ (,text {TeV}). European Physical Journal C, 2014 , 74, 1	4.2	67
173	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
172	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
171	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
170	Study of double parton scattering using W + 2-jet events in proton-proton collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
169	Event activity dependence of (Y)(nS) production in ($sqrt\{\{s_{NN}\}\}\}$) = 5.02 TeV pPb and ($sqrt\{s\}$) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
168	. Journal of High Energy Physics, 2014 , 2014, 1	5.4	18
167	Evidence for the 125 GeV Higgs boson decaying to a pair of [leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
166	Search for W? - \pm b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23

165	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
164	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81
163	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
162	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
161	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
160	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
159	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
158	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
157	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
156	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
155	Observation of the associated production of a single top quark and a W boson in pp collisions at sqrt[s] = 8 TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7.4	62
154	Observation of a peaking structure in the J/I mass spectrum from BI-3/IKI decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 734, 261-281	4.2	83
153	Measurement of prompt (PS) to J/IJield ratios in Pb-Pb and p-p collisions at sqrt[sNN]=2.76 TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
152	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
151	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
150	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
149	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
148	Measurement of pseudorapidity distributions of charged particles in proton proton collisions at $(sqrt{s} = 8)$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37

147	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
146	Measurement of prompt J/͡pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
145	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at sNN=2.76 TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
144	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
143	Measurement of inclusive W and Z boson production cross sections in pp collisions at sqrt[s] = 8 TeV. <i>Physical Review Letters</i> , 2014 , 112, 191802	7:4	54
142	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at sqrt[s]=7 TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
141	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
140	Search for flavor-changing neutral currents in top-quark decays t -丞q in pp collisions at sqrt[s] = 8 TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46
139	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
138	Evidence of b-jet quenching in PbPb collisions at (\$(NN))=2.76 TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
137	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , 2014 , 89,	4.9	260
136	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
135	Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, 2014 , 2014, 1	5.4	3
134	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
133	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
132	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
131	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = $8 \text{ TeV } 2014$, 2014, 1		3
130	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6

129	Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
128	Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
127	Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
126	Study of exclusive two-photon production of W+Wlin pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
125	Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2013 , 2013, 1	5.4	261
124	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
123	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
122	Measurement of the (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$) production cross section in the all-jet final state in pp collisions at (sqrt $\{s\}$ =7) TeV. Journal of High Energy Physics, 2013 , 2013, 1	5.4	14
121	Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
120	Study of the underlying event at forward rapidity in pp collisions at (sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
119	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
118	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	33
117	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
116	Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
115	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15
114	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
113	Observation of a diffractive contribution to dijet production in proton-proton collisions at s=7 TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	20
112	Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZIand ZItriple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12

111	Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
110	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
109	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
108	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
107	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	3 ^{4.2}	10
106	Measurement of the (mathrm{t}bar{mathrm{t}}) production cross section in the Hiets channel in pp collisions at (sqrt{s}=7 mbox{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
105	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
104	Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	162
103	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
102	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
101	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($sqrt{s} = 7 mathrm{TeV}$) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
100	Measurement of the W+W \mathbb{L} ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WW \mathbb{L} and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
99	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
98	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
97	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable \oplus T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
96	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
95	Measurement of the inelastic proton Froton cross section at s=7 TeV. <i>Physics Letters, Section B:</i> Nuclear, Elementary Particle and High-Energy Physics, 2013 , 722, 5-27	4.2	74
94	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 ,	4.2	26

(2012-2013)

93	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , 2013 , 110, 081803	7.4	235
92	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. European Physical Journal C, 2013, 73, 2283	4.2	45
91	Measurement of differential top-quark-pair production cross sections in pp collisions at $(sqrt\{s\} = 7 mathrm\{TeV\})$. European Physical Journal C, 2013 , 73, 1	4.2	102
90	Measurement of the Bs(0)-⊞ Ebranching fraction and search for B(0)-⊞ Ewith the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
89	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , 2013 , 88,	4.9	52
88	Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets. <i>Physical Review Letters</i> , 2013 , 111, 221801	7.4	35
87	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at sqrt[s](NN)] = 2.76 TeV. <i>Physical Review Letters</i> , 2013 , 110, 042301	7.4	17
86	Search for pair-produced dijet resonances in four-jet final states in pp collisions at sqrt[s] = 7 TeV. <i>Physical Review Letters</i> , 2013 , 110, 141802	7.4	41
85	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at sNN=2.76 TeV. <i>Physical Review C</i> , 2013 , 87,	2.7	148
84	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt{s}=8$) TeV 2013 , 2013, 1		2
83	Combined results of searches for the standard model Higgs boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 26-48	4.2	437
82	Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	316
81	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
80	Jet production rates in association with W and Z bosons in pp collisions at (sqrt $\{s\} = 7 \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1	5.4	37
79	Exclusive $\Box \Rightarrow \Box$ production in proton-proton collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
78	Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
77	Inclusive b-jet production in pp collisions at (sqrt {s} = 7TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
76	Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt {s} = 7{}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12

75	Suppression of non-prompt J/ \square prompt J/ \square and (Upsilon)(1S) in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	184
74	Search for heavy bottom-like quarks in 4.9 fb \blacksquare of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
73	Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	3
72	Measurement of the Z/\mathbb{B} + b-jet cross section in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
71	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	27
70	Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\} = 7,TeV$). Journal of High Energy Physics, 2012, 2012, 1	5.4	65
69	Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\} = 7$; TeV). Journal of High Energy Physics, 2012 , 2012, 1	5.4	101
68	Search for leptonic decays of W? bosons in pp collisions at (sqrt $\{s\} = \{7\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
67	Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1	5.4	17
66	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
65	Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
64	Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	57
63	Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
62	Search for a fermiophobic Higgs boson in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
61	Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	92
60	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at (sqrt{{{s_{mathrm{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
59	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	64
58	Search for exclusive or semi-exclusive production and observation of exclusive and semi-exclusive e+eproduction in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 2012 1	5.4	45

57	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	6
56	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	41
55	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
54	Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	25
53	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
52	Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	70
51	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
50	Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at ($sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
49	Measurement of the underlying event in the DrellMan process in proton β roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	30
48	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at (sqrt{s} = 0.9 , 2.76 ,mbox{and} $7\sim$ mbox{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	133
47	A search for a doubly-charged Higgs boson in pp collisions at ($sqrt{s} = 7 mbox{TeV}$). European Physical Journal C, 2012 , 72, 1	4.2	111
46	Measurement of the top-quark mass in (mathrm $\{t\}$) overline $\{mathrm\{t\}\}$) events with dilepton final states in pp collisions at (sqrt $\{s\}$ =7 mbox $\{TeV\}$). European Physical Journal C, 2012 , 72, 1	4.2	36
45	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton β roton collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	17
44	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
43	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at (sqrt{s}= 7) TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
42	J/land (PS) production in pp collisions at (sqrt {s} = 7{text{Tev}}). Journal of High Energy Physics, 2012 , 2012, 1	5.4	69
41	Search for the standard model Higgs boson in the H $-$ ZZ $-$ 2 \square Channel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
40	Search for the standard model Higgs boson in the H -ZZ -知田decay channel in pp collisions at (sqrt {s} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11

39	Search for ({text{B}}_{text{s}}^0) - 母	5.4	52
38	Search for a Higgs boson in the decay channel H $- \frac{1}{2}Z(*) - \frac{1}{2}($ overline $\{\text{text}\{q\}\}\)$ IIIII in pp collisions at (sqrt $\{s\} = 7$)TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	21
37	Search for microscopic black holes in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1	5.4	34
36	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
35	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
34	Prompt and non-prompt J/ \Box production in pp collisions at (sqrt{s} = 7) TeV. European Physical Journal C, 2011 , 71, 1	4.2	118
33	Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
32	Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
31	Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
30	Search for heavy stable charged particles in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	34
29	Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7$; $\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	21
28	Measurement of ($\{\text{text}\{B\}\}\}$ overline $\{\text{text}\{B\}\}$) angular correlations based on secondary vertex reconstruction at ($\text{sqrt}\{s\} = 7$, $\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	27
27	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	38
26	Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
25	Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
24	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
23	Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	32
22	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at (sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	26

(2010-2011)

21	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
20	Measurement of the ($\{\{rm t\}bar\{rm t\}\}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($sqrt \{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	48
19	Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	56
18	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	12
17	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	28
16	Search for same-sign top-quark pair production at (sqrt $\{s\} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	39
15	Charged particle transverse momentum spectra in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	44
14	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	17
13	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	87
12	Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	46
11	Search for supersymmetry in pp collisions at ($sqrt {s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
10	Measurement of the underlying event activity at the LHC with (sqrt $\{s\} = 7$) TeV and comparison with (sqrt $\{s\} = 0.9$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	70
9	Measurement of the Drell-Yan cross section in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
8	Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
7	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	19
6	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV 2011 , 2011, 1		5
5	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at square root of $s = 7$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 022002	7.4	353
4	First measurement of the underlying event activity at the LHC with ($sqrt{s} = 0.9$) TeV. European Physical Journal C, 2010 , 70, 555-572	4.2	36

3 CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165412192 99

2	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $(sqrt\{s\} = 0.9)$ and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
1	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389