

Egemen Avcu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3948847/publications.pdf>

Version: 2024-02-01

34
papers

1,502
citations

623574

14
h-index

414303

32
g-index

34
all docs

34
docs citations

34
times ranked

1644
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of the residential built environment on remote work productivity and satisfaction during COVID-19 lockdowns: An analysis of workersâ€™ perceptions. <i>Building and Environment</i> , 2022, 219, 109234.	3.0	15
2	TAILORING SURFACE MORPHOLOGY AND TOPOGRAPHY OF SHOT-PEENED Ti6Al4V VIA GRIT BLASTING. <i>Materiali in Tehnologije</i> , 2021, 55, .	0.3	1
3	Dry sliding wear behaviour of additive manufactured CrC-rich WC-Co cemented carbides. <i>Wear</i> , 2021, 486-487, 204127.	1.5	11
4	Modification of Surface and Subsurface Properties of AA1050 Alloy by Shot Peening. <i>Materials</i> , 2021, 14, 6575.	1.3	11
5	Effect of micro blasting process parameters on <scp>3D</scp> surface topography and surface properties of zirconia (<scp>Yâ€ŽZP</scp>) ceramics. <i>Engineering Reports</i> , 2021, 3, e12358.	0.9	1
6	Surface Properties of Titanium Alloys Grit Blasted at Various Particle Impingement Angles. <i>Materials Today: Proceedings</i> , 2020, 32, 18-26.	0.9	0
7	The Effects of Grit Size and Blasting Pressure on the Surface Properties of Grit Blasted Ti6Al4V Alloy. <i>Materials Today: Proceedings</i> , 2020, 32, 27-36.	0.9	5
8	Surface, Subsurface and Tribological Properties of Ti6Al4V Alloy Shot Peened under Different Parameters. <i>Materials</i> , 2020, 13, 4363.	1.3	19
9	Electrophoretic deposition of chitosan-based composite coatings for biomedical applications: A review. <i>Progress in Materials Science</i> , 2019, 103, 69-108.	16.0	237
10	Solid particle erosion behavior of thermal barrier coatings produced by atmospheric plasma spray technique. <i>Mechanics of Advanced Materials and Structures</i> , 2019, 26, 1606-1612.	1.5	12
11	Electrophoretic co-deposition of PEEK-hydroxyapatite composite coatings for biomedical applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 169, 176-182.	2.5	81
12	Fracture strengths of endocrown restorations fabricated with different preparation depths and CAD/CAM materials. <i>Dental Materials Journal</i> , 2018, 37, 256-265.	0.8	36
13	3D Imaging of Indentation Damage in Bone. <i>Materials</i> , 2018, 11, 2533.	1.3	3
14	Tailoring the surface characteristics of electrophoretically deposited chitosan-based bioactive glass composite coatings on titanium implants via grit blasting. <i>Progress in Organic Coatings</i> , 2018, 123, 362-373.	1.9	43
15	Dry Sliding Wear Behaviour of Shot Peened Ti6Al4V Alloys at Different Peening Times. <i>Acta Physica Polonica A</i> , 2018, 134, 349-353.	0.2	7
16	The influences of ECAP on the dry sliding wear behaviour of AA7075 aluminium alloy. <i>Tribology International</i> , 2017, 110, 173-184.	3.0	51
17	Evaluation of Dentin Defect Formation during Retreatment with Hand and Rotary Instruments: A Micro-CT Study. <i>Scanning</i> , 2017, 2017, 1-7.	0.7	14
18	Micro-computerized tomography analysis of cement voids and pull-out strength of glass fiber posts luted with self-adhesive and glass-ionomer cements in the root canal. <i>Journal of Adhesion Science and Technology</i> , 2016, 30, 1585-1595.	1.4	7

#	ARTICLE	IF	CITATIONS
19	Investigation of the Effects of Erosion Test Parameters on the Particle Impingement Velocity by Using CFD Analysis. Acta Physica Polonica A, 2015, 127, 1225-1229.	0.2	3
20	Optimization of Surface Properties of Shot Peened Ti6Al4V Alloy. Acta Physica Polonica A, 2015, 127, 984-986.	0.2	3
21	Effect of Particle Impact Angle, Erodent Particle Size and Acceleration Pressure on the Solid Particle Erosion Behavior of 3003 Aluminum Alloy. Acta Physica Polonica A, 2014, 125, 523-525.	0.2	11
22	Influences of Particle Impingement Angle and Velocity on Surface Roughness, Erosion Rate, and 3D Surface Morphology of Solid Particle Eroded Ti6Al4V Alloy. Acta Physica Polonica A, 2014, 125, 541-543.	0.2	8
23	Mechanical and Thermal Properties of Pumice Powder Filled PPS Composites. Acta Physica Polonica A, 2014, 125, 518-520.	0.2	13
24	Possible use of volcanic ash as a filler in polyphenylene sulfide composites: Thermal, mechanical, and erosive wear properties. Polymer Composites, 2014, 35, 1826-1833.	2.3	18
25	Solid Particle Erosive Wear Behavior of Glass Mat Reinforced PPS Composites: Influence of Erodent Particle Size, Pressure, Particle Impingement Angle, and Velocity. Advances in Polymer Technology, 2013, 32, .	0.8	22
26	The effect of TiO ₂ filler content on the mechanical, thermal, and tribological properties of TiO ₂ /PPS composites. Polymer Composites, 2013, 34, 1591-1599.	2.3	13
27	Effect of heat treatment on erosive wear behaviour of Ti6Al4V alloy. Materials Science and Technology, 2013, 29, 1088-1094.	0.8	28
28	Solid particle erosion behaviour of Ti6Al4V alloy. Tribology - Materials, Surfaces and Interfaces, 2013, 7, 201-210.	0.6	26
29	A Study on the Derivation of Parametric Cutting Force Equations in Drilling of GFRP Composites. Strojnicki Vestnik/Journal of Mechanical Engineering, 2013, 59, 97-105.	0.6	10
30	Detecting Impact Damages in an Aramid/Glass Fiber Reinforced Hybrid Composite with Micro Tomography. Advanced Materials Research, 2012, 445, 9-14.	0.3	6
31	Internal damage investigation of the impacted glass/glass+aramid fiber reinforced composites by micro-computerized tomography. NDT and E International, 2012, 51, 1-7.	1.7	30
32	The influence of annealing on the crystallization and tribological behavior of MWNT/PEEK nanocomposites. Polymer Composites, 2011, 32, 1766-1771.	2.3	22
33	A review: Fibre metal laminates, background, bonding types and applied test methods. Materials & Design, 2011, 32, 3671-3685.	5.1	731
34	BilyalÄ± DÄ±vme Parametrelerinin AA7075 AlÄ±4minyum AlaÄ±Ä±mÄ±n YÄ±4zey AltÄ± Ä±zelliklerine Etkileri. Gazi Ä±niversitesi Fen Bilimleri Dergisi, 0, , .	0.2	4