

List of Publications by Citations

Source: <https://exaly.com/author-pdf/394917/sam-beddar-publications-by-citations.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110 papers	3,180 citations	35 h-index	53 g-index
117 ext. papers	3,786 ext. citations	3.1 avg, IF	5.36 L-index

#	Paper	IF	Citations
110	Focal Radiation Therapy Dose Escalation Improves Overall Survival in Locally Advanced Pancreatic Cancer Patients Receiving Induction Chemotherapy and Consolidative Chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 755-65	4	194
109	In vivo dosimetry in external beam radiotherapy. <i>Medical Physics</i> , 2013 , 40, 070903	4.4	188
108	Retroperitoneal soft tissue sarcoma: an analysis of radiation and surgical treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 158-63	4	117
107	In vivo dosimetry in brachytherapy. <i>Medical Physics</i> , 2013 , 40, 070902	4.4	112
106	Spectral method for the correction of the Cerenkov light effect in plastic scintillation detectors: a comparison study of calibration procedures and validation in Cerenkov light-dominated situations. <i>Medical Physics</i> , 2011 , 38, 2140-50	4.4	93
105	Imaging of prompt gamma rays emitted during delivery of clinical proton beams with a Compton camera: feasibility studies for range verification. <i>Physics in Medicine and Biology</i> , 2015 , 60, 7085-99	3.8	82
104	Review of plastic and liquid scintillation dosimetry for photon, electron, and proton therapy. <i>Physics in Medicine and Biology</i> , 2016 , 61, R305-R343	3.8	75
103	Radiotherapy for hepatocellular carcinoma: an overview. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1015-24	3.1	70
102	Proton radiotherapy for liver tumors: dosimetric advantages over photon plans. <i>Medical Dosimetry</i> , 2008 , 33, 259-67	1.3	69
101	Duodenal toxicity after fractionated chemoradiation for unresectable pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, e143-9	4	68
100	Toward a real-time in vivo dosimetry system using plastic scintillation detectors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 280-7	4	68
99	A comparative study of small field total scatter factors and dose profiles using plastic scintillation detectors and other stereotactic dosimeters: the case of the CyberKnife. <i>Medical Physics</i> , 2013 , 40, 0117-24	4.4	67
98	On the nature of the light produced within PMMA optical light guides in scintillation fiber-optic dosimetry. <i>Physics in Medicine and Biology</i> , 2013 , 58, 2073-84	3.8	66
97	A phantom study of an in vivo dosimetry system using plastic scintillation detectors for real-time verification of ¹⁹² Ir HDR brachytherapy. <i>Medical Physics</i> , 2011 , 38, 2542-51	4.4	66
96	Variation of kQ _{clin} , Q _{msr} (f _{clin} , f _{msr}) for the small-field dosimetric parameters percentage depth dose, tissue-maximum ratio, and off-axis ratio. <i>Medical Physics</i> , 2014 , 41, 101708	4.4	65
95	Intensity modulated radiation therapy (IMRT): differences in target volumes and improvement in clinically relevant doses to small bowel in rectal carcinoma. <i>Radiation Oncology</i> , 2011 , 6, 63	4.2	63
94	Exploration of the potential of liquid scintillators for real-time 3D dosimetry of intensity modulated proton beams. <i>Medical Physics</i> , 2009 , 36, 1736-43	4.4	63

93	Does Unintentional Splenic Radiation Predict Outcomes After Pancreatic Cancer Radiation Therapy?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 323-332	4	55
92	Radioimmunoguided imaging of prostate cancer foci with histopathological correlation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 1281-6	4	55
91	Measurement of characteristic prompt gamma rays emitted from oxygen and carbon in tissue-equivalent samples during proton beam irradiation. <i>Physics in Medicine and Biology</i> , 2013 , 58, 5821-31	3.8	53
90	Dosimetric performance and array assessment of plastic scintillation detectors for stereotactic radiosurgery quality assurance. <i>Medical Physics</i> , 2012 , 39, 429-36	4.4	53
89	Evaluation of a stochastic reconstruction algorithm for use in Compton camera imaging and beam range verification from secondary gamma emission during proton therapy. <i>Physics in Medicine and Biology</i> , 2012 , 57, 3537-53	3.8	52
88	Characterizing the response of miniature scintillation detectors when irradiated with proton beams. <i>Physics in Medicine and Biology</i> , 2008 , 53, 1865-76	3.8	52
87	Temperature dependence of BCF plastic scintillation detectors. <i>Physics in Medicine and Biology</i> , 2013 , 58, 2955-67	3.8	50
86	In vivo dosimetry: trends and prospects for brachytherapy. <i>British Journal of Radiology</i> , 2014 , 87, 20140206	3.4	48
85	A new water-equivalent 2D plastic scintillation detectors array for the dosimetry of megavoltage energy photon beams in radiation therapy. <i>Medical Physics</i> , 2011 , 38, 6763-74	4.4	48
84	Dose escalation with proton or photon radiation treatment for pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2009 , 92, 238-43	5.3	47
83	Verification of proton range, position, and intensity in IMPT with a 3D liquid scintillator detector system. <i>Medical Physics</i> , 2012 , 39, 1239-46	4.4	45
82	Quenching correction for volumetric scintillation dosimetry of proton beams. <i>Physics in Medicine and Biology</i> , 2013 , 58, 261-73	3.8	42
81	Technical note: removing the stem effect when performing Ir-192 HDR brachytherapy in vivo dosimetry using plastic scintillation detectors: a relevant and necessary step. <i>Medical Physics</i> , 2011 , 38, 2176-9	4.4	40
80	Real-time in vivo rectal wall dosimetry using plastic scintillation detectors for patients with prostate cancer. <i>Physics in Medicine and Biology</i> , 2014 , 59, 647-60	3.8	38
79	Validating plastic scintillation detectors for photon dosimetry in the radiologic energy range. <i>Medical Physics</i> , 2012 , 39, 5308-16	4.4	38
78	Transient noise characterization and filtration in CCD cameras exposed to stray radiation from a medical linear accelerator. <i>Medical Physics</i> , 2008 , 35, 4342-51	4.4	38
77	Four-year biochemical outcome after radioimmunoguided transperineal brachytherapy for patients with prostate adenocarcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 57, 362-70	4	37
76	Material efficiency studies for a Compton camera designed to measure characteristic prompt gamma rays emitted during proton beam radiotherapy. <i>Physics in Medicine and Biology</i> , 2011 , 56, 3047-59	3.8	36

75	Liquid scintillator for 2D dosimetry for high-energy photon beams. <i>Medical Physics</i> , 2009 , 36, 1478-85	4.4	35
74	Intraoperative radiation therapy for locally advanced primary and recurrent colorectal cancer: ten-year institutional experience. <i>Journal of Surgical Oncology</i> , 2014 , 109, 652-8	2.8	34
73	Optical artefact characterization and correction in volumetric scintillation dosimetry. <i>Physics in Medicine and Biology</i> , 2014 , 59, 23-42	3.8	32
72	Development of a novel multi-point plastic scintillation detector with a single optical transmission line for radiation dose measurement. <i>Physics in Medicine and Biology</i> , 2012 , 57, 7147-59	3.8	32
71	A mathematical formalism for hyperspectral, multipoint plastic scintillation detectors. <i>Physics in Medicine and Biology</i> , 2012 , 57, 7133-45	3.8	31
70	Study of the response of plastic scintillation detectors in small-field 6 MV photon beams by Monte Carlo simulations. <i>Medical Physics</i> , 2011 , 38, 1596-9	4.4	30
69	On the use of a single-fiber multipoint plastic scintillation detector for ¹⁹² Ir high-dose-rate brachytherapy. <i>Medical Physics</i> , 2013 , 40, 062101	4.4	29
68	On possible temperature dependence of plastic scintillator response. <i>Medical Physics</i> , 2012 , 39, 6522	4.4	29
67	Detecting prompt gamma emission during proton therapy: the effects of detector size and distance from the patient. <i>Physics in Medicine and Biology</i> , 2014 , 59, 2325-40	3.8	27
66	Novel, full 3D scintillation dosimetry using a static plenoptic camera. <i>Medical Physics</i> , 2014 , 41, 082101	4.4	25
65	Proton beam therapy outcomes for localized unresectable hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2019 , 133, 54-61	5.3	23
64	Reproducibility and genital sparing with a vaginal dilator used for female anal cancer patients. <i>Radiotherapy and Oncology</i> , 2012 , 104, 161-6	5.3	21
63	A systematic characterization of the low-energy photon response of plastic scintillation detectors. <i>Physics in Medicine and Biology</i> , 2016 , 61, 5569-86	3.8	20
62	In-phantom dose verification of prostate IMRT and VMAT deliveries using plastic scintillation detectors. <i>Radiation Measurements</i> , 2012 , 47, 921-929	1.5	20
61	4D MR imaging using robust internal respiratory signal. <i>Physics in Medicine and Biology</i> , 2016 , 61, 3472-83	3.8	19
60	Performance characterization of a 3D liquid scintillation detector for discrete spot scanning proton beam systems. <i>Physics in Medicine and Biology</i> , 2017 , 62, 5652-5667	3.8	18
59	The effects of Doppler broadening and detector resolution on the performance of three-stage Compton cameras. <i>Medical Physics</i> , 2013 , 40, 012402	4.4	18
58	dosimetry in brachytherapy: Requirements and future directions for research, development, and clinical practice. <i>Physics and Imaging in Radiation Oncology</i> , 2020 , 16, 1-11	3.1	18

57	In vivo dosimetry in external beam photon radiotherapy: Requirements and future directions for research, development, and clinical practice. <i>Physics and Imaging in Radiation Oncology</i> , 2020 , 15, 108-116	3.1	17
56	Optimization of a multipoint plastic scintillator dosimeter for high dose rate brachytherapy. <i>Medical Physics</i> , 2019 , 46, 2412-2421	4.4	16
55	Respiratory gating with EPID-based verification: the MDACC experience. <i>Physics in Medicine and Biology</i> , 2009 , 54, 3379-91	3.8	16
54	Inorganic scintillation detectors based on Eu-activated phosphors for Ir brachytherapy. <i>Physics in Medicine and Biology</i> , 2017 , 62, 5046-5075	3.8	15
53	Effect of Magnetic Field Strength on Plastic Scintillation Detector Response. <i>Radiation Measurements</i> , 2018 , 116, 10-13	1.5	15
52	A real-time method to simultaneously measure linear energy transfer and dose for proton therapy using organic scintillators. <i>Medical Physics</i> , 2018 , 45, 1782-1789	4.4	14
51	A methodology to investigate the impact of image distortions on the radiation dose when using magnetic resonance images for planning. <i>Physics in Medicine and Biology</i> , 2018 , 63, 085005	3.8	14
50	Systematic evaluation of photodetector performance for plastic scintillation dosimetry. <i>Medical Physics</i> , 2015 , 42, 6211-20	4.4	14
49	3D reconstruction of scintillation light emission from proton pencil beams using limited viewing angles-a simulation study. <i>Physics in Medicine and Biology</i> , 2014 , 59, 4477-92	3.8	14
48	Determination of prospective displacement-based gate threshold for respiratory-gated radiation delivery from retrospective phase-based gate threshold selected at 4D CT simulation. <i>Medical Physics</i> , 2007 , 34, 4247-55	4.4	14
47	Dose escalation for locally advanced pancreatic cancer: How high can we go?. <i>Advances in Radiation Oncology</i> , 2018 , 3, 693-700	3.3	14
46	Preliminary evaluation of the dosimetric accuracy of the in vivo plastic scintillation detector OARtrac system for prostate cancer treatments. <i>Physics in Medicine and Biology</i> , 2014 , 59, N27-36	3.8	13
45	Performance assessment of a 2D array of plastic scintillation detectors for IMRT quality assurance. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4439-54	3.8	12
44	Feasibility Studies of a New Event Selection Method to Improve Spatial Resolution of Compton Imaging for Medical Applications. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2017 , 1, 358-367	4.2	11
43	A method to correct for temperature dependence and measure simultaneously dose and temperature using a plastic scintillation detector. <i>Physics in Medicine and Biology</i> , 2015 , 60, 7927-39	3.8	11
42	Inorganic scintillation detectors for Ir brachytherapy. <i>Physics in Medicine and Biology</i> , 2019 , 64, 225018	3.8	9
41	Evaluation of the Visibility and Artifacts of 11 Common Fiducial Markers for Image Guided Stereotactic Body Radiation Therapy in the Abdomen. <i>Practical Radiation Oncology</i> , 2020 , 10, 434-442	2.8	9
40	Fast range measurement of spot scanning proton beams using a volumetric liquid scintillator detector. <i>Biomedical Physics and Engineering Express</i> , 2015 , 1,	1.5	9

39	Ruby-based inorganic scintillation detectors for Ir brachytherapy. <i>Physics in Medicine and Biology</i> , 2016 , 61, 7744-7764	3.8	9
38	Validation of plastic scintillation detectors for applications in low-dose-rate brachytherapy. <i>Brachytherapy</i> , 2017 , 16, 903-909	2.4	8
37	Passively scattered proton beam entrance dosimetry with a plastic scintillation detector. <i>Physics in Medicine and Biology</i> , 2015 , 60, 1185-98	3.8	8
36	Dosimetric performance of a multipoint plastic scintillator dosimeter as a tool for real-time source tracking in high dose rate Ir brachytherapy. <i>Medical Physics</i> , 2020 , 47, 4477-4490	4.4	8
35	Comparative analysis of volumetric modulated arc therapy versus intensity modulated radiation therapy for radiotherapy of anal carcinoma. <i>Practical Radiation Oncology</i> , 2011 , 1, 163-72	2.8	7
34	Quality assurance for Gamma Knife Perfexion using the Exradin W1 plastic scintillation detector and Lucy phantom. <i>Physics in Medicine and Biology</i> , 2019 , 64, 225007	3.8	6
33	Computational model for detector timing effects in Compton-camera based prompt-gamma imaging for proton radiotherapy. <i>Physics in Medicine and Biology</i> , 2020 , 65, 125004	3.8	6
32	Exradin W1 plastic scintillation detector for in vivo skin dosimetry in passive scattering proton therapy. <i>Physica Medica</i> , 2018 , 47, 58-63	2.7	6
31	A proton imaging system using a volumetric liquid scintillator: a preliminary study. <i>Biomedical Physics and Engineering Express</i> , 2019 , 5,	1.5	6
30	Assessment of setup uncertainty in hypofractionated liver radiation therapy with a breath-hold technique using automatic image registration-based image guidance. <i>Radiation Oncology</i> , 2019 , 14, 154	4.2	5
29	Internal respiratory surrogate in multislice 4D CT using a combination of Fourier transform and anatomical features. <i>Medical Physics</i> , 2015 , 42, 4338-48	4.4	5
28	Calculations and measurements of the scintillator-to-water stopping power ratio of liquid scintillators for use in proton radiotherapy. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2015 , 776, 15-20	1.2	5
27	Determination of the Range and Spread-Out Bragg Peak Width of Proton Beams Using a Large-Volume Liquid Scintillator. <i>International Journal of Particle Therapy</i> , 2017 , 4, 1-6	1.5	5
26	From multisource data to clinical decision aids in radiation oncology: The need for a clinical data science community. <i>Radiotherapy and Oncology</i> , 2020 , 153, 43-54	5.3	5
25	Stereotactic Versus Conventional Radiation Therapy for Patients With Pancreatic Cancer in the Modern Era.. <i>Advances in Radiation Oncology</i> , 2021 , 6, 100763	3.3	5
24	Measuring Prompt Gamma Ray Emission During Proton Radiotherapy For Assessment Of Treatment Delivery And Patient Response 2011 ,		4
23	A novel imaging scheme for optical cameras used in a quality assurance detector for discrete spot scanning proton beam systems. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 939, 16-21	1.2	3
22	Ionization quenching correction for a 3D scintillator detector exposed to scanning proton beams. <i>Physics in Medicine and Biology</i> , 2020 , 65, 075005	3.8	3

21	High-dose-rate remote afterloaders for intraoperative radiation therapy. <i>AORN Journal</i> , 2007 , 86, 827-36; quiz 837-40	0.6	3
20	Enhancement pattern mapping technique for improving contrast-to-noise ratios and detectability of hepatobiliary tumors on multiphase computed tomography. <i>Medical Physics</i> , 2020 , 47, 64-74	4.4	3
19	Proton dose perturbations caused by high-voltage leads from implanted cardioverter defibrillators. <i>Journal of Applied Clinical Medical Physics</i> , 2012 , 13, 3813	2.3	2
18	Effectively Conducting Oncology Clinical Trials During the COVID-19 Pandemic. <i>Advances in Radiation Oncology</i> , 2021 , 6, 100676	3.3	2
17	Image quality evaluation of projection- and depth dose-based approaches to integrating proton radiography using a monolithic scintillator detector. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	2
16	3D source tracking and error detection in HDR using two independent scintillator dosimetry systems. <i>Medical Physics</i> , 2021 , 48, 2095-2107	4.4	2
15	A high-Z inorganic scintillator-based detector for time-resolved in vivo dosimetry during brachytherapy. <i>Medical Physics</i> , 2021 , 48, 7382-7398	4.4	2
14	Characterization of a fiber-taper charge-coupled device system for plastic scintillation dosimetry and comparison with the traditional lens system. <i>Radiation Measurements</i> , 2015 , 73, 60-68	1.5	1
13	Study of the Angular Dependence of a Prompt Gamma Detector Response during Proton Radiation Therapy. <i>International Journal of Particle Therapy</i> , 2014 , 1, 731-744	1.5	1
12	Secondary Particle Interactions in a Compton Camera Designed for Range Verification of Proton Therapy. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2021 , 5, 383-391	4.2	1
11	Recent Advances and Clinical Applications of Plastic Scintillators in the Field of Radiation Therapy. <i>Topics in Applied Physics</i> , 2021 , 425-460	0.5	1
10	Dosimetric Uncertainties Resulting From Interfractional Anatomic Variations for Patients Receiving Pancreas Stereotactic Body Radiation Therapy and Cone Beam Computed Tomography Image Guidance. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 1298-1309	4	1
9	A novel proton-integrating radiography system design using a monolithic scintillator detector: experimental studies.. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2022 , 1027, 166077-166077	1.2	0
8	On the use of machine learning methods for mPSD calibration in HDR brachytherapy. <i>Physica Medica</i> , 2021 , 91, 73-79	2.7	0
7	. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2021 , 1-1	4.2	0
6	From conception to clinical trial: IVIST, the first multi-sensor-based platform for real-time In Vivo Source Tracking in HDR brachytherapy. <i>Journal of Physics: Conference Series</i> , 2022 , 2167, 012024	0.3	
5	Plastic scintillation detectors: Basic properties. <i>Imaging in Medical Diagnosis and Therapy</i> , 2016 , 53-72		
4	Quenching of scintillation light. <i>Imaging in Medical Diagnosis and Therapy</i> , 2016 , 21-36		

- 3 3D liquid scintillation dosimetry for photons and protons. *Imaging in Medical Diagnosis and Therapy*, **2016**, 271-289
- 2 In vivo dosimetry I: External beam radiation therapy. *Imaging in Medical Diagnosis and Therapy*, **2016**, 135-151
- 1 Reply to Comment on Tmaging of prompt gamma rays emitted during delivery of clinical proton beams with a Compton camera: feasibility studies for range verificationT *Physics in Medicine and Biology*, **2016**, 61, 8945-8946 3.8