

Giovanna Palazzino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3949397/publications.pdf>

Version: 2024-02-01

36

papers

781

citations

430843

18

h-index

526264

27

g-index

45

all docs

45

docs citations

45

times ranked

872

citing authors

#	ARTICLE	IF	CITATIONS
1	Henna through the centuries: a quick HPTLC analysis proposal to check henna identity. Revista Brasileira De Farmacognosia, 2014, 24, 133-140.	1.4	21
2	Bearberry identification by a multidisciplinary study on commercial raw materials. Natural Product Research, 2013, 27, 735-742.	1.8	12
3	Traceability in multi-ingredient botanicals by HPTLC fingerprint approach. Journal of Planar Chromatography - Modern TLC, 2013, 26, 243-247.	1.2	24
4	The Modern Analytical Determination of Botanicals and Similar Novel Natural Products by the HPTLC Fingerprint Approach. Studies in Natural Products Chemistry, 2012, 37, 217-258.	1.8	28
5	New cholinesterase inhibiting bisbenzylisoquinoline alkaloids from <i>Abuta grandifolia</i> . FÃ¬toterapÃ–, 2012, 83, 476-480.	2.2	24
6	Chemical fingerprinting of <i>Equisetum arvense</i> L. using HPTLC densitometry and HPLC. Natural Product Research, 2011, 25, 1261-1270.	1.8	29
7	Polyketides from <i>Eleutherine bulbosa</i> . Natural Product Research, 2010, 24, 1578-1586.	1.8	14
8	Plants and parts of plants used in food supplements: an approach to their safety assessments. Annali Dell'Istituto Superiore Di Sanita, 2010, 46, 370-88.	0.4	15
9	Easy DNA extraction for rapid detection of <i>Panax ginseng</i> C. A. Meyer in commercial ginseng products. Natural Product Research, 2007, 21, 1099-1103.	1.8	10
10	Oligomeric secoiridoid glucosides from <i>Jasminum abyssinicum</i> . Phytochemistry, 2006, 67, 504-510.	2.9	8
11	Bronchodilator activity of <i>Phymatodes scolopendria</i> (Burm.) Ching and its bioactive constituent. Journal of Ethnopharmacology, 2005, 102, 400-407.	4.1	29
12	Prenylated isoflavonoids from <i>Millettia pervilleana</i> . Phytochemistry, 2003, 63, 471-474.	2.9	30
13	The co-occurrence of C(3) epimer N b ,C(21)-secocurran alkaloids in <i>Strychnos diplotricha</i> and <i>Strychnos myrtoides</i> . Phytochemistry, 2001, 56, 863-867.	2.9	12
14	Studies on vasoconstrictor activity of <i>Curculigo pilosa</i> extracts and of its isolated compounds. II Farmaco, 2001, 56, 353-356.	0.9	8
15	7-Epimer oxindole alkaloids of <i>Cabucala cryptophlebia</i> : their 13C-NMR and CD data. FÃ¬toterapÃ–, 2001, 72, 588-590.	2.2	3
16	Antiplasmodial Activity of the Alkaloids of <i>Peschiera fuchsiaefolia</i> . Planta Medica, 2001, 66, 93-95.	1.3	48
17	Benzylbenzoate and norlignan glucosides from <i>Curculigo pilosa</i> : structural analysis and in vitro vascular activity. Phytochemistry, 2000, 55, 411-417.	2.9	37
18	Minor Nb,C(21)-secocurran alkaloids of <i>Strychnos myrtoides</i> . Phytochemistry, 1999, 51, 479-486.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Alkaloids of <i>Hernandia voyronii</i> : Chloroquine-Potentiating Activity and Structure Elucidation of Herveline D. <i>Planta Medica</i> , 1998, 64, 58-62.	1.3	34
20	Two prenylated isoflavanones from <i>Millettia pervilleana</i> . <i>Phytochemistry</i> , 1997, 45, 189-192.	2.9	36
21	Iridoid glucosides from <i>Viburnum ayacacense</i> . <i>Phytochemistry</i> , 1997, 46, 901-905.	2.9	22
22	Olinioside, 5-(4-O- β -D-glucopyranosyl)-caffeoxyloxy-5,6-dihydro-4-methyl-(2H)-pyran-2-one from <i>Olinia usambarensis</i> . <i>Phytochemistry</i> , 1993, 33, 1493-1496.	2.9	12
23	Research on African medicinal plants. XXVII. Interjectin a derivative of nyasicoside from and. <i>Tetrahedron</i> , 1991, 47, 6717-6724.	1.9	10
24	Tricyclic heteroaromatic systems. 1,2,3,4-tetrahydropyrazolo[4,3-c][1]benzazepin-1-ones as potential antitumor agents. <i>Journal of Heterocyclic Chemistry</i> , 1989, 26, 71-75.	2.6	4
25	Tricyclic Heteroaromatic Systems: Synthesis, [3H]-Flunitrazepam Brain Membrane Binding Inhibition, and Structure-Activity Relationships of 2,3-Dihydro-2-aryl-4-R-[1]benzopyrano[4,3-c]pyrazole-3-ones. <i>Journal of Pharmaceutical Sciences</i> , 1989, 78, 239-242.	3.3	19
26	Synthesis of 1,5-Diaryl-3-methyl-1 H-pyrazolo[4,5-c]isoquinolines and Studies of Binding to Specific Peripheral Benzodiazepine Binding Sites. <i>Journal of Pharmaceutical Sciences</i> , 1989, 78, 437-442.	3.3	12
27	Tricyclic heterocyclic systems: Pyrazolo[5 α ,4 β :4,5] and pyrazolo[3 α ,4 β :4,5]pyrano[2,3- <i>b</i>]pyridine derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1988, 25, 1367-1371.	2.6	4
28	Additions and Corrections-Synthesis, Binding Studies, and Structure-Activity Relationships of 1-Aryl- and 2-Aryl[1]benzopyranopyrazol-4-ones, Central Benzodiazepine Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 1988, 31, 700-700.	6.4	1
29	EEG spectral analysis after minor head injury in man. <i>Electroencephalography and Clinical Neurophysiology</i> , 1988, 70, 185-189.	0.3	111
30	Synthesis, binding studies, and structure activity relationships of 1-aryl- and 2-aryl[1]benzopyranopyrazol-4-ones, central benzodiazepine receptor ligands. <i>Journal of Medicinal Chemistry</i> , 1988, 31, 1-3.	6.4	30
31	The correct synthesis of 2,3-dihydro-2-aryl-4-R-[1]benzopyrano[4,3-c]pyrazole-3-ones.. <i>Tetrahedron Letters</i> , 1987, 28, 5165-5168.	1.4	24
32	1,3-Diarylpyrazolo[4,5-c]- and -[5,4-c]quinolin-4-ones. 4. Synthesis and specific inhibition of benzodiazepine receptor binding. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 1737-1742.	6.4	39
33	Pyrazolo[4,5-c]quinolines. Synthesis and specific inhibition of benzodiazepine receptor binding. <i>Journal of Medicinal Chemistry</i> , 1986, 29, 291-295.	6.4	26
34	Pyrazolo[4, 5-c]quinolines. 3. Synthesis, Receptor Binding, and ^{13}C NMR Study. <i>Journal of Pharmaceutical Sciences</i> , 1986, 75, 1175-1179.	3.3	11
35	Synthesis of pyrazolo[4,5- <i>d</i>]- and pyrazolo[4,5- <i>c</i>][1]benzazepine derivatives. IV. <i>Journal of Heterocyclic Chemistry</i> , 1986, 23, 173-176.	2.6	6
36	Synthesis and ^{13}C -NMR study of pyrazolo[4,5-c] and pyrazolo[4,3-c]benzazepines. III. <i>Journal of Heterocyclic Chemistry</i> , 1985, 22, 1109-1112.	2.6	9