

Abdullah Al Amin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3949521/publications.pdf>

Version: 2024-02-01

11
papers

230
citations

1307594

7
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

257
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanical properties of stanene under uniaxial and biaxial loading: A molecular dynamics study. Journal of Applied Physics, 2015, 118, .	2.5	55
2	Conceptual designs of conduction cooled MgB ₂ magnets for 1.5 and 3.0 T full body MRI systems. Superconductor Science and Technology, 2017, 30, 043002.	3.5	51
3	Computational homogenization of the elastic and thermal properties of superconducting composite MgB ₂ wire. Composite Structures, 2018, 188, 313-329.	5.8	31
4	Mechanical and vibrational characteristics of functionally graded Cu@Ni nanowire: A molecular dynamics study. Composites Part B: Engineering, 2020, 198, 108212.	12.0	30
5	A multiscale and multiphysics model of strain development in a 1.5 T MRI magnet designed with 36 filament composite MgB ₂ superconducting wire. Superconductor Science and Technology, 2016, 29, 055008.	3.5	21
6	Numerical simulation of quench protection for a 1.5 T persistent mode MgB ₂ conduction-cooled MRI magnet. Superconductor Science and Technology, 2017, 30, 025021.	3.5	14
7	Soft microgripping using ionic liquids for high temperature and vacuum applications. Journal of Micromechanics and Microengineering, 2011, 21, 125025.	2.6	9
8	Mechanical Analysis of MgB ₂ Based Full Body MRI Coils Under Different Winding Conditions. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.7	8
9	Unveiling the structures and electronic properties of CH ₃ NH ₃ PbI ₃ interfaces with TiO ₂ , ZnO, and SnO ₂ : a first-principles study. Journal of Materials Science, 2019, 54, 13594-13608.	3.7	5
10	Mechanical analysis of an MgB ₂ 1.5 T MRI main magnet protected using Coupling Loss Induced Quench. Cryogenics, 2019, 100, 18-27.	1.7	4
11	A Computational Study to Find an Optimal RRR Value for a 1.5-T Persistent-Mode Conduction-Cooled MgB ₂ MRI Magnet From a Quench Protection Point of View. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-6.	1.7	2