

Andreas Harloff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3952960/publications.pdf>

Version: 2024-02-01

55
papers

2,233
citations

304743

22
h-index

223800

46
g-index

57
all docs

57
docs citations

57
times ranked

2907
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Pulse Wave Velocity on Atherosclerosis and Blood Flow Reversal in the Aorta. <i>Journal of Thoracic Imaging</i> , 2022, 37, 42-48.	1.5	2
2	Bubble Test and Carotid Ultrasound to Guide Indication of Transesophageal Echocardiography in Young Patients With Stroke. <i>Frontiers in Neurology</i> , 2022, 13, 836609.	2.4	0
3	Complicated Carotid Artery Plaques and Risk of Recurrent Ischemic Stroke or TIA. <i>Journal of the American College of Cardiology</i> , 2022, 79, 2189-2199.	2.8	20
4	Genetically predicted on-statin LDL response is associated with higher intracerebral haemorrhage risk. <i>Brain</i> , 2022, 145, 2677-2686.	7.6	15
5	Dural Arteriovenous Fistula Formation Secondary to Cerebral Venous Thrombosis: Longitudinal Magnetic Resonance Imaging Assessment Using 4D-Combo-MR-Venography. <i>Thrombosis and Haemostasis</i> , 2021, 121, 1345-1352.	3.4	8
6	Carotid Geometry and Wall Shear Stress Independently Predict Increased Wall Thickness—A Longitudinal 3D MRI Study in High-Risk Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 723860.	2.4	5
7	Hemodynamics of cerebral veins analyzed by 2d and 4d flow mri and ultrasound in healthy volunteers and patients with multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 205-217.	3.4	10
8	Complicated Carotid Artery Plaques as a Cause of Cryptogenic Stroke. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2212-2222.	2.8	64
9	Carotid geometry is an independent predictor of wall thickness — a 3D cardiovascular magnetic resonance study in patients with high cardiovascular risk. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 67.	3.3	18
10	Who Should Rather Undergo Transesophageal Echocardiography to Determine Stroke Etiology: Young or Elderly Stroke Patients?. <i>Frontiers in Neurology</i> , 2020, 11, 588151.	2.4	4
11	Acute Stroke in Times of the COVID-19 Pandemic. <i>Stroke</i> , 2020, 51, 2224-2227.	2.0	154
12	Optic Nerve Head Volumetry by Optical Coherence Tomography in Papilledema Related to Idiopathic Intracranial Hypertension. <i>Translational Vision Science and Technology</i> , 2020, 9, 24.	2.2	10
13	Antagonizing dabigatran by idarucizumab in cases of ischemic stroke or intracranial hemorrhage in Germany—Updated series of 120 cases. <i>International Journal of Stroke</i> , 2020, 15, 609-618.	5.9	54
14	Outcome of Near-Infrared Spectroscopy—Guided Selective Shunting During Carotid Endarterectomy in General Anesthesia. <i>Annals of Vascular Surgery</i> , 2019, 61, 170-177.	0.9	18
15	Comparing Subjects with Reference Populations - A Visualization Toolkit for the Analysis of Aortic Anatomy and Pressure Distribution. <i>Lecture Notes in Computer Science</i> , 2019, , 370-378.	1.3	0
16	Retrograde aortic blood flow as a mechanism of stroke: MR evaluation of the prevalence in a population-based study. <i>European Radiology</i> , 2019, 29, 5172-5179.	4.5	13
17	Reversal of dabigatran using idarucizumab: single center experience in four acute stroke patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2018, 46, 12-15.	2.1	9
18	Measurement of cardiac valve and aortic blood flow velocities in stroke patients: a comparison of 4D flow MRI and echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 939-946.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Quantification of aortic stiffness in stroke patients using 4D flow MRI in comparison with transesophageal echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1629-1636.	1.5	9
20	Age-related changes of right atrial morphology and inflow pattern assessed using 4D flow cardiovascular magnetic resonance: results of a population-based study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 38.	3.3	18
21	Determination of aortic stiffness using 4D flow cardiovascular magnetic resonance - a population-based study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 43.	3.3	39
22	Image-based assessment of uncertainty in quantification of carotid lumen. <i>Journal of Medical Imaging</i> , 2018, 5, 1.	1.5	2
23	Multi-contrast and three-dimensional assessment of the aortic wall using 3 T MRI. <i>European Journal of Radiology</i> , 2017, 91, 148-154.	2.6	11
24	Aortic Atherosclerosis Determines Increased Retrograde Blood Flow as a Potential Mechanism of Retrograde Embolic Stroke. <i>Cerebrovascular Diseases</i> , 2017, 43, 132-138.	1.7	13
25	Aortic atheroma as a source of stroke – assessment of embolization risk using 3D CMR in stroke patients and controls. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 19, 67.	3.3	33
26	Age dependence of pulmonary artery blood flow measured by 4D flow cardiovascular magnetic resonance: results of a population-based study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 31.	3.3	25
27	Quantification of Retrograde Blood Flow in the Descending Aorta Using Transesophageal Echocardiography in Comparison to 4D Flow MRI. <i>Cerebrovascular Diseases</i> , 2015, 39, 287-292.	1.7	4
28	The Great Imitator – Still Today! A Case of Meningovascular Syphilis Affecting the Posterior Circulation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, e1-e3.	1.6	19
29	In vivo analysis of physiological 3D blood flow of cerebral veins. <i>European Radiology</i> , 2015, 25, 2371-2380.	4.5	41
30	Prevalence of Potential Retrograde Embolization Pathways in the Proximal Descending Aorta in Stroke Patients and Controls. <i>Cerebrovascular Diseases</i> , 2014, 38, 410-417.	1.7	25
31	Letter by Wehrum and Harloff Regarding Article, “Complex Atheromatous Plaques in the Descending Aorta and the Risk of Stroke: A Systematic Review and Meta-Analysis” <i>Stroke</i> , 2014, 45, e169.	2.0	4
32	Safe intravenous thrombolysis in acute stroke despite treatment with rivaroxaban. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 2012-2013.	1.5	9
33	Accelerated analysis of three-dimensional blood flow of the thoracic aorta in stroke patients. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1571-1577.	1.5	17
34	Co-registration of the distribution of wall shear stress and 140 complex plaques of the aorta. <i>Magnetic Resonance Imaging</i> , 2013, 31, 1156-1162.	1.8	28
35	Carotid Plaque Hemodynamics. <i>Interventional Neurology</i> , 2012, 1, 44-54.	1.8	13
36	In vivo wall shear stress patterns in carotid bifurcations assessed by 4D MRI. <i>Perspectives in Medicine</i> , 2012, 1, 137-138.	0.3	0

#	ARTICLE	IF	CITATIONS
37	Analysis of pulse wave velocity in the thoracic aorta by flow-sensitive four-dimensional MRI: Reproducibility and correlation with characteristics in patients with aortic atherosclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 1162-1168.	3.4	59
38	3D MRI provides improved visualization and detection of aortic arch plaques compared to transesophageal echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 604-611.	3.4	18
39	Flow-sensitive 4D MRI of the thoracic aorta: Comparison of image quality, quantitative flow, and wall parameters at 1.5 T and 3 T. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1097-1103.	3.4	52
40	Beyond clinical guidelines: highly effective intravenous thrombolysis therapy in a 104-year-old patient with severe acute ischemic stroke. <i>Journal of Neurology</i> , 2012, 259, 377-378.	3.6	1
41	Probabilistic 4D blood flow tracking and uncertainty estimation. <i>Medical Image Analysis</i> , 2011, 15, 720-728.	11.6	24
42	Reproducibility of flow and wall shear stress analysis using flow-sensitive four-dimensional MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 988-994.	3.4	144
43	Letter by Markl and Harloff Regarding Article, "Left Propensity and Lesion Patterns Between Cardiogenic and Aortogenic Cerebral Embolisms", <i>Stroke</i> , 2011, 42, e562.	2.0	1
44	Estimation of global aortic pulse wave velocity by flow-sensitive 4D MRI. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1575-1582.	3.0	101
45	In vivo assessment of wall shear stress in the atherosclerotic aorta using flow-sensitive 4D MRI. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1529-1536.	3.0	108
46	Letter by Markl and Harloff Regarding Article, "Aortic Arch Plaques and Risk of Recurrent Stroke and Death", <i>Circulation</i> , 2010, 121, e11; author reply e12.	1.6	1
47	Complex Plaques in the Proximal Descending Aorta. <i>Stroke</i> , 2010, 41, 1145-1150.	2.0	138
48	In Vivo Wall Shear Stress Distribution in the Carotid Artery. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 647-655.	2.6	181
49	Probabilistic 4D Blood Flow Mapping. <i>Lecture Notes in Computer Science</i> , 2010, 13, 416-423.	1.3	11
50	Carotid intima-media thickness and distensibility measured by MRI at 3T versus high-resolution ultrasound. <i>European Radiology</i> , 2009, 19, 1470-1479.	4.5	27
51	Retrograde Embolism From the Descending Aorta. <i>Stroke</i> , 2009, 40, 1505-1508.	2.0	70
52	Time-resolved 3D MR velocity mapping at 3T: Improved navigator-gated assessment of vascular anatomy and blood flow. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 824-831.	3.4	363
53	Plaques in the descending aorta: A new risk factor for stroke? Visualization of potential embolization pathways by 4D MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1651-1655.	3.4	31
54	Therapeutic Strategies After Examination by Transesophageal Echocardiography in 503 Patients With Ischemic Stroke. <i>Stroke</i> , 2006, 37, 859-864.	2.0	128

#	ARTICLE	IF	CITATIONS
55	Combined Measurement of Carotid Stiffness and Intima-Media Thickness Improves Prediction of Complex Aortic Plaques in Patients With Ischemic Stroke. <i>Stroke</i> , 2006, 37, 2708-2712.	2.0	49