

# Keun Young Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3953773/publications.pdf>

Version: 2024-02-01

51  
papers

598  
citations

623574

14  
h-index

713332

21  
g-index

53  
all docs

53  
docs citations

53  
times ranked

873  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Flow diverter for the treatment of large (>10mm) vertebral artery dissecting aneurysms. Acta Neurochirurgica, 2022, 164, 1247-1254.   | 0.9 | 9         |
| 2  | Endovascular treatment for large (>10mm) basilar tip aneurysms: a retrospective case series. Acta Neurochirurgica, 2022, , 1.   | 0.9 | 0         |
| 3  | Predictors of Ventriculostomy-Associated Infections: A Retrospective Study of 243 Patients. World Neurosurgery, 2022, 160, e40-e48.   | 0.7 | 3         |
| 4  | Delays in Intracerebral Hemorrhage Management Is Associated with Hematoma Expansion and Worse Outcomes: Changes in COVID-19 Era. Yonsei Medical Journal, 2021, 62, 911.   | 0.9 | 5         |
| 5  | Formation, Growth, or Rupture of De Novo Intracranial Aneurysms: Long-Term Follow-up Study of Subarachnoid Hemorrhage Survivors. Neurosurgery, 2021, 89, 1104-1111.   | 0.6 | 3         |
| 6  | Scepter dual-lumen balloon catheter for Onyx embolization for dural arteriovenous fistula. BMC Neurology, 2021, 21, 31.   | 0.8 | 8         |
| 7  | Ruptured Infundibular dilatation of the posterior communicating artery. Acta Neurochirurgica, 2021, 163, 797-803.   | 0.9 | 3         |
| 8  | Recurrence and risk factors of posterior communicating artery aneurysms after endovascular treatment. Acta Neurochirurgica, 2021, 163, 2319-2326.   | 0.9 | 8         |
| 9  | Ticagrelor versus Clopidogrel in the Dual Antiplatelet Regimen for Intracranial Stenting or Flow-Diverter Treatment for Unruptured Cerebral Aneurysms: A Single-Center Cohort Study. American Journal of Neuroradiology, 2021, 42, 1638-1644. | 1.2 | 27        |
| 10 | Safety and Efficacy of Stent-Assisted Coiling of Unruptured Intracranial Aneurysms Using Low-Profile Stents in Small Parent Arteries. American Journal of Neuroradiology, 2021, 42, 1621-1626.  | 1.2 | 10        |
| 11 | Deep Learning-Based Software Improves Clinicians' Detection Sensitivity of Aneurysms on Brain TOF-MRA. American Journal of Neuroradiology, 2021, 42, 1769-1775.   | 1.2 | 9         |
| 12 | Comparative Analysis of Feasibility of the Retrograde Suction Decompression Technique for Microsurgical Treatment of Large and Giant Internal Carotid Artery Aneurysms. Journal of Korean Neurosurgical Society, 2021, 64, 740-750.           | 0.5 | 0         |
| 13 | Intraventricular hemorrhage clot clearance rate as an outcome predictor in patients with aneurysmal subarachnoid hemorrhage: A retrospective study. BMC Neurology, 2021, 21, 482.   | 0.8 | 4         |
| 14 | Proptosis as a Primary Symptom of Brain Arteriovenous Malformation. Ophthalmic Plastic and Reconstructive Surgery, 2020, 36, e53-e54.   | 0.4 | 0         |
| 15 | Recurrence and retreatment of anterior communicating artery aneurysms after endovascular treatment: a retrospective study. BMC Neurology, 2020, 20, 287.  | 0.8 | 10        |
| 16 | Gamma Knife Radiosurgery Followed by Flow-Reductive Embolization for Ruptured Arteriovenous Malformation. Journal of Clinical Medicine, 2020, 9, 1318.  | 1.0 | 9         |
| 17 | Microsurgical clipping of ruptured anterior choroidal artery aneurysms: Incidence of and risk factors for ischemic complications. Clinical Neurology and Neurosurgery, 2020, 195, 105884.   | 0.6 | 7         |
| 18 | Efficacy and Safety of Flow-Diverter Therapy for Recurrent Aneurysms after Stent-Assisted Coiling. American Journal of Neuroradiology, 2020, 41, 663-668.   | 1.2 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Usefulness of high-resolution three-dimensional proton density-weighted turbo spin-echo MRI in distinguishing a junctional dilatation from an intracranial aneurysm of the posterior communicating artery: a pilot study. <i>Journal of NeuroInterventional Surgery</i> , 2020, 12, 315-319. | 2.0 | 7         |

20 Clinical Features and Outcomes of Intracranial Aneurysm Associated with Moyamoya Disease. *Journal*

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Comparison Between Balloon-Assisted and Stent-Assisted Technique for Treatment of Unruptured Internal Carotid Artery Aneurysms. <i>Neurointervention</i> , 2016, 11, 99.                                       | 0.5 | 13        |
| 38 | Relationship between Two Types of Coil Packing Densities Relative to Aneurysm Size. <i>Journal of Neuroimaging</i> , 2015, 25, 415-419.  | 1.0 | 1         |
| 39 | Localization and Treatment of Unruptured Paraclinoid Aneurysms: A Proton Density MRI-based Study. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2015, 17, 180.                             | 0.2 | 5         |
| 40 | The Use of Magnetic Resonance Imaging in Predicting the Clinical Outcome of Spinal Arteriovenous Fistula. <i>Yonsei Medical Journal</i> , 2015, 56, 397.   | 0.9 | 17        |
| 41 | The Role of Endovascular Treatment for Ruptured Distal Anterior Cerebral Artery Aneurysms: Comparison with Microsurgical Clipping. <i>Journal of Neuroimaging</i> , 2015, 25, 81-86.                           | 1.0 | 19        |
| 42 | Microsurgical efficacy and safety of a right-hemispheric approach for unruptured anterior communicating artery aneurysms. <i>Clinical Neurology and Neurosurgery</i> , 2015, 137, 62-66.                       | 0.6 | 18        |
| 43 | Morphological parameters related to ruptured aneurysm in the patient with multiple cerebral aneurysms (clinical investigation). <i>Neurological Research</i> , 2014, 36, 1056-1062.                            | 0.6 | 17        |
| 44 | Incidence and Risk Factors for Diffusion-Weighted Imaging (+) Lesions After Intracranial Stenting and Its Relationship With Symptomatic Ischemic Complications. <i>Stroke</i> , 2014, 45, 3298-3303.           | 1.0 | 6         |
| 45 | Surgical outcomes after classifying Grade III arteriovenous malformations according to Lawton's modified Spetzler-Martin grading system. <i>Clinical Neurology and Neurosurgery</i> , 2014, 124, 72-80.        | 0.6 | 17        |
| 46 | Y-configuration double-stent-assisted coiling using two closed-cell stents for wide-neck basilar tip aneurysms. <i>Acta Neurochirurgica</i> , 2014, 156, 1677-1686.  | 0.9 | 32        |
| 47 | Coil embolization of overwide and undertall small intracranial aneurysms with double microcatheter technique. <i>Acta Neurochirurgica</i> , 2014, 156, 839-846.  | 0.9 | 16        |
| 48 | Response to letter, "Endovascular approaches for morphologically unfavorable intracranial aneurysms: adjunctive coiling techniques versus flow diversion". <i>Acta Neurochirurgica</i> , 2014, 156, 1703-1704. | 0.9 | 0         |
| 49 | Incidence of embolism associated with carotid artery stenting: open-cell versus closed-cell stents. <i>Journal of Neurosurgery</i> , 2013, 119, 642-647.   | 0.9 | 47        |
| 50 | De novo intracranial aneurysm formation after Gamma Knife radiosurgery for vestibular schwannoma. <i>Journal of Neurosurgery</i> , 2009, 110, 540-542.   | 0.9 | 57        |
| 51 | Neuromyelitis optica with brainstem lesion mistaken for brainstem glioma. <i>Journal of Neurosurgery: Pediatrics</i> , 2007, 107, 251-254.   | 0.8 | 4         |