

Hui Hui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3955020/publications.pdf>

Version: 2024-02-01

16
papers

309
citations

933447

10
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

456
citing authors

#	ARTICLE	IF	CITATIONS
1	Wogonoside induces cell cycle arrest and differentiation by affecting expression and subcellular localization of PLSCR1 in AML cells. <i>Blood</i> , 2013, 121, 3682-3691.	1.4	85
2	Wogonin induces cell cycle arrest and erythroid differentiation in imatinib-resistant K562 cells and primary CML cells. <i>Oncotarget</i> , 2014, 5, 8188-8201.	1.8	34
3	Wogonin Suppresses Melanoma Cell B16-F10 Invasion and Migration by Inhibiting Ras-Medicated Pathways. <i>PLoS ONE</i> , 2014, 9, e106458.	2.5	30
4	Natural HDAC inhibitor baicalein exerts therapeutic effect in CBF-AML. <i>Clinical and Translational Medicine</i> , 2020, 10, e154.	4.0	22
5	PLSCR1/IP3R1/Ca ²⁺ axis contributes to differentiation of primary AML cells induced by wogonoside. <i>Cell Death and Disease</i> , 2017, 8, e2768-e2768.	6.3	18
6	Wogonoside induces growth inhibition and cell cycle arrest via promoting the expression and binding activity of GATA-1 in chronic myelogenous leukemia cells. <i>Archives of Toxicology</i> , 2016, 90, 1507-1522.	4.2	16
7	Involvement of p53 Acetylation in Growth Suppression of Cutaneous T-Cell Lymphomas Induced by HDAC Inhibition. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2009-2022.e4.	0.7	15
8	Oroxylin A, a natural anticancer flavonoid compound, induces differentiation of t(8;21)-positive Kasumi-1 and primary acute myeloid leukemia cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1449-1459.	2.5	12
9	Oroxylin A, a natural compound, mitigates the negative effects of TNF α -treated acute myelogenous leukemia cells. <i>Carcinogenesis</i> , 2018, 39, 1292-1303.	2.8	12
10	Mitotic catastrophe and p53-dependent senescence induction in T-cell malignancies exposed to nonlethal dosage of GL-V9. <i>Archives of Toxicology</i> , 2020, 94, 305-323.	4.2	12
11	LW-213 induces cell apoptosis in human cutaneous T-cell lymphomas by activating PERK \rightarrow eIF2 \rightarrow ATF4 \rightarrow CHOP axis. <i>Acta Pharmacologica Sinica</i> , 2021, 42, 290-300.	6.1	11
12	Wogonoside induces depalmitoylation and translocation of PLSCR1 and RAS in primary acute myeloid leukaemia cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 2117-2130.	3.6	9
13	Oroxylin A inhibits ATRA-induced IL-6 expression involved in retinoic acid syndrome by down-regulating CHOP. <i>Gene</i> , 2014, 551, 230-235.	2.2	8
14	One-Two Punch Therapy for the Treatment of T-Cell Malignancies Involving p53-Dependent Cellular Senescence. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-20.	4.0	8
15	GL-V9 exerts anti-T cell malignancies effects via promoting lysosome-dependent AKT1 degradation and activating AKT1/FOXO3A/BIM axis. <i>Free Radical Biology and Medicine</i> , 2019, 145, 237-249.	2.9	7
16	Pharmacologic targeting of the P-TEFb complex as a therapeutic strategy for chronic myeloid leukemia. <i>Cell Communication and Signaling</i> , 2021, 19, 83.	6.5	5