
Augustinus D G Krol

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3955164/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Single-institution clinical experience using robust intensity modulated proton therapy in chordoma and chondrosarcoma of the mobile spine and sacrum: Feasibility and need for plan adaptation. Radiotherapy and Oncology, 2022, 166, 58-64. | 0.3 | 3 |
| 2 | Impaired Global Longitudinal Strain Is Associated with Cardiovascular Events in Hodgkin Lymphoma Survivors. Cancers, 2022, 14, 2329. | 1.7 | 0 |
| 3 | Dose Reduction of Preoperative Radiotherapy in Myxoid Liposarcoma. JAMA Oncology, 2021, 7, e205865. | 3.4 | 45 |
| 4 | Elevated resting heart rate is a marker of subclinical left ventricular dysfunction in hodgkin lymphoma survivors. IJC Heart and Vasculature, 2021, 35, 100830. | 0.6 | 4 |
| 5 | A phase II study on the neo-adjuvant combination of pazopanib and radiotherapy in patients with high-risk, localized soft tissue sarcoma. Acta Oncológica, 2021, 60, 1557-1564. | 0.8 | 5 |
| 6 | Long-Term Cause-Specific Mortality in Hodgkin Lymphoma Patients. Journal of the National Cancer Institute, 2021, 113, 760-769. | 3.0 | 45 |
| 7 | The Influence of Personalised Sarcoma Care (PERSARC) Prediction Modelling on Clinical Decision Making in a Multidisciplinary Setting. Sarcoma, 2021, 2021, 1-6. | 0.7 | 4 |
| 8 | Primary sarcoma of the heart: case report and literature review. Journal of Cardiothoracic Surgery, 2020, 15, 104. | 0.4 | 25 |
| 9 | Extrameningeal solitary fibrous tumors—surgery alone or surgery plus perioperative radiotherapy: A retrospective study from the global solitary fibrous tumor initiative in collaboration with the Sarcoma Patients EuroNet. Cancer, 2020, 126, 3002-3012. | 2.0 | 39 |
| 10 | Therapy-Related Imaging Findings in Patients with Sarcoma. Seminars in Musculoskeletal Radiology, 2020, 24, 676-691. | 0.4 | 5 |
| 11 | Overall and diseaseâ€specific survival of Hodgkin lymphoma survivors who subsequently developed gastrointestinal cancer. Cancer Medicine, 2019, 8, 190-199. | 1.3 | 5 |
| 12 | Genetic susceptibility to radiation-induced breast cancer after Hodgkin lymphoma. Blood, 2019, 133, 1130-1139. | 0.6 | 29 |
| 13 | In Reply to Güngör etÂal. International Journal of Radiation Oncology Biology Physics, 2018, 100, 1291-1292. | 0.4 | 0 |
| 14 | Comparing causes of death of Hodgkin lymphoma and breast cancer patients between medical records and cause-of-death statistics. Clinical Epidemiology, 2018, Volume 10, 1523-1531. | 1.5 | 5 |
| 15 | Infradiaphragmatic irradiation and high procarbazine doses increase colorectal cancer risk in Hodgkin lymphoma survivors. British Journal of Cancer, 2017, 117, 306-314. | 2.9 | 26 |
| 16 | Breast Cancer Risk After Radiation Therapy for Hodgkin Lymphoma: Influence of Gonadal Hormone Exposure. International Journal of Radiation Oncology Biology Physics, 2017, 99, 843-853. | 0.4 | 36 |
| 17 | Long-term survival of gastrointestinal cancer diagnosed in Hodgkin lymphoma survivors Journal of Clinical Oncology, 2017, 35, 40-40. | 0.8 | 0 |
| 18 | Hypofractionated versus conventionally fractionated radiotherapy for patients with localised prostate cancer (HYPRO): final efficacy results from a randomised, multicentre, open-label, phase 3 trial. Lancet Oncology, The, 2016, 17, 1061-1069. | 5.1 | 385 |

AUGUSTINUS D G KROL

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Radiation Dose-Response Relationship for Risk of Coronary Heart Disease in Survivors of Hodgkin Lymphoma. Journal of Clinical Oncology, 2016, 34, 235-243. | 0.8 | 339 |
| 20 | Hypofractionated versus conventionally fractionated radiotherapy for patients with prostate cancer (HYPRO): late toxicity results from a randomised, non-inferiority, phase 3 trial. Lancet Oncology, The, 2016, 17, 464-474. | 5.1 | 242 |
| 21 | Second Cancer Risk Up to 40 Years after Treatment for Hodgkin's Lymphoma. New England Journal of Medicine, 2015, 373, 2499-2511. | 13.9 | 474 |
| 22 | Hypofractionated versus conventionally fractionated radiotherapy for patients with prostate cancer (HYPRO): acute toxicity results from a randomised non-inferiority phase 3 trial. Lancet Oncology, The, 2015, 16, 274-283. | 5.1 | 151 |
| 23 | Cardiovascular Disease After Hodgkin Lymphoma Treatment. JAMA Internal Medicine, 2015, 175, 1007. | 2.6 | 373 |
| 24 | Risk for Valvular Heart Disease After Treatment for Hodgkin Lymphoma. Journal of the National Cancer Institute, 2015, 107, . | 3.0 | 224 |
| 25 | Treatment-specific risks of second malignancy and cardiovascular disease in Hodgkin lymphoma survivors Journal of Clinical Oncology, 2015, 33, 9584-9584. | 0.8 | 0 |
| 26 | Risk of Diabetes Mellitus in Long-Term Survivors of Hodgkin Lymphoma. Journal of Clinical Oncology, 2014, 32, 3257-3263. | 0.8 | 72 |
| 27 | Risk of multiple primary malignancies following treatment of Hodgkin lymphoma. Blood, 2014, 124, 319-327. | 0.6 | 58 |
| 28 | Cardiovascular diseases after Hodgkin lymphoma treatment: 35-year disease risk and sequence of events Journal of Clinical Oncology, 2014, 32, 9505-9505. | 0.8 | 2 |
| 29 | Cause-specific mortality among patients with Hodgkin lymphoma (HL) up to 40 years after treatment Journal of Clinical Oncology, 2014, 32, 9517-9517. | 0.8 | 2 |
| 30 | Combined-Modality Therapy for Clinical Stage I or II Hodgkin's Lymphoma: Long-Term Results of the European Organisation for Research and Treatment of Cancer H7 Randomized Controlled Trials. Journal of Clinical Oncology, 2006, 24, 3128-3135. | 0.8 | 216 |
| 31 | Long-Term Risk of Second Malignancy in Survivors of Hodgkin's Disease Treated During Adolescence or Young Adulthood. Journal of Clinical Oncology, 2000, 18, 487-487. | 0.8 | 416 |