

Marlies Eb Rijnders

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3955847/publications.pdf>

Version: 2024-02-01

27
papers

580
citations

687363

13
h-index

610901

24
g-index

30
all docs

30
docs citations

30
times ranked

730
citing authors

#	ARTICLE	IF	CITATIONS
1	Perinatal Factors Related to Negative or Positive Recall of Birth Experience in Women 3 Years Postpartum in the Netherlands. <i>Birth</i> , 2008, 35, 107-116.	2.2	196
2	Information and Informed Consent for Neonatal Screening: Opinions and Preferences of Parents. <i>Birth</i> , 2007, 34, 238-244.	2.2	49
3	Contraindications for external cephalic version in breech position at term: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 137-142.	2.8	39
4	Diversity in the Scope and Practice of Hospital-Based Midwives in the Netherlands. <i>Journal of Midwifery and Women's Health</i> , 2012, 57, 469-475.	1.3	29
5	Roundtable Discussion: Early Labor: What's the Problem?. <i>Birth</i> , 2009, 36, 332-339.	2.2	28
6	Prevalence, Outcome, and Women's Experiences of External Cephalic Version in a Low-Risk Population. <i>Birth</i> , 2010, 37, 124-133.	2.2	27
7	Are there inequalities in choice of birthing position?. <i>Midwifery</i> , 2009, 25, 439-448.	2.3	24
8	Limited midwifery care for undocumented women in the Netherlands. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2011, 32, 182-188.	2.1	24
9	The Dutch Birth Centre Study: study design of a programmatic evaluation of the effect of birth centre care in the Netherlands. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 148.	2.4	19
10	The Role of Trust in CenteringPregnancy: Building Interpersonal Trust Relationships in Group-Based Prenatal Care in The Netherlands. <i>Birth</i> , 2017, 44, 41-47.	2.2	17
11	Experienced job autonomy among maternity care professionals in The Netherlands. <i>Midwifery</i> , 2017, 54, 67-72.	2.3	17
12	A retrospective study of the success, safety and effectiveness of external cephalic version without tocolysis in a specialised midwifery centre in the Netherlands. <i>Midwifery</i> , 2008, 24, 38-45.	2.3	16
13	How good is collaboration between maternity service providers in the Netherlands?. <i>Journal of Multidisciplinary Healthcare</i> , 2019, Volume 12, 21-30.	2.7	16
14	Implementation of a cost-effective strategy to prevent neonatal early-onset group B haemolytic streptococcus disease in the Netherlands. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 155.	2.4	15
15	Looking back on birth three years later: Factors associated with a negative appraisal in England and in the Netherlands. <i>Journal of Reproductive and Infant Psychology</i> , 2008, 26, 323-339.	1.8	14
16	Women-centered care: Implementation of CenteringPregnancy® in The Netherlands. <i>Birth</i> , 2019, 46, 450-460.	2.2	14
17	Pregnant women at increased risk of adverse perinatal outcomes: A combination of less healthy behaviors and adverse psychosocial and socio-economic circumstances. <i>Preventive Medicine</i> , 2019, 127, 105817.	3.4	10
18	Taxonomy for complexity theory in the context of maternity care. <i>Midwifery</i> , 2015, 31, 834-843.	2.3	7

#	ARTICLE	IF	CITATIONS
19	Adherence to three different strategies to prevent early onset GBS infection in newborns. <i>Women and Birth</i> , 2020, 33, e527-e534.	2.0	6
20	Haemorrhage after home birth: audit of decision making and referral. Part 2: Results and discussion. <i>Practising Midwife</i> , 2013, 16, 28-31.	0.0	4
21	The LENTE Study: The Effectiveness of Prophylactic Intramuscular Oxytocin in the Third Stage of Labor Among Low-Risk Women in Primary Care Midwifery Practice: A Randomized Controlled Trial. <i>International Journal of Childbirth</i> , 2016, 6, 173-182.	0.3	3
22	Birth Positions During Second Stage of Labor and Long-Term Psychological Outcomes in Low-Risk Women. <i>International Journal of Childbirth</i> , 2011, 1, 242-253.	0.3	1
23	Making Evidence Available for Hospital-Based Midwives: A Systematic Examination of the Content and Methodological Quality of Three Protocols Used in Maternity Hospitals in the Netherlands. <i>International Journal of Childbirth</i> , 2014, 4, 208-218.	0.3	1
24	Authors' reply re: An observational study of the success and complications of 2546 external cephalic versions in low-risk pregnant women performed by trained midwives. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 478-478.	2.3	1
25	Evaluation of women's worries in different strategies for the prevention of early onset group B streptococcal disease in neonates. <i>Midwifery</i> , 2020, 86, 102623.	2.3	1
26	Job satisfaction of maternity care providers in the Netherlands: Does working in or with a birth centre influence job satisfaction?. <i>European Journal of Midwifery</i> , 2018, 2, 11.	1.1	1
27	Contraindications for External Cephalic Version in Breech Position at Term. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 418-420.	0.4	0