

# Felix BERPpohl

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3956763/felix-bermpohl-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

9,810  
citations

44  
h-index

98  
g-index

159  
ext. papers

11,217  
ext. citations

4.6  
avg, IF

5.82  
L-index

#	Paper	IF	Citations
137	Relationship between Borderline Personality Disorder, Emotional Availability, and Cortisol Output in Mother-Child Dyads.. <i>Psychopathology</i> , <b>2022</b> , 1-12	3.4	0
136	The effect of second-generation antipsychotic withdrawal on the occurrence of vacuous chewing movements in animal models: A review. <i>Behavioural Brain Research</i> , <b>2022</b> , 418, 113637	3.4	0
135	Adverse events after antipsychotic discontinuation: an individual participant data meta-analysis.. <i>Lancet Psychiatry</i> , <b>2022</b> , 9, 232-242	23.3	1
134	Offspring risk for suicidal behaviour in relation to parental death by suicide: systematic review and meta-analysis and a model for familial transmission of suicide.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 1-9	5.4	1
133	Increased activation in the bilateral anterior insulae in response to others in pain in mothers compared to non-mothers. <i>Scientific Reports</i> , <b>2021</b> , 11, 22757	4.9	0
132	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , <b>2021</b> , 9, 37	5.4	1
131	Effect of standardized post-coercion review on subjective coercion - results of a randomized-controlled trial. <i>European Psychiatry</i> , <b>2021</b> , 1-19	6	0
130	Understanding and breaking the intergenerational cycle of abuse in families enrolled in routine mental health services: study protocol for a randomized controlled trial and two non-interventional trials investigating mechanisms of change within the UBICA II consortium. <i>Trials</i> , <b>2021</b> , 22, 749	2.8	0
129	Effect of standardized post-coercion review session on symptoms of PTSD: results from a randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 1077-1087	5.1	2
128	Connected to the spirit of the frog: An Internet-based survey on Kambō, the secretion of the Amazonian Giant Maki Frog ( <i>Rhinophrynus dorsalis</i> ): Motivations for use, settings and subjective experiences. <i>Journal of Psychopharmacology</i> , <b>2021</b> , 35, 421-436	4.6	1
127	Psychosocial Impact of COVID-19 Pandemic in Elderly Psychiatric Patients: a Longitudinal Study. <i>Psychiatric Quarterly</i> , <b>2021</b> , 92, 1439-1457	4.1	1
126	The Role of Implicit and Explicit Staff Attitudes in the Use of Coercive Measures in Psychiatry. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 699446	5	1
125	Acceptance Towards LGB Persons Is an Independent Protective Factor Against Suicide on a Country Level. <i>Sexuality Research and Social Policy</i> , <b>2021</b> , 18, 527-532	2.1	0
124	Aversive drug cues reduce cigarette craving and increase prefrontal cortex activation during processing of cigarette cues in quitting motivated smokers. <i>Addiction Biology</i> , <b>2021</b> , e13091	4.6	0
123	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 485	8.6	2
122	Elevated inflammatory markers in women with remitted major depressive disorder and the role of early life maltreatment. <i>Brain, Behavior, and Immunity</i> , <b>2021</b> , 97, 219-225	16.6	0
121	Predicting outcome of daycare cognitive behavioural therapy in a naturalistic sample of patients with PTSD: a machine learning approach. <i>Høge Utbildning</i> , <b>2021</b> , 12, 1958471	5	1

120	Effects of Recovery-Orientation on the Use of Forced Medication and Maximum Daily Drug Dose: The "Weddinger Modell".. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 789822	5	0
119	Acute and subacute psychoactive effects of Kambōthe secretion of the Amazonian Giant Maki Frog ( <i>Phyllomedusa bicolor</i> ): retrospective reports. <i>Scientific Reports</i> , <b>2020</b> , 10, 21544	4.9	3
118	Bank Account Ownership and Access Among In-Patients in Psychiatric Care in Berlin, Germany-A Cross-Sectional Patient Survey. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 508	5	2
117	Early life maltreatment and depression: Mediating effect of maternal hair cortisol concentration on child abuse potential. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 120, 104791	5	1
116	Between a rock and a hard place: Associations between MentzosT"dilemma", self-reported interpersonal problems, and psychosocial functioning in individuals with non-affective psychoses. <i>Clinical Psychology and Psychotherapy</i> , <b>2020</b> , 27, 528-541	2.9	2
115	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , <b>2020</b> , 8, 22	5.4	7
114	Addiction Research Consortium: Losing and regaining control over drug intake (ReCoDe)-From trajectories to mechanisms and interventions. <i>Addiction Biology</i> , <b>2020</b> , 25, e12866	4.6	70
113	Hair cortisol moderates the association between obstetric complications and child wellbeing. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 121, 104845	5	0
112	Correlates of seclusion and restraint of patients admitted to psychiatric inpatient treatment via a German emergency room. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 130, 201-206	5.2	2
111	Modeling Incoherent Discourse in Non-Affective Psychosis. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 846	5	4
110	Alterations of empathy in mothers with a history of early life maltreatment, depression, and borderline personality disorder and their effects on child psychopathology. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1182-1190	6.9	6
109	Childhood adversity and parenting behavior: the role of oxytocin receptor gene polymorphisms. <i>Journal of Neural Transmission</i> , <b>2019</b> , 126, 777-787	4.3	5
108	Neural processing of the own child's facial emotions in mothers with a history of early life maltreatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2019</b> , 269, 171-181	5.1	12
107	Impact of Maternal Early Life Maltreatment and Maternal History of Depression on Child Psychopathology: Mediating Role of Maternal Sensitivity?. <i>Child Psychiatry and Human Development</i> , <b>2019</b> , 50, 278-290	3.3	12
106	Peripheral proinflammatory markers are upregulated in abstinent alcohol-dependent patients but are not affected by cognitive bias modification: Preliminary findings. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 204, 107553	4.9	3
105	Housing situation and healthcare for patients in a psychiatric centre in Berlin, Germany: a cross-sectional patient survey. <i>BMJ Open</i> , <b>2019</b> , 9, e032576	3	8
104	Endogenous oxytocin response to film scenes of attachment and loss is pronounced in schizophrenia. <i>Social Cognitive and Affective Neuroscience</i> , <b>2019</b> , 14, 109-117	4	7
103	Emotional availability in mothers with borderline personality disorder and mothers with remitted major depression is differently associated with psychopathology among school-aged children. <i>Journal of Affective Disorders</i> , <b>2018</b> , 231, 63-73	6.6	12

102	Link between children's hair cortisol and psychopathology or quality of life moderated by childhood adversity risk. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 90, 52-60	5	15
101	The influence of coercive measures on patients' attitudes towards psychiatric institutions. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2018</b> , 22, 115-122	2.4	8
100	Effects of maternal history of depression and early life maltreatment on children's health-related quality of life. <i>Journal of Affective Disorders</i> , <b>2018</b> , 225, 280-288	6.6	21
99	Can "Model Projects of Need-Adapted Care" Reduce Involuntary Hospital Treatment and the Use of Coercive Measures?. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 168	5	7
98	The maternal brain in women with a history of early-life maltreatment: an imagination-based fMRI study of conflictual versus pleasant interactions with children. <i>Journal of Psychiatry and Neuroscience</i> , <b>2018</b> , 43, 273-282	4.5	8
97	In Reply. <i>Deutsches Ärzteblatt International</i> , <b>2018</b> , 115, 68-69	2.5	
96	Weather conditions influence the number of psychiatric emergency room patients. <i>International Journal of Biometeorology</i> , <b>2018</b> , 62, 843-850	3.7	11
95	Effects of Cognitive Behavioral Therapy on Neural Processing of Agoraphobia-Specific Stimuli in Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 350-365	9.4	6
94	Interacting and dissociable effects of alexithymia and depression on empathy. <i>Psychiatry Research</i> , <b>2018</b> , 270, 631-638	9.9	26
93	Child abuse potential in mothers with early life maltreatment, borderline personality disorder and depression. <i>British Journal of Psychiatry</i> , <b>2018</b> , 213, 412-418	5.4	9
92	Internal and external attention and the default mode network. <i>NeuroImage</i> , <b>2017</b> , 148, 381-389	7.9	47
91	Social cognition in aggressive offenders: Impaired empathy, but intact theory of mind. <i>Scientific Reports</i> , <b>2017</b> , 7, 670	4.9	58
90	Observational Context of Mother-Child Interaction: Impact of a stress Context on Emotional Availability. <i>Journal of Child and Family Studies</i> , <b>2017</b> , 26, 1583-1591	2.3	3
89	Decreased medial prefrontal cortex activation during self-referential processing in bipolar mania. <i>Journal of Affective Disorders</i> , <b>2017</b> , 219, 157-163	6.6	11
88	Early life maltreatment but not lifetime depression predicts insecure attachment in women. <i>Archives of Women's Mental Health</i> , <b>2017</b> , 20, 477-486	5	6
87	The Metacognition Assessment Scale (MAS-A): Results of a pilot study applying a German translation to individuals with schizophrenia spectrum disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2017</b> , 90, 401-418	3.5	11
86	Comparing Three Cognitive Biases for Alcohol Cues in Alcohol Dependence. <i>Alcohol and Alcoholism</i> , <b>2017</b> , 52, 242-248	3.5	20
85	Dissociating maternal responses to sad and happy facial expressions of their own child: An fMRI study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182476	3.7	5

84	The Prevalence of Mental Illness in Homeless People in Germany. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2017</b> , 114, 665-672	2.5	26
83	Self-Compassion Mediates the Relationship Between Mindfulness and Borderline Personality Disorder Symptoms. <i>Journal of Personality Disorders</i> , <b>2017</b> , 1-19	2.6	5
82	Psychotherapy of Borderline Personality Disorder: Can the Supply Meet the Demand? A German Nationwide Survey in DBT Inpatient and Day Clinic Treatment Facilities. <i>Community Mental Health Journal</i> , <b>2016</b> , 52, 212-5	2.1	3
81	Transgenerational effects of maternal depression on affect recognition in children. <i>Journal of Affective Disorders</i> , <b>2016</b> , 189, 233-9	6.6	16
80	Subjective experience of coercion in psychiatric care: a study comparing the attitudes of patients and healthy volunteers towards coercive methods and their justification. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2016</b> , 266, 337-47	5.1	18
79	Behavioral Assessment of Mindfulness Difficulties in Borderline Personality Disorder. <i>Mindfulness</i> , <b>2016</b> , 7, 1316-1326	2.9	7
78	Aims and structure of the German Research Consortium BipolarLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , <b>2016</b> , 4, 26	5.4	14
77	EMOTIONAL AVAILABILITY IN MOTHER-CHILD INTERACTION: THE EFFECTS OF MATERNAL DEPRESSION IN REMISSION AND ADDITIONAL HISTORY OF CHILDHOOD ABUSE. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 648-57	8.4	41
76	Opioid tolerance in methadone maintenance treatment: comparison of methadone and levomethadone in long-term treatment. <i>Harm Reduction Journal</i> , <b>2016</b> , 13, 7	4.6	7
75	Empathy in depression: Egocentric and altercentric biases and the role of alexithymia. <i>Journal of Affective Disorders</i> , <b>2016</b> , 199, 23-9	6.6	28
74	Where the depressed mind wanders: Self-generated thought patterns as assessed through experience sampling as a state marker of depression. <i>Journal of Affective Disorders</i> , <b>2016</b> , 198, 127-34	6.6	54
73	Common and distinct networks for self-referential and social stimulus processing in the human brain. <i>Brain Structure and Function</i> , <b>2016</b> , 221, 3475-85	4	30
72	To drink or not to drink: Harmful drinking is associated with hyperactivation of reward areas rather than hypoactivation of control areas in men. <i>Journal of Psychiatry and Neuroscience</i> , <b>2016</b> , 41, E24-36	4.5	9
71	Sexuelle Funktionsstfungen bei Substitution mit Methadon und Levomethadon. <i>Sucht</i> , <b>2016</b> , 62, 295-303	3.5	3
70	Neural alterations of fronto-striatal circuitry during reward anticipation in euthymic bipolar disorder. <i>Psychological Medicine</i> , <b>2016</b> , 46, 3187-3198	6.9	45
69	Affective responses across psychiatric disorders-A dimensional approach. <i>Neuroscience Letters</i> , <b>2016</b> , 623, 71-8	3.3	29
68	Risikoverhalten bei sexuellen Aktivitten und im Umgang mit Injektionsnadeln bei opioidabhngigen Patienten in Substitutionstherapie. <i>Suchttherapie</i> , <b>2016</b> , 17, 161-167	0.4	2
67	Behavioral impulsivity mediates the relationship between decreased frontal gray matter volume and harmful alcohol drinking: A voxel-based morphometry study. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 83, 16-23	5.2	18

66	Decreased gray matter volume in inferior frontal gyrus is related to stop-signal task performance in alcohol-dependent patients. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 233, 125-30	2.9	26
65	Effects of cognitive bias modification training on neural alcohol cue reactivity in alcohol dependence. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 335-43	11.9	110
64	Reduced default mode network connectivity in schizophrenia patients. <i>Schizophrenia Research</i> , <b>2015</b> , 165, 90-3	3.6	31
63	Effects of depressive symptoms and peripheral DAT methylation on neural reactivity to alcohol cues in alcoholism. <i>Translational Psychiatry</i> , <b>2015</b> , 5, e648	8.6	27
62	Perception of social stimuli in mania: an fMRI study. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 231, 71-6	2.9	5
61	Dimensional psychiatry: reward dysfunction and depressive mood across psychiatric disorders. <i>Psychopharmacology</i> , <b>2015</b> , 232, 331-41	4.7	122
60	Effects of cognitive bias modification training on neural signatures of alcohol approach tendencies in male alcohol-dependent patients. <i>Addiction Biology</i> , <b>2015</b> , 20, 990-9	4.6	59
59	Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> , <b>2015</b> , 17, 880-91	3.8	15
58	Movement observation-induced modulation of pain perception and motor cortex excitability. <i>Clinical Neurophysiology</i> , <b>2015</b> , 126, 1204-1211	4.3	16
57	Neural correlates of alcohol-approach bias in alcohol addiction: the spirit is willing but the flesh is weak for spirits. <i>Neuropsychopharmacology</i> , <b>2014</b> , 39, 688-97	8.7	94
56	Why do patients stay in opioid maintenance treatment?. <i>Substance Use and Misuse</i> , <b>2014</b> , 49, 694-9	2.2	15
55	Borderline personality disorder and comorbid addiction: epidemiology and treatment. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2014</b> , 111, 280-6	2.5	38
54	Twitter psychosis: a rare variation or a distinct syndrome?. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 623	1.8	10
53	Anticipating agoraphobic situations: the neural correlates of panic disorder with agoraphobia. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2385-96	6.9	27
52	Imagining triadic interactions simultaneously activates mirror and mentalizing systems. <i>NeuroImage</i> , <b>2014</b> , 98, 314-23	7.9	9
51	Automatic approach bias towards smoking cues is present in smokers but not in ex-smokers. <i>Psychopharmacology</i> , <b>2013</b> , 229, 187-97	4.7	80
50	Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology</i> , <b>2013</b> , 38, 2729-36	5	22
49	Context insensitivity during positive and negative emotional expectancy in depression assessed with functional magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , <b>2013</b> , 212, 28-35	2.9	15

48	Heroin or conventional opioid maintenance? The patientsTperspective. <i>Journal of Addiction Medicine</i> , <b>2013</b> , 7, 401-4	3.8	4
47	Take home maintenance medication in opiate dependence. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2013</b> , 110, 405-12	2.5	8
46	In reply. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2013</b> , 110, 688-9	2.5	
45	Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, e89-e94	6.6	15
44	Affective set-shifting deficits in patients with major depression in remission. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 1623-6	5.2	10
43	Construction and interpretation of self-related function and dysfunction in Intercultural Psychiatry. <i>European Psychiatry</i> , <b>2012</b> , 27 Suppl 2, S32-43	6	9
42	Hemispheric asymmetry for affective stimulus processing in healthy subjects--a fMRI study. <i>PLoS ONE</i> , <b>2012</b> , 7, e46931	3.7	43
41	Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>Journal of Psychopharmacology</i> , <b>2012</b> , 26, 677-88	4.6	189
40	Understanding left-handedness. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2011</b> , 108, 849-53	2.5	73
39	Access of emotional information to visual awareness in patients with major depressive disorder. <i>Psychological Medicine</i> , <b>2011</b> , 41, 1615-24	6.9	45
38	Delineating self-referential processing from episodic memory retrieval: common and dissociable networks. <i>NeuroImage</i> , <b>2010</b> , 50, 1606-17	7.9	98
37	Altered representation of expected value in the orbitofrontal cortex in mania. <i>Human Brain Mapping</i> , <b>2010</b> , 31, 958-69	5.9	103
36	The Observer-Rated Scale for Mania (ORSM): development, psychometric properties and utility. <i>Journal of Affective Disorders</i> , <b>2010</b> , 122, 179-83	6.6	4
35	Altered negative BOLD responses in the default-mode network during emotion processing in depressed subjects. <i>Neuropsychopharmacology</i> , <b>2009</b> , 34, 932-43	8.7	262
34	Differential parametric modulation of self-relatedness and emotions in different brain regions. <i>Human Brain Mapping</i> , <b>2009</b> , 30, 369-82	5.9	111
33	5-HTT genotype effect on prefrontal-amygdala coupling differs between major depression and controls. <i>Psychopharmacology</i> , <b>2009</b> , 205, 261-71	4.7	80
32	A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disorders</i> , <b>2009</b> , 11, 70-5	3.8	57
31	Attentional modulation of emotional stimulus processing in patients with major depression--alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> , <b>2009</b> , 463, 108-13	3.3	45

30	Neural and behavioral correlates of drawing in an early blind painter: a case study. <i>Brain Research</i> , <b>2008</b> , 1242, 252-62	3.7	11
29	Novelty seeking modulates medial prefrontal activity during the anticipation of emotional stimuli. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 164, 81-5	2.9	17
28	Imbalance between left and right dorsolateral prefrontal cortex in major depression is linked to negative emotional judgment: an fMRI study in severe major depressive disorder. <i>Biological Psychiatry</i> , <b>2008</b> , 63, 369-76	7.9	391
27	The resting brain and our self: self-relatedness modulates resting state neural activity in cortical midline structures. <i>Neuroscience</i> , <b>2008</b> , 157, 120-31	3.9	194
26	Distinguishing specific sexual and general emotional effects in fMRI-subcortical and cortical arousal during erotic picture viewing. <i>NeuroImage</i> , <b>2008</b> , 40, 1482-94	7.9	165
25	Impaired interhemispheric interactions in patients with major depression. <i>Journal of Nervous and Mental Disease</i> , <b>2008</b> , 196, 671-7	1.8	36
24	Pedophilia is linked to reduced activation in hypothalamus and lateral prefrontal cortex during visual erotic stimulation. <i>Biological Psychiatry</i> , <b>2007</b> , 62, 698-701	7.9	86
23	Shape conveyed by visual-to-auditory sensory substitution activates the lateral occipital complex. <i>Nature Neuroscience</i> , <b>2007</b> , 10, 687-9	25.5	297
22	Go-no-go task performance improvement after anodal transcranial DC stimulation of the left dorsolateral prefrontal cortex in major depression. <i>Journal of Affective Disorders</i> , <b>2007</b> , 101, 91-8	6.6	177
21	How does our brain constitute defense mechanisms? First-person neuroscience and psychoanalysis. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 141-53	9.4	80
20	Dysfunction of reward processing correlates with alcohol craving in detoxified alcoholics. <i>NeuroImage</i> , <b>2007</b> , 35, 787-94	7.9	387
19	Affective judgment and beneficial decision making: ventromedial prefrontal activity correlates with performance in the Iowa Gambling Task. <i>Human Brain Mapping</i> , <b>2006</b> , 27, 572-87	5.9	82
18	Attentional modulation of emotional stimulus processing: an fMRI study using emotional expectancy. <i>Human Brain Mapping</i> , <b>2006</b> , 27, 662-77	5.9	70
17	Effects of antidepressant treatment with rTMS and fluoxetine on brain perfusion in PD. <i>Neurology</i> , <b>2006</b> , 66, 1629-37	6.5	63
16	Immediate placebo effect in Parkinson's disease--is the subjective relief accompanied by objective improvement?. <i>European Neurology</i> , <b>2006</b> , 56, 222-9	2.1	39
15	Segregated neural representation of distinct emotion dimensions in the prefrontal cortex-an fMRI study. <i>NeuroImage</i> , <b>2006</b> , 30, 325-40	7.9	157
14	Dissociable networks for the expectancy and perception of emotional stimuli in the human brain. <i>NeuroImage</i> , <b>2006</b> , 30, 588-600	7.9	108
13	Self-referential processing in our brain--a meta-analysis of imaging studies on the self. <i>NeuroImage</i> , <b>2006</b> , 31, 440-57	7.9	1959



12	Effect of low-frequency transcranial magnetic stimulation on an affective go/no-go task in patients with major depression: role of stimulation site and depression severity. <i>Psychiatry Research</i> , <b>2006</b> , 141, 1-13	9.9	52
11	NMDA hypofunction in the posterior cingulate as a model for schizophrenia: an exploratory ketamine administration study in fMRI. <i>Schizophrenia Research</i> , <b>2005</b> , 72, 235-48	3.6	61
10	Left prefrontal repetitive transcranial magnetic stimulation impairs performance in affective go/no-go task. <i>NeuroReport</i> , <b>2005</b> , 16, 615-9	1.7	18
9	How do we modulate our emotions? Parametric fMRI reveals cortical midline structures as regions specifically involved in the processing of emotional valences. <i>Cognitive Brain Research</i> , <b>2005</b> , 25, 348-58		78
8	Effect of repetitive TMS and fluoxetine on cognitive function in patients with Parkinson's disease and concurrent depression. <i>Movement Disorders</i> , <b>2005</b> , 20, 1178-84	7	172
7	Anodal transcranial direct current stimulation of prefrontal cortex enhances working memory. <i>Experimental Brain Research</i> , <b>2005</b> , 166, 23-30	2.3	845
6	Antiepileptic effects of repetitive transcranial magnetic stimulation in patients with cortical malformations: an EEG and clinical study. <i>Stereotactic and Functional Neurosurgery</i> , <b>2005</b> , 83, 57-62	1.6	61
5	Reciprocal modulation and attenuation in the prefrontal cortex: an fMRI study on emotional-cognitive interaction. <i>Human Brain Mapping</i> , <b>2004</b> , 21, 202-12	5.9	200
4	Cortical midline structures and the self. <i>Trends in Cognitive Sciences</i> , <b>2004</b> , 8, 102-7	14	1141
3	Structure-function relationship of DPP IV: insights into its dimerisation and gelatinase activity. <i>Advances in Experimental Medicine and Biology</i> , <b>2003</b> , 524, 19-27	3.6	1
2	Rat dipeptidyl peptidase IV (DPP IV) exhibits endopeptidase activity with specificity for denatured fibrillar collagens. <i>FEBS Letters</i> , <b>1998</b> , 428, 152-6	3.8	50
1	Negative Posttraumatic Cognitions Color the Pathway from Event Centrality to Posttraumatic Stress Disorder Symptoms. <i>Cognitive Therapy and Research</i> , 1	2.7	