List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3956848/publications.pdf Version: 2024-02-01

| 311 papers | 4,512 citations | 117453 34 h-index | 205818 48 g-index |
|---------------|--------------------|-------------------------|-------------------------|
| 321 | 321 | 321 | 6405 |
| all docs | docs citations | times ranked | citing authors |

Ειςο Οτειμι

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Tumor Heterogeneity Correlates with Less Immune Response and Worse Survival in Breast Cancer Patients. Annals of Surgical Oncology, 2019, 26, 2191-2199. | 0.7 | 127 |
| 2 | Monitoring the HER2 copy number status in circulating tumor DNA by droplet digital PCR in patients with gastric cancer. Gastric Cancer, 2017, 20, 126-135. | 2.7 | 111 |
| 3 | Characterization of signet ring cell carcinoma of the stomach. , 1998, 67, 216-220. | | 97 |
| 4 | Plasma microRNA profiles: identification of miR-744 as a novel diagnostic and prognostic biomarker in pancreatic cancer. British Journal of Cancer, 2015, 113, 1467-1476. | 2.9 | 85 |
| 5 | Optimal duration of the early and late recurrence of hepatocellular carcinoma after hepatectomy. World Journal of Gastroenterology, 2015, 21, 1207. | 1.4 | 83 |
| 6 | Plasma level of metastasisâ€associated lung adenocarcinoma transcript 1 is associated with liver damage and predicts development of hepatocellular carcinoma. Cancer Science, 2016, 107, 149-154. | 1.7 | 83 |
| 7 | Serum metabolomics analysis for early detection of colorectal cancer. Journal of Gastroenterology, 2017, 52, 677-694. | 2.3 | 79 |
| 8 | Liquid biopsy in patients with hepatocellular carcinoma: Circulating tumor cells and cell-free nucleic acids. World Journal of Gastroenterology, 2017, 23, 5650. | 1.4 | 77 |
| 9 | Outcome of surgical treatment for patients with scirrhous carcinoma of the stomach. American Journal of Surgery, 2004, 188, 327-332. | 0.9 | 69 |
| 10 | Circulating MicroRNAs: A Next-Generation Clinical Biomarker for Digestive System Cancers. International Journal of Molecular Sciences, 2016, 17, 1459. | 1.8 | 68 |
| 11 | Single-Port Mediastinoscopic Lymphadenectomy Along the Left Recurrent Laryngeal Nerve. Annals of Thoracic Surgery, 2015, 100, 1115-1117. | 0.7 | 63 |
| 12 | Overexpression of PBK/TOPK relates to tumour malignant potential and poor outcome of gastric carcinoma. British Journal of Cancer, 2017, 116, 218-226. | 2.9 | 63 |
| 13 | HER2 amplification detected in the circulating DNA of patients with gastric cancer: a retrospective pilot study. Gastric Cancer, 2015, 18, 698-710. | 2.7 | 58 |
| 14 | Liquid biopsy of gastric cancer patients: Circulating tumor cells and cell-free nucleic acids. World Journal of Gastroenterology, 2014, 20, 3265. | 1.4 | 58 |
| 15 | Liquid biopsy in patients with pancreatic cancer: Circulating tumor cells and cell-free nucleic acids. World Journal of Gastroenterology, 2016, 22, 5627. | 1.4 | 57 |
| 16 | Fluorescent detection of peritoneal metastasis in human colorectal cancer using 5-aminolevulinic acid. International Journal of Oncology, 2014, 45, 41-46. | 1.4 | 53 |
| 17 | Circulating microRNA profiles in plasma: identification of miR-224 as a novel diagnostic biomarker in hepatocellular carcinoma independent of hepatic function. Oncotarget, 2016, 7, 53820-53836. | 0.8 | 53 |
| 18 | Feasibility and Nutritional Benefits of Laparoscopic Proximal Gastrectomy for Early Gastric Cancer in the Upper Stomach. Annals of Surgical Oncology, 2015, 22, 929-935. | 0.7 | 49 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Depleted tumor suppressor miR-107 in plasma relates to tumor progression and is a novel therapeutic target in pancreatic cancer. Scientific Reports, 2017, 7, 5708. | 1.6 | 49 |
| 20 | Tumor exosome-mediated promotion of adhesion to mesothelial cells in gastric cancer cells. Oncotarget, 2016, 7, 56855-56863. | 0.8 | 48 |
| 21 | Esophageal cancer stem cells are suppressed by tranilast, a TRPV2 channel inhibitor. Journal of Gastroenterology, 2018, 53, 197-207. | 2.3 | 47 |
| 22 | Role of the Na ⁺ /K ⁺ /2Cl ⁻ cotransporter NKCC1 in cell cycle progression in human esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2014, 20, 6844. | 1.4 | 47 |
| 23 | Overexpression of denticleless E3 ubiquitin protein ligase homolog (DTL) is related to poor outcome in gastric carcinoma. Oncotarget, 2015, 6, 36615-36624. | 0.8 | 46 |
| 24 | Immune Cytolytic Activity for Comprehensive Understanding of Immune Landscape in Hepatocellular Carcinoma. Cancers, 2020, 12, 1221. | 1.7 | 46 |
| 25 | Quantification of circulating plasma DNA fragments as tumor markers in patients with esophageal cancer. Anticancer Research, 2007, 27, 2737-41. | 0.5 | 46 |
| 26 | miR-509-5p and miR-1243 increase the sensitivity to gemcitabine by inhibiting epithelial-mesenchymal transition in pancreatic cancer. Scientific Reports, 2017, 7, 4002. | 1.6 | 45 |
| 27 | Recent advances in photodynamic diagnosis of gastric cancer using 5-aminolevulinic acid. World Journal of Gastroenterology, 2016, 22, 1289. | 1.4 | 45 |
| 28 | Laparoscopic and endoscopic co-operative surgery for non-ampullary duodenal tumors. World Journal of Gastroenterology, 2016, 22, 10424. | 1.4 | 44 |
| 29 | The impact of postoperative inflammation on recurrence in patients with colorectal cancer. International Journal of Clinical Oncology, 2020, 25, 602-613. | 1.0 | 43 |
| 30 | Recent advances in surgical treatment have improved the survival of patients with gastric carcinoma. Cancer, 1998, 82, 1233-1237. | 2.0 | 40 |
| 31 | Overexpression of PBK/TOPK Contributes to Tumor Development and Poor Outcome of Esophageal Squamous Cell Carcinoma. Anticancer Research, 2016, 36, 6457-6466. | 0.5 | 40 |
| 32 | Post-hepatectomy survival in advanced hepatocellular carcinoma with portal vein tumor thrombosis. World Journal of Gastroenterology, 2015, 21, 246. | 1.4 | 40 |
| 33 | Clinicopathologic characteristics and prognosis of synchronous multifocal gastric carcinomas. American Journal of Surgery, 2005, 189, 116-119. | 0.9 | 39 |
| 34 | Clinical utility of circulating cell-free Epstein-Barr virus DNA in patients with gastric cancer. Oncotarget, 2017, 8, 28796-28804. | 0.8 | 39 |
| 35 | Optimal duration of the early and late recurrence of pancreatic cancer after pancreatectomy based on the difference in the prognosis. Pancreatology, 2014, 14, 524-529. | 0.5 | 38 |
| 36 | Prognostic impact of the number of retrieved lymph nodes in patients with gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 1566-1571. | 1.4 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Low plasma levels of miR-101 are associated with tumor progression in gastric cancer. Oncotarget, 2017, 8, 106538-106550. | 0.8 | 36 |
| 38 | Putative risk factors for postoperative pneumonia which affects poor prognosis in patients with gastric cancer. International Journal of Clinical Oncology, 2016, 21, 920-926. | 1.0 | 35 |
| 39 | The expression and role of TRPV2 in esophageal squamous cell carcinoma. Scientific Reports, 2019, 9, 16055. | 1.6 | 35 |
| 40 | Histological mixed-type as an independent prognostic factor in stageâ€lâ€gastric carcinoma. World Journal of Gastroenterology, 2015, 21, 549. | 1.4 | 35 |
| 41 | The Prognostic Value of Preoperative Neutrophilâ€ŧo‣ymphocyte Ratio in Colorectal Cancer. World Journal of Surgery, 2016, 40, 2796-2802. | 0.8 | 34 |
| 42 | Novel MicroRNA-Based Risk Score Identified by Integrated Analyses to Predict Metastasis and Poor Prognosis in Breast Cancer. Annals of Surgical Oncology, 2018, 25, 4037-4046. | 0.7 | 34 |
| 43 | Claudin-6 is a single prognostic marker and functions as a tumor-promoting gene in a subgroup of intestinal type gastric cancer. Gastric Cancer, 2020, 23, 403-417. | 2.7 | 34 |
| 44 | Mediastinoscope and laparoscope-assisted esophagectomy. Journal of Visualized Surgery, 2016, 2, 125-125. | 0.2 | 33 |
| 45 | Plasma microRNA profiles: identification of miR-23a as a novel biomarker for chemoresistance in esophageal squamous cell carcinoma. Oncotarget, 2016, 7, 62034-62048. | 0.8 | 32 |
| 46 | Outcome of prophylactic radical lymphadenectomy with gastrectomy in patients with early gastric carcinoma without lymph node metastasis. Cancer, 2000, 89, 1425-1430. | 2.0 | 31 |
| 47 | Positive Lymph Node Ratio as an Indicator of Prognosis and Local Tumor Clearance in N3 Gastric Cancer. Journal of Gastrointestinal Surgery, 2016, 20, 1565-1571. | 0.9 | 31 |
| 48 | Early signet ring cell carcinoma of the stomach is related to favorable prognosis and low incidence of lymph node metastasis. Journal of Surgical Oncology, 2016, 114, 607-612. | 0.8 | 31 |
| 49 | SMYD2 overexpression is associated with tumor cell proliferation and a worse outcome in human papillomavirus–unrelated nonmultiple head and neck carcinomas. Human Pathology, 2016, 49, 145-155. | 1.1 | 31 |
| 50 | Follow-up Study of Patients Treated with Monoclonal Antibody-Drug Conjugate: Report of 77 Cases with Colorectal Cancer. Japanese Journal of Cancer Research, 1993, 84, 976-981. | 1.7 | 30 |
| 51 | Results of total gastrectomy with extended lymphadenectomy for gastric cancer in elderly patients. Journal of Surgical Oncology, 2005, 91, 232-236. | 0.8 | 28 |
| 52 | Amlodipine and Verapamil, Voltage-Gated Ca2+ Channel Inhibitors, Suppressed the Growth of Gastric Cancer Stem Cells. Annals of Surgical Oncology, 2021, 28, 5400-5411. | 0.7 | 28 |
| 53 | Genome-wide screening of DNA methylation associated with lymph node metastasis in esophageal squamous cell carcinoma. Oncotarget, 2017, 8, 37740-37750. | 0.8 | 27 |
| 54 | Transmediastinal approach for esophageal cancer: A new trend toward radical surgery. Asian Journal of Endoscopic Surgery, 2019, 12, 30-36. | 0.4 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Histological mixed-type as an independent risk factor for nodal metastasis in submucosal gastric cancer. Tumor Biology, 2016, 37, 709-714. | 0.8 | 26 |
| 56 | Aquaporin 1 suppresses apoptosis and affects prognosis in esophageal squamous cell carcinoma. Oncotarget, 2018, 9, 29957-29974. | 0.8 | 26 |
| 57 | Value of Preoperative PET-CT in the Prediction of Pathological Stage of Gastric Cancer. Annals of Surgical Oncology, 2018, 25, 1633-1639. | 0.7 | 25 |
| 58 | Venous invasion as a risk factor for recurrence after gastrectomy followed by chemotherapy for stage III gastric cancer. BMC Cancer, 2018, 18, 108. | 1.1 | 25 |
| 59 | Claudin 1 mediates tumor necrosis factor alpha-induced cell migration in human gastric cancer cells. World Journal of Gastroenterology, 2014, 20, 17863-17876. | 1.4 | 25 |
| 60 | Expression and role of anion exchanger 1 in esophageal squamous cell carcinoma. Oncotarget, 2017, 8, 17921-17935. | 0.8 | 24 |
| 61 | Significance of a preoperative systemic immune-inflammation index as a predictor of postoperative survival outcomes in gastric cancer. World Journal of Surgical Oncology, 2021, 19, 173. | 0.8 | 22 |
| 62 | Tumor-promoting function and prognostic significance of the RNA-binding protein T-cell intracellular antigen-1 in esophageal squamous cell carcinoma. Oncotarget, 2016, 7, 17111-17128. | 0.8 | 22 |
| 63 | Cellular physiological approach for treatment of gastric cancer. World Journal of Gastroenterology, 2014, 20, 11560. | 1.4 | 22 |
| 64 | Plasma microRNA profiles: identification of miR-1229-3p as a novel chemoresistant and prognostic biomarker in gastric cancer. Scientific Reports, 2020, 10, 3161. | 1.6 | 21 |
| 65 | Carbonic Anhydrase XII as an Independent Prognostic Factor in Advanced Esophageal Squamous Cell Carcinoma. Journal of Cancer, 2015, 6, 922-929. | 1.2 | 20 |
| 66 | Na+/H+ exchanger 1 has tumor suppressive activity and prognostic value in esophageal squamous cell carcinoma. Oncotarget, 2017, 8, 2209-2223. | 0.8 | 20 |
| 67 | Predictive factors for the development of proteinuria in cancer patients treated with bevacizumab, ramucirumab, and aflibercept: a single-institution retrospective analysis. Scientific Reports, 2020, 10, 2011. | 1.6 | 20 |
| 68 | Granulocyte colony-stimulating factor-producing hepatocellular carcinoma with abrupt changes. World Journal of Clinical Oncology, 2016, 7, 380. | 0.9 | 20 |
| 69 | The K–Cl Cotransporter KCC3 as an Independent Prognostic Factor in Human Esophageal Squamous Cell Carcinoma. BioMed Research International, 2014, 2014, 1-12. | 0.9 | 19 |
| 70 | Overexpression of TRIM44 is related to invasive potential and malignant outcomes in esophageal squamous cell carcinoma. Tumor Biology, 2017, 39, 101042831770040. | 0.8 | 19 |
| 71 | Clinical and surgical factors associated with organ/space surgical site infection after laparoscopic gastrectomy for gastric cancer. Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 1667-1674. | 1.3 | 19 |
| 72 | Clinical significance of neutrophil-to-lymphocyte ratio as a predictor of lymph node metastasis in gastric cancer. BMC Cancer, 2019, 19, 1187. | 1.1 | 19 |

Еісо Отѕијі

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Utility of continuous glucose monitoring following gastrectomy. Gastric Cancer, 2020, 23, 699-706. | 2.7 | 19 |
| 74 | Chloride intracellular channel 1 as a switch among tumor behaviors in human esophageal squamous cell carcinoma. Oncotarget, 2018, 9, 23237-23252. | 0.8 | 19 |
| 75 | Transient Receptor Potential Melastatin 7 as an Independent Prognostic Factor in Human Esophageal Squamous Cell Carcinoma. Anticancer Research, 2017, 37, 1161-1168. | 0.5 | 19 |
| 76 | Detection of fusion gene in cell-free DNA of a gastric synovial sarcoma. World Journal of Gastroenterology, 2018, 24, 949-956. | 1.4 | 19 |
| 77 | LRRC8A Expression Influences Growth of Esophageal Squamous Cell Carcinoma. American Journal of Pathology, 2019, 189, 1973-1985. | 1.9 | 18 |
| 78 | Anion exchanger 2 suppresses cellular movement and has prognostic significance in esophageal squamous cell carcinoma. Oncotarget, 2018, 9, 25993-26006. | 0.8 | 18 |
| 79 | Time to Death and Pattern of Death in Recurrence following Curative Resection of Gastric Carcinoma: Analysis Based on Depth of Invasion. World Journal of Surgery, 2004, 28, 866-869. | 0.8 | 17 |
| 80 | Cytosolic Cl- Affects the Anticancer Activity of Paclitaxel in the Gastric Cancer Cell Line, MKN28 Cell. Cellular Physiology and Biochemistry, 2017, 42, 68-80. | 1.1 | 17 |
| 81 | LRRC8A influences the growth of gastric cancer cells via the p53 signaling pathway. Gastric Cancer, 2021, 24, 1063-1075. | 2.7 | 17 |
| 82 | β-Galactosidase is a target enzyme for detecting peritoneal metastasis of gastric cancer. Scientific Reports, 2021, 11, 10664. | 1.6 | 17 |
| 83 | Risk factors to predict severe postoperative pancreatic fistula following gastrectomy for gastric cancer. World Journal of Gastroenterology, 2013, 19, 8696. | 1.4 | 17 |
| 84 | Production, Binding and Cytotoxicity of Human/Mouse Chimeric Monoclonal Antibody-Neocarzinostatin Conjugate. Japanese Journal of Cancer Research, 1993, 84, 1190-1194. | 1.7 | 16 |
| 85 | Significance of GSTP1 for predicting the prognosis and chemotherapeutic efficacy in esophageal squamous cell carcinoma. Oncology Reports, 2013, 30, 1687-1694. | 1.2 | 16 |
| 86 | Hypersensitivity Reactions to Oxaliplatin: Identifying the Risk Factors and Judging the Efficacy of a Desensitization Protocol. Clinical Therapeutics, 2015, 37, 1259-1269. | 1.1 | 16 |
| 87 | Radiosensitizing effect of 5‑aminolevulinic acid in colorectal cancer in�vitro and in�vivo. Oncology Letters, 2019, 17, 5132-5138. | 0.8 | 16 |
| 88 | Low levels of tumour suppressor miR-655 in plasma contribute to lymphatic progression and poor outcomes in oesophageal squamous cell carcinoma. Molecular Cancer, 2019, 18, 2. | 7.9 | 16 |
| 89 | Gastric carcinoma originating from the heterotopic submucosal gastric gland treated by laparoscopy and endoscopy cooperative surgery. World Journal of Gastrointestinal Oncology, 2015, 7, 118. | 0.8 | 16 |
| 90 | TRPV2 Promotes Cell Migration and Invasion in Gastric Cancer via the Transforming Growth Factor-Î ² Signaling Pathway. Annals of Surgical Oncology, 2022, 29, 2944-2956. | 0.7 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Impact of Body Weight Loss on Recurrence After Curative Gastrectomy for Gastric Cancer. Anticancer Research, 2016, 36, 807-13. | 0.5 | 16 |
| 92 | Characteristics of gastric carcinoma invading the muscularis propria. Journal of Surgical Oncology, 2005, 92, 104-108. | 0.8 | 15 |
| 93 | Simplified and optimized multispectral imaging for 5-ALA-based fluorescence diagnosis of malignant lesions. Scientific Reports, 2016, 6, 25530. | 1.6 | 15 |
| 94 | Rapid detection of metastatic lymph nodes of colorectal cancer with a gamma-glutamyl transpeptidase-activatable fluorescence probe. Scientific Reports, 2018, 8, 17781. | 1.6 | 15 |
| 95 | Value of Prognostic Nutritional Index as a Predictor of Lymph Node Metastasis in Gastric Cancer. Anticancer Research, 2019, 39, 6843-6849. | 0.5 | 15 |
| 96 | Glutathione Sâ€ŧransferase Pi 1 is a valuable predictor for cancer drug resistance in esophageal squamous cell carcinoma. Cancer Science, 2019, 110, 795-804. | 1.7 | 15 |
| 97 | Circulating circERBB2 as a potential prognostic biomarker for gastric cancer: An investigative study. Cancer Science, 2020, 111, 4177-4186. | 1.7 | 15 |
| 98 | KH-type splicing regulatory protein is involved in esophageal squamous cell carcinoma progression. Oncotarget, 2017, 8, 101130-101145. | 0.8 | 15 |
| 99 | Histological evaluation for chemotherapeutic responses of metastatic lymph nodes in gastric cancer. World Journal of Gastroenterology, 2015, 21, 13500. | 1.4 | 15 |
| 100 | Interaction of Cx43 with Hsc70 regulates G1/S transition through CDK inhibitor p27. Scientific Reports, 2015, 5, 15365. | 1.6 | 14 |
| 101 | The Effect of Coatings on the Affinity of Lanthanide Nanoparticles to MKN45 and HeLa Cancer Cells and Improvement in Photodynamic Therapy Efficiency. International Journal of Molecular Sciences, 2015, 16, 22415-22424. | 1.8 | 14 |
| 102 | Surgery for gastric cancer patients of age 85 and older: Multicenter survey. World Journal of Gastroenterology, 2017, 23, 1215. | 1.4 | 14 |
| 103 | Overexpression of ZRF1 is related to tumor malignant potential and a poor outcome of gastric carcinoma. Carcinogenesis, 2018, 39, 263-271. | 1.3 | 14 |
| 104 | Functional analysis and clinical significance of sodium iodide symporter expression in gastric cancer. Gastric Cancer, 2019, 22, 473-485. | 2.7 | 14 |
| 105 | Roles of Ion and Water Channels in the Cell Death and Survival of Upper Gastrointestinal Tract Cancers. Frontiers in Cell and Developmental Biology, 2021, 9, 616933. | 1.8 | 14 |
| 106 | Clinicopathologic and Prognostic Characterization of Poorly Differentiated Medullary-type Gastric Adenocarcinoma. World Journal of Surgery, 2004, 28, 862-865. | 0.8 | 13 |
| 107 | The number of metastatic lymph nodes exhibiting poorly differentiated clusters predicts survival in patients with pStage III colorectal cancer. International Journal of Colorectal Disease, 2016, 31, 283-290. | 1.0 | 13 |
| 108 | Regulation of osmolality for cancer treatment. Journal of Physiological Sciences, 2017, 67, 353-360. | 0.9 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----------|----------------|
| 109 | ANO9 Regulated Cell Cycle in Human Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2020, 27, 3218-3230. | 0.7 | 13 |
| 110 | Efficacy of Additional Surgical Resection After Endoscopic Submucosal Dissection for Superficial Esophageal Cancer. Anticancer Research, 2017, 37, 5301-5307. | 0.5 | 13 |
| 111 | Posterior mediastinal lymph node dissection using the pneumomediastinum method for esophageal cancer. Esophagus, 2012, 9, 58-64. | 1.0 | 12 |
| 112 | Modified high dorsal procedure for performing isolated anatomic total caudate lobectomy (with) Tj ETQq0 0 0 rg | BT/Qverlo | ock 10 Tf 50 (|
| 113 | Differences in Prevalence of Lymphovascular Invasion among Early Gastric Cancers between Korea and Japan. Gut and Liver, 2017, 11, 383-391. | 1.4 | 12 |
| 114 | ANO9 regulates PD‣2 expression and binding ability to PDâ€1 in gastric cancer. Cancer Science, 2021, 112, 1026-1037. | 1.7 | 12 |
| 115 | Expression and Role of CFTR in Human Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 6424-6436. | 0.7 | 12 |
| 116 | Monoclonal antibody A7 coupled to magnetic particles as a contrast enhancing agent for magnetic resonance imaging of human colorectal carcinoma. Cancer Immunology, Immunotherapy, 2006, 55, 728-733. | 2.0 | 11 |
| 117 | Reconstruction method as an independent risk factor for the postoperative decrease in hemoglobin in stage I gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 959-964. | 1.4 | 11 |
| 118 | Microarray Technology and Its Applications for Detecting Plasma microRNA Biomarkers in Digestive Tract Cancers. Methods in Molecular Biology, 2016, 1368, 99-109. | 0.4 | 11 |
| 119 | Preoperative Low Weight Affects Long-term Outcomes Following Curative Gastrectomy for Gastric Cancer. Anticancer Research, 2018, 38, 5331-5337. | 0.5 | 11 |
| 120 | Deep-UV excitation fluorescence microscopy for detection of lymph node metastasis using deep neural network. Scientific Reports, 2019, 9, 16912. | 1.6 | 11 |
| 121 | Significance of Circular FAT1 as a Prognostic Factor and Tumor Suppressor for Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 8508-8518. | 0.7 | 11 |
| 122 | 5-ALA-assistant automated detection of lymph node metastasis in gastric cancer patients. Gastric Cancer, 2020, 23, 725-733. | 2.7 | 11 |
| 123 | Geriatric Nutritional Risk Index Predicts Poor Prognosis of Patients After Curative Surgery for Gastric Cancer. Cancer Diagnosis & Prognosis, 2021, 1, 43-52. | 0.3 | 11 |
| 124 | Hand-assisted laparoscopic transhiatal approach for mediastinal esophageal duplication cyst resection. Esophagus, 2012, 9, 247-251. | 1.0 | 10 |
| 125 | Poorly differentiated clusters with larger extents have a greater impact on survival: a semi-quantitative pathological evaluation for 239 patients with non-mucinous pT2-3 colorectal carcinoma. World Journal of Surgical Oncology, 2015, 13, 140. | 0.8 | 10 |
| 126 | Effects of neutropenia and histological responses in esophageal squamous cell carcinoma with neo-adjuvant chemotherapy. International Journal of Clinical Oncology, 2016, 21, 95-101. | 1.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|-------------------|
| 127 | Relationship Between Postoperative CRP and Prognosis in Thoracic Esophageal Squamous Cell Carcinoma. Anticancer Research, 2018, 38, 6513-6518. | 0.5 | 10 |
| 128 | Comparison of Feeding Jejunostomy <i>via</i> Gastric Tube <i>Versus</i> Jejunum After Esophageal Cancer Surgery. Anticancer Research, 2018, 38, 4941-4945. | 0.5 | 10 |
| 129 | Photodynamic diagnosis of peritoneal metastasis in human pancreatic cancer using 5‑aminolevulinic acid during staging laparoscopy. Oncology Letters, 2018, 16, 821-828. | 0.8 | 10 |
| 130 | Value of intra-tumor heterogeneity evaluated by diffusion-weighted MRI for predicting pathological stages and therapeutic responses to chemoradiotherapy in lower rectal cancer. Journal of Cancer, 2020, 11, 168-176. | 1.2 | 10 |
| 131 | The expression of the alpha1 subunit of Na+/K+-ATPase is related to tumor development and clinical outcomes in gastric cancer. Gastric Cancer, 2021, 24, 1278-1292. | 2.7 | 10 |
| 132 | Overexpression of CTEN relates to tumor malignant potential and poor outcomes of adenocarcinoma of the esophagogastric junction. Oncotarget, 2017, 8, 84112-84122. | 0.8 | 10 |
| 133 | Photodynamic Diagnosis of Hepatocellular Carcinoma Using 5-Aminolevulinic Acid. Anticancer Research, 2016, 36, 4569-4574. | 0.5 | 10 |
| 134 | Discrepancies in the histologic type between biopsy and resected specimens: A cautionary note for mixed-type gastric carcinoma. World Journal of Gastroenterology, 2015, 21, 4673-4679. | 1.4 | 10 |
| 135 | Clinicopathological characteristics of clinical early gastric cancer in the upper-third stomach. World Journal of Gastroenterology, 2015, 21, 12851. | 1.4 | 10 |
| 136 | Clinical Significance of Prognostic Nutritional Index in the Treatment of Esophageal Squamous Cell Carcinoma. In Vivo, 2020, 34, 3451-3457. | 0.6 | 10 |
| 137 | Functions and Clinical Significance of CACNA2D1 in Gastric Cancer. Annals of Surgical Oncology, 2022, 29, 4522-4535. | 0.7 | 10 |
| 138 | A rapid immunostaining method for scirrhous gastric cancer during surgery using a monoclonal antibody. The Japanese Journal of Surgery, 1988, 18, 232-234. | 0.2 | 9 |
| 139 | Coating lanthanide nanoparticles with carbohydrate ligands elicits affinity for HeLa and RAW264.7 cells, enhancing their photodamaging effect. Bioorganic and Medicinal Chemistry, 2017, 25, 743-749. | 1.4 | 9 |
| 140 | Essentiality of Imaging Diagnostic Criteria Specific to Rectal Neuroendocrine Tumors for Detecting Metastatic Lymph Nodes. Anticancer Research, 2019, 39, 505-510. | 0.5 | 9 |
| 141 | Arterial chemoembolisation with cisplatin versus epirubicin for hepatocellular carcinoma (ACE 500) Tj ETQq1 1 373-382. | 0.784314 ı 1.3 | gBT /Overloc 9 |
| 142 | Self-expandable Metallic Stents Contribute to Reducing Perioperative Complications in Colorectal Cancer Patients with Acute Obstruction. Anticancer Research, 2018, 38, 1749-1753. | 0.5 | 9 |
| 143 | Tumor recurrence and its timing following curative resection of early gastric carcinoma. Anticancer Research, 2003, 23, 3499-503. | 0.5 | 9 |
| 144 | Prognostic impact of hepatectomy for patients with non-hepatitis B, non-hepatitis C hepatocellular carcinoma. Anticancer Research, 2014, 34, 4399-410. | 0.5 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Absolute lymphocyte count and C‑reactive protein‑albumin ratio can predict prognosis and adverse events in patients with recurrent esophageal cancer treated with nivolumab therapy. Oncology Letters, 2022, 24, . | 0.8 | 9 |
| 146 | Enhanced Tumor Localization of Radiolabeled Fab Fragments of Monoclonal Antibody A7 in Nude Mice Bearing Human Pancreatic Carcinoma Xenografts. Japanese Journal of Cancer Research, 1993, 84, 914-920. | 1.7 | 8 |
| 147 | Efficacy of a Hypotonic Treatment for Peritoneal Dissemination from Gastric Cancer Cells: An <i>In Vivo</i> Evaluation. BioMed Research International, 2014, 2014, 1-8. | 0.9 | 8 |
| 148 | Inhibition of Regulatory Volume Decrease Enhances the Cytocidal Effect of Hypotonic Shock in Hepatocellular Carcinoma. Journal of Cancer, 2016, 7, 1524-1533. | 1.2 | 8 |
| 149 | Involvement of Intracellular and Extracellular High-Mobility Group Box-1 in the Progression of Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2020, 27, 3233-3244. | 0.7 | 8 |
| 150 | Short- and Long-term Progress of Recurrent Laryngeal Nerve Paralysis After Subtotal Esophagectomy. Anticancer Research, 2017, 37, 2019-2023. | 0.5 | 8 |
| 151 | In vivoEfficacy of Neocarzinostatin Coupled with Fab Human/Mouse Chimeric Monoclonal Antibody A7 against Human Colorectal Cancer. Japanese Journal of Cancer Research, 1994, 85, 167-171. | 1.7 | 7 |
| 152 | Biodistribution of Neocarzinostatin Conjugated to Chimeric Fab Fragments of the Monoclonal Antibody A7 in Nude Mice Bearing Human Pancreatic Cancer Xenografts. Japanese Journal of Cancer Research, 1994, 85, 530-535. | 1.7 | 7 |
| 153 | Double primary cancer of the esophagus consisting of ectopic gastric mucosa-derived adenocarcinoma and squamous cell carcinoma: a first case report. Esophagus, 2011, 8, 303-309. | 1.0 | 7 |
| 154 | Successful subcarinal dissection using a laparoscopic transhiatal approach for esophageal cancer with an anomalous pulmonary vein. General Thoracic and Cardiovascular Surgery, 2016, 64, 239-242. | 0.4 | 7 |
| 155 | Heat shock exerts anticancer effects on liver cancer via autophagic degradation of aquaporin 5. International Journal of Oncology, 2017, 50, 1857-1867. | 1.4 | 7 |
| 156 | Reconstruction method as an independent risk factor for postoperative bone mineral density loss in gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 418-425. | 1.4 | 7 |
| 157 | Non-flap hand-sewn esophagogastrostomy as a simple anti-reflux procedure in laparoscopic proximal gastrectomy for gastric cancer. Langenbeck's Archives of Surgery, 2020, 405, 541-549. | 0.8 | 7 |
| 158 | Functional Analysis and Clinical Significance of Chloride Channel 2 Expression in Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 5384-5397. | 0.7 | 7 |
| 159 | The Effect of Preoperative Oral Antibiotics in the Prevention of Surgical Site Infection after Laparoscopic Colorectal Cancer Surgery: A Propensity Score Matching Study. Journal of the Anus, Rectum and Colon, 2021, 5, 319-326. | 0.4 | 7 |
| 160 | Roles of voltage‑gated potassium channels in the maintenance of pancreatic cancer stem cells. International Journal of Oncology, 2021, 59, . | 1.4 | 7 |
| 161 | Matrix metalloprotease–14 is a target enzyme for detecting peritoneal metastasis in gastric cancer. Photodiagnosis and Photodynamic Therapy, 2021, 35, 102420. | 1.3 | 7 |
| 162 | Efficacy of PET-CT in the Diagnosis and Treatment of Recurrence After Esophageal Cancer Surgery. Anticancer Research, 2016, 36, 5473-5480. | 0.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Ectopic gastrointestinal variceal bleeding with portal hypertension. World Journal of Gastrointestinal Surgery, 2017, 9, 288-292. | 0.8 | 7 |
| 164 | Biodistribution of monoclonal antibody A7 and its F(ab′)2 fragment in athymic nude mice bearing human pancreatic carcinoma. Journal of Surgical Oncology, 1992, 50, 173-178. | 0.8 | 6 |
| 165 | Laparoscopic repair of a bilateral internal inguinal hernia with supravesical hernia – a case report. International Journal of Surgery Case Reports, 2015, 14, 108-111. | 0.2 | 6 |
| 166 | Selected reaction monitoring for colorectal cancer diagnosis using a set of five serum peptides identified by BLOTCHIP®-MS analysis. Journal of Gastroenterology, 2018, 53, 1179-1185. | 2.3 | 6 |
| 167 | Comparison of Clinical Outcomes of Gastrojejunal Bypass and Gastrectomy in Patients With Metastatic Gastric Cancer. Anticancer Research, 2019, 39, 2545-2551. | 0.5 | 6 |
| 168 | Emergency Management of Obstructive Colorectal Cancer – A Retrospective Study of Efficacy and Safety in Self-expanding Metallic Stents and Trans-anal Tubes. In Vivo, 2021, 35, 2289-2296. | 0.6 | 6 |
| 169 | The survival after recurrence of colorectal cancer: a retrospective study focused on time to recurrence after curative resection. Surgery Today, 2022, 52, 239-250. | 0.7 | 6 |
| 170 | Laparoscopy-assisted Distal Gastrectomy for Gastric Cancer in Elderly Patients: Surgical Outcomes and Prognosis. Anticancer Research, 2018, 38, 1721-1725. | 0.5 | 6 |
| 171 | Overexpression of EGFR as an Independent Prognostic Factor in Adenocarcinoma of the Esophagogastric Junction. Anticancer Research, 2017, 37, 3129-3135. | 0.5 | 6 |
| 172 | Long-term Postoperative Nutritional Status Affects Prognosis Even After Infectious Complications in Gastric Cancer. Anticancer Research, 2018, 38, 3133-3138. | 0.5 | 6 |
| 173 | Significance of Preoperative Prognostic Nutritional Index in the Perioperative Management of Gastric Cancer. Journal of Gastrointestinal Surgery, 2022, 26, 558-569. | 0.9 | 6 |
| 174 | Prediction of lymph node metastasis by size of early gastric carcinoma. Hepato-Gastroenterology, 2007, 54, 602-5. | 0.5 | 6 |
| 175 | Impact of age on early surgical outcomes of laparoscopy-assisted gastrectomy with suprapancreatic nodal dissection for clinical stage I gastric cancer. Anticancer Research, 2015, 35, 2191-8. | 0.5 | 6 |
| 176 | Ki-67 labeling index as an independent prognostic factor in human esophageal squamous cell carcinoma. Esophagus, 2012, 9, 195-202. | 1.0 | 5 |
| 177 | Clinical significance and prognostic impact of the total diameter of enlarged lymph nodes on preoperative multidetector computed tomography in patients with gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 1603-1609. | 1.4 | 5 |
| 178 | Clinical significance of chemotherapy for geriatric patients with advanced or recurrent gastric cancer. Molecular and Clinical Oncology, 2015, 3, 83-88. | 0.4 | 5 |
| 179 | A case of long-term survival following hepatectomy for liver metastasis of Merkel cell carcinoma. Surgical Case Reports, 2015, 1, 30. | 0.2 | 5 |
| 180 | Tumor necrosis factor-α-induced apoptosis of gastric cancer MKN28 cells: Accelerated degradation of the inhibitor of apoptosis family members. Archives of Biochemistry and Biophysics, 2015, 566, 43-48. | 1.4 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Risk Stratification According to the Total Number of Factors That Meet the Indication Criteria for Radical Lymph Node Dissection in Patients with Early Gastric Cancer at Risk for Lymph Node Metastasis. Annals of Surgical Oncology, 2016, 23, 792-797. | 0.7 | 5 |
| 182 | Impact of Combination Criteria of Nodal Counts and Sizes on Preoperative MDCT in Advanced Gastric Cancer. World Journal of Surgery, 2016, 40, 158-164. | 0.8 | 5 |
| 183 | The Role of cIAP1 and XIAP in Apoptosis Induced by Tumor Necrosis Factor Alpha in Esophageal Squamous Cell Carcinoma Cells. Digestive Diseases and Sciences, 2017, 62, 652-659. | 1.1 | 5 |
| 184 | Is curative gastrectomy justified for gastric cancer with cytology positive as the only stage IV factor?. Langenbeck's Archives of Surgery, 2019, 404, 599-604. | 0.8 | 5 |
| 185 | Diagnostic accuracy of the gastric cancer T-category with respect to tumor localization. Langenbeck's Archives of Surgery, 2020, 405, 787-796. | 0.8 | 5 |
| 186 | Accumulation of Uroporphyrin I in Necrotic Tissues of Squamous Cell Carcinoma after Administration of 5-Aminolevulinic Acid. International Journal of Molecular Sciences, 2021, 22, 10121. | 1.8 | 5 |
| 187 | Effects of Neoadjuvant 5-Fluorouracil and Cisplatin Therapy in Patients with Clinical Stage II/III Esophageal Squamous Cell Carcinoma. Anticancer Research, 2018, 38, 1017-1023. | 0.5 | 5 |
| 188 | Experimental Biliary Reconstruction with an Artificial Bile Duct Using in situ Tissue Engineering Technique. Inflammation and Regeneration, 2007, 27, 579-585. | 1.5 | 5 |
| 189 | Efficacy of prophylactic extended lymphadenectomy with gastrectomy for patients with node-negative advanced gastric carcinoma. Hepato-Gastroenterology, 2008, 55, 755-9. | 0.5 | 5 |
| 190 | Urinary 5-Aminolevulinic Acid Concentrations as a Potential Tumor Marker for Colorectal Cancer Screening and Recurrence. Anticancer Research, 2016, 36, 2445-50. | 0.5 | 5 |
| 191 | Clinical Impact of Laparoscopy and Endoscopy Cooperative Surgery (LECS) on Gastric Submucosal Tumor After its Standardization. Anticancer Research, 2016, 36, 3041-7. | 0.5 | 5 |
| 192 | Applicability of monoclonal antibody Fab fragments as a carrier of neocarzinostatin in targeting chemotherapy. , 1996, 61, 149-154. | | 4 |
| 193 | Application of99mTc labeled chimeric Fab fragments of monoclonal antibody A7 for immunoscintigraphy of pancreatic carcinoma. Journal of Surgical Oncology, 2003, 84, 160-165. | 0.8 | 4 |
| 194 | Middle and lower esophagectomy preceded by hand-assisted laparoscopic transhiatal approach for distal esophageal cancer. Molecular and Clinical Oncology, 2014, 2, 31-37. | 0.4 | 4 |
| 195 | Inferior vena caval thrombosis complicating pyogenic liver abscess after pancreatoduodenectomy: a case report. Surgical Case Reports, 2015, 1, 77. | 0.2 | 4 |
| 196 | Pathologic tumor response to neoadjuvant chemotherapy in gastroesophageal cancer: what does it mean?. Translational Gastroenterology and Hepatology, 2016, 1, 75-75. | 1.5 | 4 |
| 197 | Phosphorylated retinoblastoma protein is a potential predictive marker of irinotecan efficacy for colorectal cancer. International Journal of Oncology, 2016, 48, 1297-1304. | 1.4 | 4 |
| 198 | Monitoring with sensitive tumor markers contributes to decision-making and better prognosis in gastric cancer patients with peritoneal recurrence. International Journal of Clinical Oncology, 2017, 22, 897-904. | 1.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Influence of magnesium and parathyroid hormone on cisplatin-induced nephrotoxicity in esophageal squamous cell carcinoma. Oncology Letters, 2017, 15, 658-664. | 0.8 | 4 |
| 200 | Pure Well-Differentiated Adenocarcinoma Is a Safe Factor for Lymph Node Metastasis in T1 and T2 Colorectal Cancer: A Pilot Study. Gastroenterology Research and Practice, 2018, 2018, 1-9. | 0.7 | 4 |
| 201 | Management of Pleural Effusion After Mediastinoscopic Radical Esophagectomy. Anticancer Research, 2018, 38, 6919-6925. | 0.5 | 4 |
| 202 | Does Robotic Distal Gastrectomy Facilitate Minimally Invasive Surgery for Gastric Cancer?. Anticancer Research, 2019, 39, 5033-5038. | 0.5 | 4 |
| 203 | Efficacy of the combination use of aprepitant and palonosetron for improving nausea in various moderately emetogenic chemotherapy regimens. BMC Pharmacology & Toxicology, 2019, 20, 6. | 1.0 | 4 |
| 204 | TRIM37 contributes to malignant outcomes and CDDP resistance in gastric cancer. Journal of Cancer, 2021, 12, 316-325. | 1.2 | 4 |
| 205 | Evaluation of subcarinal lymph node dissection and metastasis in transmediastinal radical esophagectomy. Esophagus, 2021, 18, 461-467. | 1.0 | 4 |
| 206 | Identification of colorectal neoplasia by using serum bile acid profile. Biomarkers, 2021, 26, 462-467. | 0.9 | 4 |
| 207 | Blockade of potassium ion transports enhances hypotonicity-induced cytocidal effects in gastric cancer. Oncotarget, 2017, 8, 101394-101405. | 0.8 | 4 |
| 208 | Usefulness of Reduced Port Surgery for Left Colon Cancer. Anticancer Research, 2016, 36, 4749-4752. | 0.5 | 4 |
| 209 | Overexpression of Tetraspanin31 contributes to malignant potential and poor outcomes in gastric cancer. Cancer Science, 2022, 113, 1984-1998. | 1.7 | 4 |
| 210 | Colonic Metastasis from Breast Cancer: A Case Report and Review of the Literature. In Vivo, 2022, 36, 522-527. | 0.6 | 4 |
| 211 | Intratumoral administration of neocarzinostatin conjugated to monoclonal antibody A7 in a model of pancreatic cancer. Journal of Surgical Oncology, 1993, 53, 215-219. | 0.8 | 3 |
| 212 | Antitumor effect of neocarzinostatin conjugated to human/mouse chimeric fab fragments of the monoclonal antibody A7 on human pancreatic carcinoma. Journal of Surgical Oncology, 1994, 57, 230-234. | 0.8 | 3 |
| 213 | Transanal Excision of a Large Rectal Polyp Assisted by Transsacral Manipulation of the Rectum. Diseases of the Colon and Rectum, 2004, 47, 1420-1422. | 0.7 | 3 |
| 214 | Intraoperative 5-aminolevulinic acid-mediated photodynamic diagnosis of gallbladder cancer: A case report. Photodiagnosis and Photodynamic Therapy, 2016, 14, 74-76. | 1.3 | 3 |
| 215 | Laparoscopic splenectomy for polysplenia with splenic torsion: a case report. Surgical Case Reports, 2019, 5, 28. | 0.2 | 3 |
| 216 | Preoperative total cholesterol-lymphocyte score as a novel immunonutritional predictor of survival in gastric cancer. Langenbeck's Archives of Surgery, 2019, 404, 743-752. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Preoperative inflammatory response as prognostic factor of patients with colon cancer. Langenbeck's Archives of Surgery, 2019, 404, 731-741. | 0.8 | 3 |
| 218 | Residual Cancer Volume Predicts Clinical Outcome in Patients With Esophageal Squamous Cell Carcinoma After Neoadjuvant Chemotherapy. International Journal of Surgical Pathology, 2019, 27, 713-721. | 0.4 | 3 |
| 219 | Clinical impact of postoperative interval until adjuvant chemotherapy following curative gastrectomy for advanced gastric cancer. Journal of Cancer, 2021, 12, 5960-5966. | 1.2 | 3 |
| 220 | ASO Author Reflections: Amlodipine and Verapamil, Voltage-Gated Ca2+ Channel Inhibitors Suppressed the Growth of Gastric Cancer Stem Cells. Annals of Surgical Oncology, 2021, 28, 5412-5413. | 0.7 | 3 |
| 221 | MiR-3663-3p Inhibits the Progression of Gastric Cancer Through the CCND1 Pathway. Anticancer Research, 2021, 41, 2441-2449. | 0.5 | 3 |
| 222 | Simple and reliable method for the application of Seprafilm® during laparoscopic surgery. Asian Journal of Endoscopic Surgery, 2022, 15, 449-452. | 0.4 | 3 |
| 223 | Rapid fluorescence imaging of human hepatocellular carcinoma using the β-galactosidase-activatable fluorescence probe SPiDER-βGal. Scientific Reports, 2021, 11, 17946. | 1.6 | 3 |
| 224 | Radioimmunoimaging of Local Recurrence of Colorectal Cancer Using ¹³¹ I-labeled Murine Monoclonal Antibody A7. Japanese Journal of Gastroenterological Surgery, 1992, 25, 2878-2878. | 0.0 | 3 |
| 225 | Anterior gradient 2 regulates cancer progression in TP53â€'wildâ€'type esophageal squamous cell carcinoma. Oncology Reports, 2021, 46, . | 1.2 | 3 |
| 226 | Efficacy of 5-aminolevulinic acid-mediated photodynamic therapy in a mouse model of esophageal cancer. Oncology Letters, 2020, 20, 1-1. | 0.8 | 3 |
| 227 | Soluble podoplanin as a biomarker in diffuse‑type gastric cancer. Oncology Reports, 2022, 47, . | 1.2 | 3 |
| 228 | Significance of Hepatectomy for AJCC/UICC T3 Hepatocellular Carcinoma. Anticancer Research, 2015, 35, 2921-8. | 0.5 | 3 |
| 229 | A Study on the Tolerability of Capecitabine plus Oxaliplatin as Adjuvant Chemotherapy. Anticancer Research, 2016, 36, 1851-4. | 0.5 | 3 |
| 230 | Tumor Index as a Combined Indicator of Tumor Depth and Size in Gastric Cancer. Anticancer Research, 2016, 36, 1895-900. | 0.5 | 3 |
| 231 | Prognostic Influence of the Extent of Lymph Node Dissection and Perioperative Comorbidities in Patients with Gastric Cancer. Anticancer Research, 2016, 36, 1917-22. | 0.5 | 3 |
| 232 | Glucose variability and predicted cardiovascular risk after gastrectomy. Surgery Today, 2022, 52, 1634-1644. | 0.7 | 3 |
| 233 | Role of Extracellular High-Mobility Group Box-1 as a Therapeutic Target of Gastric Cancer. International Journal of Molecular Sciences, 2022, 23, 3264. | 1.8 | 3 |
| 234 | Increased tumor localization by monoclonal antibody A7 after F(ab')2 fragmentation in athymic nude mice bearing human pancreatic carcinomas. Journal of Surgical Oncology, 1993, 53, 168-174. | 0.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Hand-assisted technique beneficial for laparoscopic transhiatal esophagectomy with en-bloc dissection of middle and lower mediastinal lymph nodes: roles of the operator's left hand. Esophagus, 2017, 14, 138-145. | 1.0 | 2 |
| 236 | A successful case of a para-aortic lymphocele treated with autologous peripheral blood injection. Radiology Case Reports, 2017, 12, 760-763. | 0.2 | 2 |
| 237 | Staging Paradox and Discrepancy in Adjuvant Chemotherapy in Patients with T4N0, T1â€2N1, and T3N1 Colon Cancer. World Journal of Surgery, 2021, 45, 1561-1568. | 0.8 | 2 |
| 238 | Significance of Plasma UCA1 for Predicting Colorectal Cancer and BRAF Mutation Status. Anticancer Research, 2021, 41, 1761-1769. | 0.5 | 2 |
| 239 | Impact of Inferior Mesenteric Artery Lymph Node Metastasis on the Prognosis of Left-sided Colorectal Cancer. Anticancer Research, 2021, 41, 2533-2542. | 0.5 | 2 |
| 240 | Characterization of signet ring cell carcinoma of the stomach. , 1998, 67, 216. | | 2 |
| 241 | Clinical characteristics of hepatoduodenal lymph node metastasis in gastric cancer. World Journal of Gastroenterology, 2015, 21, 10866. | 1.4 | 2 |
| 242 | Dynamics of glucose levels after Billroth I versus Roux-en-Y reconstruction in patients who undergo distal gastrectomy. Surgery Today, 2022, 52, 889-895. | 0.7 | 2 |
| 243 | Results of combined complete removal of directly invaded organs with the stomach in patients with advanced gastric cancer. Hepato-Gastroenterology, 2002, 49, 1731-3. | 0.5 | 2 |
| 244 | Resection of a pelvic schwannoma with partial removal of the sacral nerve root. Hepato-Gastroenterology, 2003, 50, 99-101. | 0.5 | 2 |
| 245 | Effects of idiotypic human anti-mouse antibody against in vitro binding and antitumor activity of a monoclonal antibody-drug conjugate. Hepato-Gastroenterology, 2003, 50, 380-4. | 0.5 | 2 |
| 246 | Removal of small extracellular vesicles inhibits the progression of peritoneal dissemination in gastric cancer. Gastric Cancer, 2022, 25, 712-725. | 2.7 | 2 |
| 247 | Decreased Renal Accumulation of Biotinylated Chimeric Monoclonal Antibody-Neocarzinostatin Conjugate after Administration of Avidin. Japanese Journal of Cancer Research, 1997, 88, 205-212. | 1.7 | 1 |
| 248 | Predictive factors for early recurrence in patients with esophageal squamous cell carcinoma after curative esophagectomy. Esophagus, 2012, 9, 17-24. | 1.0 | 1 |
| 249 | Time course of serum C-reactive protein levels during induction chemoradiotherapy and its correlation with treatment response and survival in patients with advanced esophageal squamous cell carcinoma. Molecular and Clinical Oncology, 2013, 1, 558-564. | 0.4 | 1 |
| 250 | Invasive Mucinous Adenocarcinoma Associated with Adjacent Sessile Serrated Lesion of the Appendix Vermiform: A Case Report. Case Reports in Pathology, 2014, 2014, 1-4. | 0.2 | 1 |
| 251 | Treatment outcomes of cervical esophageal cancer patients. Esophagus, 2016, 13, 323-329. | 1.0 | 1 |
| 252 | Reprogrammed chondrocytes engineered to produce IL-12 provide novel ex vivo immune-gene therapy for cancer. Immunotherapy, 2017, 9, 239-248. | 1.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|--------------------|--------------|
| 253 | Efficient fluorescence detection of protoporphyrin IX in metastatic lymph nodes of murine colorectal cancer stained with indigo carmine. Photodiagnosis and Photodynamic Therapy, 2017, 19, 175-180. | 1.3 | 1 |
| 254 | Outcome of a second hepatectomy in octogenarians with hepatocellular carcinoma recurrence: single centre's experience. ANZ Journal of Surgery, 2019, 89, 1270-1274. | 0.3 | 1 |
| 255 | Functional Outcomes of Billroth I Gastroduodenostomy Using Linear Staplers in Totally Laparoscopic Distal Gastrectomy. In Vivo, 2019, 33, 1993-1999. | 0.6 | 1 |
| 256 | Prognostic impact of the preoperative hemoglobin A1c levels in patients with gastric cancer surgery depends on postoperative complications. Surgery Today, 2021, 51, 422-431. | 0.7 | 1 |
| 257 | ASO Author Reflections: Expression and Role of CFTR in Human Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 6437-6438. | 0.7 | 1 |
| 258 | Laparoscopic cholecystectomy for gangrenous cholecystitis in around nineties: Two case reports. World Journal of Clinical Cases, 2021, 9, 3424-3431. | 0.3 | 1 |
| 259 | ASO Visual Abstract: Significance of Circular FAT1 as a Prognostic Factor and Tumor Suppressor for Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 492-493. | 0.7 | 1 |
| 260 | Therapeutic Strategy of Colorectal Liver Metastasis Using Modified-JHBPS Nomogram. Anticancer Research, 2021, 41, 3657-3665. | 0.5 | 1 |
| 261 | Preoperative 3D-CT evaluation of the bronchial arteries in transmediastinal radical esophagectomy for esophageal cancer. Esophagus, 2022, 19, 77-84. | 1.0 | 1 |
| 262 | The therapeutic strategy for advanced gastric cancer with pyloric stenosis and liver metastasis; successfully treated by gastro-jejunal bypass and chemotherapy first, followed by curative R0 resection. Surgical Case Reports, 2021, 7, 6. | 0.2 | 1 |
| 263 | ASO Author Reflections: The Impact of Circular FAT1 in Esophageal Squamous Cell Carcinoma: Investigation of a Novel Tumor Suppressor. Annals of Surgical Oncology, 2021, , 1. | 0.7 | 1 |
| 264 | A Case of Adenoendocrine Cell Carcinoma of the Gallbladder. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2014, 75, 2300-2306. | 0.0 | 1 |
| 265 | A Case of Incarcerated Hiatal Hernia Developed after Esophagectomy with Retrosternal Reconstruction for Esophageal Cancer. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical) Tj ETQq1 1 0 | .7 846 14 r | gBI /Overloc |
| 266 | Early thrombomodulin-α administration outcome for acute disseminated intravascular coagulopathy in gastrointestinal surgery. World Journal of Gastroenterology, 2017, 23, 891. | 1.4 | 1 |
| 267 | A Case of a 14-year-old Girl with Colitic Cancer who Underwent Laparoscopic Total Colectomy Safely. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2017, 78, 809-813. | 0.0 | 1 |
| 268 | A Case of Bile Peritonitis due to Intrahepatic Bile Duct Perforation. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2018, 79, 395-398. | 0.0 | 1 |
| 269 | Effect of low temperature on the regulation of cell volume after hypotonic shock in gastric cancer cells. International Journal of Oncology, 2019, 55, 905-914. | 1.4 | 1 |
| 270 | miR‑4730 suppresses the progression of liver cancer by targeting the high mobility group A1 pathway. International Journal of Molecular Medicine, 2022, 49, . | 1.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Enhanced Lymphatic Delivery of Monoclonal Antibody Following OK432 Pretreatment Tohoku Journal of Experimental Medicine, 1993, 169, 319-323. | 0.5 | 0 |
| 272 | Intrathoracic supercharge technique for esophageal reconstruction using colon interposition via a retrosternal route. Esophagus, 2012, 9, 234-238. | 1.0 | 0 |
| 273 | Author reply, re.: The decision criterion of histological mixed type in "T1/T2―gastric carcinomaâ€comparison between TNM classification and Japanese classification of gastric cancer. Journal of Surgical Oncology, 2012, 106, 355-355. | 0.8 | 0 |
| 274 | Esophagectomy with gastric tube reconstruction for patients who previously underwent free jejunal transfer. Esophagus, 2015, 12, 267-271. | 1.0 | 0 |
| 275 | Successful Management of a Perforated Interposed Substernal Ileocolon Caused by Right Pleural Hernia. Annals of Thoracic Surgery, 2016, 101, e5-e7. | 0.7 | 0 |
| 276 | Construction of a combinatorial pipeline using two somatic variant calling methods for whole exome sequence data of gastric cancer. Journal of Medical Investigation, 2017, 64, 233-240. | 0.2 | 0 |
| 277 | PS01.221: IMPROVED TECHNIQUES AND TREATMENT OUTCOMES IN SINGLE-PORT MEDIASTINOSCOPIC RADICAL ESOPHAGECTOMY FOR ESOPHAGEAL CANCER. Ecological Management and Restoration, 2018, 31, 112-113. | 0.2 | 0 |
| 278 | PS02.045: EXPRESSION AND CLINICAL SIGNIFICANCE OF LEUCINE-RICH REPEAT-CONTAINING PROTEIN 8A (LRRC8A) IN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2018, 31, 132-133. | 0.2 | 0 |
| 279 | PS02.201: EXPRESSION AND ROLE OF CLIC1 IN HUMAN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2018, 31, 179-179. | 0.2 | 0 |
| 280 | PS02.188: EXPRESSION AND ROLE OF ANION EXCHANGER 2 IN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2018, 31, 175-175. | 0.2 | 0 |
| 281 | PS02.002: EN-BLOC MEDIASTINAL LYMPH NODE DISSECTION USING A LAPAROSCOPIC TRANSHIATAL APPROACH FOR ESOPHAGEAL AND ESOPHAGOGASTRIC JUNCTION CANCERS. Ecological Management and Restoration, 2018, 31, 120-120. | 0.2 | 0 |
| 282 | PS02.155: THE ROLE OF AQUAPORIN 1 IN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2018, 31, 165-165. | 0.2 | 0 |
| 283 | PS02.051: HMGB IS INVOLVED IN ESOPHAGEAL SQUAMOUS CELL CARCINOMA PROGRESSION. Ecological Management and Restoration, 2018, 31, 134-135. | 0.2 | 0 |
| 284 | PS02.061: TRANILAST: SPECIFIC INHIBITOR OF TRPV2 IS THERAPEUTIC AGENT OF ESOPHAGEAL CANCER STEM CELLS. Ecological Management and Restoration, 2018, 31, 138-138. | 0.2 | 0 |
| 285 | RA04.02: THE COMPLICATIONS AND LONG-TERM SURVIVAL IN TRANS-MEDIASTINAL RADICAL ESOPHAGECTOMY. Ecological Management and Restoration, 2018, 31, 25-25. | 0.2 | 0 |
| 286 | PS02.245: GLUTATHIONE S-TRANSFERASE PI 1 (GSTP1) IS ONE OF VALUABLE PREDICTORS RELATED TO POOR PROGNOSIS AND RESISTANCE TO CHEMOTHERAPY IN ESOPHAGEAL CANCER. Ecological Management and Restoration, 2018, 31, 191-192. | 0.2 | 0 |
| 287 | Oncological Safety of Ultrasonically Activated Surgical Devices During Gastric Cancer Surgery. Anticancer Research, 2020, 40, 3163-3167. | 0.5 | 0 |
| 288 | ASO Author Reflections: ANO9 Regulated Cell Cycle in Human Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2020, 27, 3231-3232. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|--------------------|
| 289 | ASO Author Reflections: Functional Analysis and Clinical Significance of Chloride Channel 2 Expression in Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2021, 28, 5398-5399. | 0.7 | 0 |
| 290 | Oligometastasis scoring system for predicting survival of patients with colorectal liver metastasis after hepatectomy. Journal of Surgical Oncology, 2021, 124, 791-800. | 0.8 | 0 |
| 291 | 156 THE EXPRESSION AND ROLE OF ANO9 IN HUMAN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2021, 34, . | 0.2 | 0 |
| 292 | 152 SURGICAL PROCEDURE AND OUTCOME OF MEDIASTINOSCOPIC RADICAL ESOPHAGECTOMY FOR ESOPHAGOGASTRIC JUNCTION CANCER. Ecological Management and Restoration, 2021, 34, . | 0.2 | 0 |
| 293 | 145 ADVANTAGES OF MINIMALLY INVASIVE TRANSMEDIASTINAL ESOPHAGECTOMY IN ELDERLY PATIENTS WITH ESOPHAGEAL CANCER. Ecological Management and Restoration, 2021, 34, . | 0.2 | Ο |
| 294 | 344 THE ROLE OF TRPV2 IN ESOPHAGEAL SQUAMOUS CELL CARCINOMA. Ecological Management and Restoration, 2021, 34, . | 0.2 | 0 |
| 295 | Resection of the Lower Duodenum and a Subsegment of the Ventral Pancreas for Cancer of the Lower Duodenum, a Novel Operative Procedure Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical) Tj ETQq1 1 | @78 4314 | 1 œ ΒΤ /Ονε |
| 296 | Antitumor Effect of the Monoclonal Antibody (A7)-neocarzinostatin Conjugate Against Human Pancreatic Carcinoma Cell Line. Japanese Journal of Gastroenterological Surgery, 1990, 23, 820-820. | 0.0 | 0 |
| 297 | Radioimmunoscintigraphy of Human Pancreatic Cancer with ^{99m} Tc Labeled Monoclonal Antibody A7. Japanese Journal of Gastroenterological Surgery, 1998, 31, 2182-2182. | 0.0 | 0 |
| 298 | Laparoscopic transhiatal approach for resection of an adenocarcinoma in long-segment Barrett's esophagus. World Journal of Gastroenterology, 2015, 21, 8974. | 1.4 | 0 |
| 299 | A Case of a Gastric Cancer Patient who Developed Gastric Perforation due to Residual Barium Sulfate after X-ray Gastrography. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2019, 80, 1125-1129. | 0.0 | 0 |
| 300 | Laparoscopic Left Lateral Segmentectomy for the Metastatic Liver Cancer Successfully Treated with Chemotherapy. Japanese Journal of Gastroenterological Surgery, 2020, 53, 473-479. | 0.0 | 0 |
| 301 | ASO Author Reflections: Involvement of Intracellular and Extracellular High-Mobility Group Box-1 in the Progression of Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2020, 27, 3245-3246. | 0.7 | 0 |
| 302 | Reduction of perioperative venous thrombus formation by antithrombotic peripherally inserted central catheter in esophageal cancer. Langenbeck's Archives of Surgery, 2021, , 1. | 0.8 | 0 |
| 303 | Clinical significance of the distance between the cricoid cartilage and upper edge of the tumor using PETâ€'CT in cervical esophageal cancer. Oncology Letters, 2020, 20, 40. | 0.8 | Ο |
| 304 | ASO Author Reflections: TRPV2 and Gastric Cancer. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |
| 305 | Laparoscopic anterior resection for patients with rectosigmoid cancer in situs inversus totalis – a video vignette. Colorectal Disease, 2022, 24, 797-797. | 0.7 | 0 |
| 306 | ASO Visual Abstract: TRPV2 Promotes Cell Migration and Invasion in Gastric Cancer via the TGF-β-Signaling Pathway. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | ls Preoperative Spirometry Necessary for Gastrointestinal Cancer Surgery?. Anticancer Research, 2022, 42, 1623-1628. | 0.5 | 0 |
| 308 | Tumor Location on the Vertical Section of the Anterior Wall Is Related to Favorable Prognosis and Low Incidence of Lymph Node Metastasis in Lower-third Gastric Cancer. Anticancer Research, 2022, 42, 237-243. | 0.5 | 0 |
| 309 | ASO Author Reflections: CACNA2D1 may have a Potential as a Biomarker for Cancer Growth and as a Therapeutic Target for Gastric Cancer. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |
| 310 | Calcifying fibrous tumor of the ileum resected by single-port laparoscopic surgery: a case report. Surgical Case Reports, 2022, 8, 64. | 0.2 | 0 |
| 311 | ASO Visual Abstract: Functions and Clinical Significance of CACNA2D1 in Gastric Cancer. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |