

Marjan Mujib

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3957387/marjan-mujib-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

2,239

citations

25

h-index

46

g-index

102

ext. papers

2,622

ext. citations

3.9

avg, IF

4.07

L-index

#	Paper	IF	Citations
62	Comparison of phase 2 cardiac rehabilitation outcomes between patients after transcatheter versus surgical aortic valve replacement. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1577-1584 ^{3,9}		3
61	Advances in our understanding of the influence of gender on patient outcomes with peripheral arterial disease co-occurring with diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2016 , 11, 271-279	4.1	2
60	Association Between Opioid Abuse/Dependence and Outcomes in Hospitalized Heart Failure Patients. <i>American Journal of Therapeutics</i> , 2016 , 23, e350-6	1	7
59	Smoker's Paradox in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	44
58	Risk of Heart Failure and Death After Prolonged Smoking Cessation: Role of Amount and Duration of Prior Smoking. <i>Circulation: Heart Failure</i> , 2015 , 8, 694-701	7.6	35
57	Regional variation in the incidence and outcomes of in-hospital cardiac arrest in the United States. <i>Circulation</i> , 2015 , 131, 1415-25	16.7	87
56	Trends in management and outcomes of ST-elevation myocardial infarction in patients with end-stage renal disease in the United States. <i>American Journal of Cardiology</i> , 2015 , 115, 1033-41	3	24
55	Complete Heart Block Complicating ST-Segment Elevation Myocardial Infarction: Temporal Trends and Association With In-Hospital Outcomes. <i>JACC: Clinical Electrophysiology</i> , 2015 , 1, 529-538	4.6	13
54	Pretransplant coagulopathy and in-hospital outcomes among heart transplant recipients: a propensity-matched nationwide inpatient sample study. <i>Clinical Cardiology</i> , 2015 , 38, 300-8	3.3	6
53	Association of chronic renal insufficiency with in-hospital outcomes after percutaneous coronary intervention. <i>Journal of the American Heart Association</i> , 2015 , 4, e002069	6	38
52	Outcomes of acute myocardial infarction in patients with hypertrophic cardiomyopathy. <i>American Journal of Medicine</i> , 2015 , 128, 879-887.e1	2.4	13
51	Catheter ablation of postinfarction ventricular tachycardia: ten-year trends in utilization, in-hospital complications, and in-hospital mortality in the United States. <i>Heart Rhythm</i> , 2014 , 11, 2056-63	6.7	81
50	Permanent pacemaker utilization in older patients with syncope and carotid sinus syndrome. <i>International Journal of Cardiology</i> , 2014 , 176, 1137-8	3.2	
49	Dual antiplatelet therapy (clopidogrel and aspirin) is associated with increased all-cause mortality after carotid revascularization for asymptomatic carotid disease. <i>Journal of Vascular Surgery</i> , 2014 , 59, 950-5	3.5	13
48	Relation of smoking status to outcomes after cardiopulmonary resuscitation for in-hospital cardiac arrest. <i>American Journal of Cardiology</i> , 2014 , 114, 169-74	3	27
47	Management and outcomes of ST-elevation myocardial infarction in nursing home versus community-dwelling older patients: a propensity matched study. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 593-9	5.9	10
46	Trends in incidence, management, and outcomes of cardiogenic shock complicating ST-elevation myocardial infarction in the United States. <i>Journal of the American Heart Association</i> , 2014 , 3, e000590	6	301

45	Regional variation across the United States in management and outcomes of ST-elevation myocardial infarction: analysis of the 2003 to 2010 nationwide inpatient sample database. <i>Clinical Cardiology</i> , 2014 , 37, 204-12	3.3	20
44	Non-ST-elevation myocardial infarction in the United States: contemporary trends in incidence, utilization of the early invasive strategy, and in-hospital outcomes. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	63
43	Temporal trends in incidence and outcomes of peripartum cardiomyopathy in the United States: a nationwide population-based study. <i>Journal of the American Heart Association</i> , 2014 , 3, e001056	6	155
42	ST-elevation myocardial infarction in the elderly--temporal trends in incidence, utilization of percutaneous coronary intervention and outcomes in the United States. <i>International Journal of Cardiology</i> , 2013 , 168, 3683-90	3.2	59
41	Early invasive versus initial conservative treatment strategies in octogenarians with UA/NSTEMI. <i>American Journal of Medicine</i> , 2013 , 126, 1076-83.e1	2.4	27
40	Design and rationale of studies of neurohormonal blockade and outcomes in diastolic heart failure using OPTIMIZE-HF registry linked to Medicare data. <i>International Journal of Cardiology</i> , 2013 , 166, 230-3 ²	3.2	23
39	Trends in acute kidney injury and outcomes after early percutaneous coronary intervention in patients \geq 5 years of age with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2013 , 112, 1279-86	3	21
38	Angiotensin-converting enzyme inhibitors and outcomes in heart failure and preserved ejection fraction. <i>American Journal of Medicine</i> , 2013 , 126, 401-10	2.4	30
37	Reduced right ventricular ejection fraction and increased mortality in chronic systolic heart failure patients receiving β blockers: insights from the BEST trial. <i>International Journal of Cardiology</i> , 2013 , 163, 61-7	3.2	13
36	Risk scoring system to predict 3-year survival in patients treated for asymptomatic carotid stenosis. <i>Journal of Vascular Surgery</i> , 2013 , 57, 1576-80	3.5	19
35	Prediabetes is not an independent risk factor for incident heart failure, other cardiovascular events or mortality in older adults: findings from a population-based cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 3616-22	3.2	30
34	Primary payer status and outcomes after autologous hematopoietic stem cell transplant: A national perspective.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 7042-7042	2.2	
33	Association between smoking and outcomes in older adults with atrial fibrillation. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 85-90	4	8
32	Outcomes in younger and older adults with chronic advanced systolic heart failure: a propensity-matched study. <i>International Journal of Cardiology</i> , 2012 , 154, 128-33	3.2	4
31	Right ventricular ejection fraction . <i>International Journal of Cardiology</i> , 2012 , 155, 120-5	3.2	14
30	Bucindolol, systolic blood pressure, and outcomes in systolic heart failure: a prespecified post hoc analysis of BEST. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 354-9	3.8	14
29	Baseline characteristics, quality of care, and outcomes of younger and older Medicare beneficiaries hospitalized with heart failure: findings from the Alabama Heart Failure Project. <i>International Journal of Cardiology</i> , 2012 , 162, 39-44	3.2	22
28	Effect of warfarin on outcomes in septuagenarian patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2012 , 109, 370-7	3	13

27	Rheumatic heart disease and risk of incident heart failure among community-dwelling older adults: a prospective cohort study. <i>Annals of Medicine</i> , 2012 , 44, 253-61	1.5	6
26	Heart failure is a risk factor for incident driving cessation among community-dwelling older adults: findings from a prospective population study. <i>Journal of Cardiac Failure</i> , 2011 , 17, 1035-40	3.3	9
25	Gender-related dissociation in outcomes in chronic heart failure: reduced mortality but similar hospitalization in women. <i>International Journal of Cardiology</i> , 2011 , 148, 36-42	3.2	12
24	Self-reported teenage body size and heart failure in adults \geq 5 years of age. <i>International Journal of Cardiology</i> , 2011 , 149, 401-2	3.2	
23	Natural history of concentric left ventricular geometry in community-dwelling older adults without heart failure during seven years of follow-up. <i>American Journal of Cardiology</i> , 2011 , 107, 321-4	3	28
22	Warfarin use and outcomes in patients with advanced chronic systolic heart failure without atrial fibrillation, prior thromboembolic events, or prosthetic valves. <i>American Journal of Cardiology</i> , 2011 , 107, 552-7	3	25
21	Evidence of a "heart failure belt" in the southeastern United States. <i>American Journal of Cardiology</i> , 2011 , 107, 935-7	3	30
20	Relation of baseline systolic blood pressure and long-term outcomes in ambulatory patients with chronic mild to moderate heart failure. <i>American Journal of Cardiology</i> , 2011 , 107, 1208-14	3	74
19	Left ventricular diastolic function and exercise capacity in community-dwelling adults \geq 5 years of age without heart failure. <i>American Journal of Cardiology</i> , 2011 , 108, 735-40	3	10
18	A propensity-matched study of the association of diabetes mellitus with incident heart failure and mortality among community-dwelling older adults. <i>American Journal of Cardiology</i> , 2011 , 108, 1747-53	3	10
17	Relationship between left and right ventricular ejection fractions in chronic advanced systolic heart failure: insights from the BEST trial. <i>European Journal of Heart Failure</i> , 2011 , 13, 392-7	12.3	18
16	Intrinsic association of widowhood with mortality in community-dwelling older women and men: findings from a prospective propensity-matched population study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1360-8	6.4	6
15	Isolated diastolic hypotension and incident heart failure in older adults. <i>Hypertension</i> , 2011 , 58, 895-901	8.5	36
14	Relationship between stage of kidney disease and incident heart failure in older adults. <i>American Journal of Nephrology</i> , 2011 , 34, 135-41	4.6	9
13	Hyperuricaemia, chronic kidney disease, and outcomes in heart failure: potential mechanistic insights from epidemiological data. <i>European Heart Journal</i> , 2011 , 32, 712-20	9.5	100
12	Prospective population studies of incident heart failure without data on baseline left ventricular ejection fraction. <i>Archives of Medical Science</i> , 2010 , 6, 686-8	2.9	10
11	Hypokalemia and outcomes in patients with chronic heart failure and chronic kidney disease: findings from propensity-matched studies. <i>Circulation: Heart Failure</i> , 2010 , 3, 253-60	7.6	106
10	Association of obesity and survival in systolic heart failure after acute myocardial infarction: potential confounding by age. <i>European Journal of Heart Failure</i> , 2010 , 12, 566-73	12.3	23

9	Effects of right ventricular ejection fraction on outcomes in chronic systolic heart failure. <i>Circulation</i> , 2010 , 121, 252-8	16.7	206
8	Association between hyperuricemia and incident heart failure among older adults: a propensity-matched study. <i>International Journal of Cardiology</i> , 2010 , 142, 279-87	3.2	79
7	Epidemiology of stroke in chronic heart failure patients with normal sinus rhythm: findings from the DIG stroke sub-study. <i>International Journal of Cardiology</i> , 2010 , 144, 389-93	3.2	10
6	Mild hyperkalemia and outcomes in chronic heart failure: a propensity matched study. <i>International Journal of Cardiology</i> , 2010 , 144, 383-8	3.2	41
5	Impact of baseline systolic blood pressure on long-term outcomes in patients with advanced chronic systolic heart failure (insights from the BEST trial). <i>American Journal of Cardiology</i> , 2010 , 106, 221-7	3	35
4	A propensity-matched study of elevated jugular venous pressure and outcomes in chronic heart failure. <i>American Journal of Cardiology</i> , 2009 , 103, 839-44	3	20
3	A propensity-matched study of outcomes of chronic heart failure (HF) in younger and older adults. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, 165-71	4	24
2	A propensity-matched study of low serum potassium and mortality in older adults with chronic heart failure. <i>International Journal of Cardiology</i> , 2009 , 137, 1-8	3.2	41
1	Digoxin and reduction of heart failure hospitalization in chronic systolic and diastolic heart failure. <i>American Journal of Cardiology</i> , 2008 , 102, 1681-6	3	21