

Srikrishna Subramanian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3958025/srikrishna-subramanian-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

2,290
citations

23
h-index

43
g-index

117
ext. papers

2,691
ext. citations

4.6
avg, IF

4.72
L-index

#	Paper	IF	Citations
112	Complete genome sequence and identification of polyunsaturated fatty acid biosynthesis genes of the myxobacterium <i>Minicyctis rosea</i> DSM 24000. <i>BMC Genomics</i> , 2021 , 22, 655	4.5	2
111	Metagenomics analysis reveals features unique to Indian distal gut microbiota. <i>PLoS ONE</i> , 2020 , 15, e0231197	3.7	9
110	Taxonomic insights into the phylogeny of <i>Bacillus badius</i> and proposal for its reclassification to the genus <i>Pseudobacillus</i> as <i>Pseudobacillus badius</i> comb. nov. and reclassification of <i>Bacillus wudalianchiensis</i> Liu et al., 2017 as <i>Pseudobacillus wudalianchiensis</i> comb. nov. <i>Systematic and Applied Microbiology</i> , 2019 , 40, 310-320	4.2	3
109	Composite genome sequence of <i>Bacillus clausii</i> , a probiotic commercially available as Enterogermina, and insights into its probiotic properties. <i>BMC Microbiology</i> , 2019 , 19, 307	4.5	17
108	Evolutionary convergence and divergence in archaeal chromosomal proteins and Chromo-like domains from bacteria and eukaryotes. <i>Scientific Reports</i> , 2018 , 8, 6196	4.9	12
107	Evolutionary relationship between the cysteine and histidine rich domains (CHORDs) and Btk-type zinc fingers. <i>Bioinformatics</i> , 2018 , 34, 1981-1985	7.2	1
106	Comparative Genomics of Myxobacterial Chemosensory Systems. <i>Journal of Bacteriology</i> , 2018 , 200,	3.5	7
105	Ablation of RNA interference and retrotransposons accompany acquisition and evolution of transposases to heterochromatin protein CENPB. <i>Molecular Biology of the Cell</i> , 2017 , 28, 1132-1146	3.5	9
104	Unravelling the Complete Genome of <i>Archangium gephyra</i> DSM 2261T and Evolutionary Insights into Myxobacterial Chitinases. <i>Genome Biology and Evolution</i> , 2017 , 9, 1304-1311	3.9	21
103	Complete genome sequence and comparative genomics of the probiotic yeast <i>Saccharomyces boulardii</i> . <i>Scientific Reports</i> , 2017 , 7, 371	4.9	55
102	Evolutionary analysis of a novel zinc ribbon in the N-terminal region of threonine synthase. <i>Cell Cycle</i> , 2017 , 16, 1918-1926	4.7	3
101	Examination into the taxonomic position of <i>Bacillus thermotolerans</i> Yang et al., 2013, proposal for its reclassification into a new genus and species <i>Quasibacillus thermotolerans</i> gen. nov., comb. nov. and reclassification of <i>B. encimensis</i> Dastager et al., 2015 as a later heterotypic synonym of <i>B. badius</i> . <i>Systematic and Applied Microbiology</i> , 2017 , 40, 411-422	4.2	4
100	Identification of novel small RNAs in KC-01 expressed under iron limitation and oxidative stress conditions. <i>Microbiology (United Kingdom)</i> , 2017 , 163, 1924-1936	2.9	12
99	Complete Genome of the Starch-Degrading Myxobacteria <i>Sandaracinus amylolyticus</i> DSM 53668T. <i>Genome Biology and Evolution</i> , 2016 , 8, 2520-9	3.9	34
98	Genome sequence and comparative analysis of clavicipitaceous insect-pathogenic fungus <i>Aschersonia badia</i> with <i>Metarhizium</i> spp. <i>BMC Genomics</i> , 2016 , 17, 367	4.5	9
97	Evolutionary relationships between heme-binding ferredoxin β barrels. <i>BMC Bioinformatics</i> , 2016 , 17, 168	3.6	6
96	Complete Genome Sequence and Comparative Genomics of a Novel Myxobacterium <i>Myxococcus hansupus</i> . <i>PLoS ONE</i> , 2016 , 11, e0148593	3.7	23

95	Complete Genomes of <i>Bacillus coagulans</i> S-lac and <i>Bacillus subtilis</i> TO-A JPC, Two Phylogenetically Distinct Probiotics. <i>PLoS ONE</i> , 2016 , 11, e0156745	3.7	27
94	Classification of the treble clef zinc finger: noteworthy lessons for structure and function evolution. <i>Scientific Reports</i> , 2016 , 6, 32070	4.9	13
93	An atypical segment swap in the DN and DC domains of the Acr_tran family resistance-nodulation-cell division pump. <i>Journal of Structural Biology</i> , 2016 , 196, 358-363	3.4	
92	The insertion domain 1 of class IIA dimeric glycyl-tRNA synthetase is a rubredoxin-like zinc ribbon. <i>Journal of Structural Biology</i> , 2015 , 190, 38-46	3.4	5
91	Genome sequence, comparative analysis, and evolutionary insights into chitinases of entomopathogenic fungus <i>Hirsutiella thompsonii</i> . <i>Genome Biology and Evolution</i> , 2015 , 7, 916-30	3.9	30
90	The Ku-Mar zinc finger: A segment-swapped zinc ribbon in MarR-like transcription regulators related to the Ku bridge. <i>Journal of Structural Biology</i> , 2015 , 191, 281-9	3.4	4
89	A novel RING finger in the C-terminal domain of the coatomer protein ECOP. <i>Biology Direct</i> , 2015 , 10, 70	7.2	4
88	The UBR-box and its relationship to binuclear RING-like treble clef zinc fingers. <i>Biology Direct</i> , 2015 , 10, 36	7.2	5
87	Prevalence of the F-type lectin domain. <i>Glycobiology</i> , 2015 , 25, 888-901	5.8	22
86	Repurposing TRASH: emergence of the enzyme organomercurial lyase from a non-catalytic zinc finger scaffold. <i>Journal of Structural Biology</i> , 2014 , 188, 16-21	3.4	10
85	Genome sequencing and annotation of <i>Acinetobacter gyllenbergii</i> strain MTCC 11365(T). <i>Genomics Data</i> , 2014 , 2, 4-6		1
84	Genome sequencing and annotation of <i>Acinetobacter gernerii</i> strain MTCC 9824(T). <i>Genomics Data</i> , 2014 , 2, 7-9		0
83	Genome sequencing and annotation of <i>Acinetobacter junii</i> strain MTCC 11364. <i>Genomics Data</i> , 2014 , 2, 13-5		1
82	Genome sequencing and annotation of <i>Acinetobacter guillouiae</i> strain MSP 4-18. <i>Genomics Data</i> , 2014 , 2, 1-3		
81	Genome sequencing and annotation of <i>Acinetobacter haemolyticus</i> strain MTCC 9819(T). <i>Genomics Data</i> , 2014 , 2, 10-2		2
80	Genome sequencing and annotation of <i>Amycolatopsis azurea</i> DSM 43854(T). <i>Genomics Data</i> , 2014 , 2, 44-5		3
79	Draft Genome Sequence of <i>Kocuria palustris</i> PEL. <i>Genome Announcements</i> , 2014 , 2,		2
78	<i>Grimontia indica</i> AK16(T), sp. nov., isolated from a seawater sample reports the presence of pathogenic genes similar to <i>Vibrio</i> genus. <i>PLoS ONE</i> , 2014 , 9, e85590	3.7	4

77	Evidence of a new metabolic capacity in an emerging diarrheal pathogen: lessons from the draft genomes of <i>Vibrio fluvialis</i> strains PG41 and I21563. <i>Gut Pathogens</i> , 2013 , 5, 20	5-4	4
76	Draft Genome Sequence of the Opportunistic Human Pathogen <i>Morganella morganii</i> SC01. <i>Genome Announcements</i> , 2013 , 1,		5
75	Draft Genome Sequence of a Plant Growth-Promoting Rhizobacterium, <i>Serratia fonticola</i> Strain AU-P3(3). <i>Genome Announcements</i> , 2013 , 1,		6
74	Draft Genome Sequence of Plant Growth-Promoting Rhizobacterium <i>Pantoea</i> sp. Strain AS-PWVM4. <i>Genome Announcements</i> , 2013 , 1,		3
73	Draft Genome Sequence of Plant-Growth-Promoting Rhizobacterium <i>Serratia fonticola</i> Strain AU-AP2C, Isolated from the Pea Rhizosphere. <i>Genome Announcements</i> , 2013 , 1,		2
72	Draft Genome Sequence of an Alphaproteobacterium, <i>Caenispirillum salinarum</i> AK4(T), Isolated from a Solar Saltern. <i>Genome Announcements</i> , 2013 , 1,		1
71	Gleaning evolutionary insights from the genome sequence of a probiotic yeast <i>Saccharomyces boulardii</i> . <i>Gut Pathogens</i> , 2013 , 5, 30	5-4	14
70	Ethanolamine utilization in <i>Vibrio alginolyticus</i> . <i>Biology Direct</i> , 2012 , 7, 45; discussion 45	7-2	7
69	Genome sequence of the halotolerant bacterium <i>Imtechella halotolerans</i> K1T. <i>Journal of Bacteriology</i> , 2012 , 194, 3731	3-5	3
68	Genome sequence of the marine bacterium <i>Marinilabilia salmonicolor</i> JCM 21150T. <i>Journal of Bacteriology</i> , 2012 , 194, 3746	3-5	5
67	Draft genome sequence of <i>Rhodovulum</i> sp. strain PH10, a phototrophic alphaproteobacterium isolated from a soil sample of mangrove of Namkhana, India. <i>Journal of Bacteriology</i> , 2012 , 194, 6363	3-5	3
66	Draft genome sequence of the nitrophenol-degrading actinomycete <i>Rhodococcus imtechensis</i> RKJ300. <i>Journal of Bacteriology</i> , 2012 , 194, 3543	3-5	11
65	The bridge-region of the Ku superfamily is an atypical zinc ribbon domain. <i>Journal of Structural Biology</i> , 2010 , 172, 294-9	3-4	13
64	Bacterial pleckstrin homology domains: a prokaryotic origin for the PH domain. <i>Journal of Molecular Biology</i> , 2010 , 396, 31-46	6-5	25
63	Crystal structure of the first eubacterial Mre11 nuclease reveals novel features that may discriminate substrates during DNA repair. <i>Journal of Molecular Biology</i> , 2010 , 397, 647-63	6-5	37
62	The structure of KPN03535 (gjl152972051), a novel putative lipoprotein from <i>Klebsiella pneumoniae</i> , reveals an OB-fold. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1254-60		3
61	Conformational changes associated with the binding of zinc acetate at the putative active site of XcTcmJ, a cupin from <i>Xanthomonas campestris</i> pv. <i>campestris</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1347-53		4
60	Structure of an essential bacterial protein YeaZ (TM0874) from <i>Thermotoga maritima</i> at 2.5 Å resolution. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1230-6		14

59	The structure of the first representative of Pfam family PF09836 reveals a two-domain organization and suggests involvement in transcriptional regulation. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1174-81	7
58	The structure of the first representative of Pfam family PF06475 reveals a new fold with possible involvement in glycolipid metabolism. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1211-7	8
57	Structure of LP2179, the first representative of Pfam family PF08866, suggests a new fold with a role in amino-acid metabolism. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1205-10	2
56	The structure of Jann_2411 (DUF1470) from <i>Jannaschia</i> sp. at 1.45 Å resolution reveals a new fold (the ABATE domain) and suggests its possible role as a transcription regulator. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1198-204	9
55	Structure of the first representative of Pfam family PF09410 (DUF2006) reveals a structural signature of the calycin superfamily that suggests a role in lipid metabolism. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1153-9	15
54	Open and closed conformations of two SpollAA-like proteins (YP_749275.1 and YP_001095227.1) provide insights into membrane association and ligand binding. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1245-53	8
53	The structure of BVU2987 from <i>Bacteroides vulgatus</i> reveals a superfamily of bacterial periplasmic proteins with possible inhibitory function. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1265-73	6
52	Structures of the first representatives of Pfam family PF06938 (DUF1285) reveal a new fold with repeated structural motifs and possible involvement in signal transduction. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1218-25	7
51	Structures of the first representatives of Pfam family PF06684 (DUF1185) reveal a novel variant of the <i>Bacillus</i> chorismate mutase fold and suggest a role in amino-acid metabolism. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1182-9	2
50	The structure of SSO2064, the first representative of Pfam family PF01796, reveals a novel two-domain zinc-ribbon OB-fold architecture with a potential acyl-CoA-binding role. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1160-6	15
49	A conserved fold for fimbrial components revealed by the crystal structure of a putative fimbrial assembly protein (BT1062) from <i>Bacteroides thetaiotaomicron</i> at 2.2 Å resolution. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1281-6	8
48	Structure of the first representative of Pfam family PF04016 (DUF364) reveals enolase and Rossmann-like folds that combine to form a unique active site with a possible role in heavy-metal chelation. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1167-73	3
47	Structures of three members of Pfam PF02663 (FmdE) implicated in microbial methanogenesis reveal a conserved core domain and an auxiliary C-terminal treble-clef zinc finger. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1335-46	7
46	Structure of the D-glutamyl-L-diamino acid endopeptidase YkfC from <i>Bacillus cereus</i> in complex with L-Ala-D-Glu: insights into substrate recognition by NlpC/P60 cysteine peptidases. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1354-64	45
45	The structure of <i>Haemophilus influenzae</i> prephenate dehydrogenase suggests unique features of bifunctional TyrA enzymes. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1317-25	9
44	Structure of a membrane-attack complex/perforin (MACPF) family protein from the human gut symbiont <i>Bacteroides thetaiotaomicron</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1297-305	26
43	Structure of a putative NTP pyrophosphohydrolase: YP_001813558.1 from <i>Exiguobacterium sibiricum</i> 255-15. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1237-44	2
42	Structure of <i>Bacteroides thetaiotaomicron</i> BT2081 at 2.05 Å resolution: the first structural representative of a new protein family that may play a role in carbohydrate metabolism. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1287-96	1

41	Structure of BT_3984, a member of the SusD/RagB family of nutrient-binding molecules. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1274-80		9
40	TOPSAN: use of a collaborative environment for annotating, analyzing and disseminating data on JCSG and PSI structures. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1143-7		33
39	Structure of a tryptophanyl-tRNA synthetase containing an iron-sulfur cluster. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 1326-34		16
38	The crystal structure of a bacterial Sufu-like protein defines a novel group of bacterial proteins that are similar to the N-terminal domain of human Sufu. <i>Protein Science</i> , 2010 , 19, 2131-40	6.3	12
37	Structural and functional characterizations of SsgB, a conserved activator of developmental cell division in morphologically complex actinomycetes. <i>Journal of Biological Chemistry</i> , 2009 , 284, 25268-79	5.4	17
36	Exploration of uncharted regions of the protein universe. <i>PLoS Biology</i> , 2009 , 7, e1000205	9.7	98
35	Structural basis of murein peptide specificity of a gamma-D-glutamyl-L-diamino acid endopeptidase. <i>Structure</i> , 2009 , 17, 303-13	5.2	57
34	Crystal structure of a novel archaeal AAA+ ATPase SSO1545 from <i>Sulfolobus solfataricus</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 74, 1041-9	4.2	8
33	Crystal structure of the Fic (Filamentation induced by cAMP) family protein SO4266 (gi 24375750) from <i>Shewanella oneidensis</i> MR-1 at 1.6 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 75, 264-71	4.2	19
32	Crystal structure of a novel Sm-like protein of putative cyanophage origin at 2.60 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 75, 296-307	4.2	14
31	Crystal structure of histidine phosphotransfer protein ShpA, an essential regulator of stalk biogenesis in <i>Caulobacter crescentus</i> . <i>Journal of Molecular Biology</i> , 2009 , 390, 686-98	6.5	12
30	Crystal structure of AICAR transformylase IMP cyclohydrolase (TM1249) from <i>Thermotoga maritima</i> at 1.88 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 71, 1042-9	4.2	6
29	Crystal structure of an ADP-ribosylated protein with a cytidine deaminase-like fold, but unknown function (TM1506), from <i>Thermotoga maritima</i> at 2.70 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 71, 1546-52	4.2	6
28	Crystal structures of MW1337R and lin2004: representatives of a novel protein family that adopt a four-helical bundle fold. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 71, 1589-96	4.2	3
27	Crystal structure of homoserine O-succinyltransferase from <i>Bacillus cereus</i> at 2.4 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 68, 999-1005	4.2	11
26	Crystal structure of a transcription regulator (TM1602) from <i>Thermotoga maritima</i> at 2.3 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 67, 247-52	4.2	5
25	Crystal structure of NMA1982 from <i>Neisseria meningitidis</i> at 1.5 angstroms resolution provides a structural scaffold for nonclassical, eukaryotic-like phosphatases. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 69, 415-21	4.2	7
24	Crystal structures of two novel dye-decolorizing peroxidases reveal a beta-barrel fold with a conserved heme-binding motif. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 69, 223-33	4.2	68

23	Crystal structure of MtnX phosphatase from <i>Bacillus subtilis</i> at 2.0 angstroms resolution provides a structural basis for bipartite phosphomonoester hydrolysis of 2-hydroxy-3-keto-5-methylthiopentenyl-1-phosphate. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 69, 433-9	4.2	6
22	Identification and structural characterization of heme binding in a novel dye-decolorizing peroxidase, TyrA. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 69, 234-43	4.2	61
21	Representing and comparing protein structures as paths in three-dimensional space. <i>BMC Bioinformatics</i> , 2006 , 7, 460	3.6	9
20	Structural classification of small, disulfide-rich protein domains. <i>Journal of Molecular Biology</i> , 2006 , 359, 215-37	6.5	80
19	A tale of two ferredoxins: sequence similarity and structural differences. <i>BMC Structural Biology</i> , 2006 , 6, 8	2.7	21
18	Crystal structure of phosphoribosylformylglycinamide synthase II (smPurL) from <i>Thermotoga maritima</i> at 2.15 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 63, 1106-11	4.2	7
17	Crystal structure of a single-stranded DNA-binding protein (TM0604) from <i>Thermotoga maritima</i> at 2.60 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 63, 256-60	4.2	13
16	Crystal structure of TM1367 from <i>Thermotoga maritima</i> at 1.90 Å resolution reveals an atypical member of the cyclophilin (peptidylprolyl isomerase) fold. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 63, 1112-8	4.2	6
15	Crystal structure of acireductone dioxygenase (ARD) from <i>Mus musculus</i> at 2.06 angstrom resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 64, 808-13	4.2	25
14	Crystal structure of 2-phosphosulfolactate phosphatase (ComB) from <i>Clostridium acetobutylicum</i> at 2.6 Å resolution reveals a new fold with a novel active site. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 771-6	4.2	3
13	Crystal structure of an ORFan protein (TM1622) from <i>Thermotoga maritima</i> at 1.75 Å resolution reveals a fold similar to the Ran-binding protein Mog1p. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 777-82	4.2	7
12	Crystal structure of phosphoribosylformyl-glycinamide synthase II, PurS subunit (TM1244) from <i>Thermotoga maritima</i> at 1.90 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 249-54	4.2	6
11	Crystal structure of a glycerate kinase (TM1585) from <i>Thermotoga maritima</i> at 2.70 Å resolution reveals a new fold. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 243-8	4.2	10
10	Comparative structural analysis of a novel glutathione S-transferase (ATU5508) from <i>Agrobacterium tumefaciens</i> at 2.0 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 527-37	4.2	8
9	PALSSE: a program to delineate linear secondary structural elements from protein structures. <i>BMC Bioinformatics</i> , 2005 , 6, 202	3.6	48
8	Structural drift: a possible path to protein fold change. <i>Bioinformatics</i> , 2005 , 21, 1308-10	7.2	61
7	4SCOPmap: automated assignment of protein structures to evolutionary superfamilies. <i>BMC Bioinformatics</i> , 2004 , 5, 197	3.6	30
6	Influence of a mutation in the ATP-binding region of Ca ²⁺ /calmodulin-dependent protein kinase II on its interaction with peptide substrates. <i>Biochemical Journal</i> , 2004 , 378, 391-7	3.8	8

5	CASP5 assessment of fold recognition target predictions. <i>Proteins: Structure, Function and Bioinformatics</i> , 2003 , 53 Suppl 6, 395-409	4.2	82
4	Structural classification of zinc fingers: survey and summary. <i>Nucleic Acids Research</i> , 2003 , 31, 532-50	20.1	583
3	Structural studies on the empty capsids of Physalis mottle virus. <i>Journal of Molecular Biology</i> , 2001 , 307, 1035-47	6.5	20
2	Identification of a discrete intermediate in the assembly/disassembly of physalis mottle tymovirus through mutational analysis. <i>Journal of Molecular Biology</i> , 1999 , 289, 905-18	6.5	22
1	Three-dimensional structure of physalis mottle virus: implications for the viral assembly. <i>Journal of Molecular Biology</i> , 1999 , 289, 919-34	6.5	35