## Alex Slavenko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3959305/publications.pdf

Version: 2024-02-01

		933447	888059
17	377	10	17
papers	citations	h-index	g-index
17	17	17	508
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Late Quaternary reptile extinctions: size matters, insularity dominates. Global Ecology and Biogeography, 2016, 25, 1308-1320.	5.8	83
2	The global diversity and distribution of lizard clutch sizes. Global Ecology and Biogeography, 2020, 29, 1515-1530.	5.8	49
3	Global patterns of body size evolution in squamate reptiles are not driven by climate. Global Ecology and Biogeography, 2019, 28, 471-483.	<b>5.</b> 8	44
4	Home is where the shell is: predicting turtle home range sizes. Journal of Animal Ecology, 2016, 85, 106-114.	2.8	42
5	Conservation status of the world's skinks (Scincidae): Taxonomic and geographic patterns in extinction risk. Biological Conservation, 2021, 257, 109101.	4.1	26
6	Mean body sizes of amphibian species are poorly predicted by climate. Journal of Biogeography, 2015, 42, 1246-1254.	3.0	25
7	Inconsistent patterns of body size evolution in coâ€occurring island reptiles. Global Ecology and Biogeography, 2018, 27, 538-550.	<b>5.</b> 8	24
8	Cryptic diversity and non-adaptive radiation of montane New Guinea skinks (Papuascincus; Scincidae). Molecular Phylogenetics and Evolution, 2020, 146, 106749.	2.7	19
9	Clutch Size Variability in an Ostensibly Fix-Clutched Lizard: Effects of Insularity on a Mediterranean Gecko. Evolutionary Biology, 2015, 42, 129-136.	1.1	15
10	Gecko diversity: a history of global discovery. Israel Journal of Ecology and Evolution, 2020, 66, 117-125.	0.6	14
11	Elevation is a stronger predictor of morphological trait divergence than competition in a radiation of tropical lizards. Journal of Animal Ecology, 2021, 90, 917-930.	2.8	10
12	A database of the morphology, ecology and literature of the world's limbâ€reduced skinks. Journal of Biogeography, 2022, 49, 1397-1406.	3.0	9
13	Evolution of diel activity patterns in skinks (Squamata: Scincidae), the world's secondâ€largest family of terrestrial vertebrates. Evolution; International Journal of Organic Evolution, 2022, 76, 1195-1208.	2.3	7
14	Revision of the montane New Guinean skink genus <i>Lobulia</i> (Squamata: Scincidae), with the description of four new genera and nine new species. Zoological Journal of the Linnean Society, 2022, 195, 220-278.	2.3	4
15	Body mass and geographic distribution determined the evolution of the wing flight-feather molt strategy in the Neornithes lineage. Scientific Reports, 2021, 11, 21573.	3.3	3
16	To be or not to be tchernovi: a taxonomic revision of the snake genus Micrelaps (Squamata:) Tj ETQq0 0 0 rgBT /	Overlock	10 Tf 50 142 <sup>-</sup>
17	Rueppel's Snake-eyed Skink, Ablepharus rueppellii (Gray, 1839) (Reptilia: Squamata: Scincidae): distribution extension and geographic range in Israel. Check List, 2013, 9, 458.	0.4	1