

Alex Slavenko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3959305/publications.pdf>

Version: 2024-02-01

17
papers

377
citations

932766

10
h-index

887659

17
g-index

17
all docs

17
docs citations

17
times ranked

508
citing authors

#	ARTICLE	IF	CITATIONS
1	Revision of the montane New Guinean skink genus <i>Lobulia</i> (Squamata: Scincidae), with the description of four new genera and nine new species. <i>Zoological Journal of the Linnean Society</i> , 2022, 195, 220-278.	1.0	4
2	Evolution of diel activity patterns in skinks (Squamata: Scincidae), the world's second largest family of terrestrial vertebrates. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 1195-1208.	1.1	7
3	A database of the morphology, ecology and literature of the world's limb-reduced skinks. <i>Journal of Biogeography</i> , 2022, 49, 1397-1406.	1.4	9
4	Elevation is a stronger predictor of morphological trait divergence than competition in a radiation of tropical lizards. <i>Journal of Animal Ecology</i> , 2021, 90, 917-930.	1.3	10
5	Conservation status of the world's skinks (Scincidae): Taxonomic and geographic patterns in extinction risk. <i>Biological Conservation</i> , 2021, 257, 109101.	1.9	26
6	Body mass and geographic distribution determined the evolution of the wing flight-feather molt strategy in the Neornithes lineage. <i>Scientific Reports</i> , 2021, 11, 21573.	1.6	3
7	Gecko diversity: a history of global discovery. <i>Israel Journal of Ecology and Evolution</i> , 2020, 66, 117-125.	0.2	14
8	The global diversity and distribution of lizard clutch sizes. <i>Global Ecology and Biogeography</i> , 2020, 29, 1515-1530.	2.7	49
9	Cryptic diversity and non-adaptive radiation of montane New Guinea skinks (<i>Papuascincus</i> ; Scincidae). <i>Molecular Phylogenetics and Evolution</i> , 2020, 146, 106749.	1.2	19
10	To be or not to be tchernovi: a taxonomic revision of the snake genus <i>Micrelaps</i> (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 382 T	0.2	2
11	Global patterns of body size evolution in squamate reptiles are not driven by climate. <i>Global Ecology and Biogeography</i> , 2019, 28, 471-483.	2.7	44
12	Inconsistent patterns of body size evolution in co-occurring island reptiles. <i>Global Ecology and Biogeography</i> , 2018, 27, 538-550.	2.7	24
13	Home is where the shell is: predicting turtle home range sizes. <i>Journal of Animal Ecology</i> , 2016, 85, 106-114.	1.3	42
14	Late Quaternary reptile extinctions: size matters, insularity dominates. <i>Global Ecology and Biogeography</i> , 2016, 25, 1308-1320.	2.7	83
15	Mean body sizes of amphibian species are poorly predicted by climate. <i>Journal of Biogeography</i> , 2015, 42, 1246-1254.	1.4	25
16	Clutch Size Variability in an Ostensibly Fix-Clutched Lizard: Effects of Insularity on a Mediterranean Gecko. <i>Evolutionary Biology</i> , 2015, 42, 129-136.	0.5	15
17	Rueppel's Snake-eyed Skink, <i>Ablepharus rueppellii</i> (Gray, 1839) (Reptilia: Squamata: Scincidae): distribution extension and geographic range in Israel. <i>Check List</i> , 2013, 9, 458.	0.1	1