## Hanah Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3959713/publications.pdf Version: 2024-02-01



ΗλΝΛΗ ΚΙΜ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Multi-marker approach using procalcitonin, presepsin, galectin-3, and soluble suppression of tumorigenicity 2 for the prediction of mortality in sepsis. Annals of Intensive Care, 2017, 7, 27.  | 4.6 | 91        |
| 2  | Neutrophil Gelatinase-Associated Lipocalin Measured on Clinical Laboratory Platforms for the<br>Prediction of Acute Kidney Injury and the Associated Need for Dialysis Therapy: A Systematic Review<br>and Meta-analysis. American Journal of Kidney Diseases, 2020, 76, 826-841.e1. | 1.9 | 80        |
| 3  | Prognostic value of presepsin in adult patients with sepsis: Systematic review and meta-analysis. PLoS<br>ONE, 2018, 13, e0191486.   | 2.5 | 71        |
| 4  | Proenkephalin, Neutrophil Gelatinase-Associated Lipocalin, and Estimated Glomerular Filtration Rates<br>in Patients With Sepsis. Annals of Laboratory Medicine, 2017, 37, 388-397.   | 2.5 | 50        |
| 5  | Analytical performance evaluation of the scanning capillary tube viscometer for measurement of whole blood viscosity. Clinical Biochemistry, 2013, 46, 139-142.  | 1.9 | 47        |
| 6  | Plasma neutrophil gelatinase-associated lipocalin as a biomarker for acute kidney injury in critically ill patients with suspected sepsis. Clinical Biochemistry, 2013, 46, 1414-1418.   | 1.9 | 46        |
| 7  | Diagnostic and prognostic utilities of multimarkers approach using procalcitonin, B-type natriuretic peptide, and neutrophil gelatinase-associated lipocalin in critically ill patients with suspected sepsis.<br>BMC Infectious Diseases, 2014, 14, 224.                            | 2.9 | 45        |
| 8  | Soluble ST2 Has a Prognostic Role in Patients With Suspected Sepsis. Annals of Laboratory Medicine, 2015, 35, 570-577.   | 2.5 | 35        |
| 9  | Performance of automated digital cell imaging analyzer Sysmex DI-60. Clinical Chemistry and Laboratory Medicine, 2017, 56, 94-102.   | 2.3 | 33        |
| 10 | Performance Evaluation of the QXDx <i>BCR-ABL</i> %IS Droplet Digital PCR Assay. Annals of Laboratory Medicine, 2020, 40, 72-75.   | 2.5 | 32        |
| 11 | Circulating Biologically Active Adrenomedullin Predicts Organ Failure and Mortality in Sepsis. Annals of Laboratory Medicine, 2019, 39, 454-463.   | 2.5 | 31        |
| 12 | Reference interval for immature platelet fraction on Sysmex XN hematology analyzer: a comparison study with Sysmex XE-2100. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1091-7.  | 2.3 | 30        |
| 13 | Usefulness of Enhanced Liver Fibrosis, Glycosylation Isomer of Mac-2 Binding Protein, Galectin-3, and<br>Soluble Suppression of Tumorigenicity 2 for Assessing Liver Fibrosis in Chronic Liver Diseases. Annals<br>of Laboratory Medicine, 2018, 38, 331-337.                        | 2.5 | 20        |
| 14 | Prognostic Utility of Procalcitonin, Presepsin, and the VACO Index for Predicting 30-day Mortality in Hospitalized COVID-19 Patients. Annals of Laboratory Medicine, 2022, 42, 406-414.  | 2.5 | 19        |
| 15 | Comparison of International Normalized Ratio Measurement between CoaguChek XS Plus and STA-R<br>Coagulation Analyzers. BioMed Research International, 2013, 2013, 1-6.   | 1.9 | 18        |
| 16 | Performance evaluation of Sysmex XN hematology analyzer in umbilical cord blood: a comparison study with Sysmex XE-2100. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1771-9.   | 2.3 | 18        |
| 17 | Toxin positivity and tcdB gene load in broad-spectrum Clostridium difficile infection. Infection, 2018, 46, 113-117.   | 4.7 | 17        |
| 18 | Streptococcus suis Causes Septic Arthritis and Bacteremia: Phenotypic Characterization and Molecular Confirmation. Annals of Laboratory Medicine, 2011, 31, 115-117.   | 2.5 | 13        |

Наман Кім

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Distribution of CD4 <sup>+</sup> CD25 <sup>high</sup> FoxP3 <sup>+</sup> regulatory T-cells in umbilical cord blood. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 2058-2061.   | 1.5 | 13        |
| 20 | Biomarker Rule-in or Rule-out in Patients With Acute Diseases for Validation of Acute Kidney Injury in<br>the Emergency Department (BRAVA): A Multicenter Study Evaluating Urinary TIMP-2/IGFBP7. Annals of<br>Laboratory Medicine, 2022, 42, 178-187. | 2.5 | 12        |
| 21 | Latent tuberculosis infection screening for laboratory personnel using interferonâ€î³ release assay and<br>tuberculin skin test in Korea: an intermediate incidence setting. Journal of Clinical Laboratory<br>Analysis, 2011, 25, 382-388.            | 2.1 | 11        |
| 22 | Comparison of two multiplex <scp>PCR</scp> assays for the detection of respiratory viral infections.<br>Clinical Respiratory Journal, 2014, 8, 391-396.  | 1.6 | 11        |
| 23 | Usefulness of plasma neutrophil gelatinase-associated lipocalin as an early marker of acute kidney<br>injury after cardiopulmonary bypass in Korean cardiac patients: A prospective observational study.<br>Clinical Biochemistry, 2015, 48, 44-49.    | 1.9 | 11        |
| 24 | Comparison of three staining methods in the automated digital cell imaging analyzer Sysmex DI-60.<br>Clinical Chemistry and Laboratory Medicine, 2018, 56, e280-e283.  | 2.3 | 11        |
| 25 | Performance evaluation of cobas HBV real-time PCR assay on Roche cobas 4800 System in comparison<br>with COBAS AmpliPrep/COBAS TaqMan HBV Test. Clinical Chemistry and Laboratory Medicine, 2018, 56,<br>1133-1139.                                    | 2.3 | 10        |
| 26 | Performance of digital morphology analyzer Vision Pro on white blood cell differentials. Clinical<br>Chemistry and Laboratory Medicine, 2021, 59, 1099-1106.   | 2.3 | 10        |
| 27 | Absolute Change in High-Sensitivity Cardiac Troponin I at Three Hours After Presentation is Useful for<br>Diagnosing Acute Myocardial Infarction in the Emergency Department. Annals of Laboratory Medicine,<br>2020, 40, 474-480.                     | 2.5 | 10        |
| 28 | How Reproducible Is the Data from Sysmex DI-60 in Leukopenic Samples?. Diagnostics, 2021, 11, 2173.  | 2.6 | 10        |
| 29 | Prognostic Role of High-sensitivity Cardiac Troponin I and Soluble Suppression of Tumorigenicity-2 in<br>Surgical Intensive Care Unit Patients Undergoing Non-cardiac Surgery. Annals of Laboratory Medicine,<br>2018, 38, 204-211.                    | 2.5 | 9         |
| 30 | HDL Subclass Analysis in Predicting Metabolic Syndrome in Koreans With High HDL Cholesterol Levels.<br>Annals of Laboratory Medicine, 2020, 40, 297-305.   | 2.5 | 8         |
| 31 | Effectiveness of Plasma and Urine Neutrophil Gelatinase-Associated Lipocalin for Predicting Acute<br>Kidney Injury in High-Risk Patients. Annals of Laboratory Medicine, 2021, 41, 60-67.  | 2.5 | 8         |
| 32 | Digital Morphology Analyzer Sysmex DI-60 vs. Manual Counting for White Blood Cell Differentials in<br>Leukopenic Samples: A Comparative Assessment of Risk and Turnaround Time. Annals of Laboratory<br>Medicine, 2022, 42, 398-405.                   | 2.5 | 8         |
| 33 | Proenkephalin Predicts Organ Failure, Renal Replacement Therapy, and Mortality in Patients With Sepsis. Annals of Laboratory Medicine, 2020, 40, 466-473.  | 2.5 | 7         |
| 34 | Acute Myeloid Leukemia with a <i>RUNX1-RUNX1T1</i> t(1;21;8)(q21;q22;q22) Novel Variant: A Case Report<br>and Review of the Literature. Acta Haematologica, 2011, 125, 237-241.  | 1.4 | 6         |
| 35 | Evaluation of the LIA-ANA-Profile-17S for the detection of autoantibodies to nuclear antigens. Clinical Biochemistry, 2018, 55, 75-79.   | 1.9 | 6         |
| 36 | Detection of Plasmodium falciparum using automated digital cell morphology analyzer Sysmex DI-60.<br>Clinical Chemistry and Laboratory Medicine, 2018, 56, e284-e287.  | 2.3 | 6         |

Налан Кім

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Utility of temperatureâ€sensitive indicators for temperature monitoring of redâ€bloodâ€cell units. Vox<br>Sanguinis, 2019, 114, 487-494.  | 1.5 | 6         |
| 38 | Soluble Suppression of Tumorigenicity 2 and Echocardiography in Sepsis. Annals of Laboratory Medicine, 2016, 36, 590-594.   | 2.5 | 5         |
| 39 | Time–temperature indicators versus temperature indicators for transfusion practice: Application in the real hospital setting. Vox Sanguinis, 2021, , .  | 1.5 | 5         |
| 40 | Variant Burkitt-type translocation (8;22)(q24;q11) in plasma cell myeloma. The Korean Journal of<br>Hematology, 2011, 46, 135.  | 0.7 | 4         |
| 41 | Optimal cut-off concentration for a faecal immunochemical test for haemoglobin by Hemo Techt<br>NS-Plus C15 system for the colorectal cancer screening. Clinical Chemistry and Laboratory Medicine,<br>2015, 53, e69-71.  | 2.3 | 4         |
| 42 | Automated Nucleic Acid Extraction Systems for Detecting Cytomegalovirus and Epstein-Barr Virus<br>Using Real-Time PCR: A Comparison Study Between the QIAsymphony RGQ and QIAcube Systems. Annals<br>of Laboratory Medicine, 2017, 37, 129-136.                         | 2.5 | 4         |
| 43 | Strategy for performing treponemal tests in reverse-sequence algorithms of syphilis diagnosis.<br>Clinical Biochemistry, 2019, 63, 121-125.   | 1.9 | 4         |
| 44 | Performance evaluation of coaguchek pro II in comparison with coaguchek XS plus and staâ€r Max using<br>a staâ€neoplastine CI plus. International Journal of Laboratory Hematology, 2021, 43, 1191-1197.  | 1.3 | 4         |
| 45 | Serial Assays of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold-Plus in Subjects Exposed to<br>Patients with Active Tuberculosis. Annals of Laboratory Medicine, 2020, 40, 428-430.  | 2.5 | 4         |
| 46 | Benefits of VISION Max automated cross-matching in comparison with manual cross-matching: A multidimensional analysis. PLoS ONE, 2019, 14, e0226477.  | 2.5 | 3         |
| 47 | Clinical Performance of Two Automated Immunoassays, EliA CTD Screen and QUANTA Flash CTD Screen<br>Plus, for Antinuclear Antibody Screening. Annals of Laboratory Medicine, 2022, 42, 63-70.  | 2.5 | 3         |
| 48 | Performance of Platelet Counting in Thrombocytopenic Samples: Comparison between Mindray<br>BC-6800Plus and Sysmex XN-9000. Diagnostics, 2022, 12, 68.  | 2.6 | 3         |
| 49 | A case of reactive erythrocytosis with CD34/CD61 dual positive megakaryocytes. International Journal of Laboratory Hematology, 2020, 42, e17-e19.   | 1.3 | 2         |
| 50 | Reference intervals for clinically reportable platelet parameters on the Mindray BC-6800Plus hematology analyzer. Clinical Chemistry and Laboratory Medicine, 2020, 58, e213-e215.  | 2.3 | 2         |
| 51 | First Case of Human Brucellosis Caused by <i>Brucella melitensis</i> in Korea. Annals of Laboratory<br>Medicine, 2016, 36, 390-392.   | 2.5 | 1         |
| 52 | Comparison between tube test and automated column agglutination technology on VISION Max for<br>antiâ€A/B isoagglutinin titres: A multidimensional analysis. Vox Sanguinis, 2021, , .   | 1.5 | 1         |
| 53 | Novel Usefulness of Krebs von den Lungen 6 (KL-6) with Hemoglobin and Lactate Dehydrogenase for Assessing Bone Marrow Fibrosis. Diagnostics, 2022, 12, 628.   | 2.6 | 1         |
| 54 | Distribution of soluble suppression of tumorigenicity 2 (sST2), N-terminal pro-brain natriuretic peptide (NT-proBNP), high sensitive troponin I and high-sensitive troponin T in umbilical cord blood. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1793-1798. | 2.3 | 0         |

Напан Кім

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Do we still need morphologic evaluation in new era of advanced minimal residual disease analyses?.<br>International Journal of Laboratory Hematology, 2019, 41, e145-e147.                          | 1.3 | 0         |
| 56 | Evaluation of the MULTISURE HIV Rapid Test in a Korean population with low human immunodeficiency virus prevalence. Clinical Chemistry and Laboratory Medicine, 2019, 57, e189-e191.                | 2.3 | 0         |
| 57 | Basophilia is one of the morphologic clues for diagnosis of chronic myeloid leukemia with variant manifestations. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 339-342. | 1.2 | 0         |
| 58 | Questionnaire Survey on Current Red Blood Cell Transport and Storage in Korea for Reducing<br>Wastage. Annals of Laboratory Medicine, 2022, 42, 342-351.  | 2.5 | 0         |
| 59 | Report of the Korean Association of External Quality Assessment Service on Cardiac Marker Testing<br>(2016-2020). Journal of Laboratory Medicine and Quality Assurance, 2021, 43, 176-184.          | 0.4 | 0         |