

Hanah Kim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3959713/hanah-kim-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

568
citations

14
h-index

22
g-index

59
ext. papers

729
ext. citations

3.7
avg, IF

3.76
L-index

#	Paper	IF	Citations
55	Multi-marker approach using procalcitonin, presepsin, galectin-3, and soluble suppression of tumorigenicity 2 for the prediction of mortality in sepsis. <i>Annals of Intensive Care</i> , 2017 , 7, 27	8.9	58
54	Prognostic value of presepsin in adult patients with sepsis: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2018 , 13, e0191486	3.7	48
53	Diagnostic and prognostic utilities of multimarkers approach using procalcitonin, B-type natriuretic peptide, and neutrophil gelatinase-associated lipocalin in critically ill patients with suspected sepsis. <i>BMC Infectious Diseases</i> , 2014 , 14, 224	4	40
52	Analytical performance evaluation of the scanning capillary tube viscometer for measurement of whole blood viscosity. <i>Clinical Biochemistry</i> , 2013 , 46, 139-42	3.5	37
51	Plasma neutrophil gelatinase-associated lipocalin as a biomarker for acute kidney injury in critically ill patients with suspected sepsis. <i>Clinical Biochemistry</i> , 2013 , 46, 1414-8	3.5	34
50	Proenkephalin, Neutrophil Gelatinase-Associated Lipocalin, and Estimated Glomerular Filtration Rates in Patients With Sepsis. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 388-397	3.1	32
49	Neutrophil Gelatinase-Associated Lipocalin Measured on Clinical Laboratory Platforms for the Prediction of Acute Kidney Injury and the Associated Need for Dialysis Therapy: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 826-841.e1	7.4	30
48	Reference interval for immature platelet fraction on Sysmex XN hematology analyzer: a comparison study with Sysmex XE-2100. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1091-7	5.9	21
47	Soluble ST2 has a prognostic role in patients with suspected sepsis. <i>Annals of Laboratory Medicine</i> , 2015 , 35, 570-7	3.1	19
46	Performance Evaluation of the QXDx BCR-ABL %IS Droplet Digital PCR Assay. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 72-75	3.1	19
45	Circulating Biologically Active Adrenomedullin Predicts Organ Failure and Mortality in Sepsis. <i>Annals of Laboratory Medicine</i> , 2019 , 39, 454-463	3.1	16
44	Performance of automated digital cell imaging analyzer Sysmex DI-60. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 56, 94-102	5.9	16
43	Comparison of international normalized ratio measurement between CoaguChek XS Plus and STA-R coagulation analyzers. <i>BioMed Research International</i> , 2013 , 2013, 213109	3	16
42	Toxin positivity and tcdB gene load in broad-spectrum Clostridium difficile infection. <i>Infection</i> , 2018 , 46, 113-117	5.8	14
41	Performance evaluation of Sysmex XN hematology analyzer in umbilical cord blood: a comparison study with Sysmex XE-2100. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 1771-9	5.9	13
40	Usefulness of Enhanced Liver Fibrosis, Glycosylation Isomer of Mac-2 Binding Protein, Galectin-3, and Soluble Suppression of Tumorigenicity 2 for Assessing Liver Fibrosis in Chronic Liver Diseases. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 331-337	3.1	13
39	Streptococcus suis causes septic arthritis and bacteremia: phenotypic characterization and molecular confirmation. <i>Annals of Laboratory Medicine</i> , 2011 , 31, 115-7	3.1	12

38	Latent tuberculosis infection screening for laboratory personnel using interferon- γ release assay and tuberculin skin test in Korea: an intermediate incidence setting. <i>Journal of Clinical Laboratory Analysis</i> , 2011 , 25, 382-8	3	11
37	Usefulness of plasma neutrophil gelatinase-associated lipocalin as an early marker of acute kidney injury after cardiopulmonary bypass in Korean cardiac patients: a prospective observational study. <i>Clinical Biochemistry</i> , 2015 , 48, 44-9	3.5	10
36	Performance evaluation of cobas HBV real-time PCR assay on Roche cobas 4800 System in comparison with COBAS AmpliPrep/COBAS TaqMan HBV Test. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1133-1139	5.9	10
35	Distribution of CD4+ CD25 high FoxP3+ regulatory T-cells in umbilical cord blood. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2058-61	2	10
34	Comparison of three staining methods in the automated digital cell imaging analyzer Sysmex DI-60. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, e280-e283	5.9	8
33	Comparison of two multiplex PCR assays for the detection of respiratory viral infections. <i>Clinical Respiratory Journal</i> , 2014 , 8, 391-6	1.7	7
32	Prognostic Role of High-sensitivity Cardiac Troponin I and Soluble Suppression of Tumorigenicity-2 in Surgical Intensive Care Unit Patients Undergoing Non-cardiac Surgery. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 204-211	3.1	6
31	Detection of Plasmodium falciparum using automated digital cell morphology analyzer Sysmex DI-60. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, e284-e287	5.9	6
30	HDL Subclass Analysis in Predicting Metabolic Syndrome in Koreans With High HDL Cholesterol Levels. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 297-305	3.1	5
29	Acute myeloid leukemia with a RUNX1-RUNX1T1 t(1;21;8)(q21;q22;q22) novel variant: a case report and review of the literature. <i>Acta Haematologica</i> , 2011 , 125, 237-41	2.7	5
28	Performance of digital morphology analyzer Vision Pro on white blood cell differentials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1099-1106	5.9	5
27	Utility of temperature-sensitive indicators for temperature monitoring of red-blood-cell units. <i>Vox Sanguinis</i> , 2019 , 114, 487-494	3.1	4
26	Automated Nucleic Acid Extraction Systems for Detecting Cytomegalovirus and Epstein-Barr Virus Using Real-Time PCR: A Comparison Study Between the QIASymphony RGQ and QIAcube Systems. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 129-136	3.1	4
25	Evaluation of the LIA-ANA-Profile-17S for the detection of autoantibodies to nuclear antigens. <i>Clinical Biochemistry</i> , 2018 , 55, 75-79	3.5	3
24	Optimal cut-off concentration for a faecal immunochemical test for haemoglobin by Hemo Tech NS-Plus C15 system for the colorectal cancer screening. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e69-71	5.9	3
23	Proenkephalin Predicts Organ Failure, Renal Replacement Therapy, and Mortality in Patients With Sepsis. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 466-473	3.1	3
22	Absolute Change in High-Sensitivity Cardiac Troponin I at Three Hours After Presentation is Useful for Diagnosing Acute Myocardial Infarction in the Emergency Department. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 474-480	3.1	3
21	How Reproducible Is the Data from Sysmex DI-60 in Leukopenic Samples?. <i>Diagnostics</i> , 2021 , 11,	3.8	3

20	Prognostic Utility of Procalcitonin, Presepsin, and the VACO Index for Predicting 30-day Mortality in Hospitalized COVID-19 Patients.. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 406-414	3.1	3
19	Variant Burkitt-type translocation (8;22)(q24;q11) in plasma cell myeloma. <i>The Korean Journal of Hematology</i> , 2011 , 46, 135-8		2
18	Serial Assays of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold-Plus in Subjects Exposed to Patients with Active Tuberculosis. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 428-430	3.1	2
17	Biomarker Rule-in or Rule-out in Patients With Acute Diseases for Validation of Acute Kidney Injury in the Emergency Department (BRAVA): A Multicenter Study Evaluating Urinary TIMP-2/IGFBP7. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 178-187	3.1	2
16	Strategy for performing treponemal tests in reverse-sequence algorithms of syphilis diagnosis. <i>Clinical Biochemistry</i> , 2019 , 63, 121-125	3.5	2
15	Effectiveness of Plasma and Urine Neutrophil Gelatinase-Associated Lipocalin for Predicting Acute Kidney Injury in High-Risk Patients. <i>Annals of Laboratory Medicine</i> , 2021 , 41, 60-67	3.1	2
14	Time-temperature indicators versus temperature indicators for transfusion practice: Application in the real hospital setting. <i>Vox Sanguinis</i> , 2021 ,	3.1	2
13	Digital Morphology Analyzer Sysmex DI-60 vs. Manual Counting for White Blood Cell Differentials in Leukopenic Samples: A Comparative Assessment of Risk and Turnaround Time.. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 398-405	3.1	2
12	Reference intervals for clinically reportable platelet parameters on the Mindray BC-6800Plus hematology analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, e213-e215	5.9	1
11	Soluble Suppression of Tumorigenicity 2 and Echocardiography in Sepsis. <i>Annals of Laboratory Medicine</i> , 2016 , 36, 590-4	3.1	1
10	Benefits of VISION Max automated cross-matching in comparison with manual cross-matching: A multidimensional analysis. <i>PLoS ONE</i> , 2019 , 14, e0226477	3.7	1
9	A case of reactive erythrocytosis with CD34/CD61 dual positive megakaryocytes. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, e17-e19	2.5	1
8	Performance evaluation of coaguheck pro II in comparison with coaguheck XS plus and sta-r Max using a sta-neoplastine CI plus. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 1191-1197	2.5	1
7	Clinical Performance of Two Automated Immunoassays, EliA CTD Screen and QUANTA Flash CTD Screen Plus, for Antinuclear Antibody Screening. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 63-70	3.1	1
6	Do we still need morphologic evaluation in new era of advanced minimal residual disease analyses?. <i>International Journal of Laboratory Hematology</i> , 2019 , 41, e145-e147	2.5	
5	Evaluation of the MULTISURE HIV Rapid Test in a Korean population with low human immunodeficiency virus prevalence. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, e189-e191	5.9	
4	Questionnaire Survey on Current Red Blood Cell Transport and Storage in Korea for Reducing Wastage.. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 342-351	3.1	
3	First Case of Human Brucellosis Caused by <i>Brucella melitensis</i> in Korea. <i>Annals of Laboratory Medicine</i> , 2016 , 36, 390-2	3.1	

- 2 Basophilia is one of the morphologic clues for diagnosis of chronic myeloid leukemia with variant manifestations. *Scandinavian Journal of Clinical and Laboratory Investigation*, **2021**, 81, 339-342 2
- 1 Report of the Korean Association of External Quality Assessment Service on Cardiac Marker Testing (2016-2020). *Journal of Laboratory Medicine and Quality Assurance*, **2021**, 43, 176-184 0.6