

Xiaoli Dong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3960265/xiaoli-dong-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

4,731
citations

31
h-index

68
g-index

83
ext. papers

6,230
ext. citations

11.3
avg, IF

6.18
L-index

#	Paper	IF	Citations
79	Polyaniline-intercalated manganese dioxide nanolayers as a high-performance cathode material for an aqueous zinc-ion battery. <i>Nature Communications</i> , 2018 , 9, 2906	17.4	618
78	A Metal-Organic Framework Host for Highly Reversible Dendrite-free Zinc Metal Anodes. <i>Joule</i> , 2019 , 3, 1289-1300	27.8	351
77	Flexible and Wire-Shaped Micro-Supercapacitor Based on Ni(OH) ₂ -Nanowire and Ordered Mesoporous Carbon Electrodes. <i>Advanced Functional Materials</i> , 2014 , 24, 3405-3412	15.6	277
76	Ordered hierarchical mesoporous/macroporous carbon: a high-performance catalyst for rechargeable Li-O ₂ batteries. <i>Advanced Materials</i> , 2013 , 25, 5668-72	24	270
75	An Environmentally Friendly and Flexible Aqueous Zinc Battery Using an Organic Cathode. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 11737-11741	16.4	261
74	Environmentally-friendly aqueous Li (or Na)-ion battery with fast electrode kinetics and super-long life. <i>Science Advances</i> , 2016 , 2, e1501038	14.3	245
73	Separating hydrogen and oxygen evolution in alkaline water electrolysis using nickel hydroxide. <i>Nature Communications</i> , 2016 , 7, 11741	17.4	232
72	Organic Batteries Operated at 0°C. <i>Joule</i> , 2018 , 2, 902-913	27.8	172
71	A Self-Healing Aqueous Lithium-Ion Battery. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14384-14388	14.388	151
70	Multi-functional Flexible Aqueous Sodium-Ion Batteries with High Safety. <i>Chem</i> , 2017 , 3, 348-362	16.2	135
69	Flexible Aqueous Lithium-Ion Battery with High Safety and Large Volumetric Energy Density. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7474-7	16.4	122
68	An Environmentally Friendly and Flexible Aqueous Zinc Battery Using an Organic Cathode. <i>Angewandte Chemie</i> , 2018 , 130, 11911-11915	3.6	106
67	Humidity effect on electrochemical performance of LiO ₂ batteries. <i>Journal of Power Sources</i> , 2014 , 264, 1-7	8.9	101
66	High-Energy Rechargeable Metallic Lithium Battery at -70 °C Enabled by a Cosolvent Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 5623-5627	16.4	97
65	All-Organic Rechargeable Battery with Reversibility Supported by "Water-in-Salt" Electrolyte. <i>Chemistry - A European Journal</i> , 2017 , 23, 2560-2565	4.8	95
64	Anchoring an Artificial Solid-Electrolyte Interphase Layer on a 3D Current Collector for High-Performance Lithium Anodes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 2093-2097	16.4	69
63	Interfacial modification of Li/Garnet electrolyte by a lithiophilic and breathing interlayer. <i>Journal of Power Sources</i> , 2019 , 419, 91-98	8.9	68

62	A lithium air battery with a lithiated Al-carbon anode. <i>Chemical Communications</i> , 2015 , 51, 676-8	5.8	65
61	Zinc-Organic Battery with a Wide Operation-Temperature Window from -70 to 150 °C. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 14577-14583	16.4	65
60	An organic/inorganic electrode-based hydronium-ion battery. <i>Nature Communications</i> , 2020 , 11, 959	17.4	65
59	Synthesis of ruthenium oxide coated ordered mesoporous carbon nanofiber arrays as a catalyst for lithium oxygen battery. <i>Journal of Power Sources</i> , 2015 , 276, 181-188	8.9	63
58	Solid-State Proton Battery Operated at Ultralow Temperature. <i>ACS Energy Letters</i> , 2020 , 5, 685-691	20.1	54
57	Building an Interfacial Framework: Li/Garnet Interface Stabilization through a Cu ₆ Sn ₅ Layer. <i>ACS Energy Letters</i> , 2019 , 4, 1725-1731	20.1	52
56	Engineering a High-Energy-Density and Long Lifespan Aqueous Zinc Battery via Ammonium Vanadium Bronze. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20796-20803	9.5	51
55	A Simple Prelithiation Strategy To Build a High-Rate and Long-Life Lithium-Ion Battery with Improved Low-Temperature Performance. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 16606-16610	16.4	50
54	Low-Temperature Charge/Discharge of Rechargeable Battery Realized by Intercalation Pseudocapacitive Behavior. <i>Advanced Science</i> , 2020 , 7, 2000196	13.6	45
53	Decoupling Hydrogen and Oxygen Production in Acidic Water Electrolysis Using a Polytriphenylamine-Based Battery Electrode. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 2904-2908	16.4	45
52	A clean and membrane-free chlor-alkali process with decoupled Cl and H/NaOH production. <i>Nature Communications</i> , 2018 , 9, 438	17.4	42
51	Progress of Organic Electrodes in Aqueous Electrolyte for Energy Storage and Conversion. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18322-18333	16.4	40
50	High-Energy Rechargeable Metallic Lithium Battery at 0 °C Enabled by a Cosolvent Electrolyte. <i>Angewandte Chemie</i> , 2019 , 131, 5679-5683	3.6	38
49	TiO ₂ (B) nanofiber bundles as a high performance anode for a Li-ion battery. <i>RSC Advances</i> , 2013 , 3, 3352-7	3.7	36
48	Low-cost and high safe manganese-based aqueous battery for grid energy storage and conversion. <i>Science Bulletin</i> , 2019 , 64, 1780-1787	10.6	31
47	An All-Solid-State Sodium Sulfur Battery Using a Sulfur/Carbonized Polyacrylonitrile Composite Cathode. <i>ACS Applied Energy Materials</i> , 2019 , 2, 5263-5271	6.1	29
46	Revisiting the designing criteria of advanced solid electrolyte interphase on lithium metal anode under practical condition. <i>Nano Energy</i> , 2021 , 83, 105847	17.1	29
45	Organic Proton-Buffer Electrode to Separate Hydrogen and Oxygen Evolution in Acid Water Electrolysis. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 4622-4626	16.4	28

44	Zinc Organic Battery with a Wide Operation-Temperature Window from 0 to 150 °C. <i>Angewandte Chemie</i> , 2020 , 132, 14685-14691	3.6	28
43	A Nitrogen-doped Hierarchical Mesoporous/Microporous Carbon for Supercapacitors. <i>Electrochimica Acta</i> , 2014 , 146, 485-494	6.7	28
42	High Power Lithium-ion Battery based on Spinel Cathode and Hard Carbon Anode. <i>Electrochimica Acta</i> , 2017 , 228, 251-258	6.7	26
41	Fluorinated carboxylate ester-based electrolyte for lithium ion batteries operated at low temperature. <i>Chemical Communications</i> , 2020 , 56, 9640-9643	5.8	25
40	Promoting Rechargeable Batteries Operated at Low Temperature. <i>Accounts of Chemical Research</i> , 2021 , 54, 3883-3894	24.3	25
39	Stabilized Rechargeable Aqueous Zinc Batteries Using Ethylene Glycol as Water Blocker. <i>ChemSusChem</i> , 2020 , 13, 5556-5564	8.3	25
38	A Self-Healing Aqueous Lithium-Ion Battery. <i>Angewandte Chemie</i> , 2016 , 128, 14596-14600	3.6	25
37	Integrating Desalination and Energy Storage using a Saltwater-based Hybrid Sodium-ion Supercapacitor. <i>ChemSusChem</i> , 2018 , 11, 1741-1745	8.3	23
36	Li/Garnet Interface Stabilization by Thermal-Decomposition Vapor Deposition of an Amorphous Carbon Layer. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 5346-5349	16.4	22
35	Flexible Aqueous Lithium-Ion Battery with High Safety and Large Volumetric Energy Density. <i>Angewandte Chemie</i> , 2016 , 128, 7600-7603	3.6	20
34	Intercalation Pseudocapacitive Nanoscale Nickel Nanotubes as a High-Rate Cathode Material for Aqueous Sodium-Ion Battery. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 3655-3663	8.3	19
33	Base-acid hybrid water electrolysis. <i>Chemical Communications</i> , 2016 , 52, 3147-50	5.8	19
32	Re-building Daniell cell with a Li-ion exchange film. <i>Scientific Reports</i> , 2014 , 4, 6916	4.9	18
31	Advanced Electrolyte Design for High-Energy-Density Li-Metal Batteries under Practical Conditions. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25624-25638	16.4	17
30	Decoupled amphoteric water electrolysis and its integration with MnZn battery for flexible utilization of renewables. <i>Energy and Environmental Science</i> , 2021 , 14, 883-889	35.4	15
29	A High-Voltage Zn-Organic Battery Using a Nonflammable Organic Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 21025-21032	16.4	15
28	Progress of Organic Electrodes in Aqueous Electrolyte for Energy Storage and Conversion. <i>Angewandte Chemie</i> , 2020 , 132, 18478-18489	3.6	14
27	A New Strategy of Constructing a Highly Fluorinated Solid-Electrolyte Interface towards High-Performance Lithium Anode. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000154	4.6	12

26	Decoupling Hydrogen and Oxygen Production in Acidic Water Electrolysis Using a Polytriphenylamine-Based Battery Electrode. <i>Angewandte Chemie</i> , 2018 , 130, 2954-2958	3.6	12
25	Combining water reduction and liquid fuel oxidization by nickel hydroxide for flexible hydrogen production. <i>Energy Storage Materials</i> , 2018 , 11, 260-266	19.4	12
24	A High-Rate and Long-Life Rechargeable Battery Operated at ≈ 5 oC. <i>Batteries and Supercaps</i> , 2020 , 3, 1016-1020	5.6	11
23	Garnet-Based All-Ceramic Lithium Battery Enabled by LiBOCl Solder. <i>IScience</i> , 2020 , 23, 101071	6.1	11
22	An all-climate CFx/Li battery with mechanism-guided electrolyte. <i>Energy Storage Materials</i> , 2021 , 42, 477-483	19.4	11
21	An aqueous manganese/lead battery for large-scale energy storage. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 5959-5967	13	10
20	Ultrathin Silicon Nanolayer Implanted Ni _x Si/Ni Nanoparticles as Superlong-Cycle Lithium-Ion Anode Material. <i>Small Structures</i> , 2021 , 2, 2000126	8.7	10
19	All-Climate Iron-Based Sodium-Ion Full Cell for Energy Storage. <i>Advanced Functional Materials</i> , 2021 , 31, 2102856	15.6	9
18	Energizing hybrid supercapacitors by using Mn ²⁺ -based active electrolyte. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 15051-15057	13	8
17	A Simple Prelithiation Strategy To Build a High-Rate and Long-Life Lithium-Ion Battery with Improved Low-Temperature Performance. <i>Angewandte Chemie</i> , 2017 , 129, 16833-16837	3.6	8
16	Anchoring an Artificial Solid-Electrolyte Interphase Layer on a 3D Current Collector for High-Performance Lithium Anodes. <i>Angewandte Chemie</i> , 2019 , 131, 2115-2119	3.6	8
15	Advanced Electrolyte Design for High-Energy-Density Li-Metal Batteries under Practical Conditions. <i>Angewandte Chemie</i> , 2021 , 133, 25828	3.6	8
14	A Desolvation-Free Sodium Dual-Ion Chemistry for High Power Density and Extremely Low Temperature. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 23858-23862	16.4	8
13	Ammonium-ion batteries with a wide operating temperature window from ≈ 0 to 80 °C. <i>EScience</i> , 2021 , 1, 212-218		8
12	Synergistic Effects of Salt Concentration and Working Temperature towards Dendrite-Free Lithium Deposition. <i>Research</i> , 2019 , 2019, 7481319	7.8	5
11	Dendrite-Free and Long-Cycling Sodium Metal Batteries Enabled by Sodium-Ether Cointercalated Graphite Anode. <i>Advanced Functional Materials</i> , 2021 , 31, 2009778	15.6	5
10	Organic Proton-Buffer Electrode to Separate Hydrogen and Oxygen Evolution in Acid Water Electrolysis. <i>Angewandte Chemie</i> , 2019 , 131, 4670-4674	3.6	3
9	Prussian Blue Cathode with Intercalation Pseudocapacitive Behavior for Low-Temperature Batteries. <i>Advanced Energy and Sustainability Research</i> , 2100105	1.6	2

8	A Desolvation-Free Sodium Dual-Ion Chemistry for High Power Density and Extremely Low Temperature. <i>Angewandte Chemie</i> , 2021 , 133, 24051	3.6	2
7	Hybrid Li-Ion Capacitor Operated within an All-Climate Temperature Range from -60 to +55 °C. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 45630-45638	9.5	2
6	Building low-temperature batteries: non-aqueous or aqueous electrolyte?. <i>Current Opinion in Electrochemistry</i> , 2022 , 100949	7.2	1
5	Li/Garnet Interface Stabilization by Thermal-Decomposition Vapor Deposition of an Amorphous Carbon Layer. <i>Angewandte Chemie</i> , 2020 , 132, 5384-5387	3.6	0
4	Fluorinated Carbon Materials and the Applications in Energy Storage Systems. <i>ACS Applied Energy Materials</i> ,	6.1	0
3	Hybrid electrolyte for advanced rechargeable batteries. <i>Science Bulletin</i> , 2020 , 65, 92-93	10.6	0
2	A High-Voltage Zn/Organic Battery Using a Nonflammable Organic Electrolyte. <i>Angewandte Chemie</i> , 2021 , 133, 21193-21200	3.6	0
1	A New Germanium-Based Anode Material with High Stability for Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 11883-11890	8.3	0