

Wolf O Bechstein

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3960296/wolf-o-bechstein-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

394
papers

20,353
citations

62
h-index

136
g-index

445
ext. papers

23,566
ext. citations

3.7
avg, IF

6
L-index

#	Paper	IF	Citations
394	Empathy, personality traits, and emotional management in 2nd and 4th-year dentistry students: a single-center study.. <i>BMC Medical Education</i> , 2022 , 22, 2	3.3	0
393	Lebertransplantation 2022 , 487-499		
392	A 55-Year-Old Man with Recurrent Gastrointestinal Bleeding Due to Stricture of the Portal Vein Anastomotic Site 12 Years After Combined Pancreas and Kidney Transplantation.. <i>American Journal of Case Reports</i> , 2022 , 23, e936148	1.3	1
391	Integrin α and β Cross-Communication with mTOR/AKT and the CDK-Cyclin Axis in Hepatocellular Carcinoma Cells. <i>Cancers</i> , 2022 , 14, 2430	6.6	0
390	Molecular Surveillance of Carbapenem-Resistant Gram-Negative Bacteria in Liver Transplant Candidates. <i>Frontiers in Microbiology</i> , 2021 , 12, 791574	5.7	0
389	Preventive HIPEC in combination with perioperative FLOT versus FLOT alone for resectable diffuse type gastric and gastroesophageal junction type II/III adenocarcinoma - the phase III "PREVENT"- (FLOT9) trial of the AIO /CAOGI /ACO. <i>BMC Cancer</i> , 2021 , 21, 1158	4.8	2
388	Preoperative portal vein or portal and hepatic vein embolization: DRAGON collaborative group analysis. <i>British Journal of Surgery</i> , 2021 , 108, 834-842	5.3	5
387	Combination of Sorafenib and Transarterial Chemoembolization in Selected Patients with Advanced-Stage Hepatocellular Carcinoma: A Retrospective Cohort Study at Three German Liver Centers. <i>Cancers</i> , 2021 , 13,	6.6	5
386	Preventive HIPEC in combination with perioperative FLOT versus FLOT alone for resectable diffuse type gastric and gastroesophageal junction type II/III adenocarcinoma: The phase III PREVENT trial of the AIO /CAOGI /ACO.. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS4149-TPS4149	2.2	1
385	Transglutaminase 2 promotes tumorigenicity of colon cancer cells by inactivation of the tumor suppressor p53. <i>Oncogene</i> , 2021 , 40, 4352-4367	9.2	1
384	Long-term, Prolonged-release Tacrolimus-based Immunosuppression in De Novo Liver Transplant Recipients: 5-year Prospective Follow-up of Patients in the DIAMOND Study. <i>Transplantation Direct</i> , 2021 , 7, e722	2.3	0
383	A Single-Center Case Series of Endoscopically Treated Aorto-Gastrointestinal Fistula after Endovascular Aortic Repair: Surgery Is Still the Only Valid Solution. <i>Visceral Medicine</i> , 2021 , 37, 134-141	2.4	0
382	DIALAPP: a prospective validation of a new diagnostic algorithm for acute appendicitis. <i>Langenbecks Archives of Surgery</i> , 2021 , 406, 141-152	3.4	0
381	The association of age with decline in renal function after low anterior resection and loop ileostomy for rectal cancer: a retrospective cohort prognostic factor study. <i>BMC Geriatrics</i> , 2021 , 21, 65	4.1	1
380	Study protocol for a prospective, double-blinded, observational study investigating the diagnostic accuracy of an app-based diagnostic health care application in an emergency room setting: the eRadaR trial. <i>BMJ Open</i> , 2021 , 11, e041396	3	1
379	Early dynamic changes in circulating tumor cells and prognostic relevance following interventional radiological treatments in patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2021 , 16, e0246527	3.7	6
378	Carbonic-anhydrase IX expression is increased in thyroid cancer tissue and represents a potential therapeutic target to eradicate thyroid tumor-initiating cells. <i>Molecular and Cellular Endocrinology</i> , 2021 , 535, 111382	4.4	0

377	Liver transplantation for patients with acute-on-chronic liver failure (ACLF) in Europe: Results of the ELITA/EF-CLIF collaborative study (ECLIS). <i>Journal of Hepatology</i> , 2021 , 75, 610-622	13.4	25
376	Colonization with multidrug-resistant organisms is associated with increased mortality in liver transplant candidates. <i>PLoS ONE</i> , 2021 , 16, e0245091	3.7	8
375	Perioperative chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone in gallbladder carcinoma or in front of radical resection in BTC: The phase III GAIN trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS353-TPS353	2.2	
374	Survival after secondary liver resection in metastatic colorectal cancer: Comparing data of three prospective randomized European trials (LICC, CELIM, FIRE-3). <i>International Journal of Cancer</i> , 2021 ,	7.5	1
373	Neoadjuvant chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone with or without adjuvant chemotherapy in incidentally detected gallbladder carcinoma after simple cholecystectomy or in front of radical resection of BTC (ICC/ECC) - a phase III study of the German registry of incidental gallbladder carcinoma platform (GR)- the AIO/ CALGB/ ACO- GAIN-trial. <i>BMC Cancer</i> , 2020 , 20, 122	4.8	24
372	AFP ratio predicts HCC recurrence after liver transplantation. <i>PLoS ONE</i> , 2020 , 15, e0235576	3.7	3
371	Consensus on definition and severity grading of lymphatic complications after kidney transplantation. <i>British Journal of Surgery</i> , 2020 , 107, 801-811	5.3	4
370	Cetuximab/irinotecan/5-FU +/-oxaliplatin or FOLFOXIRI +/- bevacizumab in patients with colorectal cancer and nonresectable liver metastases (AIO CELIM2-study).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4024-4024	2.2	3
369	Perioperative trastuzumab and pertuzumab in combination with FLOT versus FLOT alone for HER2-positive resectable esophagogastric adenocarcinoma: Final results of the PETRARCA multicenter randomized phase II trial of the AIO.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4502-4502	2.2	26
368	Homograft Treatment for Infected Frozen Elephant Trunk Prosthesis. <i>Heart Surgery Forum</i> , 2020 , 23, E786-E788	0.7	
367	Neoadjuvant chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone with or without adjuvant chemotherapy in incidentally detected gallbladder carcinoma after simple cholecystectomy or in front of radical resection of BTC (ICC/ECC): A phase III study utilizing the German Registry of Incidental Gallbladder	2.2	
366	The MEGNA Score and Preoperative Anemia are Major Prognostic Factors After Resection in the German Intrahepatic Cholangiocarcinoma Cohort. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1147-1155	3.1	9
365	mTOR Inhibition Is Most Beneficial After Liver Transplantation for Hepatocellular Carcinoma in Patients With Active Tumors. <i>Annals of Surgery</i> , 2020 , 272, 855-862	7.8	27
364	Adjuvant MUC vaccination with tecemotide after resection of colorectal liver metastases: a randomized, double-blind, placebo-controlled, multicenter AIO phase II trial (LICC). <i>Oncolimmunology</i> , 2020 , 9, 1806680	7.2	3
363	Poor Prognosis of Advanced Cholangiocarcinoma: Real-World Data from a Tertiary Referral Center. <i>Digestion</i> , 2020 , 101, 458-465	3.6	4
362	HCC recurrence in HCV-infected patients after liver transplantation: SiLVER Study reveals benefits of sirolimus in combination with CNIs - a post-hoc analysis. <i>Transplant International</i> , 2020 , 33, 917-924	3	3
361	Perioperative chemotherapy with fluorouracil plus leucovorin, oxaliplatin, and docetaxel versus fluorouracil or capecitabine plus cisplatin and epirubicin for locally advanced, resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4): a randomised, phase 2/3 trial. <i>Lancet, The</i> , 2019 , 393, 1948-1957	4.0	675
360	The Safety Level of Total Central Venous Access Port Implantation Performed by Residents. <i>Journal of Surgical Education</i> , 2019 , 76, 182-192	3.4	7

359	Sarcopenia as a prognostic factor for survival in patients with locally advanced gastroesophageal adenocarcinoma. <i>PLoS ONE</i> , 2019 , 14, e0223613	3.7	7
358	Improved Survival in Liver Transplant Patients Receiving Prolonged-release Tacrolimus-based Immunosuppression in the European Liver Transplant Registry (ELTR): An Extension Study. <i>Transplantation</i> , 2019 , 103, 1844-1862	1.8	7
357	Surgical resection of neuroendocrine tumor liver metastases as part of multimodal treatment strategies: A propensity score matching analysis. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 808-815	3.6	4
356	Characteristics and management of penetrating abdominal injuries in a German level I trauma center. <i>European Journal of Trauma and Emergency Surgery</i> , 2019 , 45, 315-321	2.3	9
355	Extended Pancreas Donor Program-The EXPAND Study: A Prospective Multicenter Trial Testing the Use of Pancreas Donors Older Than 50 Years. <i>Transplantation</i> , 2018 , 102, 1330-1337	1.8	28
354	Prognosis of primary sclerosing cholangitis - time to look at the population as a whole, not only from the center's or waiting list perspective. <i>Transplant International</i> , 2018 , 31, 585-587	3	
353	Identifying risk profiles in liver transplant candidates and implications for induction immunosuppression. <i>Transplantation Reviews</i> , 2018 , 32, 142-150	3.3	6
352	Purse-string closure technique reduces the incidence of incisional hernias following the reversal of temporary ileostomy. <i>International Journal of Colorectal Disease</i> , 2018 , 33, 973-977	3	7
351	Influence of the recipient body mass index on the outcomes after kidney transplantation. <i>Langenbecks Archives of Surgery</i> , 2018 , 403, 73-82	3.4	8
350	Acute-on-Chronic Liver Failure. <i>Visceral Medicine</i> , 2018 , 34, 296-300	2.4	1
349	Hepatozelluläres Karzinom - Stellenwert von Resektion, Lebertransplantation und Immunsuppression. <i>Onkologe</i> , 2018 , 24, 674-679	0.1	
348	Risk-guided strategy to prevent cytomegalovirus associated complications after liver transplantation. <i>Future Virology</i> , 2018 , 13, 483-491	2.4	
347	Patient Blood Management improves outcome in oncologic surgery. <i>World Journal of Surgical Oncology</i> , 2018 , 16, 159	3.4	19
346	Anti-EGF Receptor-Based Conversion Chemotherapy in RAS Wild-Type Colorectal Cancer Patients: Impact on Survival and Resection Rates. <i>Digestion</i> , 2018 , 98, 263-269	3.6	3
345	Association of Plane of Total Mesorectal Excision With Prognosis of Rectal Cancer: Secondary Analysis of the CAO/ARO/AIO-04 Phase 3 Randomized Clinical Trial. <i>JAMA Surgery</i> , 2018 , 153, e181607	5.4	54
344	Pressurized intraperitoneal aerosol chemotherapy (PIPAC) in combination with standard of care chemotherapy in primarily untreated chemo naïve upper gi-adenocarcinomas with peritoneal seeding - a phase II/III trial of the AIO/CAOGI/ACO. <i>Pleura and Peritoneum</i> , 2018 , 3, 20180113	2	13
343	Emotion recognition and extraversion of medical students interact to predict their empathic communication perceived by simulated patients. <i>BMC Medical Education</i> , 2018 , 18, 237	3.3	8
342	Liver Transplantation in Acute-on-Chronic Liver Failure: Considerations for a Systematic Approach to Decision Making. <i>Visceral Medicine</i> , 2018 , 34, 291-294	2.4	6

341	Vitamin D, FOXO3a, and Sirtuin1 in Hashimoto's Thyroiditis and Differentiated Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2018 , 9, 527	5.7	9
340	Do you really know what you get: the benefits and doubts of domino liver transplantation. <i>Transplant International</i> , 2018 , 31, 1198-1199	3	1
339	Identification of factors predictive of postoperative morbidity and short-term mortality in older patients after colorectal carcinoma resection: A single-center retrospective study. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 649-658	3.6	4
338	Indicating ALPPS for Colorectal Liver Metastases: A Critical Analysis of Patients in the International ALPPS Registry. <i>Surgery</i> , 2018 , 164, 387-394	3.6	25
337	Equitable distribution in rare indications for liver transplantation: the dilemma of the too small tablecloth continues!. <i>Transplant International</i> , 2017 , 30, 451-453	3	2
336	Sulforaphane as an adjunctive to everolimus counteracts everolimus resistance in renal cancer cell lines. <i>Phytomedicine</i> , 2017 , 27, 1-7	6.5	18
335	Guideline Compliance in Surgery for Thyroid Nodules - A Retrospective Study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017 , 125, 327-334	2.3	2
334	Practical Recommendations for Long-term Management of Modifiable Risks in Kidney and Liver Transplant Recipients: A Guidance Report and Clinical Checklist by the Consensus on Managing Modifiable Risk in Transplantation (COMMIT) Group. <i>Transplantation</i> , 2017 , 101, S1-S56	1.8	141
333	Effect of Neoadjuvant Chemotherapy Followed by Surgical Resection on Survival in Patients With Limited Metastatic Gastric or Gastroesophageal Junction Cancer: The AIO-FLOT3 Trial. <i>JAMA Oncology</i> , 2017 , 3, 1237-1244	13.4	175
332	The meteorological influence on seasonal alterations in the course of acute appendicitis. <i>Journal of Surgical Research</i> , 2017 , 217, 137-143	2.5	11
331	Deep Vein Thrombosis of the Upper Extremity. <i>Deutsches A&#x0308;rztblatt International</i> , 2017 , 114, 244-249	2.5	30
330	The RENAISSANCE (AIO-FLOT5) trial: effect of chemotherapy alone vs. chemotherapy followed by surgical resection on survival and quality of life in patients with limited-metastatic adenocarcinoma of the stomach or esophagogastric junction - a phase III trial of the German AIO/CAO-V/CAOGI. <i>PLoS Currents</i> , 2017 , 17, 888	4.8	68
329	mTOR inhibition reduces growth and adhesion of hepatocellular carcinoma cells in vitro. <i>Molecular Medicine Reports</i> , 2017 , 16, 7064-7071	2.9	7
328	Study on the effect of chemoembolization combined with microwave ablation for the treatment of hepatocellular carcinoma in rats. <i>Diagnostic and Interventional Radiology</i> , 2017 , 23, 150-155	3.2	5
327	CONKO-005: Adjuvant Chemotherapy With Gemcitabine Plus Erlotinib Versus Gemcitabine Alone in Patients After R0 Resection of Pancreatic Cancer: A Multicenter Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3330-3337	2.2	143
326	Bad bacteria in acute appendicitis: rare but relevant. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 1303-1311	3	4
325	Liver Preservation by Aortic Perfusion Alone Compared With Preservation by Aortic Perfusion and Additional Arterial Ex Situ Back-Table Perfusion With Histidine-Tryptophan-Ketoglutarate Solution: A Prospective, Randomized, Controlled, Multicenter Study. <i>Transplantation Direct</i> , 2017 , 3, e183	2.3	3
324	Local Treatment of Unresectable Colorectal Liver Metastases: Results of a Randomized Phase II Trial. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	269

323	The RENAISSANCE Trial: Effect of chemotherapy alone vs. chemotherapy followed by surgical resection on survival and quality of life in patients with limited-metastatic adenocarcinoma of the stomach or esophagogastric junction. A phase III trial of the German AIO/CAO-V/CAOGI.. <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS4140-TPS4140	2.2	1
322	Eosinophilic cholangitis is a potentially underdiagnosed etiology in indeterminate biliary stricture. <i>World Journal of Gastroenterology</i> , 2017 , 23, 1044-1050	5.6	11
321	Anti-EGFR-based conversion chemotherapy in RAS wildtype colorectal cancer patients: Impact on survival and resection rates.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15029-e15029	2.2	
320	High-frequency versus low-frequency microwave ablation in malignant liver tumours: evaluation of local tumour control and survival. <i>International Journal of Hyperthermia</i> , 2016 , 32, 868-875	3.7	6
319	Histopathological regression after neoadjuvant docetaxel, oxaliplatin, fluorouracil, and leucovorin versus epirubicin, cisplatin, and fluorouracil or capecitabine in patients with resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4-AIO): results from the phase 2 part of a multicentre, open-label, randomised phase 2/3 trial. <i>Lancet Oncology</i> , 2016 , 17, 1697-1708	21.7	336
318	Viral Hepatitis and Its Complications. <i>Visceral Medicine</i> , 2016 , 32, 78	2.4	
317	A possible role of microRNAs as predictive markers for the recurrence of hepatocellular carcinoma after liver transplantation. <i>Transplant International</i> , 2016 , 29, 369-80	3	22
316	Education in thyroid surgery: a matched-pair analysis comparing residents and board-certified surgeons. <i>Langenbecks Archives of Surgery</i> , 2016 , 401, 239-47	3.4	6
315	La chirurgie proctologique faite par les chirurgiens en formation. Morbidité programmée?. <i>Journal De Chirurgie Viscérale</i> , 2016 , 153, 172-177	0	
314	Sirolimus Use in Liver Transplant Recipients With Hepatocellular Carcinoma: A Randomized, Multicenter, Open-Label Phase 3 Trial. <i>Transplantation</i> , 2016 , 100, 116-25	1.8	234
313	Sulforaphane inhibits proliferation and invasive activity of everolimus-resistant kidney cancer cells in vitro. <i>Oncotarget</i> , 2016 , 7, 85208-85219	3.3	18
312	PATIENTS' SAFETY AND FEASIBILITY OF INTRAVENOUS URAPIDIL IN THE PRETREATMENT OF PHEOCHROMOCYTOMA PATIENTS IN A NORMAL WARD SETTING - AN ANALYSIS OF 20 CONSECUTIVE CASES. <i>Acta Endocrinologica</i> , 2016 , 12, 475-480	0.9	1
311	Accuracy of Hepatobiliary Scintigraphy after Liver Transplantation and Liver Resection. <i>International Journal of Molecular Imaging</i> , 2016 , 2016, 7857849		5
310	Is it safe to perform rectal anastomosis in gynaecological debulking surgery without a diverting stoma?. <i>Colorectal Disease</i> , 2016 , 18, 1142-1146	2.1	
309	Liver Transplantation for Hepatic Trauma: A Study From the European Liver Transplant Registry. <i>Transplantation</i> , 2016 , 100, 2372-2381	1.8	17
308	Proctologic surgery done by residents - Complications preprogrammed?. <i>Journal of Visceral Surgery</i> , 2016 , 153, 167-72	1.9	6
307	Transarterial chemoembolization of hepatocellular carcinoma in a rat model: the effect of additional injection of survivin siRNA to the treatment protocol. <i>BMC Cancer</i> , 2016 , 16, 325	4.8	6
306	Selective AKT Inhibition by MK-2206 Represses Colorectal Cancer-Initiating Stem Cells. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2849-57	3.1	16

305	Salvage abdominoperineal excisions in recurrent anal cancer--impact of different reconstruction techniques on outcome, morbidity, and complication rates. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 653-9	3	9
304	A Retrospective, Observational Study of Enteral Nutrition in Patients with Enteroatmospheric Fistulas. <i>Ostomy - Wound Management</i> , 2016 , 62, 36-47		4
303	Neoadjuvant chemoradiation therapy with gemcitabine/cisplatin and surgery versus immediate surgery in resectable pancreatic cancer: results of the first prospective randomized phase II trial. <i>Strahlentherapie Und Onkologie</i> , 2015 , 191, 7-16	4.3	190
302	The clinical relevance of the Fong and the Nordlinger scores in the era of effective neoadjuvant chemotherapy for colorectal liver metastasis. <i>Surgery Today</i> , 2015 , 45, 1527-34	3	27
301	Improved survival in liver transplant recipients receiving prolonged-release tacrolimus in the European Liver Transplant Registry. <i>American Journal of Transplantation</i> , 2015 , 15, 1267-82	8.7	50
300	Renal Function in De Novo Liver Transplant Recipients Receiving Different Prolonged-Release Tacrolimus Regimens-The DIAMOND Study. <i>American Journal of Transplantation</i> , 2015 , 15, 1843-54	8.7	50
299	Impact of Neoadjuvant Chemotherapy on Postoperative Morbidity after Gastrectomy for Gastric Cancer. <i>Digestive Surgery</i> , 2015 , 32, 229-37	2.5	16
298	Evidence-based medicine in daily surgical decision making: a survey-based comparison between the UK and Germany. <i>European Surgical Research</i> , 2015 , 54, 14-23	1.1	2
297	Intestinal Fatty Acid Binding Protein: A Sensitive Marker in Abdominal Surgery and Abdominal Infection. <i>Surgical Infections</i> , 2015 , 16, 247-53	2	19
296	Prognostic impact of immune response in resectable colorectal liver metastases treated by surgery alone or surgery with perioperative FOLFOX in the randomised EORTC study 40983. <i>European Journal of Cancer</i> , 2015 , 51, 2708-17	7.5	54
295	Telaprevir drug monitoring during antiviral therapy of hepatitis C graft infection after liver transplantation. <i>Liver International</i> , 2015 , 35, 176-83	7.9	3
294	Indication for 'Over the scope' (OTS)-clip vs. covered self-expanding metal stent (cSEMS) is unequal in upper gastrointestinal leakage: results from a retrospective head-to-head comparison. <i>PLoS ONE</i> , 2015 , 10, e0117483	3.7	13
293	The White-test helps to reduce biliary leakage in liver resection: a systematic review and meta-analysis. <i>Annals of Hepatology</i> , 2015 , 14, 161-167	3.1	11
292	Abdominoperineal Excisions in the Treatment Regimen for Advanced and Recurrent Vulvar Cancers-Analysis of a Single-Centre Experience. <i>Indian Journal of Surgery</i> , 2015 , 77, 1270-4	0.3	4
291	Three late adverse events of choledochoduodenostomy of which the endoscopist should be aware: direct retrograde cholangioscopy is helpful for diagnosis and therapy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 463-4	5.2	3
290	Systematic review and meta-analysis of feasibility, safety, and efficacy of a novel procedure: associating liver partition and portal vein ligation for staged hepatectomy. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3109-20	3.1	98
289	Radiofrequency ablation (RFA) combined with chemotherapy for unresectable colorectal liver metastases (CRC LM): Long-term survival results of a randomized phase II study of the EORTC-NCRI CCSG-ALM Intergroup 40004 (CLOCC).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3501-3501	2.2	35
288	CONKO-005: Adjuvant therapy in R0 resected pancreatic cancer patients with gemcitabine plus erlotinib versus gemcitabine for 24 weeks: a prospective randomized phase III study.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4007-4007	2.2	17

287	Adjuvant chemotherapy with gemcitabine and cisplatin compared to observation after curative intent resection of cholangiocarcinoma and muscle invasive gallbladder carcinoma (ACTICCA-1): A randomized, multidisciplinary, multinational phase III trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, TPS4140-TPS4140	2.2	1
286	Randomized multicenter phase II/III study with adjuvant gemcitabine versus neoadjuvant/adjuvant FOLFIRINOX in resectable pancreatic cancer: The NEPAFOX trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, TPS4152-TPS4152	2.2	11
285	Delayed bottom-up and amended simple method of dosing with once-daily tacrolimus application to achieve stable trough levels in liver transplantation. <i>Annals of Transplantation</i> , 2015 , 20, 1-6	1.4	5
284	Lebertransplantation 2015 , 529-543		
283	The White-test helps to reduce biliary leakage in liver resection: a systematic review and meta-analysis. <i>Annals of Hepatology</i> , 2015 , 14, 161-7	3.1	7
282	Volume and outcome relation in German liver transplant centers: what lessons can be learned?. <i>Transplantation Research</i> , 2014 , 3, 5		14
281	FOXE1 association with differentiated thyroid cancer and its progression. <i>Thyroid</i> , 2014 , 24, 845-51	6.2	35
280	Interventionelle Therapie von Lungen- und Lebermetastasen. <i>Onkologie</i> , 2014 , 20, 746-756	0.1	2
279	Appendicitis-the balance between cost effectiveness and safety remains challenging. <i>Langenbecks Archives of Surgery</i> , 2014 , 399, 493-501	3.4	8
278	Randomized controlled multicenter trial on the effectiveness of the collagen hemostat Sangustop [®] compared with a carrier-bound fibrin sealant during liver resection (ESSCALIVER study, NCT00918619). <i>Langenbecks Archives of Surgery</i> , 2014 , 399, 725-33	3.4	15
277	Assessment of colorectal liver metastases using MRI and CT: impact of observer experience on diagnostic performance and inter-observer reproducibility with histopathological correlation. <i>European Journal of Radiology</i> , 2014 , 83, 1752-8	4.7	11
276	Survival of patients with initially unresectable colorectal liver metastases treated with FOLFOX/cetuximab or FOLFIRI/cetuximab in a multidisciplinary concept (CELIM study). <i>Annals of Oncology</i> , 2014 , 25, 1018-25	10.3	166
275	Neoadjuvant chemoradiation versus perioperative chemotherapy followed by surgery in resectable adenocarcinomas of the esophagogastric junction: A retrospective single center analysis. <i>Oncology Letters</i> , 2014 , 7, 534-540	2.6	3
274	Colorectal cancer liver metastases: long-term survival and progression-free survival after thermal ablation using magnetic resonance-guided laser-induced interstitial thermotherapy in 594 patients: analysis of prognostic factors. <i>Investigative Radiology</i> , 2014 , 49, 48-56	10.1	37
273	The use of purse-string skin closure in loop ileostomy reversals leads to lower wound infection rates--a single high-volume centre experience. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 709-14	3.4	14
272	Preoperative interleukin-22 values add valuable information for outcome prediction following orthotopic liver transplantation: a preliminary study. <i>Annals of Transplantation</i> , 2014 , 19, 503-12	1.4	1
271	Lymph Fistulas after Inguinal Lymph Node Dissection--Assessment of Risk Factors and Future Treatment Strategies. <i>Surgical Science</i> , 2014 , 05, 193-199	0.1	1
270	Extended pancreas donor program - the EXPAND study rationale and study protocol. <i>Transplantation Research</i> , 2013 , 2, 12		15

269	A proposal for an algorithm enhancing transparency and achieving harmonization for patient selection in rescue allocation for liver allografts in Germany. <i>Langenbecks Archives of Surgery</i> , 2013 , 398, 917-8	3.4	1
268	Partial spleen resection with a radiofrequency needle device--a pilot study. <i>Langenbecks Archives of Surgery</i> , 2013 , 398, 449-54	3.4	9
267	Perioperative FOLFOX4 chemotherapy and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC 40983): long-term results of a randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , 2013 , 14, 1208-15	21.7	733
266	Long-term follow-up of endoscopic therapy for stenosis of the biliobiliary anastomosis associated with orthotopic liver transplantation. <i>Liver Transplantation</i> , 2013 , 19, 586-93	4.5	25
265	Recurrent hepatocellular carcinoma after liver transplantation - an emerging clinical challenge. <i>Transplant International</i> , 2013 , 26, 109-18	3	104
264	A comparative, randomized trial of concentration-controlled sirolimus combined with reduced-dose tacrolimus or standard-dose tacrolimus in renal allograft recipients. <i>Transplantation Proceedings</i> , 2013 , 45, 2133-40	1.1	14
263	Urapidil in the preoperative treatment of pheochromocytomas: a safe and cost-effective method. <i>World Journal of Surgery</i> , 2013 , 37, 1141-6	3.3	17
262	Reperfusion of liver graft during transplantation: techniques used in transplant centres within Eurotransplant and meta-analysis of the literature. <i>Transplant International</i> , 2013 , 26, 508-16	3	24
261	Self-expandable metal stent for malignant colonic obstruction: outcome in proximal vs. left sided tumor localization. <i>Zeitschrift Fur Gastroenterologie</i> , 2013 , 51, 551-7	1.6	10
260	Vascular endothelial growth factor--marker for proliferation in thyroid diseases?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013 , 121, 6-13	2.3	6
259	SEMS vs cSEMS in duodenal and small bowel obstruction: high risk of migration in the covered stent group. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6199-206	5.6	16
258	Posthepatectomy liver failure. <i>Digestive Surgery</i> , 2012 , 29, 79-85	2.5	90
257	LICC: L-BLP25 in patients with colorectal carcinoma after curative resection of hepatic metastases: a randomized, placebo-controlled, multicenter, multinational, double-blinded phase II trial. <i>BMC Cancer</i> , 2012 , 12, 144	4.8	13
256	Neoadjuvant short- or long-term radio(chemo)therapy for rectal cancer: how and who should be treated?. <i>Digestive Diseases</i> , 2012 , 30 Suppl 2, 102-8	3.2	21
255	Early echocardiographic detection of a massive intracardiac thrombus in a patient scheduled for orthotopic liver transplantation. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 404-6	1.9	3
254	Pancreas Transplantation 2012 , 191-202		1
253	Evidence-based assessment of the period of physical inactivity required after inguinal herniotomy. <i>Langenbecks Archives of Surgery</i> , 2012 , 397, 1209-14	3.4	11
252	Interdisziplinäres Management bei fortgeschrittener Leberzirrhose. <i>Viszeralmedizin</i> , 2012 , 28, 344-347		1

251	Interdisziplinäres Management bei fortgeschrittener Leberzirrhose. <i>Viszeralmedizin</i> , 2012 , 28, 295-296		
250	Indikationen und Komplikationen bei Multiorgantransplantationen. <i>Viszeralmedizin</i> , 2012 , 28, 324-329		2
249	Transarterial chemoembolization in the treatment of patients with unresectable cholangiocarcinoma: Results and prognostic factors governing treatment success. <i>International Journal of Cancer</i> , 2012 , 131, 733-40	7.5	89
248	Lebermetastasen kolorektaler Karzinome. <i>Onkologe</i> , 2012 , 18, 445-458	0.1	
247	Interventionelle Therapie primärer Lebertumoren. <i>Onkologe</i> , 2012 , 18, 593-601	0.1	2
246	Radiofrequency ablation combined with systemic treatment versus systemic treatment alone in patients with non-resectable colorectal liver metastases: a randomized EORTC Intergroup phase II study (EORTC 40004). <i>Annals of Oncology</i> , 2012 , 23, 2619-2626	10.3	282
245	Impaired vitamin D activation and association with CYP24A1 haplotypes in differentiated thyroid carcinoma. <i>Thyroid</i> , 2012 , 22, 709-16	6.2	39
244	Cationic liposomal paclitaxel plus gemcitabine or gemcitabine alone in patients with advanced pancreatic cancer: a randomized controlled phase II trial. <i>Annals of Oncology</i> , 2012 , 23, 1214-1222	10.3	75
243	Predictive factors for the benefit of perioperative FOLFOX for resectable liver metastasis in colorectal cancer patients (EORTC Intergroup Trial 40983). <i>Annals of Surgery</i> , 2012 , 255, 534-9	7.8	76
242	Benefit of a clipping device in use in intestinal bleeding and intestinal leakage. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 389-97	5.2	90
241	Impact of donor and recipient IL28B rs12979860 genotypes on hepatitis C virus liver graft reinfection. <i>Journal of Hepatology</i> , 2011 , 55, 322-7	13.4	108
240	Xenon anesthesia for liver transplant surgery: a report of four cases. <i>Transplantation Proceedings</i> , 2011 , 43, 2683-6	1.1	5
239	Valproate inhibits colon cancer growth through cell cycle modification in vivo and in vitro. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 301-307	2.1	7
238	Total thyroidectomy for benign thyroid disease: is it really worthwhile?. <i>Annals of Surgery</i> , 2011 , 254, 724-29; discussion 729-30	7.8	54
237	Prediction of prognosis is not improved by the seventh and latest edition of the TNM classification for colorectal cancer in a single-center collective. <i>Annals of Surgery</i> , 2011 , 254, 793-800; discussion 800-17.8	7.8	72
236	The right to refuse. <i>Transplant International</i> , 2011 , 24, 1162-3	3	
235	Significantly high expression of platelet-derived growth factor (PDGF) in benign nodules of the thyroid: relevance in the development of goitre recurrence?. <i>Langenbeck's Archives of Surgery</i> , 2011 , 396, 1165-72	3.4	7
234	Differentiation between benign and malignant adrenal mass using contrast-enhanced ultrasound. <i>Ultraschall in Der Medizin</i> , 2011 , 32, 460-71	3.8	33

233	Early post-operative measurement of cytokine plasma levels combined with pre-operative bilirubin levels identify high-risk patients after liver resection. <i>International Journal of Molecular Medicine</i> , 2011 , 27, 447-54	4.4	17
232	Daily dosing of tacrolimus in patients treated with HIV-1 therapy containing a ritonavir-boosted protease inhibitor or raltegravir. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 999-1004	5.1	29
231	Neoadjuvant chemotherapy compared with surgery alone for locally advanced cancer of the stomach and cardia: European Organisation for Research and Treatment of Cancer randomized trial 40954. <i>Journal of Clinical Oncology</i> , 2010 , 28, 5210-8	2.2	462
230	Real-time elastography and contrast-enhanced ultrasound for the assessment of thyroid nodules. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010 , 118, 602-9	2.3	94
229	Incidence and treatment of pancreatic fistula after simultaneous pancreas kidney transplantation. <i>Transplantation Proceedings</i> , 2010 , 42, 4206-8	1.1	5
228	Can the preprocurement pancreas suitability score predict ischemia-reperfusion injury and graft survival after pancreas transplantation?. <i>Transplantation Proceedings</i> , 2010 , 42, 4202-5	1.1	23
227	Tumour response and secondary resectability of colorectal liver metastases following neoadjuvant chemotherapy with cetuximab: the CELIM randomised phase 2 trial. <i>Lancet Oncology</i> , 2010 , 11, 38-47	21.7	738
226	Efficacy and safety of sorafenib in advanced hepatocellular carcinoma under daily practice conditions. <i>Journal of Chemotherapy</i> , 2010 , 22, 205-11	2.3	12
225	Machine perfusion versus cold storage for the preservation of kidneys donated after cardiac death: a multicenter, randomized, controlled trial. <i>Annals of Surgery</i> , 2010 , 252, 756-64	7.8	219
224	Increased serum levels of C-reactive protein precede anastomotic leakage in colorectal surgery. <i>World Journal of Surgery</i> , 2010 , 34, 140-6	3.3	77
223	Neutrophil phenotype and function in partial hepatectomy in man. <i>Langenbecks Archives of Surgery</i> , 2010 , 395, 643-53	3.4	3
222	A prospective randomised, open-labeled, trial comparing sirolimus-containing versus mTOR-inhibitor-free immunosuppression in patients undergoing liver transplantation for hepatocellular carcinoma. <i>BMC Cancer</i> , 2010 , 10, 190	4.8	123
221	Comparison of the collagen haemostat Sangustop [®] versus a carrier-bound fibrin sealant during liver resection; ESSCALIVER-Study. <i>Trials</i> , 2010 , 11, 109	2.8	7
220	Role of transarterial chemoembolization for hepatocellular carcinoma before liver transplantation with special consideration of tumor necrosis. <i>Clinical Transplantation</i> , 2009 , 23 Suppl 21, 61-7	3.8	18
219	Complement and neutrophil function changes after liver resection in humans. <i>World Journal of Surgery</i> , 2009 , 33, 2635-43	3.3	7
218	Vitamin D receptor polymorphisms in differentiated thyroid carcinoma. <i>Thyroid</i> , 2009 , 19, 623-8	6.2	48
217	Inactivating SOCS1 mutations are caused by aberrant somatic hypermutation and restricted to a subset of B-cell lymphoma entities. <i>Blood</i> , 2009 , 114, 4503-6	2.2	95
216	Liver transplantation for hilar cholangiocarcinoma: a German survey. <i>Transplantation Proceedings</i> , 2008 , 40, 3191-3	1.1	30

215	Perioperative chemotherapy with FOLFOX4 and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC Intergroup trial 40983): a randomised controlled trial. <i>Lancet, The</i> , 2008 , 371, 1007-16	4.0	1468
214	Neoadjuvant treatment with cetuximab, 5-Fluorouracil, folinic Acid and oxaliplatin in unresectable retroperitoneal recurrent colon cancer. <i>Zeitschrift Fur Gastroenterologie</i> , 2008 , 46, 776-9	1.6	7
213	Octreotide attenuates impaired microcirculation in postischemic pancreatitis when administered before induction of ischemia. <i>Transplantation</i> , 2008 , 86, 961-7	1.8	15
212	Clinical application of soft polyglycolic acid felt for hemostasis and repair of a lacerated liver: report of two cases. <i>Surgery Today</i> , 2008 , 38, 188-92	3	9
211	Laparoscopic sigmoid resections for diverticulitis complicated by abscesses or fistulas. <i>International Journal of Colorectal Disease</i> , 2007 , 22, 1515-21	3	39
210	Chirurgische Therapie des hepatozellulären Karzinoms. <i>Gastroenterologe</i> , 2007 , 2, 20-26	0.1	2
209	Interdisziplinäres Management resektabler kolorektaler Lebermetastasen. <i>Viszeralchirurgie</i> , 2007 , 42, 94-101		1
208	Neoadjuvante Therapieverfahren bei Lebermetastasen gastrointestinaler Tumoren. <i>Viszeralchirurgie</i> , 2007 , 42, 287-291		
207	Adjuvant chemotherapy with gemcitabine vs observation in patients undergoing curative-intent resection of pancreatic cancer: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 267-77	27.4	1771
206	Which liver metastases are resectable?. <i>European Journal of Cancer, Supplement</i> , 2007 , 5, 301-306	1.6	3
205	Liver biochemistry profile, significance and endoscopic management of biliary tract complications post orthotopic liver transplantation. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2819-25	5.6	17
204	Epstein-barr virus-associated posttransplant lymphoproliferative disorder of donor origin after simultaneous pancreas-kidney transplantation limited to pancreas allograft: A case report. <i>American Journal of Transplantation</i> , 2006 , 6, 2506-11	8.7	11
203	Gastrinoma (duodenal and pancreatic). <i>Neuroendocrinology</i> , 2006 , 84, 173-82	5.6	216
202	Well-differentiated gastric tumors/carcinomas. <i>Neuroendocrinology</i> , 2006 , 84, 158-64	5.6	113
201	Well-differentiated duodenal tumor/carcinoma (excluding gastrinomas). <i>Neuroendocrinology</i> , 2006 , 84, 165-72	5.6	56
200	Well-differentiated pancreatic nonfunctioning tumors/carcinoma. <i>Neuroendocrinology</i> , 2006 , 84, 196-211	5.6	206
199	Poorly differentiated carcinomas of the foregut (gastric, duodenal and pancreatic). <i>Neuroendocrinology</i> , 2006 , 84, 212-5	5.6	86
198	Therapie des synchron metastasierten Rektumkarzinoms. <i>Viszeralchirurgie</i> , 2006 , 41, 338-341		

197	Well-differentiated pancreatic tumor/carcinoma: insulinoma. <i>Neuroendocrinology</i> , 2006 , 84, 183-8	5.6	191
196	Nutritional support after open liver resection: a systematic review. <i>Digestive Surgery</i> , 2006 , 23, 139-45	2.5	41
195	Rare functioning pancreatic endocrine tumors. <i>Neuroendocrinology</i> , 2006 , 84, 189-95	5.6	104
194	Liver transplantation for Budd-Chiari syndrome: A European study on 248 patients from 51 centres. <i>Journal of Hepatology</i> , 2006 , 44, 520-8	13.4	170
193	Evaluation of type 1 diabetics for simultaneous pancreas-kidney transplantation with regard to cardiovascular risk. <i>Transplantation Proceedings</i> , 2006 , 38, 747-50	1.1	4
192	Telerobotic-assisted laparoscopic spleen-preserving partial resection of the pancreatic tail for insulinoma. <i>Hpb</i> , 2006 , 8, 233-4	3.8	
191	TNM staging of foregut (neuro)endocrine tumors: a consensus proposal including a grading system. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 449, 395-401	5.1	1185
190	Lebertransplantation 2006 , 847-862		
189	Does the liver ever age? Results of liver transplantation with donors above 80 years of age. <i>Transplantation Proceedings</i> , 2005 , 37, 1182-5	1.1	42
188	Acceptance criteria of pancreas grafts: how do surgeons decide in Europe?. <i>Transplantation Proceedings</i> , 2005 , 37, 1259-61	1.1	12
187	Influence of methicillin-resistant Staphylococcus aureus carrier status in liver transplant recipients. <i>Transplantation Proceedings</i> , 2005 , 37, 1710-2	1.1	10
186	Cytomegalovirus infection in simultaneous pancreas-kidney transplantation. <i>Transplantation Proceedings</i> , 2005 , 37, 2848-50	1.1	14
185	Immunosuppressive drugs after simultaneous pancreas-kidney transplantation. <i>Transplantation Proceedings</i> , 2005 , 37, 2840-2	1.1	9
184	Corticosteroid withdrawal in simultaneous pancreas-kidney transplantation: a 3-year report. <i>Transplantation Proceedings</i> , 2005 , 37, 2853-5	1.1	9
183	Recombinant coagulation factor VIIa in major liver resection: a randomized, placebo-controlled, double-blind clinical trial. <i>Anesthesiology</i> , 2005 , 102, 269-75	4.3	178
182	Transarterial chemoembolization alone and in combination with other therapies: a comparative study in an animal HCC model. <i>European Radiology</i> , 2005 , 15, 127-33	8	53
181	Does telerobotic assistance improve laparoscopic colorectal surgery?. <i>International Journal of Colorectal Disease</i> , 2005 , 20, 253-7	3	46
180	Liver metastases in rats: chemoembolization combined with interstitial laser ablation for treatment. <i>Radiology</i> , 2005 , 237, 479-84	20.5	13

179	Onkologische Therapie in der Gastroenterologie. Was ist evidenzbasiert? Perspektiven?. <i>Visceral Medicine</i> , 2004 , 20, 55-60	2.4	
178	Stellenwert der radiologischen Bildgebung vor der Resektion von Lebermetastasen aus chirurgischer Sicht unter Berücksichtigung der Kosteneffizienz. <i>Viszeralchirurgie</i> , 2004 , 39, 339-344		0
177	Thyroid fetal male microchimerisms in mothers with thyroid disorders: presence of Y-chromosomal immunofluorescence in thyroid-infiltrating lymphocytes is more prevalent in Hashimoto's thyroiditis and Graves' disease than in follicular adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5810-4	5.6	62
176	Predicting creatinine clearance by a simple formula following live-donor kidney transplantation. <i>Transplant International</i> , 2004 , 17, 490-494	3	7
175	Clinical practice of nutrition in acute liver failure--a European survey. <i>Clinical Nutrition</i> , 2004 , 23, 975-82	5.9	46
174	Phosphorylation of hepatocyte growth factor receptor and epidermal growth factor receptor of human hepatocytes can be maintained in a (3D) collagen sandwich culture system. <i>Toxicology in Vitro</i> , 2004 , 18, 527-32	3.6	11
173	Older livers--should they be used for transplantation?. <i>Journal of Hepatology</i> , 2004 , 41, 485-7	13.4	4
172	Chirurgische Therapie des Cholangiokarzinoms. <i>Visceral Medicine</i> , 2004 , 20, 279-285	2.4	
171	High levels of C-reactive protein after simultaneous pancreas-kidney transplantation predict pancreas graft-related complications and graft survival. <i>Transplantation</i> , 2004 , 77, 60-4	1.8	31
170	Efficacy and safety of tacrolimus compared with cyclosporine microemulsion in primary simultaneous pancreas-kidney transplantation: 1-year results of a large multicenter trial. <i>Transplantation</i> , 2004 , 77, 1221-8	1.8	61
169	Predicting creatinine clearance by a simple formula following live-donor kidney transplantation. <i>Transplant International</i> , 2004 , 17, 490-4	3	
168	Prothrombotic disorders in uremic type-1 diabetics undergoing simultaneous pancreas and kidney transplantation. <i>Transplantation</i> , 2003 , 76, 1691-5	1.8	11
167	Mycophenolate mofetil increases adhesion capacity of tumor cells in vitro. <i>Transplantation</i> , 2003 , 76, 1735-41	1.8	13
166	Simultaneous pancreas-kidney transplantation in patients with antiphospholipid syndrome. <i>Transplantation</i> , 2003 , 75, 562-3	1.8	8
165	Value of donor swabs for intra-abdominal infection in simultaneous pancreas-kidney transplantation. <i>Transplantation</i> , 2003 , 76, 1073-8	1.8	9
164	Steroid withdrawal after pediatric liver transplantation: a long-term follow-up study in 109 recipients. <i>Transplantation</i> , 2003 , 75, 1629-30	1.8	1
163	Aktuelle Fragen zur Chirurgie beim alten Menschen sind eigene Standards erforderlich? / Current Issues of Surgery on Elderly Patients Are Separate Standards Necessary?. <i>Visceral Medicine</i> , 2003 , 19, 173-176	2.4	0
162	Validation and refinement of survival models for liver retransplantation. <i>Hepatology</i> , 2003 , 38, 460-9	11.2	98

161	The immunosuppressive drug mycophenolate mofetil impairs the adhesion capacity of gastrointestinal tumour cells. <i>Clinical and Experimental Immunology</i> , 2003 , 134, 238-45	6.2	22
160	Incidence of minor and major amputations after pancreas/kidney transplantation. <i>Transplant International</i> , 2003 , 16, 128-132	3	20
159	Critical view of imaging techniques for donor evaluation in living donor kidney transplantation. <i>Transplantation Proceedings</i> , 2003 , 35, 948-9	1.1	1
158	Combined transarterial chemoembolization and arterial administration of Bletilla striata in treatment of liver tumor in rats. <i>World Journal of Gastroenterology</i> , 2003 , 9, 2676-80	5.6	22
157	DNA analysis of cholangiocarcinoma cells: prognostic and clinical importance. <i>Cancer Detection and Prevention</i> , 2002 , 26, 313-9		10
156	Results of end-to-end cavocavostomy during adult liver transplantation. <i>World Journal of Surgery</i> , 2002 , 26, 342-7	3.3	12
155	Distinct enzyme profiles in patients with cryptogenic cirrhosis reflect heterogeneous causes with different outcomes after liver transplantation (OLT): a long-term documentation before and after OLT. <i>Transplantation</i> , 2002 , 74, 792-8	1.8	14
154	Continuation of regional chemotherapy of hepatic neoplasms despite occlusion of the hepatic artery-report of four cases. <i>Anti-Cancer Drugs</i> , 2002 , 13, 663-9	2.4	2
153	Diagnostic value of peripheral blood T-cell activation and soluble IL-2 receptor for acute rejection in liver transplantation. <i>Clinica Chimica Acta</i> , 2002 , 320, 69-78	6.2	27
152	Daclizumab and ATG versus ATG in combination with tacrolimus, mycophenolate mofetil, and steroids in simultaneous [correction of simultaneous] pancreas-kidney transplantation: analysis of early outcome. <i>Transplantation Proceedings</i> , 2002 , 34, 1909-10	1.1	3
151	Tacrolimus/mycophenolate mofetil vs cyclosporine A/Azathioprine after simultaneous pancreas and kidney transplantation: five-year results of a randomized study. <i>Transplantation Proceedings</i> , 2002 , 34, 1920-1	1.1	5
150	Living related kidney transplantation between identical twins. <i>Transplantation Proceedings</i> , 2002 , 34, 2205-6	1.1	10
149	Does simultaneous pancreas kidney transplantation still lead to a higher morbidity than kidney transplantation alone?. <i>Transplantation Proceedings</i> , 2002 , 34, 2256	1.1	3
148	Contrast-enhanced MRI of focal liver tumors using a hepatobiliary MR contrast agent: detection and differential diagnosis using Gd-EOB-DTPA-enhanced versus Gd-DTPA-enhanced MRI in the same patient. <i>Academic Radiology</i> , 2002 , 9 Suppl 1, S119-20	4.3	21
147	Ganzkörperhyperthermie bei Keimzellentumoren. <i>Onkologe</i> , 2001 , 7, 324-330	0.1	2
146	Postoperative tracheal extubation after orthotopic liver transplantation. <i>Acta Anaesthesiologica Scandinavica</i> , 2001 , 45, 333-9	1.9	67
145	Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis. <i>Hepatology</i> , 2001 , 33, 1080-6	11.2	708
144	Surgical Techniques of Adult Liver Transplantation. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2001 , 33, 13-16	0.9	0

143	Incidence and indications for reintubation during postoperative care following orthotopic liver transplantation. <i>Journal of Clinical Anesthesia</i> , 2001 , 13, 377-82	1.9	23
142	Donor pretreatment of grafts from marginal donors improves long-term graft outcome. <i>Transplantation Proceedings</i> , 2001 , 33, 970-1	1.1	5
141	Mycophenolate mofetil is superior in combination with tacrolimus compared to cyclosporine for immunosuppressive therapy after liver transplantation. <i>Transplantation Proceedings</i> , 2001 , 33, 1069-70	1.1	6
140	Improvement of long-term function in renal allografts from 'marginal donors' following the induction of heme-oxygenase-1. <i>Transplantation Proceedings</i> , 2001 , 33, 1160-1	1.1	8
139	Induction of heme-oxygenase-1 prevents ischemia/reperfusion injury and improves long-term graft outcome in rat renal allografts. <i>Transplantation Proceedings</i> , 2001 , 33, 1286-7	1.1	16
138	Split liver and living donation liver transplantation: the Berlin experience. <i>Transplantation Proceedings</i> , 2001 , 33, 1459-60	1.1	26
137	Long-term outcome of pancreas transplantation. <i>Transplantation Proceedings</i> , 2001 , 33, 1652-4	1.1	7
136	Long-term prednisolone withdrawal after pancreas and kidney transplantation in patients treated with ATG, tacrolimus, and mycophenolate mofetil. <i>Transplantation Proceedings</i> , 2001 , 33, 1694-5	1.1	9
135	Is preemptive therapy for CMV infection following liver transplantation superior to symptom-triggered treatment?. <i>Transplantation Proceedings</i> , 2001 , 33, 1804	1.1	2
134	Tolerance induction by the graft itself. <i>Transplantation Proceedings</i> , 2001 , 33, 2317-8	1.1	1
133	Significance of a T-lymphocytotoxic crossmatch in liver and combined liver-kidney transplantation. <i>Transplantation</i> , 2001 , 71, 1163-8	1.8	45
132	Prospective randomized trial to assess the value of preemptive oral therapy for CMV infection following liver transplantation. <i>Transplantation</i> , 2001 , 72, 881-5	1.8	41
131	Trends and perspectives in pancreas and simultaneous pancreas and kidney transplantation. <i>Current Opinion in Urology</i> , 2001 , 11, 165-74	2.8	14
130	Preoperative antiviral treatment and postoperative prophylaxis in HBV-DNA positive patients undergoing liver transplantation. <i>Transplantation</i> , 2001 , 72, 1381-5	1.8	59
129	Administration of prostacyclin after liver transplantation: a placebo controlled randomized trial. <i>Clinical Transplantation</i> , 2000 , 14, 70-4	3.8	16
128	Venous complications after orthotopic liver transplantation. <i>Clinical Transplantation</i> , 2000 , 14, 235-41	3.8	147
127	Neurotoxicity of calcineurin inhibitors: impact and clinical management. <i>Transplant International</i> , 2000 , 13, 313-326	3	371
126	Arterial complications after liver transplantation. <i>Transplant International</i> , 2000 , 13, 372-378	3	86

125	Lamivudine as first- and second-line treatment of hepatitis B infection after liver transplantation. <i>Transplant International</i> , 2000 , 13, 290-296	3	17
124	Primary and secondary hepatic manifestation of neuroendocrine tumors. <i>Langenbecks Archives of Surgery</i> , 2000 , 385, 265-70	3-4	32
123	Liver transplantation and diabetes mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2000 , 108, 401-5	2-3	44
122	Evidence for impaired glucose effectiveness in cirrhotic patients after liver transplantation. <i>Metabolism: Clinical and Experimental</i> , 2000 , 49, 367-72	12.7	3
121	Long-term survival after orthotopic liver transplantation with regard to country of origin and residence. <i>Transplantation Proceedings</i> , 2000 , 32, 516	1.1	1
120	Higher immunosuppressive efficacy of mycophenolate mofetil in combination with FK 506 than in combination with cyclosporine A. <i>Transplantation Proceedings</i> , 2000 , 32, 522-3	1.1	8
119	Aneurysms of the hepatic artery after liver transplantation. <i>Transplantation Proceedings</i> , 2000 , 32, 533-4	1.1	33
118	Infectious complications after orthotopic liver transplantation with different immunosuppressive induction regimens. <i>Transplantation Proceedings</i> , 2000 , 32, 537-8	1.1	4
117	Long-term survival and complications after orthotopic liver transplantation for postnecrotic cirrhosis. <i>Transplantation Proceedings</i> , 2000 , 32, 599	1.1	
116	Polycystic liver grafts for orthotopic liver transplantation. <i>Transplantation Proceedings</i> , 2000 , 32, 134-5	1.1	14
115	Contribution of prolonged ischemia and donor age to chronic renal allograft dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2000 , 11, 1317-1324	12.7	97
114	Lamivudine as first- and second-line treatment of hepatitis B infection after liver transplantation. <i>Transplant International</i> , 2000 , 13, 290-6	3	8
113	Treatment of posttransplant lymphoproliferative disorder with the anti-CD20 monoclonal antibody rituximab alone in an adult after liver transplantation: a new drug in therapy of patients with posttransplant lymphoproliferative disorder after solid organ transplantation?. <i>Transplantation</i> , 2000 , 69, 430-2	1.8	46
112	Additional interferon alpha for lamivudine resistant hepatitis B infection after liver transplantation: a preliminary report. <i>Transplantation</i> , 2000 , 69, 1739-42	1.8	14
111	Regulation of glucose tolerance in patients after liver transplantation: impact of cyclosporin versus tacrolimus therapy. <i>Transplantation</i> , 2000 , 69, 2072-8	1.8	16
110	Quadruple tacrolimus-based induction therapy including azathioprine and ALG does not significantly improve outcome after liver transplantation when compared with standard induction with tacrolimus and steroids: results of a prospective, randomized trial. <i>Transplantation</i> , 2000 , 69, 2343-53	1.8	23
109	Long-term results of famciclovir for recurrent or de novo hepatitis B virus infection after liver transplantation. <i>Clinical Transplantation</i> , 1999 , 13, 447-52	3.8	18
108	Contribution of color and power Doppler sonography to the differential diagnosis of acute and chronic rejection, and tacrolimus nephrotoxicity in renal allografts. <i>Transplant International</i> , 1999 , 12, 127-134	3	14

107	Focal liver lesions: Doppler ultrasound. <i>European Radiology</i> , 1999 , 9, 428-35	8	33
106	Maligne neuroendokrine Tumoren des Gastrointestinaltrakts. <i>Onkologe</i> , 1999 , 5, 138-143	0.1	1
105	34jähriger Patient mit HCC. <i>Onkologe</i> , 1999 , 5, 344-345	0.1	
104	Chirurgische Therapie des zentralen Gallengangskarzinoms. <i>Onkologe</i> , 1999 , 5, 515-520	0.1	2
103	Variations of surgical reconstruction in liver transplantation depending on vasculature. <i>Langenbecks Archives of Surgery</i> , 1999 , 384, 378-83	3.4	23
102	Dynamics of GB virus C viremia early after orthotopic liver transplantation indicates extrahepatic tissues as the predominant site of GB virus C replication. <i>Hepatology</i> , 1999 , 29, 245-9	11.2	36
101	In liver transplantation, T tube bile represents total bile flow: physiological and scintigraphic studies on biliary secretion of organic anions. <i>Liver Transplantation</i> , 1999 , 5, 8-15		16
100	Complete reversal of acute rejection episodes after syngeneic retransplantation is associated with a TH1/TH2 shift. <i>Transplantation Proceedings</i> , 1999 , 31, 340-1	1.1	
99	Quadruple induction therapy including antithymocyte globulin or interleukin-2 receptor antibody or FK 506-based induction therapy after liver transplantation. <i>Transplantation Proceedings</i> , 1999 , 31, 380	1.1	2
98	Orthotopic liver transplantation for hepatic-associated metabolic disorders. <i>Transplantation Proceedings</i> , 1999 , 31, 382-4	1.1	5
97	Recurrence of autoimmune hepatitis after liver transplantation. <i>Transplantation Proceedings</i> , 1999 , 31, 430-1	1.1	43
96	Liver transplantation for hepatocellular carcinoma. <i>Transplantation Proceedings</i> , 1999 , 31, 469-71	1.1	19
95	Treatment of hepatitis B-reinfection or de novo-infection after liver transplantation with famciclovir--how effective is it?. <i>Transplantation Proceedings</i> , 1999 , 31, 481-2	1.1	8
94	Reduction of reperfusion injury with prostacyclin I2 after liver transplantation. <i>Transplantation Proceedings</i> , 1999 , 31, 1029-30	1.1	11
93	Mycophenolate mofetil in combination with tacrolimus versus Neoral after liver transplantation. <i>Transplantation Proceedings</i> , 1999 , 31, 1113-4	1.1	29
92	The effect of cyclosporine vs FK 506 on glucose metabolism. <i>Transplantation Proceedings</i> , 1999 , 31, 1129-30		2
91	Contribution of donor age and ischemic injury in chronic renal allograft dysfunction. <i>Transplantation Proceedings</i> , 1999 , 31, 1298-9	1.1	11
90	Contribution of color and power Doppler sonography to the differential diagnosis of acute and chronic rejection, and tacrolimus nephrotoxicity in renal allografts. <i>Transplant International</i> , 1999 , 12, 127-34	3	2

89	Extended resections for hilar cholangiocarcinoma. <i>Annals of Surgery</i> , 1999 , 230, 808-18; discussion 819	7.8	506
88	Treatment of Epstein-Barr virus-induced posttransplantation lymphoproliferative disorder with foscarnet alone in an adult after simultaneous heart and renal transplantation. <i>Transplantation</i> , 1999 , 67, 765-7	1.8	31
87	Successful recanalization of late portal vein thrombosis after liver transplantation using systemic low-dose recombinant tissue plasminogen activator. <i>Transplant International</i> , 1999 , 12, 273-7	3	3
86	Effective therapy for hepatic M. Osler with systemic hypercirculation by ligation of the hepatic artery and subsequent liver transplantation. <i>Transplant International</i> , 1998 , 11, 323-6	3	16
85	Contribution of early acute rejection episodes to chronic rejection in a rat kidney retransplantation model. <i>Kidney International</i> , 1998 , 53, 465-72	9.9	40
84	Magnetic resonance imaging and Levovist-enhanced color and power Doppler imaging in the follow-up of pancreas transplants in patients after combined pancreas and kidney transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 246-7	1.1	4
83	First results with a quadruple therapy regimen including tacrolimus and mycophenolate mofetil in patients after combined pancreas and kidney transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 505-6	1.1	8
82	Development of tolerance in a chronic rejection model. <i>Transplantation Proceedings</i> , 1998 , 30, 1075-6	1.1	1
81	Treatment of cyclosporine-related adverse effects by conversion to tacrolimus after liver transplantation: long-term results. <i>Transplantation Proceedings</i> , 1998 , 30, 1419-21	1.1	13
80	Comparison of quadruple induction including ATG or IL-2R antibody with FK506-based therapy after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1439-40	1.1	6
79	Risk and benefit of antibody induction therapy in combination with tacrolimus immunosuppression after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1443-4	1.1	7
78	A randomized trial comparing anti-interleukin-2 receptor antibody and placebo for immunosuppressive therapy after OLT. <i>Transplantation Proceedings</i> , 1998 , 30, 1445-6	1.1	5
77	Effect of CsA versus FK 506 on insulin sensitivity and insulin response using a modeling technique. <i>Transplantation Proceedings</i> , 1998 , 30, 1452-3	1.1	6
76	Impact of immunosuppression in liver transplantation across a positive crossmatch. <i>Transplantation Proceedings</i> , 1998 , 30, 1466-7	1.1	4
75	Immunosuppression and incidence of opportunistic pneumonias after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1475-6	1.1	1
74	Donor-recipient sex matching and posttransplant malignancies after induction therapy in hepatic transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1490-1	1.1	2
73	Distribution of lymphocyte subtypes in liver transplant recipients with viral reinfection or de novo malignancy. <i>Transplantation Proceedings</i> , 1998 , 30, 1846-7	1.1	2
72	Combined liver-kidney transplantation: long-term follow-up in 18 patients. <i>Transplantation Proceedings</i> , 1998 , 30, 1865-7	1.1	1

71	Treatment with PGE1 in patients after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1869-70		7
70	Incidence and risk factors of prolonged mechanical ventilation and causes of reintubation after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1874-5	1.1	19
69	Clinical use of the euglycemic hyperinsulinemic clamp for diagnosis of tacrolimus-induced insulin resistance after combined pancreas-kidney transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 1944-5 ¹	1.1	3
68	Anti-IL-2 receptor BT563 versus placebo: a randomized trial for induction therapy after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 2159-60	1.1	9
67	Five-year follow-up of tacrolimus as primary immunosuppressant after liver transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 2179-81	1.1	4
66	Synergistic mechanisms of alloantigen-dependent and independent events in chronic graft rejection. <i>Transplantation Proceedings</i> , 1998 , 30, 2411-2	1.1	3
65	Hepatocellular carcinoma in patients suffering from primary sclerosing cholangitis. <i>Journal of Hepatology</i> , 1998 , 29, 513-4	13.4	2
64	Randomized trial of surgery versus surgery followed by adjuvant hepatic arterial infusion with 5-fluorouracil and folinic acid for liver metastases of colorectal cancer. German Cooperative on Liver Metastases (Arbeitsgruppe Lebermetastasen). <i>Annals of Surgery</i> , 1998 , 228, 756-62	7.8	275
63	Biphasic spiral computed tomography versus digital subtraction angiography for evaluation of arterial thrombosis after orthotopic liver transplantation. <i>Investigative Radiology</i> , 1998 , 33, 136-40	10.1	9
62	Biphasic spiral computed tomography for detection of hepatocellular carcinoma before resection or orthotopic liver transplantation. <i>Investigative Radiology</i> , 1998 , 33, 216-21	10.1	30
61	Pretransplant virological markers hepatitis C virus genotype and viremia level are not helpful in predicting individual outcome after orthotopic liver transplantation. <i>Transplantation</i> , 1998 , 66, 225-8	1.8	19
60	Leberchirurgie beim metastasierenden Karzinoid: Resektion, Debulking, Transplantation. <i>Chirurgische Gastroenterologie Interdisziplinär</i> , 1997 , 13, 279-284		
59	Female sex hormone receptor status in advanced hepatocellular carcinoma and outcome after surgical resection. <i>Surgery</i> , 1997 , 121, 456-61	3.6	21
58	Pilot study: Carolina Rinse Solution improves graft function after orthotopic liver transplantation in humans. <i>Transplantation Proceedings</i> , 1997 , 29, 390-2	1.1	19
57	Distribution of lymphocyte subtypes in liver transplant recipients. <i>Transplantation Proceedings</i> , 1997 , 29, 501-2	1.1	5
56	Impact of immunosuppression and acute rejection on hepatitis B recurrence. <i>Transplantation Proceedings</i> , 1997 , 29, 509-10	1.1	2
55	Kinetics of hepatitis C viremia after orthotopic liver transplantation. <i>Transplantation Proceedings</i> , 1997 , 29, 511-3	1.1	8
54	Cyclosporin new oral formulation for early oral immunosuppressive therapy in liver transplant recipients. <i>Transplantation Proceedings</i> , 1997 , 29, 544-6	1.1	5

53	Liver transplantation in HBsAg+ patients with postoperative immunoprophylaxis. <i>Transplantation Proceedings</i> , 1997 , 29, 2841-2	1.1	
52	Positive donor cytomegalovirus IgG status as a major risk factor for liver allograft recipient infection. <i>Transplantation Proceedings</i> , 1997 , 29, 2859-60	1.1	5
51	A second native renal allograft of donor origin in a model of chronic rejection demonstrates improved long-term function. <i>Transplantation Proceedings</i> , 1997 , 29, 3029	1.1	2
50	Early acute rejection episodes are reversible following retransplantation into a syngeneic donor and do not progress to chronic rejection. <i>Transplantation Proceedings</i> , 1997 , 29, 3034-5	1.1	
49	Heterogeneity of liver cells expressing procollagen types I and IV in vivo. <i>Histochemistry and Cell Biology</i> , 1997 , 107, 399-409	2.4	50
48	p53 hot-spot mutational analysis in advanced Western gallbladder carcinoma. <i>World Journal of Surgery</i> , 1997 , 21, 768-72	3.3	7
47	A pretransplant infection with precore mutants of hepatitis B virus does not influence the outcome of orthotopic liver transplantation in patients on high dose anti-hepatitis B virus surface antigen immunoprophylaxis. <i>Hepatology</i> , 1997 , 26, 478-84	11.2	30
46	A surgeon's perspective on the management of coagulation disorders before liver transplantation. <i>Liver Transplantation</i> , 1997 , 3, 653-5		15
45	De novo malignancies after liver transplantation using tacrolimus-based protocols or cyclosporine-based quadruple immunosuppression with an interleukin-2 receptor antibody or antithymocyte globulin. <i>Cancer</i> , 1997 , 80, 1141-50	6.4	146
44	A prospective randomized trial comparing interleukin-2 receptor antibody versus antithymocyte globulin as part of a quadruple immunosuppressive induction therapy following orthotopic liver transplantation. <i>Transplantation</i> , 1997 , 63, 1772-81	1.8	50
43	Chronically rejected rat kidney allografts induce donor-specific tolerance. <i>Transplantation</i> , 1997 , 64, 1581-68		26
42	Treatment of cyclosporine-related adverse effects by conversion to tacrolimus after liver transplantation. <i>Transplantation</i> , 1997 , 64, 938-40	1.8	47
41	Liver tumors: comparison of MR imaging with Gd-EOB-DTPA and Gd-DTPA. <i>Radiology</i> , 1996 , 200, 59-67	20.5	395
40	Conversion to tacrolimus after liver transplantation. <i>Transplant International</i> , 1996 , 9, 23-31	3	9
39	Liver graft-transmitted glioblastoma multiforme. A case report and experience with 13 multiorgan donors suffering from primary cerebral neoplasia. <i>Transplant International</i> , 1996 , 9, 426-429	3	57
38	Liver graft-transmitted glioblastoma multiforme. A case report and experience with 13 multiorgan donors suffering from primary cerebral neoplasia. <i>Transplant International</i> , 1996 , 9, 426-9	3	18
37	Conversion to tacrolimus after liver transplantation. <i>Transplant International</i> , 1996 , 9, 23-31	3	2
36	Magnetic resonance imaging of focal liver lesions. Comparison of the superparamagnetic iron oxide resovist versus gadolinium-DTPA in the same patient. <i>Investigative Radiology</i> , 1996 , 31, 696-708	10.1	79

35	GB virus C infection in patients with chronic hepatitis B and C before and after liver transplantation. <i>Transplantation</i> , 1996 , 62, 711-4	1.8	38
34	A new oral formulation of cyclosporine for early oral immunosuppressive therapy in liver transplant recipients. <i>Transplantation</i> , 1996 , 62, 1063-8	1.8	11
33	Mycobacterial infection after liver transplantation. <i>Langenbecks Archiv Fur Chirurgie</i> , 1995 , 380, 171-5		17
32	Comparison of FK506- and cyclosporine-based immunosuppression in primary orthotopic liver transplantation. A single center experience. <i>Transplantation</i> , 1995 , 59, 31-40	1.8	91
31	Fungal infections in liver transplant recipients. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 372-5		12
30	Donor criteria in hepatic transplantation. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 8-12		6
29	Bacterial and fungal colonization and infections using oral selective bowel decontamination in orthotopic liver transplantations. <i>Transplant International</i> , 1994 , 7, 101-108	3	25
28	Neurotoxicity after orthotopic liver transplantation in cyclosporin A- and FK 506-treated patients. <i>Transplant International</i> , 1994 , 7 Suppl 1, S37-42	3	21
27	Nephrotoxicity after orthotopic liver transplantation in cyclosporin A and FK 506-treated patients. <i>Transplant International</i> , 1994 , 7 Suppl 1, S52-7	3	30
26	Results of liver transplantation in acute liver failure caused by viral hepatitis. <i>Transplant International</i> , 1994 , 7 Suppl 1, S227-8	3	
25	Selection of small hepatocellular carcinoma improves long-term results of hepatic transplantation for malignancy. <i>Transplant International</i> , 1994 , 7 Suppl 1, S238-40	3	8
24	Liver transplantation for hepatic metastases of neuroendocrine tumors. <i>Annals of the New York Academy of Sciences</i> , 1994 , 733, 507-14	6.5	58
23	Long-term follow-up of hepatitis B virus-infected recipients after orthotopic liver transplantation. <i>Transplantation</i> , 1994 , 58, 553-9	1.8	69
22	Technique and results of biliary reconstruction using side-to-side choledochocholedochostomy in 300 orthotopic liver transplants. <i>Annals of Surgery</i> , 1994 , 219, 426-34	7.8	148
21	Mediators of leukocyte activation play a role in disseminated intravascular coagulation during orthotopic liver transplantation. <i>Transplantation</i> , 1994 , 57, 354-8	1.8	14
20	Bacterial and fungal colonization and infections using oral selective bowel decontamination in orthotopic liver transplantations. <i>Transplant International</i> , 1994 , 7, 101-8	3	7
19	THE EFFECT OF FK506 VERSUS CYCLOSPORINE ON GLUCOSE AND LIPID METABOLISM: A RANDOMIZED TRIAL. <i>Transplantation</i> , 1994 , 58, 669-674	1.8	72
18	Retrospective statistical analysis of coagulation parameters after 250 liver transplantations. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 223-32	5.3	36

17	Changes in urokinase-type plasminogen activator in orthotopic liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 311-4	5.3	6
16	Factor XIII activity during orthotopic liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 243-5	5.3	4
15	Role of leukocytes in hemostasis during orthotopic liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 197-208	5.3	4
14	Aprotinin in orthotopic liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 262-7	5.3	26
13	Thrombocytopenia and platelet dysfunction in orthotopic liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 209-12	5.3	13
12	"Goal-directed" transfusion management leads to distinct reduction of fluid requirement in liver transplantation. <i>Seminars in Thrombosis and Hemostasis</i> , 1993 , 19, 282-5	5.3	15
11	Comparison of quadruple immunosuppression after liver transplantation with ATG or IL-2 receptor antibody. <i>Transplantation</i> , 1993 , 55, 1320-7	1.8	96
10	Enhancement of allograft survival by combination RS-61443 and DUP-785 therapy. <i>Transplantation</i> , 1993 , 55, 691-4; discussion 694-5	1.8	14
9	Liver transplantation for PNH with Budd-Chiari syndrome. A case report. <i>Transplant International</i> , 1993 , 6, 354-8	3	19
8	Eingeladener Kommentar: Die UW-Lösung in der Organkonservierung für die orthotope Lebertransplantation-Experimentelle und klinische Ergebnisse <i>Acta Chirurgica Austriaca</i> , 1992 , 24, 237-238		
7	Hepatitis C virus reinfection in allografts after orthotopic liver transplantation. <i>Hepatology</i> , 1992 , 16, 1137-43	11.2	80
6	Follow-up of recurrent hepatitis B and delta infection in liver allograft recipients after treatment with recombinant interferon-alpha. <i>Journal of Hepatology</i> , 1991 , 13, 339-46	13.4	40
5	Peritoneovenous shunting for the treatment of massive ascites. <i>New England Journal of Medicine</i> , 1990 , 322, 1750-2	59.2	
4	Effect of aprotinin on intraoperative bleeding and fibrinolysis in liver transplantation. <i>Lancet, The</i> , 1989 , 2, 924-5	40	112
3	The role of liver transplantation in hepatobiliary malignancy. A retrospective analysis of 95 patients with particular regard to tumor stage and recurrence. <i>Annals of Surgery</i> , 1989 , 209, 88-98	7.8	294
2	Radical resection and liver grafting as the two main components of surgical strategy in the treatment of proximal bile duct cancer. <i>World Journal of Surgery</i> , 1988 , 12, 68-77	3.3	104
1	267. Ergebnisse und Bedeutung der Resektion von Lebermetastasen colorectaler Tumoren. <i>Langenbecks Archiv Fur Chirurgie</i> , 1986 , 369, 789-790		2