

# Guilherme Borges

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3960853/guilherme-borges-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

262  
papers

44,578  
citations

66  
h-index

210  
g-index

279  
ext. papers

55,104  
ext. citations

5.9  
avg, IF

7.77  
L-index

| #   | Paper                                                                                                                                                                                                                                                                                                   | IF   | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 262 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , <b>2012</b> , 380, 2224-60                                     | 40   | 7625      |
| 261 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 385, 117-71                                                            | 40   | 4599      |
| 260 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 743-800                   | 40   | 3802      |
| 259 | Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 291, 2581-90                                                                             | 27.4 | 2063      |
| 258 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1204-1222                                                                                            | 40   | 1847      |
| 257 | Prevalence of and risk factors for lifetime suicide attempts in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , <b>1999</b> , 56, 617-26                                                                                                                                       |      | 1779      |
| 256 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 2287-323 | 40   | 1776      |
| 255 | Suicide and suicidal behavior. <i>Epidemiologic Reviews</i> , <b>2008</b> , 30, 133-54                                                                                                                                                                                                                  | 4.1  | 1534      |
| 254 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 98-105                                                                                                                                                  | 5.4  | 1482      |
| 253 | Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2018</b> , 392, 1015-1035                                                                                                               | 40   | 1171      |
| 252 | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1223-1249                                                                                                      | 40   | 1013      |
| 251 | Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , <b>2007</b> , 370, 841-50                                                                                                                         | 40   | 968       |
| 250 | DSM-5 criteria for substance use disorders: recommendations and rationale. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 834-51                                                                                                                                                            | 11.9 | 784       |
| 249 | Trends in suicide ideation, plans, gestures, and attempts in the United States, 1990-1992 to 2001-2003. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 2487-95                                                                                                          | 27.4 | 712       |
| 248 | Comorbidity of substance use disorders with mood and anxiety disorders: results of the International Consortium in Psychiatric Epidemiology. <i>Addictive Behaviors</i> , <b>1998</b> , 23, 893-907                                                                                                     | 4.2  | 578       |
| 247 | An international consensus for assessing internet gaming disorder using the new DSM-5 approach. <i>Addiction</i> , <b>2014</b> , 109, 1399-406                                                                                                                                                          | 4.6  | 550       |
| 246 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1303-17                                                                                                                                                        | 6.9  | 509       |

|     |                                                                                                                                                                                                                                                          |      |     |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 245 | Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , <b>2009</b> , 6, e1000123                                                            | 11.6 | 482 |
| 244 | Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, 1617-28                                                         | 4.6  | 430 |
| 243 | Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 119-124                                                                                                               | 5.4  | 397 |
| 242 | Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization World Mental Health Survey Initiative. <i>World Psychiatry</i> , <b>2007</b> , 6, 177-85                                                   | 14.4 | 322 |
| 241 | Associations of substance use, abuse, and dependence with subsequent suicidal behavior. <i>American Journal of Epidemiology</i> , <b>2000</b> , 151, 781-9                                                                                               | 3.8  | 298 |
| 240 | The more you drink, the harder you fall: a systematic review and meta-analysis of how acute alcohol consumption and injury or collision risk increase together. <i>Drug and Alcohol Dependence</i> , <b>2010</b> , 110, 108-116                          | 4.9  | 288 |
| 239 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , <b>2017</b> , 9, 47-65                                                       | 3.1  | 284 |
| 238 | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 20-7                                                                                                    | 5.4  | 230 |
| 237 | Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , <b>2010</b> , 5, e10574                                                                 | 3.7  | 225 |
| 236 | Risk factors for the incidence and persistence of suicide-related outcomes: a 10-year follow-up study using the National Comorbidity Surveys. <i>Journal of Affective Disorders</i> , <b>2008</b> , 105, 25-33                                           | 6.6  | 224 |
| 235 | Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , <b>2011</b> , 199, 64-70                                                                                                                                           | 5.4  | 212 |
| 234 | The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , <b>2008</b> , 65, 835-42 | 2.1  | 212 |
| 233 | Dissociation in posttraumatic stress disorder: evidence from the world mental health surveys. <i>Biological Psychiatry</i> , <b>2013</b> , 73, 302-12                                                                                                    | 7.9  | 201 |
| 232 | Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , <b>2007</b> , 29, 123-33                                                                                                    | 5.6  | 197 |
| 231 | Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 285-97                                              | 4.9  | 181 |
| 230 | A risk index for 12-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). <i>Psychological Medicine</i> , <b>2006</b> , 36, 1747-57                                                                                             | 6.9  | 176 |
| 229 | Chronic childhood adversity and onset of psychopathology during three life stages: childhood, adolescence and adulthood. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 732-40                                                               | 5.2  | 151 |
| 228 | Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 465-475                                                                                                | 14.5 | 149 |

|     |                                                                                                                                                                                                                         |      |     |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 227 | Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , <b>2018</b> , 7, 556-561                                            | 6.3  | 146 |
| 226 | Chronic physical conditions and their association with first onset of suicidal behavior in the world mental health surveys. <i>Psychosomatic Medicine</i> , <b>2010</b> , 72, 712-9                                     | 3.7  | 141 |
| 225 | Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2018</b> , 57, 263-273.e1           | 7.2  | 137 |
| 224 | Risk for psychiatric disorder among immigrants and their US-born descendants: evidence from the National Comorbidity Survey Replication. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 189-95       | 1.8  | 135 |
| 223 | Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. <i>Psychological Medicine</i> , <b>2005</b> , 35, 1773-83 | 6.9  | 131 |
| 222 | A meta-analysis of acute use of alcohol and the risk of suicide attempt. <i>Psychological Medicine</i> , <b>2017</b> , 47, 949-957                                                                                      | 6.9  | 124 |
| 221 | Subthreshold posttraumatic stress disorder in the world health organization world mental health surveys. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 375-84                                                        | 7.9  | 124 |
| 220 | Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 270-281         | 14.5 | 120 |
| 219 | DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , <b>2014</b> , 31, 494-505                                                 | 8.4  | 117 |
| 218 | Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 320, 792-814                                                                                       | 27.4 | 114 |
| 217 | Immigration to the USA and risk for mood and anxiety disorders: variation by origin and age at immigration. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1117-27                                                   | 6.9  | 111 |
| 216 | A literature review and meta-analyses of cannabis use and suicidality. <i>Journal of Affective Disorders</i> , <b>2016</b> , 195, 63-74                                                                                 | 6.6  | 110 |
| 215 | Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 114-21                                                | 5.4  | 102 |
| 214 | Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 411-7                               | 5.4  | 100 |
| 213 | Dissonant health transition in the states of Mexico, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2016</b> , 388, 2386-2402                                    | 40   | 100 |
| 212 | Alcohol and drug use in suicidal behaviour. <i>Current Opinion in Psychiatry</i> , <b>2010</b> , 23, 195-204                                                                                                            | 4.9  | 95  |
| 211 | An overview of and rationale for changes proposed for pathological gambling in DSM-5. <i>Journal of Gambling Studies</i> , <b>2014</b> , 30, 493-502                                                                    | 3    | 93  |
| 210 | A cross-national meta-analysis of alcohol and injury: data from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). <i>Addiction</i> , <b>2003</b> , 98, 1277-86                                        | 4.6  | 93  |

|     |                                                                                                                                                                                                                                              |      |    |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 209 | Multicentre study of acute alcohol use and non-fatal injuries: data from the WHO collaborative study on alcohol and injuries. <i>Bulletin of the World Health Organization</i> , <b>2006</b> , 84, 453-60                                    | 8.2  | 90 |
| 208 | Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2009</b> , 50, 386-95                | 7.9  | 88 |
| 207 | Gender, acculturation, and other barriers to alcohol treatment utilization among Latinos in three National Alcohol Surveys. <i>Journal of Substance Abuse Treatment</i> , <b>2009</b> , 36, 446-56                                           | 4.2  | 87 |
| 206 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 1155-1177                                                                              | 8.4  | 83 |
| 205 | The criteria for causation of alcohol in violent injuries based on emergency room data from six countries. <i>Addictive Behaviors</i> , <b>2005</b> , 30, 103-13                                                                             | 4.2  | 82 |
| 204 | Psychiatric disorders in Mexico: lifetime prevalence in a nationally representative sample. <i>British Journal of Psychiatry</i> , <b>2007</b> , 190, 521-8                                                                                  | 5.4  | 80 |
| 203 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 280-288                                            | 5.4  | 76 |
| 202 | Associations between subjective social status and DSM-IV mental disorders: results from the World Mental Health surveys. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1400-8                                                                   | 14.5 | 75 |
| 201 | Migration from Mexico to the United States and subsequent risk for depressive and anxiety disorders: a cross-national study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 428-33                                                |      | 73 |
| 200 | Suicide ideation, plan, and attempt in the Mexican adolescent mental health survey. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2008</b> , 47, 41-52                                                      | 7.2  | 73 |
| 199 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1560-1571 | 6.9  | 73 |
| 198 | Risk of injury after alcohol consumption: a case-crossover study in the emergency department. <i>Social Science and Medicine</i> , <b>2004</b> , 58, 1191-200                                                                                | 5.1  | 72 |
| 197 | The dimensionality of alcohol use disorders and alcohol consumption in a cross-national perspective. <i>Addiction</i> , <b>2010</b> , 105, 240-54                                                                                            | 4.6  | 69 |
| 196 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 933-41                                                         | 1.3  | 66 |
| 195 | The association between smoking and subsequent suicide-related outcomes in the National Comorbidity Survey panel sample. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 1132-42                                                             | 15.1 | 65 |
| 194 | A cross-national study on Mexico-US migration, substance use and substance use disorders. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 117, 16-23                                                                                      | 4.9  | 64 |
| 193 | Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. <i>BMC Health Services Research</i> , <b>2011</b> , 11, 153  | 2.9  | 62 |
| 192 | The effect of migration to the United States on substance use disorders among returned Mexican migrants and families of migrants. <i>American Journal of Public Health</i> , <b>2007</b> , 97, 1847-51                                       | 5.1  | 62 |

|     |                                                                                                                                                                                                                    |      |    |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 191 | Suicide attempts and alcohol consumption in an emergency room sample. <i>Journal of Studies on Alcohol and Drugs</i> , <b>1996</b> , 57, 543-8                                                                     |      | 59 |
| 190 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 1221-33                               | 15.1 | 57 |
| 189 | Smoking and suicidal behaviors in the National Comorbidity Survey: Replication. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 369-77                                                           | 1.8  | 55 |
| 188 | Acute alcohol use and the risk of non-fatal injury in sixteen countries. <i>Addiction</i> , <b>2006</b> , 101, 993-1002                                                                                            | 4.6  | 54 |
| 187 | Relative risk of injury from acute alcohol consumption: modeling the dose-response relationship in emergency department data from 18 countries. <i>Addiction</i> , <b>2015</b> , 110, 279-88                       | 4.6  | 52 |
| 186 | Mental disorders among English-speaking Mexican immigrants to the US compared to a national sample of Mexicans. <i>Psychiatry Research</i> , <b>2007</b> , 151, 115-22                                             | 9.9  | 52 |
| 185 | Youth who neither study nor work: mental health, education and employment. <i>Salud Publica De Mexico</i> , <b>2012</b> , 54, 410-7                                                                                | 1.7  | 52 |
| 184 | Delay of first treatment of mental and substance use disorders in Mexico. <i>American Journal of Public Health</i> , <b>2007</b> , 97, 1638-43                                                                     | 5.1  | 50 |
| 183 | Alcohol-related injury in the ER: a cross-national meta-analysis from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). <i>Journal of Studies on Alcohol and Drugs</i> , <b>2003</b> , 64, 641-9 |      | 50 |
| 182 | Body mass index and the prevalence of metabolic syndrome among children and adolescents in two Mexican populations. <i>Journal of Adolescent Health</i> , <b>2007</b> , 40, 521-6                                  | 5.8  | 49 |
| 181 | La carga de enfermedad, lesiones, factores de riesgo y desafíos para el sistema de salud en México. <i>Salud Publica De Mexico</i> , <b>2013</b> , 55, 580                                                         | 1.7  | 48 |
| 180 | Immigration and suicidal behavior among Mexicans and Mexican Americans. <i>American Journal of Public Health</i> , <b>2009</b> , 99, 728-33                                                                        | 5.1  | 47 |
| 179 | Variations of alcohol impairment in different types, causes and contexts of injuries: results of emergency room studies from 16 countries. <i>Accident Analysis and Prevention</i> , <b>2006</b> , 38, 1107-12     | 6.1  | 47 |
| 178 | Suicidality, ethnicity and immigration in the USA. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1175-84                                                                                                       | 6.9  | 46 |
| 177 | Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 90, 128-34                                      | 4.9  | 46 |
| 176 | Traumatic events and suicide-related outcomes among Mexico City adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2008</b> , 49, 654-66                                   | 7.9  | 45 |
| 175 | Descriptive epidemiology of chronic childhood adversity in Mexican adolescents. <i>Journal of Adolescent Health</i> , <b>2009</b> , 45, 483-9                                                                      | 5.8  | 44 |
| 174 | Multi-level analysis of alcohol-related injury and drinking pattern: emergency department data from 19 countries. <i>Addiction</i> , <b>2012</b> , 107, 1263-72                                                    | 4.6  | 43 |

|     |                                                                                                                                                                                                                                          |      |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 173 | Performance of a craving criterion in DSM alcohol use disorders. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2010</b> , 71, 674-84                                                                                               | 1.9  | 43 |
| 172 | Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 91, 74-82                                                                     | 5.2  | 42 |
| 171 | Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 59, 179-88                                                                                                | 5.2  | 42 |
| 170 | Prevalence and socio-demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. <i>Addiction</i> , <b>2007</b> , 102, 1261-8                                                        | 4.6  | 42 |
| 169 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1136-1144 | 14.5 | 41 |
| 168 | Exposure to alcohol, drugs and tobacco and the risk of subsequent suicidality: findings from the Mexican Adolescent Mental Health Survey. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 113, 110-7                                  | 4.9  | 39 |
| 167 | Attribution of alcohol to violence-related injury: self and other drinking in the event. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2012</b> , 73, 277-84                                                                       | 1.9  | 39 |
| 166 | Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i96-i114                                                                     | 3.2  | 39 |
| 165 | The Mexican migration to the United States and substance use in northern Mexico. <i>Addiction</i> , <b>2009</b> , 104, 603-11                                                                                                            | 4.6  | 37 |
| 164 | Treatment and adequacy of treatment of mental disorders among respondents to the Mexico National Comorbidity Survey. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 1371-8                                                   | 11.9 | 37 |
| 163 | Emergency room injury presentations as an indicator of alcohol-related problems in the community: a multilevel analysis of an international study. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2004</b> , 65, 605-12             |      | 36 |
| 162 | Alcohol Attributable Fraction for Injury Morbidity from the Dose-Response Relationship of Acute Alcohol Consumption: Emergency Department Data from 18 Countries. <i>Addiction</i> , <b>2015</b> , 110, 1724-32                          | 4.6  | 35 |
| 161 | Migration from Mexico to the United States and conduct disorder: a cross-national study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 1284-93                                                                               |      | 35 |
| 160 | Male drinking and violence-related injury in the emergency room. <i>Addiction</i> , <b>1998</b> , 93, 103-12                                                                                                                             | 4.6  | 35 |
| 159 | The risk of intentional injury with acute and chronic alcohol exposures: a case-control and case-crossover study. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2003</b> , 64, 350-7                                               |      | 35 |
| 158 | Episodic alcohol use and risk of nonfatal injury. <i>American Journal of Epidemiology</i> , <b>2004</b> , 159, 565-71                                                                                                                    | 3.8  | 35 |
| 157 | A case-crossover study of acute alcohol use and suicide attempt. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2004</b> , 65, 708-14                                                                                               |      | 35 |
| 156 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 1892-1899                                                               | 15.1 | 34 |

|     |                                                                                                                                                                                                                                                      |     |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 155 | Mexican migration experiences to the US and risk for anxiety and depressive symptoms. <i>Journal of Affective Disorders</i> , <b>2011</b> , 130, 83-91                                                                                               | 6.6 | 33 |
| 154 | Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 163-73 | 5.5 | 32 |
| 153 | Chronic childhood adversity and stages of substance use involvement in adolescents. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 131, 85-91                                                                                                    | 4.9 | 32 |
| 152 | Validity of self-reported drinking before injury compared with a physiological measure: cross-national analysis of emergency-department data from 16 countries. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2007</b> , 68, 296-302           | 1.9 | 32 |
| 151 | Multi-level analysis of causal attribution of injury to alcohol and modifying effects: Data from two international emergency room projects. <i>Drug and Alcohol Dependence</i> , <b>2006</b> , 82, 258-68                                            | 4.9 | 32 |
| 150 | Prevalence and correlates of drug use disorders in Mexico. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>2006</b> , 19, 265-76                                                                             | 4.1 | 32 |
| 149 | Mexican immigration to the US and alcohol and drug use opportunities: does it make a difference in alcohol and/or drug use?. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 125 Suppl 1, S4-11                                                   | 4.9 | 31 |
| 148 | Psychiatric disorders, comorbidity, and suicidality in Mexico. <i>Journal of Affective Disorders</i> , <b>2010</b> , 124, 98-107                                                                                                                     | 6.6 | 31 |
| 147 | Cross-national performance of the RAPS4/RAPS4-QF for tolerance and heavy drinking: data from 13 countries. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2005</b> , 66, 428-32                                                                 |     | 31 |
| 146 | Substance use among emergency room patients: an exploratory analysis by ethnicity and acculturation. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2002</b> , 28, 287-305                                                                   | 3.7 | 31 |
| 145 | Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. <i>Journal of Affective Disorders</i> , <b>2017</b> , 215, 1-8                  | 6.6 | 29 |
| 144 | Depression, gender, and the treatment gap in Mexico. <i>Journal of Affective Disorders</i> , <b>2012</b> , 138, 165-9                                                                                                                                | 6.6 | 29 |
| 143 | Early alcohol or tobacco onset and transition to other drug use among students in the state of Morelos, Mexico. <i>Drug and Alcohol Dependence</i> , <b>2005</b> , 77, 93-6                                                                          | 4.9 | 29 |
| 142 | Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. <i>Current Addiction Reports</i> , <b>2019</b> , 6, 331-337                                                                                | 3.9 | 28 |
| 141 | Health selection among migrants from Mexico to the U.S.: childhood predictors of adult physical and mental health. <i>Public Health Reports</i> , <b>2011</b> , 126, 361-70                                                                          | 2.5 | 28 |
| 140 | Psychometric properties of alcohol screening tests in the emergency department in Argentina, Mexico and the United States. <i>Addictive Behaviors</i> , <b>2010</b> , 35, 818-25                                                                     | 4.2 | 28 |
| 139 | Association between dietary patterns and insulin resistance in Mexican children and adolescents. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 61, 142-50                                                                                | 4.5 | 28 |
| 138 | Physical activity and reduced risk of depression: results of a longitudinal study of Mexican adults. <i>Health Psychology</i> , <b>2013</b> , 32, 609-15                                                                                             | 5   | 26 |



|     |                                                                                                                                                                                                                                           |     |    |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 137 | The measurement of drinking patterns and consequences in Mexico. <i>Journal of Substance Abuse</i> , <b>2000</b> , 12, 183-96                                                                                                             |     | 25 |
| 136 | Acute Substance Use as a Warning Sign for Suicide Attempts: A Case-Crossover Examination of the 48 Hours Prior to a Recent Suicide Attempt. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 691-696                             | 4.6 | 25 |
| 135 | Violence-related injury and gender: the role of alcohol and alcohol combined with illicit drugs. <i>Drug and Alcohol Review</i> , <b>2014</b> , 33, 43-50                                                                                 | 3.2 | 24 |
| 134 | The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. <i>European Child and Adolescent Psychiatry</i> , <b>2011</b> , 20, 459-68                                                           | 5.5 | 24 |
| 133 | Griffiths et al. comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. <i>Addiction</i> , <b>2016</b> , 111, 175-8                                                  | 4.6 | 24 |
| 132 | Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. <i>Alzheimer's and Dementia</i> , <b>2018</b> , 14, 271-279                                                         | 1.2 | 23 |
| 131 | Change in binge eating and binge eating disorder associated with migration from Mexico to the U.S. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 31-7                                                                        | 5.2 | 23 |
| 130 | Alcohol Consumption in Emergency Room Patients and the General Population: A Population-Based Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986-1991                                                  | 3.7 | 23 |
| 129 | The epidemiology of suicide-related outcomes in Mexico. <i>Suicide and Life-Threatening Behavior</i> , <b>2007</b> , 37, 627-40                                                                                                           | 3.9 | 23 |
| 128 | Violence related injuries in the emergency room: alcohol, depression, and conduct problems. <i>Substance Use and Misuse</i> , <b>2004</b> , 39, 911-30                                                                                    | 2.2 | 23 |
| 127 | Performance of screening instruments for alcohol problems in the ER: a comparison of Mexican-Americans and Mexicans in Mexico. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2000</b> , 26, 683-702                              | 2.7 | 23 |
| 126 | Substance Use and Cumulative Exposure to American Society: Findings From Both Sides of the US-Mexico Border Region. <i>American Journal of Public Health</i> , <b>2016</b> , 106, 119-27                                                  | 5.1 | 23 |
| 125 | Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , <b>2015</b> , 206, 101-9                                                                        | 5.4 | 22 |
| 124 | Border effects on DSM-5 alcohol use disorders on both sides of the U.S.-Mexico border. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 148, 172-9                                                                                      | 4.9 | 22 |
| 123 | A cross-national study on prevalence of mental disorders, service use, and adequacy of treatment among Mexican and Mexican American populations. <i>American Journal of Public Health</i> , <b>2013</b> , 103, 1610-8                     | 5.1 | 21 |
| 122 | The relationship between self-reported drinking and BAC level in emergency room injury cases: is it a straight line?. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2010</b> , 34, 1118-25                                   | 3.7 | 21 |
| 121 | The causal attribution of injury to alcohol consumption: a cross-national meta-analysis from the emergency room collaborative alcohol analysis project. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2003</b> , 27, 1805-12 | 3.7 | 21 |
| 120 | Co-occurrence of alcohol, drug use, DSM-5 alcohol use disorder, and symptoms of drug use disorder on both sides of the U.S.-Mexico border. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2015</b> , 39, 679-87               | 3.7 | 20 |

|     |                                                                                                                                                                                                                                           |     |    |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 119 | Screening for drug use disorders in the emergency department: performance of the rapid drug problems screen (RDPS). <i>Drug and Alcohol Dependence</i> , <b>2004</b> , 74, 171-5                                                          | 4.9 | 20 |
| 118 | Alcohol consumption in emergency room patients and the general population: a population-based study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986-91                                                    | 3.7 | 20 |
| 117 | Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 306-315                                                                                  | 6.5 | 19 |
| 116 | Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 596-602                                                                 | 5.2 | 19 |
| 115 | A Comparison of Substance Use and Injury Among Mexican American Emergency Room Patients in the United States and Mexicans in Mexico. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2001</b> , 25, 1174-1180                  | 3.7 | 19 |
| 114 | NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. <i>European Child and Adolescent Psychiatry</i> , <b>2017</b> , 26, 1459-1469 | 5.5 | 18 |
| 113 | Gender differences in the relationship between alcohol and violent injury: an analysis of cross-national emergency department data. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2007</b> , 68, 824-33                             | 1.9 | 18 |
| 112 | Suicide ideation and behavior in Mexico: Encodat 2016. <i>Salud Publica De Mexico</i> , <b>2019</b> , 61, 6-15                                                                                                                            | 1.7 | 18 |
| 111 | Epidemiology of fears and specific phobia in adolescence: results from the Mexican Adolescent Mental Health Survey. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, 152-8                                                       | 4.6 | 18 |
| 110 | Adolescent alcohol use and alcohol use disorders in Mexico City. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 136, 43-50                                                                                                            | 4.9 | 17 |
| 109 | Alcohol Use Disorders in National Samples of Mexicans and Mexican-Americans: The Mexican National Addiction Survey and the U.S. National Alcohol Survey. <i>Hispanic Journal of Behavioral Sciences</i> , <b>2006</b> , 28, 425-449       | 0.7 | 17 |
| 108 | A case-control study of alcohol and substance use disorders as risk factors for non-fatal injury. <i>Alcohol and Alcoholism</i> , <b>2005</b> , 40, 257-62                                                                                | 3.5 | 17 |
| 107 | Alcohol consumption, low birth weight, and preterm delivery in the National Addiction Survey (Mexico). <i>Substance Use and Misuse</i> , <b>1993</b> , 28, 355-68                                                                         |     | 17 |
| 106 | Casualties in Acapulco: results of a study on alcohol use and emergency room care. <i>Drug and Alcohol Dependence</i> , <b>1994</b> , 36, 1-7                                                                                             | 4.9 | 17 |
| 105 | Methodological issues relevant to epidemiologic investigations of suicidal behaviors of adolescents. <i>Epidemiologic Reviews</i> , <b>1995</b> , 17, 228-39                                                                              | 4.1 | 17 |
| 104 | Association between attempted suicide and academic performance indicators among middle and high school students in Mexico: results from a national survey. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2018</b> , 12, 9 | 6.8 | 16 |
| 103 | Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , <b>2014</b> , 159, 147-54                                                                                                  | 6.6 | 16 |
| 102 | Threshold and optimal cut-points for alcohol use disorders among patients in the emergency department. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2011</b> , 35, 1270-6                                                   | 3.7 | 16 |

|     |                                                                                                                                                                                                                              |      |    |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 101 | Service use among Mexico City adolescents with suicidality. <i>Journal of Affective Disorders</i> , <b>2010</b> , 120, 32-9                                                                                                  | 6.6  | 16 |
| 100 | Treatment of mental disorders for adolescents in Mexico City. <i>Bulletin of the World Health Organization</i> , <b>2008</b> , 86, 757-64                                                                                    | 8.2  | 16 |
| 99  | Alcohol and violence in the emergency department: a regional report from the WHO collaborative study on alcohol and injuries. <i>Salud Publica De Mexico</i> , <b>2008</b> , 50 Suppl 1, S6-11                               | 1.7  | 16 |
| 98  | Psychopathology and self-harm among incoming first-year students in six Mexican universities. <i>Salud Publica De Mexico</i> , <b>2019</b> , 61, 16-26                                                                       | 1.7  | 16 |
| 97  | Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 437-450                                                                        | 6.9  | 15 |
| 96  | A dose-response estimate for acute alcohol use and risk of suicide attempt. <i>Addiction Biology</i> , <b>2017</b> , 22, 1554-1561                                                                                           | 4.6  | 15 |
| 95  | Evaluating recall bias in a case-crossover design estimating risk of injury related to alcohol: data from six countries. <i>Drug and Alcohol Review</i> , <b>2013</b> , 32, 512-8                                            | 3.2  | 15 |
| 94  | A transnational study of migration and smoking behavior in the Mexican-origin population. <i>American Journal of Public Health</i> , <b>2012</b> , 102, 2116-22                                                              | 5.1  | 15 |
| 93  | Factors Explaining Variation in Alcohol Use Disorder Prevalence Across Border and Nonborder Communities in Texas. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 1707-16                          | 3.7  | 15 |
| 92  | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , <b>2019</b> , 17, 101                     | 11.4 | 14 |
| 91  | Moving internet gaming disorder forward: A reply. <i>Addiction</i> , <b>2014</b> , 109, 1412-3                                                                                                                               | 4.6  | 14 |
| 90  | Suicide risk and psychopathology in immigrants: a multi-group confirmatory factor analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 1105-14                                                | 4.5  | 14 |
| 89  | Alcohol and Road Traffic Injuries in Latin America and the Caribbean: A Case-Crossover Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 1731-1737                                            | 3.7  | 14 |
| 88  | The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134970                                                                                   | 3.7  | 14 |
| 87  | The DSM-5 field trials and reliability of alcohol use disorder. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 442-3                                                                                             | 11.9 | 14 |
| 86  | Selection of screening items for alcohol abuse and alcohol dependence among Mexicans and Mexican Americans in the emergency department. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2001</b> , 62, 277-85            |      | 14 |
| 85  | Suicide attempts in a sample of patients from a general hospital. <i>Archives of Medical Research</i> , <b>2000</b> , 31, 366-72                                                                                             | 6.6  | 14 |
| 84  | Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 152, 123-30 | 4.9  | 13 |

|    |                                                                                                                                                                                                                                                        |     |    |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 83 | Scaling properties of the combined ICD-10 dependence and harms criteria and comparisons with DSM-5 alcohol use disorder criteria among patients in the emergency department. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2012</b> , 73, 328-36 | 1.9 | 13 |
| 82 | Screening instruments for alcohol problems: a comparison of cut points between Mexican American and Mexican patients in the emergency room. <i>Substance Use and Misuse</i> , <b>2000</b> , 35, 1419-30                                                | 2.2 | 13 |
| 81 | Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 540-546                                | 6.6 | 13 |
| 80 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i12-i26       | 3.2 | 13 |
| 79 | The effect of cross-border mobility on alcohol and drug use among Mexican-American residents living at the U.S.-Mexico border. <i>Addictive Behaviors</i> , <b>2015</b> , 50, 28-33                                                                    | 4.2 | 12 |
| 78 | Risk of injury after alcohol consumption from case-crossover studies in five countries from the Americas. <i>Addiction</i> , <b>2013</b> , 108, 97-103                                                                                                 | 4.6 | 12 |
| 77 | Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of Sã Paulo, Brazil. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155639                                                                          | 3.7 | 12 |
| 76 | Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. <i>Salud Publica De Mexico</i> , <b>2008</b> , 50 Suppl 1, S29-37                                                                            | 1.7 | 12 |
| 75 | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , <b>2020</b> , 1-11                                                           | 6.9 | 12 |
| 74 | Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , <b>2020</b> , 26, i125-i153                                                                           | 3.2 | 12 |
| 73 | Does beverage type and drinking context matter in an alcohol-related injury? Evidence from emergency department patients in Latin America. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 137, 90-7                                                | 4.9 | 11 |
| 72 | DSM-5 latent classes of alcohol users in a population-based sample: results from the Sã Paulo Megacity Mental Health Survey, Brazil. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 136, 92-9                                                      | 4.9 | 11 |
| 71 | Posttraumatic stress disorder in a nationally representative mexican community sample. <i>Journal of Traumatic Stress</i> , <b>2014</b> , 27, 323-30                                                                                                   | 3.8 | 11 |
| 70 | Immigration, suicidal ideation and deliberate self-injury in the Boston youth survey 2006. <i>Suicide and Life-Threatening Behavior</i> , <b>2011</b> , 41, 193-202                                                                                    | 3.9 | 11 |
| 69 | Adolescent Predictors of Incidence and Persistence of Suicide-Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. <i>Suicide and Life-Threatening Behavior</i> , <b>2018</b> , 48, 755-766                                     | 3.9 | 11 |
| 68 | Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. <i>Aging and Mental Health</i> , <b>2020</b> , 24, 1533-1542                                                             | 3.5 | 11 |
| 67 | Demographic and Clinical Characteristics of Completed Suicides in Mexico City 2014-2015. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 402                                                                                                         | 5   | 11 |
| 66 | Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. <i>International Journal of Geriatric Psychiatry</i> , <b>2015</b> , 30, 247-55                                                                    | 3.9 | 10 |

|    |                                                                                                                                                                                                                     |     |    |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 65 | Mexico-United States migration and the prevalence of obesity: a transnational perspective. <i>Archives of Internal Medicine</i> , <b>2012</b> , 172, 1760-2                                                         |     | 10 |
| 64 | DSM-IV personality disorders in Mexico: results from a general population survey. <i>Revista Brasileira De Psiquiatria</i> , <b>2008</b> , 30, 227-34                                                               | 2.6 | 10 |
| 63 | DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. <i>Journal of Behavioral Addictions</i> , <b>2019</b> , 8, 714-724                                                            | 6.3 | 10 |
| 62 | Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. <i>BMC Public Health</i> , <b>2018</b> , 18, 1201                     | 4.1 | 10 |
| 61 | Area-level disadvantage and alcohol use disorder in northern Mexico. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 175, 219-226                                                                                | 4.9 | 9  |
| 60 | The rate ratio of injury and aggressive incident for alcohol alone, cocaine alone and simultaneous use before the event: a case-crossover study. <i>Accident Analysis and Prevention</i> , <b>2015</b> , 75, 137-43 | 6.1 | 9  |
| 59 | Estimating the drink driving attributable fraction of road traffic deaths in Mexico. <i>Addiction</i> , <b>2018</b> , 113, 828-835                                                                                  | 4.6 | 9  |
| 58 | The growth of suicide ideation, plan and attempt among young adults in the Mexico City metropolitan area. <i>Epidemiology and Psychiatric Sciences</i> , <b>2017</b> , 26, 635-643                                  | 5.1 | 8  |
| 57 | Alcohol use and injury severity among emergency department patients in six countries. <i>Journal of Addictions Nursing</i> , <b>2013</b> , 24, 158-65                                                               | 0.7 | 8  |
| 56 | Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 29, e53               | 5.1 | 8  |
| 55 | Alcohol Use Patterns and DSM-5 Alcohol Use Disorder on Both Sides of the U.S.-Mexico Border. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 769-778                                      | 3.7 | 7  |
| 54 | Parental psychopathology and offspring suicidality in Mexico. <i>Archives of Suicide Research</i> , <b>2013</b> , 17, 123-35                                                                                        | 3.5 | 7  |
| 53 | Health profiles of clients in substance abuse treatment: a comparison of clients dependent on alcohol or cocaine with those concurrently dependent. <i>Substance Use and Misuse</i> , <b>2014</b> , 49, 1899-907    | 2.2 | 7  |
| 52 | Unintentional injuries in Mexico, 1990-2017: findings from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i154-i161                                                          | 3.2 | 6  |
| 51 | Symptoms of anxiety on both sides of the US-Mexico border: the role of immigration. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 61, 46-51                                                                | 5.2 | 6  |
| 50 | Comorbidity for alcohol use disorders and drug use in mexican-origin groups: comparison of data from national alcohol surveys in the U.S. And Mexico. <i>Substance Use and Misuse</i> , <b>2007</b> , 42, 1685-703  | 2.2 | 6  |
| 49 | Drug use on both sides of the US-Mexico border. <i>Salud Publica De Mexico</i> , <b>2018</b> , 60, 451-461                                                                                                          | 1.7 | 6  |
| 48 | The relationship between social inequalities, substance use and violence in border and non-border cities of northern Mexico. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 200, 1-5                            | 4.9 | 5  |

|    |                                                                                                                                                                                                  |     |   |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 47 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2018</b> , 53, 207-219 | 4.5 | 5 |
| 46 | Alcohol as a trigger for medical emergencies. <i>Substance Use and Misuse</i> , <b>2013</b> , 48, 484-9                                                                                          | 2.2 | 5 |
| 45 | Hazardous drinking and exposure to interpersonal and community violence on both sides of the U.S. -Mexico border. <i>Hispanic Journal of Behavioral Sciences</i> , <b>2017</b> , 39, 528-545     | 0.7 | 5 |
| 44 | Drinking context and cause of injury: Emergency department studies from 22 countries. <i>Journal of Substance Use</i> , <b>2018</b> , 23, 240-246                                                | 0.8 | 4 |
| 43 | Understanding differences in prescription drug misuse between two Texas border communities. <i>Ethnicity and Health</i> , <b>2021</b> , 26, 1028-1044                                            | 2.2 | 4 |
| 42 | Alcohol Use and Alcohol Use Disorders in Mexico. <i>Contemporary Drug Problems</i> , <b>2007</b> , 34, 389-410                                                                                   | 1.3 | 4 |
| 41 | Comorbidity: Depression and Substance Abuse. <i>Issues in Childrens and Familiesl Lives</i> , <b>2008</b> , 73-91                                                                                |     | 4 |
| 40 | Wanting and Getting Help for Substance Problems on Both Sides of the US-Mexico Border. <i>Journal of Immigrant and Minority Health</i> , <b>2017</b> , 19, 1174-1185                             | 2.2 | 3 |
| 39 | A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 105, 45-53                        | 5.2 | 3 |
| 38 | Chronic childhood adversity and speed of transition through stages of alcohol involvement. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 205, 107669                                        | 4.9 | 3 |
| 37 | Internet gaming and addiction: a reply to King & Delfabbro. <i>Addiction</i> , <b>2014</b> , 109, 1567-8                                                                                         | 4.6 | 3 |
| 36 | Drinking in the injury event: a comparison of Mexican-American male ER patients in the United States and in Mexico. <i>Substance Use and Misuse</i> , <b>2002</b> , 37, 133-43                   | 2.2 | 3 |
| 35 | PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. <i>Social Behavior and Personality</i> , <b>2002</b> , 30, 223-234              | 1.2 | 3 |
| 34 | DRINKING PATTERNS AND DSM-IV ALCOHOL USE DISORDERSQCRITERIA IN ARGENTINEAN EMERGENCY DEPARTMENT PATIENTS <b>2010</b> , 6, 209-220                                                                |     | 3 |
| 33 | Age at Immigration and Substance Use and Problems Among Males and Females at the U.S.-Mexico Border. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2017</b> , 78, 827-834                  | 1.9 | 2 |
| 32 | Central neurocytoma: report of two cases. <i>Arquivos De Neuro-Psiquiatria</i> , <b>2005</b> , 63, 1084-9                                                                                        | 1.6 | 2 |
| 31 | Alcohol Consumption in Emergency Room Patients and the General Population. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986                                        | 3.7 | 2 |
| 30 | The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 424-428     | 6.6 | 2 |

|    |                                                                                                                                                                                                                                                             |      |   |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 29 | (Internet) Gaming Disorder in -5 and -11: A Case of the Glass Half Empty or Half Full: (Internet) Le trouble du jeu dans le -5 et la CIM-11: Un cas de verre [moiti]vide et [moiti]plein. <i>Canadian Journal of Psychiatry</i> , <b>2021</b> , 66, 477-484 | 4.8  | 2 |
| 28 | Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 247-257                                                                  | 4.5  | 2 |
| 27 | Prevalence and correlates of arrests or stops for drunk driving on both sides of the U.S.-Mexico border. <i>Journal of Ethnicity in Substance Abuse</i> , <b>2018</b> , 17, 478-500                                                                         | 1.1  | 2 |
| 26 | Who should stay, who should leave?. <i>Addiction</i> , <b>2014</b> , 109, 1779-80                                                                                                                                                                           | 4.6  | 1 |
| 25 | Mexican immigration to the U.S., the occurrence of violence and the impact of mental disorders. <i>Revista Brasileira De Psiquiatria</i> , <b>2013</b> , 35, 161-8                                                                                          | 2.6  | 1 |
| 24 | Parental alcohol consumption and postneonatal mortality. <i>Journal of Community and Applied Social Psychology</i> , <b>1993</b> , 3, 17-27                                                                                                                 | 2.8  | 1 |
| 23 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , <b>2022</b> , 16, 6                                       | 3.6  | 1 |
| 22 | A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. <i>Contemporary Drug Problems</i> , <b>2014</b> , 41, 04                                                                                 | 1.3  | 1 |
| 21 | Misconceptions about substance use in the US-Mexico border area. <i>Nature Human Behaviour</i> , <b>2019</b> , 3, 4                                                                                                                                         | 12.8 | 1 |
| 20 | Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. <i>Journal of Affective Disorders</i> , <b>2021</b> , 281, 891-898                                                       | 6.6  | 1 |
| 19 | The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e17                                                    | 5.1  | 1 |
| 18 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 392                                                                                                    | 4.2  | 1 |
| 17 | Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 142, 171-178                                                                       | 5.2  | 1 |
| 16 | Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. <i>Issues in Childrens and Families Lives</i> , <b>2008</b> , 53-71                                                                                             |      | 1 |
| 15 | Screening for Alcohol Problems: A Comparison of Instrument Performance Between the Er and the General Population Among Mexican Americans in the U.S. And Mexicans in Mexico. <i>Addiction Research and Theory</i> , <b>2001</b> , 9, 59-72                  | 2.6  | 0 |
| 14 | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys.. <i>Journal of Affective Disorders</i> , <b>2022</b> , 303, 168-168                                                   | 6.6  | 0 |
| 13 | Global estimates of the attributable risk of alcohol consumption on road injuries. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2021</b> , 45, 2080-2089                                                                                      | 3.7  | 0 |
| 12 | Collaborative care for depression and suicide prevention: a feasible intervention within the Mexican health system. <i>Salud Publica De Mexico</i> , <b>2021</b> , 63, 274-280                                                                              | 1.7  | 0 |

|    |                                                                                                                                                                                                                                          |     |   |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 11 | Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 1                                | 4.5 | o |
| 10 | Road traffic injuries and substance use in Latin America: A systematic review.. <i>Traffic Injury Prevention</i> , <b>2022</b> , 1-6                                                                                                     | 1.8 | o |
| 9  | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys.. <i>Journal of Affective Disorders</i> , <b>2022</b> , 303, 273-285                                 | 6.6 | o |
| 8  | Does Beverage Type and Drinking Context Matter in an Alcohol-Related Injury? Evidence from Emergency Department Patients in Latin America.. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, i161-i161                   | 7.8 | o |
| 7  | An observational study of the impact of service use on suicidality among adults with mental disorders. <i>Injury Epidemiology</i> , <b>2014</b> , 1, 29                                                                                  | 1.7 |   |
| 6  | A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. <i>Contemporary Drug Problems</i> , <b>2014</b> , 41, 91-108                                                          | 1.3 |   |
| 5  | 161 EXPRESSION OF EXTRACELLULAR-SIGNAL REGULATED KINASES IN MONOAMINERGIC BRAINSTEM NUCLEI OF NEUROPATHIC PAIN RATS SUBJECTED NOXIOUS STIMULATION AND ANTIDEPRESSANTS TREATMENT. <i>European Journal of Pain</i> , <b>2009</b> , 13, S56 | 3.7 |   |
| 4  | Parental Involvement, Needs and Drug-Related Service Utilization Among Mexican Middle and High School Students. <i>Journal of Family Social Work</i> , <b>2001</b> , 6, 79-95                                                            | 1.1 |   |
| 3  | Epidemiology of Migration Substance Use Disorder in Latin American Populations and Migration to the United States595-615                                                                                                                 |     |   |
| 2  | Current status of violence, suicide, alcohol use, and stigma in Mexico. <i>Salud Mental</i> , <b>2021</b> , 44, 41-42                                                                                                                    | 0.5 |   |
| 1  | Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 228, 109051                                              | 4.9 |   |